00108184

Digitized with financial assistance from the
Government of Maharashtra
on 19 September, 2016

THIRTEENTH

DETAILED ANNUAL REPORT

THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

(ABSTRACTS OF 1867.)

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1869.


00108184

REPORT,

TO THE

RIGHT HON^BLE. H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, Etc.,
EDINBURGH, *December* 31, 1868.

SIR,

IN conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80, at the close of the year 1867 I submitted to the Secretary of State for the Home Department a General Abstract of the Births, Deaths, and Marriages registered in Scotland during that year, [illegible] explanatory statement relative to the

[illegible] was transmitted my Third Annual Report [illegible] to the nineteenth section of the Scottish [illegible] and 27 Vict. cap. 103.

[illegible] the honour to forward to you my Detailed [illegible] same year, with relative Tables.

[illegible] many countries the mortality is greatly influenced by [illegible] abundance and price of the provisions, but in Scotland no [illegible] sociable connection has as yet been traced between the two. [illegible] 1867 the price of all kinds of provisions was high, yet the mortality was much below that of the four previous years, when all kinds of food were abundant, good in quality, and cheap.

Though the Marriages did not rise above the average in 1867, yet the birth-rate was high.

Being desirous of ascertaining whether the Births and Marriages were subject to the same law of increase, in proportion to density of population, as has been so often proved to be the case with regard to the Deaths, I caused to be prepared a series of Tables which throw light on this important subject. These

show, for a period of ten years, the number and relative proportions of the Births, Deaths, and Marriages in each of the four groups of districts into which I divided Scotland, according to density of population—viz. Principal Towns, Large Towns, Small Towns, and Rural Districts. The facts thus elicited seem to prove, that if density of population increases mortality, which is an undoubted fact, there is an exact compensation for this in the increased number of Marriages and of Births. As a general rule, it was found that the larger the town, or the more dense the population, the greater was the proportion of its Births, Deaths, and Marriages; and that, as the towns get smaller, the proportions of each and all of these events diminished, till they merged in the low proportions peculiar to the Rural Districts.

The state of elementary education among the people, as indicated by the number of those who were able to sign their names in writing in the Marriage Registers, was highly satisfactory—89·41 per cent. of the men, and 79·27 per cent. of the women who married in 1867, having been able to sign their names in writing.

So far as it has gone, the Vaccination Act seems to have been a great success in Scotland, and under its provisions the mortality of Small-pox has been reduced [illegible] as the most perfect legislative measure could [illegible] modifications of some of its provisions, I brought under the notice of the Hom[illegible] much to render the Act more perfect, and [illegible] its efficacy in the diminution of Small-pox.

In transmitting this Report, I am happy to [illegible] your attention to the fact that we have now been [illegible] off the arrear of five years which existed in 1861, [illegible] series of our Detailed Annual Reports commenced. Th[illegible] ports are now brought up to as close a proximity with th[illegible] rent year as is possible; for, under the statutory arrangemen[illegible] which we are regulated, an arrear of two years must alway[illegible] exist.

I have the honour to be,

SIR,

Your faithful Servant,

W. PITT DUNDAS,

Registrar-General.

Page

Table of the Civil Condition of the Parties who married in 1867; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1867, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1867, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1867, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1867, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1867, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 172–175

Page

Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 176–179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 180–183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1867, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1867, ... 184

Constitution of the Compound Districts, 185
Index to Districts, 186

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1867, to which this Report refers, was one of average commercial and manufacturing prosperity. The rash speculations, and consequent losses experienced in commercial and financial circles towards the close of 1866, caused the year to open with a quiet money market, and a steady but rather restricted trade; but before the close of the year, from the market getting overstocked and the prices of goods falling, the wages of the manufacturing population were obliged to be lowered. As the harvest of 1867, like that of its predecessor, was found to have been short,

TABLE I.—POPULATION *estimated to the middle of each year*; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years *1855 to 1867*, and their Proportion to the Population; also the Illegitimate Births, and the Excess of Births over Deaths.

YEAR.	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751
1867	3,170,769	114,044	11,148	69,068	22,618	44,976	3·593	2·177	0·716

the price of provisions rose high above those of the previous year; and this, with the lowering of the wages of the manufacturing population, which in many instances led to strikes and locks-out, tended powerfully to restrict marriages, so that they fell 1070, or 5 per cent., below the number of the previous year.

The cattle-plague (Rinderpest), which had been so fatal during the previous year, but was rapidly dying out as that year closed, did not

TABLE II.—POPULATION of SCOTLAND, estimated to the middle of each year from the excess of Births over Deaths, deducting Emigrants, and the Per-centage of Births, Deaths, and Marriages to that Population; also the Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages.

YEAR.	Estimated Population.	Yearly Increase of Population.	EMIGRANTS.	Per-centage to Population.			Annual Increase or Decrease.		
				Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1861	3,066,633	35,694	8,974	3·484	2·032	0·681	+1380	—5829	—329
1862	3,102,327	24,769	15,105	3·451	2·166	0·665	+60	+4854	—299
1863	3,127,096	20,880	16,980	3·496	2·286	0·711	+2272	+4286	+1637
1864	3,147,976	22,523	15,394	3·568	2·364	0·721	+2992	+2935	+491
1865	3,170,499	28,902	13,277	3·566	2·235	0·744	+737	—3525	+886
1866	3,199,401	29,502	12,815	3·552	2·230	0·740	+597	+459	+77
1867	3,228,903	31,579	13,398	3·532	2·138	0·700	+375	—2285	—1070

TABLE III.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population of each estimated to the middle of the Year 1867.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1867.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,315	85,824	157,139
Mainland-Rural . }	828,852	882,865	1,711,717	848,998	913,578	1,762,576	861,586	932,772	1,794,358
Town* . .	469,867	540,671	1,010,538	527,441	611,544	1,138,985	563,428	655,844	1,219,272
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,496,329	1,674,440	3,170,769

* The Town Districts in this Table only include Towns which have above 10,000 Inhabitants.

TABLE IV.—POPULATION of SCOTLAND when divided into Three Groups of Town and One Group of Rural Districts.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1867.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns* }	362,791	422,350	785,141	407,839	477,116	884,955	435,995	511,347	947,342
Large Towns	107,076	118,321	225,397	119,602	134,428	254,030	127,433	144,497	271,930
Small Towns	222,308	244,272	466,580	239,074	265,223	504,297	249,549	278,317	527,866
Rural Districts	683,304	728,320	1,411,624	683,333	735,679	1,419,012	683,352	740,279	1,423,631
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,496,329	1,674,440	3,170,769

* The Eight Principal Towns have each above 25,000 Inhabitants. The Large Towns have each from 10,000 to 25,000 Inhabitants. The Small Towns have each from 3,000 to 10,000 Inhabitants. The Rural Districts constitute the remainder of Scotland.

reappear to any extent during 1867; but butcher meat kept at famine prices, and this greatly restricted its use among the mass of the people. With the cattle-plague, epidemic Cholera and epidemic Fever, which had

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855-67.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	864	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	34315	34372	815	11127	11746
1867	4301	60080	49663	229	6180	4739	2583	33190	33295	829	10763	11026

TABLE VI.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855-1867; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total-Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0·610	0·856
1861	2·801	3·297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0·607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0·976
1866	2·696	3·375	4·064	6·2	10·8	9·9	1·687	1·916	2·851	0·516	0·621	0·974
1867	2·735	3·348	4·073	5·3	10·2	9·5	1·635	1·849	2·730	0·527	0·599	0·904

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1867, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Estimated Population, 1867.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow	437,003	18347	4·198	1793	9·7	12578	2·878	3919	0·896
Edinburgh	175,938	6462	3·673	659	10·2	4765	2·708	1706	0·970
Dundee	98,933	4660	4·710	524	11·2	2952	2·983	1102	1·113
Aberdeen	75,100	2983	3·972	418	14·0	1824	2·428	654	0·870
Paisley	47,427	1731	3·649	143	8·2	1335	2·814	431	0·908
Greenock	47,929	2328	4·857	141	6·0	1433	2·989	430	0·897
Leith	38,410	1652	4·301	108	6·5	1064	2·770	391	1·017
Perth	26,981	849	3·146	84	9·8	569	2·108	237	0·878

prevailed during 1866, also disappeared in 1867, or rather dropped their epidemic form, and fell to their usual status.

Though the cold, stormy, and wintry weather during the first quarter of the year greatly increased the deaths during the first three months, yet the generally fine weather of the remainder of the year told favourably on the public health, so that the annual mortality was below that of previous

TABLE VIII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1867, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population, estimated to the middle of the Year 1867.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent.	No.	Per cent.	No.	Per-cent.	No.	Per-cent.
SCOTLAND		3,170,769	114044	3·593	11148	9·7	69068	2·177	22618	0·710
INSULAR DISTRICTS		157,139	4301	2·735	229	5·3	2583	1·635	829	0·527
MAINLAND-RURAL DISTS.		1,794,358	60080	3·348	6180	10·2	33190	1·849	10763	0·599
TOWN DISTRICTS		1,219,272	49663	4·073	4739	9·5	33295	2·730	11026	0·904
	DIVISIONS.									
I.	NORTHERN	132,540	3343	2·522	192	5·7	1871	1·411	643	0·485
II.	NORTH-WESTERN	162,079	4441	2·738	271	6·1	2695	1·661	815	0·502
III.	NORTH-EASTERN	378,289	12757	3·372	1861	14·5	6411	1·694	2389	0·631
IV.	EAST-MIDLAND	528,733	18623	3·522	1917	10·2	11199	2·118	4010	0·758
V.	WEST-MIDLAND	243,169	8014	3·295	650	8·1	4968	2·043	1412	0·580
VI.	SOUTH-WESTERN	1,087,731	44550	4·096	3809	8·5	28133	2·586	8698	0·798
VII.	SOUTH-EASTERN	425,049	15811	3·719	1490	9·4	9827	2·074	3473	0·817
VIII.	SOUTHERN	213,179	6505	3·051	958	14·7	3964	1·859	1178	0·552
	COUNTIES.									
1	Shetland	32,039	860	2·684	30	3·4	462	1·442	168	0·524
2	Orkney	32,982	780	2·365	38	5·0	483	1·464	182	0·551
3	Caithness	43,705	1174	2·686	97	8·2	572	1·309	198	0·453
4	Sutherland	23,814	529	2·221	27	5·1	354	1·482	95	0·398
5	Ross and Cromarty	81,578	2177	2·668	99	4·5	1283	1·572	391	0·479
6	Inverness	80,501	2264	2·809	172	7·6	1412	1·750	424	0·526
7	Nairn	8,515	243	2·853	24	9·8	171	2·008	38	0·446
8	Elgin	46,518	1370	2·945	175	12·7	712	1·527	231	0·498
9	Banff	58,933	1871	3·174	273	14·5	971	1·647	334	0·566
10	Aberdeen	229,519	8163	3·557	1223	14·9	4043	1·761	1549	0·675
11	Kincardine	34,804	1110	3·189	166	14·9	514	1·477	237	0·680
12	Forfar	214,949	8544	3·975	957	11·2	5165	2·420	1889	0·879
13	Perth	130,592	3667	2·808	420	11·4	2408	1·843	775	0·593
14	Fife	155,789	5447	3·490	438	8·0	3029	1·944	1167	0·749
15	Kinross	8,175	226	2·764	27	11·9	148	1·810	55	0·672
16	Clackmannan	19,228	739	3·848	75	10·1	449	2·283	124	0·644
17	Stirling	90,844	3405	3·747	293	8·6	1906	2·098	599	0·659
18	Dumbarton	58,673	2045	3·485	153	7·4	1332	2·270	369	0·629
19	Argyll	77,497	2141	2·762	164	7·6	1357	1·751	353	0·455
20	Bute	16,155	423	2·618	40	9·4	373	2·309	91	0·562
21	Renfrew	175,497	7047	4·015	516	7·3	4700	2·677	1422	0·810
22	Ayr	204,739	7554	3·609	690	9·1	4446	2·171	1412	0·690
23	Lanark	707,495	29949	4·233	2603	8·6	18987	2·683	5864	0·829
24	Linlithgow	44,332	1861	4·197	154	8·2	840	1·894	289	0·652
25	Edinburgh	285,218	10761	3·799	1011	9·3	7323	2·585	2623	0·926
26	Haddington	38,414	1187	3·090	113	9·5	638	1·660	216	0·562
27	Berwick	36,687	1133	3·088	126	11·1	587	1·600	199	0·515
28	Peebles	11,606	397	3·420	45	11·3	175	1·508	61	0·525
29	Selkirk	10,792	472	4·373	41	8·7	264	2·446	85	0·787
30	Roxburgh	55,278	1665	3·012	198	11·8	984	1·780	308	0·557
31	Dumfries	74,504	2334	3·132	340	14·5	1474	1·978	435	0·584
32	Kirkcudbright	42,107	1335	3·170	210	15·7	742	1·762	248	0·588
33	Wigtown	41,290	1171	2·841	210	17·9	765	1·852	187	0·452

years. This was another instance of the fact, often previously noticed in these Reports, that in this country there is no necessary connection between the mortality and the price or scarcity of provisions.

POPULATION.

In a small country like Scotland, where the difficulty of procuring a livelihood at home forces so many to emigrate, and where, from the imperfection of our emigration returns, it is impossible to ascertain, with any approach to correctness, the numbers of those who leave their native country, the estimated population can only be regarded as an approximation. In a large country like England, where the population is not so migratory, the excess of births over deaths, deducting the emigrants, shows very closely the annual increase of population. But to Scotland that mode of estimating the increase does not apply, seeing that between 1851 and 1861 it was found that that mode of calculation would have raised the population to 3,110,299 persons, whereas the ascertained population was only 3,062,294. The population of Scotland is therefore estimated on the assumption that it is increasing at the same ratio as between 1851 and 1861; but as a counterpart to Table I. there is added Table II., showing how the per-centage of births, deaths, and marriages would look, on the supposition that the population was estimated by the excess of births over deaths, deducting the ascertained emigrants, and showing also the annual increase or decrease of the births, deaths, and marriages over the number of these events during the previous year. By our adopted mode of estimation, the population of Scotland would, in the middle of 1867, amount to 3,180,769 persons; of whom 157,139 would inhabit the Insular, 1,794,358 the Mainland-Rural, and 1,219,272 the Town Districts. By the other mode of estimation, the population of Scotland at the middle of the year would amount to 3,228,903 persons. The truth probably lies between the two.

BIRTHS.

114,044 Births were registered in Scotland during the year 1867, being at the high rate of 359 births in every ten thousand persons of the estimated population, or 3·59 per cent. Of these, 4301 were registered in the Insular, 60080 in the Mainland-Rural, and 49663 in the Town Districts,—indicating a proportion in every ten thousand persons of 273 births in the Insular, 334 births in the Mainland-Rural, and 407 births in the Town Districts. As much the same proportions occur year after year, the interesting conclusion is arrived at, that, other things being equal, births, like the deaths, are influenced by density of population, the proportion being highest where the population is most dense, or the masses of people are greatest, and smallest where the population is most widely scattered.

This interesting conclusion is strikingly seen in Table XIII., where the whole of Scotland is divided into four groups of districts:—1st, the Principal Towns, the smallest of which has above 25000 inhabitants; 2d, the Large Towns, having each from 10000 to 25000 inhabitants; 3d, the Smaller Towns, each having from 3000 to 10000 inhabitants; and 4th

the Rural Districts, which embrace the remainder of Scotland. That Table shows that, exactly in proportion to the massing of the people, was the proportion of births. Thus, for every thousand persons in each of these groups in Scotland during the year 1867, there occurred 41 births in the Principal Towns, 39 births in the Large Towns, 36 births in the Small Towns, but only 31 births in the Rural Districts.

But a ten years' summary of the registration in Scotland showed the same fact (Table XV.), seeing that for every thousand persons in each of these groups, 39 births occurred in the Principal Towns, 38 births in the Large Towns, 36 births in the Small Towns, and 31 births in the Rural Districts. This fact establishes the rule, and proves that, other things being equal, it is a law of nature that births are in proportion to the density of the population. This has long been shown to be true of the deaths, but it does not seem to have been recognised that the same law extended to the births. It will be afterwards shown that marriages are subject to the same law.

The same fact may be seen, in a general way, with regard to the several divisions and counties of Scotland. (Table VIII.) Thus, in the

---

TABLE IX.—BIRTHS in SCOTLAND, 1855-1867; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births, also the Proportion of Mothers who bare Twins or Triplets.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51115	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13*	105·4	105·1	107·1	82

* Of these, one was a Quadruple Birth.

TABLE X.—BIRTHS, 1867. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1867; together with the Number of Twin and Triplet Births.

1867. DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2174	2127	4301	2056	2016	4072	118	111	229	52	1
Mainland-Rural	30896	29184	60080	27696	26204	53900	3200	2980	6180	723	6
TOWN	25447	24216	49663	22999	21925	44924	2448	2291	4739	590	6*
SCOTLAND . . .	58517	55527	114044	52751	50145	102896	5766	5382	11148	1365	13

* Of that number, one was a Quadruple Birth.

North-Western Division, with only 23 persons to a square mile, the births in 1867 were in the proportion of 27 births to every thousand persons; in the Southern Division, with 66 persons to a square mile, there were 30 births to every thousand persons; in the North-Eastern Division, with 97 persons to a square mile, there were 33 births to a thousand persons; in the East-Midland Division, with 120 persons to every square mile, there were 35 births to every thousand of the population; in the South-Eastern

TABLE XI.—BIRTHS, 1867. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland, its Insular, Mainland-Rural, and Town Districts in 1867.

1867. DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·735	5·3	102·2	101·9	106·3	81	4245
Mainland-Rural	3·348	10·2	105·8	105·6	107·3	82	9890
Town	4·073	9·5	105·0	104·9	106·8	83	8177
SCOTLAND . . .	3·593	9·7	105·4	105·1	107·1	82	8665

TABLE XII.—1867. Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Year 1867.

Number of Districts.	1867.	BIRTHS.				DEATHS.			MARRIAGES.
		Males.	Females.	Total.	Illegitimate.	Males.	Females.	Total.	
31	Principal Towns	20033	18979	39012	3870	13219	13300	26519	8870
19	Large Towns .	5414	5237	10651	869	3322	3454	6776	2156
81	Small Towns .	9840	9338	19178	1845	5786	5771	11557	3607
885	Rural Districts.	23230	21973	45203	4563	12036	12180	24213	7985
1016	SCOTLAND . .	58517	55527	114044	11148	34363	34705	69068	22618

TABLE XIII.—1867. Proportion of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts in Scotland during the Year 1867.

Number of Districts.	1867.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
		BIRTHS.			DEATHS.			MARRIAGES.		One Birth to every	One Death to every	One Marriage to every
		Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.					
31	Principal Towns.	4·594	3·713	4·118	3·032	2·601	2·799	0·936	9·9	24	35	107
19	Large Towns	4·248	3·624	3·916	2·606	2·390	2·491	0·792	8·1	25	40	126
81	Small Towns	3·943	3·355	3·633	2·318	2·073	2·189	0·683	9·5	27	46	146
885	Rural Districts	3·399	2·968	3·175	1·761	1·645	1·700	0·561	10·1	31	58	178
1016	SCOTLAND .	3·910	3·316	3·593	2·296	2·072	2·177	0·710	9·7	28	46	140

Division, with its 219 persons per square mile, there were 37 births to every thousand persons; and in the South-Western, or most densely peopled Division, with its 441 persons per square mile, there were 41 births per thousand inhabitants.

Of the 114,044 births, 102,896 were legitimate and 11148 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. As usual, the proportion of illegitimate births was lowest in the Insular and highest in the Mainland-Rural Districts, seeing that only 5·3 per cent. of the births were illegitimate in the Insular, 9·5 per cent. in the Town, but 10·2 per cent. in the Mainland-Rural Districts.

The proportion of illegitimate births in the several divisions and counties of Scotland, as shown in Table VIII., generally agrees with that of former returns. Thus the lowest proportion of illegitimates occurred in the counties embraced in the Northern and North-Western Divisions, respectively 5·7 and 6·1 per cent. But the highest proportion was noticed in the North-Eastern and Southern Divisions, respectively 14·5 and 14·7 per cent. of the births. Seven counties had above 12 per cent. of illegitimate births,—viz. Elgin, 12·7 per cent.; Banff and Dumfries, each 14·5; Aberdeen and Kincardine, each 14·9; Kirkcudbright, 15·7; and Wigtown, 17·9 per cent. The two counties which are the great centres of our commercial, mining, and manufacturing interests, viz. Renfrew and Lanark, respectively showed only 7·3 and 8·6 per cent. of illegitimate births.

Of the children born during the year, 58517 were boys and 55527 girls, showing that 105·4 boys were born for every 100 girls. This pro-

TABLE XIV.—1856-65. Summary of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Ten Years 1856-65.

Number of Districts.	1856-1865.	Births.				Deaths.			Marriages.
		Males.	Females.	Total.	Illegitimate.	Males.	Females.	Total.	
31	Principal Towns	176019	166764	342783	31020	124631	125363	249994	79355
19	Large Towns	49668	47055	96723	7959	30981	31438	62419	20214
81	Small Towns	94652	89143	183795	16854	53307	53826	107133	34793
885	Rural Districts	229472	217475	446947	44248	119186	121450	240636	79891
1016	Scotland	549811	520437	1070248	100081	328105	332077	660182	214253

TABLE XV.—1856-65. Summary of the Annual Proportion of Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland during the Ten Years 1856-1865, taking the Census of 1861 as the mean Population of these years.

Number of Districts.	1856-1865.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
		Births.			Deaths.			Marriages.		One Birth to every	One Death to every	One Marriage to every
		Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.					
31	Principal Towns.	4·316	3·495	3·873	3·056	2·627	2·825	0·896	9·0	25	35	111
19	Large Towns	4·152	3·500	3·807	2·903	2·338	2·457	0·795	8·2	26	40	125
81	Small Towns	3·959	3·361	3·644	2·233	2·029	2·124	0·689	8·1	27	47	145
885	Rural Districts	3·358	2·956	3·149	1·744	1·651	1·695	0·563	9·9	31	59	177
1016	Scotland	3·785	3·227	3·495	2·263	2·059	2·156	0·700	9·3	28	46	142

portion is remarkably constant from year to year, and is very nearly the normal proportion of the sexes at birth over Europe, with the singular exception of England, which appears only to have the average proportion of 104·4 boys to every 100 girls at birth.

The greatest daily number of births occurred during the months of April, May, and June—as in former years; the smallest number during the months of September, November, and December.

During the year, 1365 twin births, 12 triplet births, and one quadruple birth occurred, showing that one in every 83 mothers bare twins, and one in every 8665 bare triplets.

MARRIAGES.

22618 Marriages were registered in Scotland during the year 1867, being in the proportion of 71 marriages in every ten thousand persons of the estimated population. This was 1070 marriages fewer than during the previous year, being a falling off to the extent of 5 per cent. The number and proportion of marriages are thus again seen to be the surest modes of guessing at the general prosperity of our commercial and manufacturing industry. When these are prosperous, marriages increase, as they did during the four prosperous years, 1863, 1864, 1865, and 1866; but when trade gets depressed, and wages are obliged to be lowered, and even many are thrown out of work, as in 1867, the marriages decrease.

It has been always pointed out in these Reports, that the proportion of marriages was much higher in the Town than in the Rural Districts. Thus, while in every ten thousand persons in each group of districts, only 52 marriages occurred in the Insular, and 59 marriages in the Mainland-Rural Districts, no fewer than 90 marriages occurred in the Town Districts. But when we analyze these districts more closely, and divide them into four groups according to density of population, as is done in Tables XII. and XIII., it is found that the proportion of marriages in each group is, like that of the births and deaths, exactly proportioned to the density of population, being most numerous where the greatest mass of human beings are congregated together, and fewest where the population is most scattered. Thus, for every ten thousand persons in each of the groups, during the year 1867, there occurred 93 marriages in the Principal Towns, 79 marriages in the

TABLE XVI.—MARRIAGES, 1867. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland
Regular Marriages.	Established Church	348	5717	4001	10066	41·98	53·12	36·29	44·51
	Free Church	333	2524	2490	5347	40·17	23·45	22·59	23·65
	United Presbyterian Church	67	1449	1731	3247	8·09	13·47	15·70	14·36
	Roman Catholic Church	41	520	1478	2039	4·94	4·83	13·40	9·02
	Episcopalian Church	1	133	354	488	0·12	1·23	3·21	2·15
	Other Denominations	34	406	883	1323	4·10	3·77	8·01	5·84
	Denomination not stated	4	12	49	65	0·48	0·11	0·44	0·28
	Irregular Marriages	1	2	40	43	0·12	0·02	0·36	0·19
	Total Marriages	829	10763	11026	22618	100·00	100·00	100·00	100·00

Large Towns, 68 marriages in the Small Towns, but only 56 marriages in the Rural Districts.

The year 1867 was not an exceptional year in this respect, for when we look to the number and proportion of marriages in Scotland for the ten years 1856–1865, as given in Tables XIV. and XV., it is seen that the same law holds good, viz., that marriages occur in proportion to the density of the population, other things being equal. Thus, during these ten years, for every ten thousand persons in each group, there occurred 89 marriages in the Principal Towns, 79 marriages in the Large Towns, 69 marriages in the Small Towns, but only 56 marriages in the Rural Districts—proportions (excepting in the Principal Towns) nearly identical with those above given for the year 1867.

The proportion of legitimate children born to each marriage was, as usual, much higher in Scotland than in England during 1867. Thus, to the 22618 marriages in Scotland there were born 102,896 legitimate children,

TABLE XVII.—MARRIAGES, 1855–1867. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1867.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·751	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·710	10066	5347	3247	2039	488	1323	65	43

TABLE XVIII.—MARRIAGES, 1855–1867. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1867.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19

giving a proportion of 4·55 children for every marriage, or 455 children for every 100 marriages. But in England, during the same year, there were 179,154 marriages, and to these there were born 723,163 legitimate children, being 4·02 children to every marriage, or 402 children to every 100 marriages. This either indicates that the Scottish female is much more prolific than her sister in England, or, if it be assumed that the fecundity is the same, it indicates that a very large number of even legitimate births escapes registration in England.

Of the 22618 marriages registered in Scotland during the year, 10066 were contracted according to the rites of the Established Church, 5347 according to those of the Free Church, 3247 according to those of the United Presbyterian Church, 2039 according to those of the Romish Church, 488 according to those of the Episcopal Church, 1323 according to the varying rites of the smaller religious denominations; in 65 cases the religious denomination was omitted to be stated; and in 43 cases the marriage was what is termed irregular, that is, without a religious ceremony, and without publication of banns.

These facts indicate that 44·51 per cent. of the marriages in Scotland were celebrated according to the rites of the Established Church of Scotland, 23·65 per cent. according to the rites of the Free Church, 14·36 per cent. according to the rites of the United Presbyterian Church, 9·02 per cent. according to the rites of the Romish Church, 2·15 per cent. according to the rites of the Episcopal Church, 5·84 according to the rites of the smaller religious denominations; while in 0·28 per cent. the religious denomination had been omitted to be stated; and in 0·19 per cent. (that is to say, 19 in every ten thousand marriages) the marriage was irregular, that is to say, was contracted with[illegible] previous proclamation of banns, and without a religious ce[illegible]

Of the 22618 men who married, the ages of 22594 were ascertained, and of these, 1532, or 6·77 per cent. were minors, or under 21 years of age. Of the 22618 women who married, the ages of 22586 were ascer-

TABLE XIX.—MARRIAGES, 1867. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	11	–	–	–	5	–	6
16—17	–	67	–	1	–	41	–	25
17—18	8	301	1	3	3	154	4	144
18—19	120	848	3	8	58	418	59	422
19—20	458	1446	8	25	215	690	235	731
20—21	946	1938	15	33	457	950	474	955
21—25	7648	8380	144	289	3709	3955	3795	4136
25—30	6979	5584	328	293	3307	2702	3344	2589
30—35	2748	1980	145	91	1279	924	1324	965
35—40	1438	1029	67	47	705	464	666	518
40—45	914	555	44	18	415	254	455	283
45—50	582	280	37	13	259	114	286	153
50—55	336	102	9	–	140	43	187	59
55—60	193	49	11	3	98	20	84	26
60—65	137	14	6	–	63	6	68	8
65—70	51	2	4	–	20	2	27	–
70—75	21	–	2	–	9	–	10	–
75—80	13	–	–	–	9	–	4	–
80—85	2	–	1	–	–	–	1	–
85—90	–	–	–	–	–	–	–	–
Not stated	24	32	4	5	17	21	3	6
ALL AGES	22618	22618	829	829	10763	10763	11026	11026

tained, and of these, 4611, or 20·41 per cent., were minors, or under 21 years of age. (Tables XIX. and XX.)

It is impossible to ascertain correctly the proportion of minors who marry in England. The Marriage Registers are kept by the clergy, and so imperfectly, that in 1867, 33 per cent. of the marriages had no definite age of the parties entered in the registers. Thus, of the 179,154 marriages entered in the registers, the age of the parties was only given in 119,173 instances; and of these, 11081 men, being 9·29 per cent. of the men, and 29567 women, being 24·81 per cent. of the women, were minors, or were under 21 years of age. Hence it would appear that a considerably higher proportion of minors marry in England than in Scotland.

Some might be inclined to attribute the higher proportion of minor marriages in England to the fact, that the general marriage-rate in England is much higher than in Scotland. But what at once proves that this will not account for the circumstance is the ascertained fact, that though the annual marriage-rate in the Mainland-Rural Districts of Scotland is one-third lower than in the Town Districts, the relative proportion of minor marriages is nearly the same in each. Thus, during the year

TABLE XX.—MARRIAGES, 1867. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1867.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·60	1·44	2·57	2·70	11·82	4·46	12·45	12·04
20—25	37·96	19·18	38·73	38·72	45·63	38·85	45·57	46·17
25—30	30·86	39·56	30·74	30·33	24·70	35·34	25·11	23·48
30—35	12·16	17·50	11·89	12·01	8·72	10·98	8·58	8·75
35—40	6·36	8·08	6·56	6·04	4·55	5·68	4·31	4·70
40—45	4·05	5·30	3·86	4·12	2·46	2·17	2·36	2·58
45—50	2·58	4·46	2·43	2·60	1·24	1·56	1·06	1·38
50 and above	3·33	4·00	3·06	3·46	0·74	0·36	0·66	0·81
Not stated.	0·10	0·48	0·16	0·02	0·14	0·60	0·20	0·06
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XXI.—MARRIAGES, 1855–1866. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the Twelve Years 1855–1866.

AGES.	MEN.		WOMEN.	
	Number of Men who married at each Age.	Proportion at each Age in every 100 Men who married.	Number of Women who married at each Age.	Proportion at each Age in every 100 Women who married.
15—20 years	7566	2·95	32474	12·65
20—25	98598	38·44	117652	45·87
25—30	75262	29·34	61643	24·03
30—35	32222	12·56	22304	8·69
35—40	17197	6·70	11375	4·43
40—45	10345	4·03	5766	2·25
45—50	6497	2·53	2751	1·07
50 and above	8392	3·27	1688	0·66
Not specified	472	0·18	898	0·35
ALL AGES	256551	100·00	256551	100·00

1867, for every ten thousand persons there were only 59 marriages in the Mainland-Rural Districts, but 90 marriages in the Town Districts; yet 6·82 per cent. of the men, and 21·02 per cent. of the women who married in the Mainland-Rural Districts, were minors; while in the Town Districts, 7·00 per cent. of the men, and 20·71 per cent. of the women who married, were minors, or were under 21 years—proportions so close, that they may

TABLE XXII.—MARRIAGES in SCOTLAND, 1867. Number of Men and Women under and above 25 years of age, and the Number under 21 years, who contracted Marriage in Scotland, its Groups of Districts and Divisions, in 1867; also the Number of Marriages between Persons in different Conjugal Conditions.

1867.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND . . .	9180	12991	13414	9595	1532	4611	19067	578	2075	689
INSULAR DISTRICTS .	151	359	674	465	27	70	690	8	81	10
MAINLAND-RURAL do.	4442	6213	6304	4529	733	2258	9261	202	913	225
TOWN DISTRICTS . .	4567	6419	6456	4601	772	2283	9116	368	1081	454
1. Northern Division	180	283	459	355	30	74	550	8	65	8
2. North-Western do.	142	347	669	464	9	93	675	12	80	8
3. North-Eastern do.	895	1356	1492	1031	131	547	2104	42	200	34
4. East-Midland do.	1735	2225	2271	1780	305	657	3416	90	360	112
5. West-Midland do.	550	819	859	591	85	276	1188	40	108	38
6. South-Western do.	3840	5364	4856	3325	681	2060	7199	288	816	370
7. South-Eastern do.	1408	1951	2060	1517	220	690	2939	83	328	91
8. Southern do.	430	646	748	532	71	214	996	15	118	28
EDINBURGH	595	866	1111	839	75	292	1424	48	179	56
GLASGOW	1651	2339	2267	1579	293	872	3193	138	398	190

TABLE XXIII.—PROPORTION of MARRIAGES in SCOTLAND in 1867. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different Conjugal Conditions.

1867	Per-centage who Married				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND . . .	40·63	57·47	59·37	42·53	6·77	20·41	85·09	2·58	9·26	3·07
INSULAR DISTRICTS .	18·30	43·58	81·70	56·42	3·27	8·49	87·45	1·01	10 27	1·27
MAINLAND-RURAL do.	41·33	57·83	58·67	42·17	6·82	21·02	87·37	1·90	8·61	2·12
TOWN DISTRICTS . .	41·43	58·24	58·57	41·76	7·00	20·71	82·73	3·34	9·81	4·12
1. Northern Division	28·17	44·35	71·83	55·65	4·69	11·60	87·16	1·27	10·30	1·27
2. North-Western do.	17·50	42·78	82·50	57·22	1·10	11·46	87·08	1·57	10·32	1·03
3. North-Eastern do.	37·49	56·80	62·51	43·20	5·49	22·91	88·41	1·76	8·46	1·42
4. East-Midland do.	43·26	55·48	56·74	44·52	7·60	16·40	85·87	2·26	9·05	2·82
5. West-Midland do.	39·03	58·08	60·97	41·92	6·03	19·57	86 47	2·91	7·86	2·76
6. South-Western do.	44·16	61·73	55·84	38·27	7·83	22·55	83·00	3·32	9·41	4·27
7. South-Eastern do.	40·60	56·26	59·40	43·74	6·34	19·90	85·41	2·41	9·53	2·65
8. Southern do.	36·50	54·83	63·50	45·17	6·02	18·17	86·09	1·29	10·20	2·42
EDINBURGH . .	34·87	50·79	65·13	49·21	4·39	17·12	83·47	2·82	10·49	3·22
GLASGOW . . .	42·13	59·69	57·87	40·31	7·48	22·25	81·48	3·52	10·15	4·84

be considered as identical. (Table XXIII.) The higher marriage-rate in England is therefore not the cause why minors in that country marry in higher proportions than in Scotland.

Climate is the more likely cause; for the statistics of Norway and Sweden prove, that in these still colder climates than Scotland, the period of marriage is greatly retarded beyond what it is in Scotland; and the climate of Scotland, as compared with that of England, has no doubt, though to a less degree, the same effect in retarding the period of puberty, and, of course, that of marriage. For some interesting statistics bearing on this point, and showing the ages at which mothers gave birth to children in Scotland and in Sweden, reference may be had to our Eighth Detailed Annual Report, p. xiv.

The same fact is brought out by comparing the number of men and women who married under 25 years of age in England and in Scotland during the year 1867. In Scotland, 40·63 per cent. of the men, and 57·47 per cent. of the women who married, were under 25 years of age. In England, during the same year, it appears, from the returns, that 51 per cent. of the men, and 63 per cent. of the women who married, were under 25 years of age. The English, therefore, marry at an earlier age than the Scotch; and that this retardation of the period of marriage in Scotland is rather to be ascribed to the effect of the colder climate than to the lower marriage-rate, is almost proved by the fact, that the Town and Mainland-Rural Districts of Scotland, though they differ in their marriages by a full third—of course, a much greater difference than between England and Scotland—yet the relative proportion of men and women under 25 years of age who marry annually is absolutely identical. Thus, in the Mainland-Rural Districts, 41·33 per cent. of the men, and 57·83 per cent. of the women who married in 1867, were under 25 years of age, while in the Town Districts, where the general marriage-rate is one-third higher, 41·43 per cent. of the men, and 58·24 per cent. of the women who married, were under 25 years of age. Difference of marriage-rate in the two districts caused no difference in the ages at which men and women married in the Town and Rural Districts of Scotland. Whereas, had the earlier age at which men and women contract marriages in England been caused by the higher marriage-rate, the Town Districts of Scotland, which have a much

TABLE XXIV.—MARRIAGES in SCOTLAND, 1855–1867. Numbers.

YEARS.	Number of Persons who Married under 21 years.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689

higher marriage-rate than that of all England, ought to have had a higher proportion of men and women marrying under 25 years of age than ever occurs in England.

Every event in vital statistics, like the phenomena of nature around us, seems to be under fixed laws. Thus, not only is the proportion of marriages very much the same from year to year, but the very constituent parts of these marriages are nearly identical. Thus, if Tables XX. and XXI. be consulted, it will be seen that even the proportion of men and women at different ages who contract marriages is nearly identical year after year. Thus, of the women who married during the twelve years 1855–1866, 12·65 per cent. were under 20 years of age; 45·87 per cent. were from 20 to 25 years; 24·03 per cent. were from 25 to 30 years; 8·69 per cent. were from 30 to 35 years; and 4·43 per cent. were from 35 to 40 years. The proportions for the year 1867 were nearly the same. Thus, of the women who married during that year, 11·82 per cent. were under 20 years of age; 45·63 per cent. were between 20 and 25 years; 24·70 per cent. were between 25 and 30 years; 8·72 per cent. were from 30 to 35 years; and 4·55 per cent. were from 35 to 40 years of age.

Of these 22618 marriages, the conjugal or civil condition of the parties previous to their marriage was ascertained in 22409 cases. Of these 22409 marriages, 19067 were between bachelors and spinsters; 578 were between bachelors and widows; 2075 were between widowers and spinsters; and 689 between widowers and widows. (Tables XXII. and XXIII.) These numbers indicate that 85·09 per cent. of the marriages were between bachelors and spinsters; 2·58 per cent. between bachelors and widows; 9·26 per cent. between widowers and spinsters; and 3·07 per cent. between widowers and widows—proportions which closely correspond with those of former years.

The last two columns of Table XXVI. show the proportion of widowers and widows who re-married in 1867 in Scotland, its divisions, and counties. By that Table it appears that, in Scotland, 12·33 per cent. of the men who married were widowers, and 5·65 per cent. of the women who married were widows. As these proportions are pretty constant from year to year, they indicate that more than twice as many widowers marry

TABLE XXV.—MARRIAGES in SCOTLAND, 1855–1867. Proportion.

YEARS.	Per-centage of Persons who Married under 21 years.		Per-centage of Persons who Married				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing:		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	[illegible]·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	[illegible]·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	[illegible]·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	[illegible]·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	[illegible]·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	[illegible]·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	[illegible]·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07

annually as widows. This fact ought to be exhibited by the census of the population, which should show that widows are to the female population

---

TABLE XXVI.—Per-centage in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1867 of Persons signing the Marriage-Register in Writing and by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows.

DIVISIONS AND COUNTIES.		Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Widowers in 100 Men who married.	Widows in 100 Women who married.
SCOTLAND		89·41	79·27	10·59	20·73	6·77	20·41	12·33	5·65
INSULAR DISTRICTS		72·74	57·90	27·26	42·10	3·27	8·49	11·53	2·28
MAINLAND-RURAL DISTRICTS		92·49	84·92	7·51	15·08	6·82	21·02	10·73	4·02
TOWN DISTRICTS		87·66	75·37	12·34	24·63	7·00	20·71	13·93	7·46
	DIVISIONS.								
I.	NORTHERN	93·16	83·05	6 84	16·95	4·69	11·60	11·57	2·53
II.	NORTH-WESTERN	66·25	49·81	33·75	50·19	1·10	11·46	11·35	2·58
III.	NORTH-EASTERN	96·69	90·54	3·31	9·46	5·49	22·91	9·83	3·19
IV.	EAST-MIDLAND	93·79	84·51	6·21	15·41	7·60	16·40	11·86	5·08
V.	WEST-MIDLAND	89·37	78·54	10·63	21·46	6·03	19·57	10·62	5·68
VI.	SOUTH-WESTERN	84·69	70·39	15·31	29·61	7·83	22·55	13·67	7·58
VII.	SOUTH-EASTERN	93·92	89·89	6·08	10·11	6·34	19·90	12·17	5·05
VIII.	SOUTHERN	95·33	91·25	4·67	8·75	6·02	18·17	12·61	3·71
	COUNTIES.								
1	Shetland	91·07	66·66	8·93	33·34	6·70	4·88	8·69	1·86
2	Orkney	97·24	96·14	2·76	3·86	6·59	15·93	14·28	2·19
3	Caithness	97·47	91·91	2·53	8·01	3·53	12·68	11·11	3·53
4	Sutherland	78·90	68·42	21·10	31·58	0·00	12·63	12·22	2·22
5	Ross and Cromarty	60·61	45·78	39·39	54·22	1·28	9·51	10·13	1·60
6	Inverness	71·46	53·53	28·54	46·47	0·95	13·27	12·50	3·50
7	Nairn	94·73	81·57	5·27	18·43	0·00	10·52	2·63	2·63
8	Elgin	93·50	84·41	6·50	15·59	3·89	21·21	7·89	3·07
9	Banff	94·91	85·32	5·09	14·68	5·98	23·65	11·67	2·33
10	Aberdeen	97·48	91·86	2·52	8·14	5·93	23·54	9·59	3·37
11	Kincardine	97·89	96·20	2·11	3·80	4·22	21·52	11·81	3·37
12	Forfar	90·41	76·17	9·59	23·83	8·42	11·49	11·92	6·14
13	Perth	97·16	91·74	2·84	8·26	5·55	14·73	9·48	3·50
14	Fife	96·40	92·11	3·60	7·89	8·49	16·65	13·48	4·46
15	Kinross	100·00	100·00	0·00	0·00	7·27	12·72	7·27	1·81
16	Clackmannan	96·77	87·90	3·23	12·10	8·06	20·16	12·90	5·64
17	Stirling	88·98	78·96	11·02	21·04	7·87	25·41	10·92	5·80
18	Dumbarton	88·37	71·54	11·63	28·46	6·77	17·88	10·08	6·54
19	Argyll	90·37	80·17	9·63	19·42	2·84	13·92	9·93	5·28
20	Bute	91·21	86·81	8·79	13·19	3·29	9·90	14·60	3·36
21	Renfrew	82·91	70·18	17·09	29·82	4·99	20·47	12·30	8·13
22	Ayr	86·75	75·35	13·25	24·65	8·92	24·64	14·24	6·76
23	Lanark	84·46	69·25	15·54	30·75	8·25	24·26	13·87	7·65
24	Linlithgow	87·82	77·51	12·12	22·49	14·93	35·76	7·04	4·22
25	Edinburgh	94·53	90·92	5·46	9·08	5·45	18·53	13·19	5·40
26	Haddington	91·20	85·65	8·80	14·35	7·48	18·14	11·32	5·18
27	Berwick	98·49	97·48	1·52	2·52	5·58	15·22	6·27	1·04
28	Peebles	98·36	98·36	1·64	1·64	4·91	21·31	19·67	4·91
29	Selkirk	100·00	97·64	0·00	2·36	4·70	20·00	8·23	5·87
30	Roxburgh	97·07	93·83	2·93	6·17	5·52	19·80	11·07	3·58
31	Dumfries	97·01	95·17	2·99	4·83	5·05	15·86	13·20	4·01
32	Kirkcudbright	95·56	92·74	4·44	7·26	5·24	17·74	12·81	3·72
33	Wigtown	88·23	81·28	11·77	18·72	10·15	21·39	13·58	3·25
	EDINBURGH	95·80	91·96	4·20	8·04	4·39	17·12	13·71	6·03
	GLASGOW	83·36	65·91	16·64	34·09	7·48	22·25	15·00	8·37

more than twice as numerous as widowers are to the male population. Accordingly, we find that at the census of 1861, 8 per cent. of the female population above 15 years of age were widows, while only 3 per cent. of the male population above 15 years of age were widowers.

The last four columns of Table XXV. show the relative proportion of marriages between persons in different conjugal conditions, during the thirteen years 1855–1867. By these it will be seen that the relative proportion of marriages between bachelors and spinsters, bachelors and widows, etc., varies very little from year to year, and repeats itself with as unfailing regularity as the ages at which the parties marry.

During 1867 the state of elementary education among the people, in so far as such is indicated by the ability to write their names in the marriage registers, was much the same as in former years. (Tables XXIV., XXV., and XXVI.) Thus, during the year 1867, of the 22618 men who married, 20224 signed their names in writing, while 2394, being unable to write, signed by mark. Of the 22618 women who married during the year, 17931 signed their names in writing, while 4687, being unable to write, signed by mark. These numbers indicate that 89·41 per cent. of the men, and 79·27 per cent. of the women, were able to sign their names in writing; while 10·59 per cent. of the men, and 20·73 per cent. of the women, not being able to write, were obliged to sign by mark.

In England, during the same year, only 78·9 per cent. of the men, and 71·2 per cent. of the women, who married, were able to sign their names in writing; while 21·1 per cent. of the men, and 28·8 per cent. of the women, not being able to write, had to append their mark. By this test, therefore, elementary education is in a much more advanced stage in Scotland than in England.

Ross and Cromarty, Inverness, and Sutherland, are the counties in Scotland which exhibit the highest proportion of persons unable to write. After these come the counties which contain the largest number of persons of Irish descent, the number unable to write being closely proportioned to the number of Irish in the population. This is perhaps the principal cause of the difference between Edinburgh and Glasgow in the proportion of men and women able to write their names. Thus, in Edinburgh, 95·80 per cent. of the men, and 91·96 per cent. of the women who married during the year, were able to write their names in the registers; but in Glasgow, only 83·36 per cent. of the men, and 65·91 per cent. of the women, could write their names. To state it otherwise, only 4·20 per cent. of the men, and 8·04 per cent. of the women in Edinburgh, not being able to write, had to append their mark to the registers; while in Glasgow, 16·64 per cent. of the men, and 34·09 per cent. of the women, being unable to write, were obliged to sign by mark.

DEATHS.

69068 Deaths were registered in Scotland during the year 1867, being at the rate of 21·77 deaths in every thousand of the estimated population. The mean death-rate of the ten previous years was 21·83 deaths in every thousand persons, so that the mortality was somewhat below the average.

In England, during the same year, the deaths were in the proportion of 21·98 deaths in every thousand persons; and were thus above the Scottish rate, but below their own mean of the ten previous years, which was at the

rate of 22·54 deaths annually in every thousand persons of the estimated population.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than that of the Town Districts. Thus, 2583 deaths occurred in the Insular, 33190 deaths in the Mainland-Rural, and 33295 deaths in the Town Districts; which indicates a mortality of 16·43 deaths in every thousand persons in the Insular, 18·49 deaths in the Mainland-Rural, and 27·30 deaths in the Town Districts.

It is instructive, however, to refer to Tables XII. and XIII., which show the number and proportion of deaths in the Town and Rural Districts of Scotland when divided into four groups according to the density of the population. By these Tables it will be seen that, like the births and marriages, the mortality is exactly proportioned to the density of the population, or rather to the size of the mass of human beings congregated together, being highest where the greatest number of persons were congregated together, lowest in the Rural Districts where the population is most scattered. Thus, in every thousand persons in each of the groups, 27·99 died during the year in the Principal Towns, 24·91 died in the Large Towns, 21·89 died in the Small Towns, but only 17·00 died in the Rural Districts.

But the instructive point to note is, that the varying death-rate is steady in each group of districts, and is the normal condition of things; for if we

TABLE XXVII.—DEATHS in SCOTLAND, and its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1867, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17129	17252	34372
1867	34363	34705	69068	1233	1350	2583	16589	16601	33190	16541	16754	33295

TABLE XXVIII.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1867.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851
1867	2·296	2·072	2·177	1·728	1·573	1·643	1·925	1·778	1·849	2·936	2·554	2·730

take a ten years' summary of the deaths in each of these four groups, as is shown in Tables XIV. and XV., we shall find that, from 1856 to 1865, for every thousand persons living in each group, 28·25 deaths occurred annually in the Principal Towns, 24·57 deaths in the Large Towns, 21·24 deaths in the Small Towns, and only 16·95 deaths in the Rural Districts.

It would appear, however, that nature does nothing without a compensation, though this fact seems hitherto to have been entirely overlooked. Thus, it has already been shown, when speaking of the births and marriages, that if the Principal Towns have the highest proportion of deaths, they have also the highest proportion of births and of marriages, while each of the other groups have their births and marriages in exact proportion to their deaths. In fact, the now ascertained facts, when looked at from a philosophical point of view, would seem to lead to the conclusion, that it was a law of nature that the rapidity of the circulation of life in each country was dependent on the density of the population; and that if the lamp of human life burned out most quickly where the population was most dense, ample provision was made for keeping up the supply of life, seeing that, in proportion to the density of the population, the ratio of both marriages and births was correspondingly increased.

When from groups of districts, arranged according to the varying size of the towns, we descend to the individual towns themselves, it is found that the existence of local and often temporary causes tends to obscure the general law above indicated. Thus, a virulent epidemic, a more insalubrious site, exceptional overcrowding, or a strike, with its privations and diseases, etc., will often cause a smaller town to exhibit a higher mortality than a larger one. This is the reason why no confidence can be placed on conclusions drawn from limited data, which are often exceptional. Still it is interesting year by year to note the varying mortality which prevails in the principal towns of a country. Thus, for every thousand persons living in each of the Eight Principal Towns of Scotland during the year 1867, there

TABLE XXIX.—TOWN DEATHS, 1857–1867. Number of Deaths Annually in each of the Eight Principal Towns of Scotland.

TOWNS.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.
Glasgow . . .	11375	11472	10832	12436	10936	11565	13329	13674	13914	12829	12578
Edinburgh . . .	3786	4190	3703	4240	4168	4760	4593	4678	4858	4813	4765
Dundee	2242	2335	2269	2903	2499	2599	2714	3105	3000	3130	2952
Aberdeen . . .	1718	1619	1676	2193	1780	1923	1750	2139	1981	2324	1824
Paisley	1443	1276	1185	1378	1207	1253	1218	1521	1410	1345	1335
Greenock . . .	1268	1088	1423	1255	1113	1370	1876	1929	1675	1488	1433
Leith	751	790	699	987	766	872	913	928	948	924	1064
Perth	767	665	560	664	665	618	652	871	729	613	569

TABLE XXX.—TOWN DEATHS, 1857–1867. Annual Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during the Eleven Years 1857–1867.

TOWNS.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	Mean Annual Mortality.	1867.
Glasgow .	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	2·98	3·053	2·87
Edinburgh	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·75	2·547	2·70
Dundee .	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	3·20	2·875	2·98
Aberdeen	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	3·11	2·576	2·42
Paisley .	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·782	2·81
Greenock	3·06	2·50	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·10	3·239	2·99
Leith .	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·43	2·358	2·77
Perth . .	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·28	2·637	2·10

died 21·0 in Perth, 24·2 in Aberdeen, 27·0 in Edinburgh, 27·7 in Leith, 28·1 in Paisley, 28·7 in Glasgow, 29·8 in Dundee, and 29·9 in Greenock.

Of the 69068 persons who died during the year, 34363 were males and 34705 females; but as females greatly preponderate in the population,

---

TABLE XXXI.—SCOTLAND, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,614	46,156	7544	5977	15·844	12·949
— 2	43,475	42,336	3002	2728	6·905	6·443
— 3	43,813	42,673	1468	1350	3·350	3·163
— 4	42,335	41,613	902	900	2·130	2·163
— 5	41,642	40,318	620	628	1·489	1·557
Total under 5 Years	218,879	213,096	13586	11583	6·184	5·435
5—10	190,031	185,493	1646	1563	0·866	0·842
10—15	170,181	163,393	892	861	0·524	0·527
15—20	155,217	163,131	1096	1142	0·705	0·700
20—30	237,503	296,197	2475	2533	1·042	0·855
30—40	175,553	215,461	2027	2278	1·154	1·057
40—50	141,183	168,002	2200	2292	1·558	1·364
50—60	102,732	124,722	2562	2416	2·493	1·937
60—70	67,173	89,335	3089	3523	4·598	3·719
70—80	29,286	42,352	2972	3780	10·172	8·925
80—90	7,947	12,983	1559	2396	19·617	18·455
90—100	615	1,217	251	491	40·813	40·345
100 and above	29	58	10	10	34·482	17·241
Not stated	—	—	41	37	—	—
ALL AGES	1,496,329	1,674,440	34363	34705	2·296	2·072
BOTH SEXES	3,170,769		69068		2·177	

TABLE XXXII.—INSULAR DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,937	1,851	202	153	10·428	8·265
— 2	1,869	1,836	43	49	2·300	2·668
— 3	1,973	1,970	30	27	1·520	1·370
— 4	1,929	1,863	16	24	0·829	1·288
— 5	2,010	1,908	16	18	0·709	0·943
Total under 5 Years	9,718	9,428	307	271	3·159	2·874
5—10	9,213	9,044	44	49	0·477	0·541
10—15	8,449	8,268	22	27	0·272	0·326
15—20	7,313	8,141	26	34	0·355	0·417
20—30	9,946	14,182	116	77	1·166	0·543
30—40	7,414	10,767	62	83	0·837	0·771
40—50	6,223	8,596	67	62	1·076	0·721
50—60	5,418	6,903	89	93	1·642	1·347
60—70	4,507	5,956	140	161	3·106	2·703
70—80	2,246	3,085	198	220	8·815	7·131
80—90	782	1,283	129	202	16·496	15·744
90—100	82	152	24	64	29·268	42·105
100 and above	3	19	2	2	66·666	10·526
Not stated	—	—	7	5	—	—
ALL AGES	71,315	85,824	1233	1350	1·728	1·573
BOTH SEXES	157,139		2583		1·643	

when reduced to proportions it appears that, for every thousand of each sex, 22·96 males died, but only 20·72 females, so that the female mortality was considerably below that of the males. At every quinquennial or decennial period of life, excepting from 10 to 15 years of age, the mortality of the males exceeded that of the females. (Table XXXI.) Thus, in every

TABLE XXXIII.—MAINLAND-RURAL DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,407	25,660	3404	2594	12·890	10·109
— 2	24,987	24,276	1170	1031	4·682	4·246
— 3	25,260	24,602	599	548	2·371	2·227
— 4	24,778	24,082	389	409	1·570	1·698
— 5	24,473	23,650	267	267	1·091	1·129
Total under 5 Years	125,905	122,270	5829	4849	4·629	3·965
5—10	112,888	109,178	803	755	0·711	0·691
10—15	102,010	96,726	462	448	0·452	0·463
15—20	90,146	89,213	585	536	0·649	0·600
20—30	126,774	151,308	1177	1125	0·928	0·743
30—40	95,139	113,325	828	957	0·870	0·844
40—50	79,404	91,402	907	980	1·142	1·075
50—60	61,087	69,927	1183	1081	1·936	1·544
60—70	42,297	52,866	1657	1678	3·917	3·174
70—80	19,828	26,960	1885	2236	9·506	8·295
80—90	5,651	8,756	1054	1604	18·651	18·319
90—100	434	809	195	326	44·931	40·296
100 and above	23	32	3	5	13·043	15·625
Not stated	—	—	21	21	—	—
ALL AGES	861,586	932,772	16589	16601	1·925	1·778
BOTH SEXES	1,794,358		33190		1·849	

TABLE XXXIV.—TOWN DISTRICTS, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,270	18,645	3938	3230	20·435	17·323
— 2	16,619	16,224	1789	1648	10·765	10·158
— 3	16,580	16,101	839	775	5·060	4·813
— 4	15,628	15,668	497	467	3·180	2·980
— 5	15,159	14,760	337	343	2·223	2·324
Total under 5 Years	83,256	81,398	7400	6463	8·888	7·939
5—10	67,930	67,271	799	759	1·176	1·128
10—15	59,722	58,399	408	386	0·682	0·661
15—20	57,758	65,777	485	572	0·839	0·869
20—30	100,783	130,707	1182	1331	1·172	1·018
30—40	73,000	91,369	1137	1238	1·557	1·355
40—50	55,556	68,204	1226	1250	2·207	1·833
50—60	36,227	46,892	1290	1242	3·561	2·627
60—70	20,369	30,513	1292	1484	6·343	4·863
70—80	7,212	12,307	896	1324	12·423	10·758
80—90	1,513	2,944	376	590	24·851	20·041
90—100	97	256	32	101	32·989	39·453
100 and above	5	7	5	3	100·000	42·857
Not stated	—	—	13	11	—	—
ALL AGES	563,428	655,844	16541	16754	2·936	2·554
BOTH SEXES	1,219,272		33295		2·730	

thousand of each sex at each quinquennial age, 61·84 males, but only 54·35 females died under 5 years of age; 8·66 males, but only 8·42 females died between 5 and 10 years; 7·05 males, but only 7·00 females died between 15 and 20 years; 10·42 males, but only 8·55 females died between 20 and 30 years of age; 11·54 males, but only 10·57 females died between 30 and 40

TABLE XXXV.—GLASGOW, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,565	7,164	1637	1258	21·639	17·560
— 2	6,174	6,071	804	749	13·022	12·337
— 3	5,958	5,911	349	312	5·857	5·278
— 4	5,575	5,650	219	189	3·910	3·345
— 5	5,382	5,215	133	147	2·469	2·818
Total under 5 Years	30,654	30,011	3142	2655	10·249	8·846
5—10	23,414	23,231	318	323	1·358	1·390
10—15	20,498	20,153	164	137	0·800	0·679
15—20	21,603	24,108	173	241	0·800	0·999
20—30	40,002	42,765	430	574	1·074	1·342
30—40	27,998	33,493	425	454	1·518	1·355
40—50	20,430	23,728	480	466	2·349	1·964
50—60	12,014	15,078	473	457	3·937	3·031
60—70	6,082	9,001	421	468	6·922	5·199
70—80	1,669	3,065	219	340	13·121	11·093
80—90	310	616	59	125	19·032	20·292
90—100	20	58	6	26	30·000	44·827
100 and above	—	2	1	—	—	—
Not stated	—	—	1	—	—	—
ALL AGES	204,694	232,309	6312	6266	3·083	2·692
BOTH SEXES	437,003		12578		2·878	

TABLE XXXVI.—EDINBURGH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,298	2,409	495	395	21·540	16·397
— 2	2,065	2,069	217	214	10·508	10·343
— 3	2,036	1,975	128	109	6·286	5·519
— 4	1,907	1,963	62	56	3·251	2·847
— 5	1,993	1,818	54	44	2·709	2·420
Total under 5 Years	10,299	10,234	956	818	9·282	7·993
5—10	8,959	8,810	105	85	1·172	0·964
10—15	8,209	8,010	42	45	0·511	0·561
15—20	8,259	10,064	70	57	0·847	0·566
20—30	14,949	20,071	193	166	1·293	0·822
30—40	10,143	13,801	175	180	1·735	1·304
40—50	7,694	10,700	184	204	2·391	1·906
50—60	5,292	7,821	191	209	3·609	2·671
60—70	3,190	5,271	209	259	6·551	4·913
70—80	1,240	2,157	144	277	11·612	12·841
80—90	233	481	64	112	27·468	23·284
90—100	9	41	2	15	22·222	36·585
100 and above	—	1	—	—	—	—
Not stated	—	—	3	—	—	—
ALL AGES	78,476	97,462	2338	2427	2·979	2·500
BOTH SEXES	175,938		4765		2·708	

years of age; 15·58 males, but only 13·64 females died between 40 and 50 years of age; 24·93 males, but only 19·37 females died between 50 and 60 years of age; 45·98 males, but only 37·19 females died between the ages of 60 and 70 years; 101·72 males, but only 89·25 females died between the ages of 70 and 80; 196·17 males, but only 184·55 females died between

TABLE XXXVII.—DUNDEE, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,584	1,496	416	347	26·261	23·196
— 2	1,234	1,276	176	154	14·270	12·069
— 3	1,389	1,263	60	74	4·319	5·859
— 4	1,206	1,217	47	45	3·897	3·779
— 5	1,166	1,220	28	31	2·401	2·541
Total under 5 Years	6,579	6,472	727	651	11·050	10·059
5—10	5,466	5,559	56	57	1·024	1·253
10—15	4,735	4,797	26	37	0·549	0·770
15—20	4,308	5,884	31	36	0·719	0·612
20—30	7,188	12,202	95	133	1·321	1·089
30—40	5,371	7,987	80	118	1·481	1·477
40—50	4,109	5,756	114	116	2·774	2·013
50—60	3,057	3,984	105	125	3·434	3·137
60—70	1,506	2,344	96	118	6·374	5·034
70—80	497	823	58	87	11·670	10·571
80—90	85	193	25	50	29·411	25·803
90—100	12	18	2	6	16·666	33·333
100 and above	1	–	1	–	100·000	–
Not stated	–	–	1	1	–	–
ALL AGES	42,914	56,019	1416	1535	3·299	2·740
BOTH SEXES	98,933		2951		2·982	

TABLE XXXVIII.—ABERDEEN, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,051	1003	194	165	18·458	16·450
— 2	945	887	64	53	6·772	5·975
— 3	965	939	23	30	2·383	3·195
— 4	917	902	18	16	1·962	1·773
— 5	896	845	16	9	1·785	1·065
Total under 5 Years	4,774	4,578	315	273	6·598	5·963
5—10	4,308	4,124	41	26	0·951	0·630
10—15	3,898	3,979	27	19	0·692	0·477
15—20	3,373	3,860	41	44	1·215	1·139
20—30	5,014	7,525	67	74	1·336	0·983
30—40	3,734	5,712	60	70	1·607	1·224
40—50	3,221	4,564	56	78	1·738	1·709
50—60	2,476	3,572	67	73	2·706	2·043
60—70	1,464	2,529	95	99	6·488	3·915
70—80	625	1,221	69	102	11·040	8·353
80—90	156	350	46	62	29·487	17·714
90—100	11	31	5	11	45·454	35·483
100 and above	–	1	–	1	–	100·000
Not stated	–	–	1	2	–	–
ALL AGES	33,054	42,046	890	934	2·692	2·221
BOTH SEXES	75,100		1824		2·428	

the ages of 80 and 90 years; while at the extreme age of 90 to 100 years, 408·13 males, but only 403·45 females died in every thousand of each sex. At all ages, therefore, in Scotland, the female has a better life than the male.

A comparison of the proportion of deaths at each quinquennial and decennial period of life in the Mainland-Rural and Town Districts of Scot-

TABLE XXXIX.—PAISLEY, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	150	119	19·108	15·256
— 2	680	659	56	69	8·235	10·470
— 3	724	642	39	29	5·386	4·517
— 4	652	643	20	23	3·067	3·576
— 5	621	581	9	17	1·449	2·925
Total under 5 Years	3,462	3,305	274	257	7·914	7·776
5—10	2,759	2,872	36	31	1·304	1·079
10—15	2,438	2,409	19	18	0·779	0·747
15—20	2,130	2,598	15	30	0·704	1·154
20—30	3,497	4,690	36	50	1·029	1·066
30—40	2,630	3,293	40	46	1·520	1·397
40—50	2,134	2,520	52	47	2·436	1·865
50—60	1,472	1,857	44	48	2·989	2·530
60—70	925	1,272	67	45	7·243	3·537
70—80	373	559	50	82	13·405	14·669
80—90	81	129	15	19	18·518	14·728
90—100	11	10	2	5	18·181	50·000
100 and above	1	—	1	—	100·000	—
Not stated	—	—	2	4	—	—
ALL AGES	21,913	25,514	653	682	2·980	2·669
BOTH SEXES	47,427		1335		2·814	

TABLE XL.—GREENOCK, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	856	768	171	153	19·976	19·921
— 2	661	659	66	67	9·984	10·166
— 3	719	666	38	35	5·285	5·255
— 4	683	677	18	27	2·635	3·988
— 5	626	636	20	11	3·191	1·729
Total under 5 Years	3,545	3,406	313	293	8·829	8·602
5—10	2,817	2,725	34	28	1·206	1·027
10—15	2,301	2,180	17	16	0·738	0·734
15—20	2,305	2,186	22	16	0·954	0·732
20—30	4,520	4,618	74	44	1·637	0·952
30—40	3,316	3,572	53	58	1·598	1·623
40—50	2,377	2,536	68	51	2·860	2·011
50—60	1,372	1,577	67	48	4·883	3·043
60—70	729	1,056	60	61	8·230	5·776
70—80	251	378	29	43	11·553	11·375
80—90	41	100	17	16	41·463	16·000
90—100	5	11	1	4	20·000	36·363
100 and above	—	1	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	23,579	24,346	755	678	3·202	2·784
BOTH SEXES	47,929		1433		2·989	

land (Tables XXXIII. and XXXIV.) proves that a residence in towns proves equally destructive to life at every age. Thus, if we look at the male mortality in the Mainland-Rural and Town Districts, it appears that in every thousand living during the first year of life, 204·35 died during the year in the Town, but only 128·90 in the Rural Districts. Under 5 years of age

TABLE XLI.—LEITH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	618	564	137	102	22·168	18·085
— 2	592	503	71	50	11·993	9·940
— 3	522	519	30	26	5·747	5·009
— 4	523	511	10	21	1·912	4·109
— 5	513	469	12	10	2·339	2·111
Total under 5 Years	2,768	2,566	260	209	9·393	8·145
5—10	2,193	2,155	43	26	1·960	1·206
10—15	1,973	1,777	11	8	0·557	0·450
15—20	1,739	1,799	8	16	0·460	0·889
20—30	3,969	3,496	27	32	0·680	0·915
30—40	2,719	2,743	45	40	1·655	1·457
40—50	1,816	2,066	40	29	2·202	1·403
50—60	1,065	1,358	30	36	2·817	2·651
60—70	588	910	43	53	7·313	5·824
70—80	212	372	37	35	17·453	9·408
80—90	38	83	12	19	31·579	22·891
90—100	1	4	1	4	100·000	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	19,081	19,329	557	507	2·918	2·623
BOTH SEXES	38,410		1064		2·770	

TABLE XLII.—PERTH, 1867. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	374	355	56	35	14·986	9·859
— 2	349	339	22	25	6·303	7·374
— 3	335	324	12	7	3·582	2·160
— 4	363	325	2	2	0·551	0·615
— 5	303	305	7	2	2·310	0·655
Total under 5 Years	1,724	1,648	99	71	5·742	4·302
5—10	1,402	1,450	6	7	0·427	0·483
10—15	1,325	1,308	8	2	0·604	0·152
15—20	1,307	1,384	13	8	0·994	0·578
20—30	2,060	2,592	26	18	1·262	0·694
30—40	1,605	2,014	17	26	1·058	1·291
40—50	1,217	1,546	16	17	1·314	1·099
50—60	864	1,187	36	20	4·166	1·853
60—70	575	952	29	34	5·042	3·571
70—80	244	404	31	38	12·705	9·405
80—90	67	101	17	27	25·373	26·732
90—100	—	5	—	3	—	60·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,390	14,591	298	271	2·405	1·857
BOTH SEXES	26 981		569		2·108	

in every thousand males, 88·88 died in the Town Districts, but only 46·29 in the Rural Districts. From 20 to 30 years of age, 11·72 died in every thousand males in the Town, but only 9·28 in the Rural Districts. From

TABLE XLIII.—DEATHS, 1867. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1867, allowing for Causes not specified.

DISEASES.	Proportion of DEATHS to every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS	2177	2296	2072	1643	1728	1573	1849	1925	1778	2730	2936	2554
1. Zymotic Class	438	458	419	243	258	230	344	370	345	578	615	546
2. Uncertain Seat	80	61	96	72	70	73	67	54	87	93	70	111
3. Tubercular Class	386	399	373	222	260	191	289	315	296	520	541	502
4. Nervous System	180	205	158	106	136	83	144	168	139	229	270	194
5. Organs of Circulation	112	119	104	50	67	36	97	108	96	132	141	124
6. Respiratory Organs	331	361	303	158	155	160	225	263	215	486	533	444
7. Organs of Digestion	162	177	149	100	122	83	139	158	135	193	212	176
8. Urinary Organs	33	46	22	34	56	15	27	40	19	39	55	26
9. Generative Organs	16	–	30	22	–	39	13	–	27	18	–	34
10. Locomotive Organs	13	14	11	14	15	12	10	12	9	16	19	14
11. Skin, etc.	2	3	2	–	–	–	2	3	1	3	4	3
12. Malformation	7	9	5	2	–	4	7	10	6	6	8	5
13. Premature Debility	111	136	89	28	32	23	84	108	71	153	189	122
14. Atrophy	17	16	18	12	8	15	12	13	12	24	21	26
15. Age	213	169	252	516	434	582	227	192	285	145	111	174
16. Sudden Deaths	5	6	4	7	12	3	3	5	2	6	7	6
17. Violent Deaths	72	115	34	54	98	18	60	102	28	88	138	46
Small-pox	3	4	3	4	5	3	1	1	1	6	6	5
Measles	44	50	39	17	22	12	24	29	22	73	85	64
Scarlatina	74	81	68	33	37	29	60	70	58	95	103	87
Diphtheria	20	21	18	22	17	25	21	24	20	18	19	16
Hooping-cough	57	54	59	23	26	21	36	36	40	88	84	92
Croup	30	34	26	31	26	35	25	37	23	37	44	30
DIARRHŒA	49	50	46	14	13	14	38	42	39	65	69	61
Dysentery	8	8	8	7	7	7	8	8	9	8	8	8
Cholera	4	5	4	–	–	–	4	6	3	5	4	6
Influenza	7	7	7	10	13	7	7	7	8	6	6	5
ALL FEVERS, viz.	111	118	108	57	56	57	89	94	94	144	156	134
Typhus	58	62	54	40	43	38	36	38	39	87	99	77
Enteric	45	45	46	13	13	12	45	47	48	47	47	47
Relapsing	1	2	1	–	–	–	1	2	1	1	1	1
Continued	3	4	3	3	–	6	4	4	3	3	3	4
Infantile	4	5	4	1	–	1	3	3	3	6	6	5
Metria	5	–	10	3	–	6	5	–	10	6	–	11
Erysipelas	7	9	6	7	9	6	6	8	5	9	10	7
Dropsy	23	18	29	35	24	45	19	14	25	28	21	33
Cancer	42	29	54	31	37	25	38	28	51	47	30	62
Scrofula	20	24	18	11	13	8	16	19	16	26	32	21
Tabes Mesenterica	31	36	26	13	15	11	22	26	21	44	54	36
PHTHISIS	272	268	277	177	205	155	209	219	223	358	348	366
Hydrocephalus	61	72	51	21	26	16	41	53	35	91	106	78
Apoplexy	38	43	32	23	32	14	32	38	30	45	52	38
Paralysis	55	58	52	45	55	38	49	54	51	60	66	56
Epilepsy	8	9	8	5	4	6	7	8	7	9	10	9
Convulsions	28	33	24	5	9	3	16	19	14	47	56	39
BRONCHITIS	224	232	216	73	72	74	142	155	145	347	365	331
Pneumonia	68	83	55	33	36	31	52	68	44	90	112	73
Teething	32	35	29	19	10	8	21	24	20	49	54	43
Enteritis	31	34	28	16	20	12	26	30	26	36	42	31
All Liver Diseases	33	37	29	25	29	21	29	36	27	37	39	35
CHILDBIRTH	10	–	20	17	–	31	9	–	17	12	–	23
Burns and Scalds	8	9	7	3	4	3	7	8	6	10	12	9
Drowning	15	28	4	34	70	4	15	28	5	13	25	3
Fracture & Contusion	30	53	9	10	12	7	25	47	7	37	68	11

40 to 50 years, 22·07 died in every thousand males in the Town, but only 11·42 in the Rural Districts. From 60 to 70 years of age, 63·43 died in every thousand males in the Town, but only 39·17 in the Rural Districts.

TABLE XLIV.—DEATHS, 1867. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes in 1867.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2010	1995	2025	1481	1496	1467	1934	1923	1944	2118	2095	2137
2. Uncertain Seat	365	265	463	438	408	465	388	281	492	340	241	437
3. Tubercular Class	1769	1739	1799	1354	1506	1216	1656	1645	1666	1904	1843	1964
4. Nervous System	828	894	764	650	788	527	828	872	783	839	920	761
5. Organs of Circulation	513	520	505	306	389	232	557	568	545	484	483	487
6. Respiratory Organs	1519	1575	1465	962	898	1019	1287	1364	1209	1775	1817	1737
7. Organs of Digestion	744	769	718	614	708	527	794	824	762	706	722	690
8. Urinary Organs	154	201	107	207	329	98	158	208	109	145	186	104
9. Generative Organs	74	–	146	132	–	250	79	–	155	66	–	131
10. Locomotive Organs	59	65	54	85	89	80	54	62	51	60	65	54
11. Skin, etc.	11	13	9	–	–	–	11	15	8	12	13	11
12. Malformation	31	37	25	14	–	27	42	51	32	23	27	19
13. Premature Debility	511	593	431	169	189	152	480	565	398	563	644	480
14. Atrophy	79	71	87	75	49	98	68	70	68	89	73	105
15. Age	978	735	1217	3141	2513	3702	1302	996	1605	530	378	681
16. Sudden Deaths	22	27	18	42	69	18	19	26	14	23	24	22
17. Violent Deaths	333	501	167	330	569	116	343	530	159	323	469	180
Small-pox	15	15	14	23	29	18	8	8	9	21	22	20
Measles	203	219	187	103	129	80	139	152	128	270	290	251
Scarlatina	341	352	330	202	219	188	345	363	328	347	351	343
Diphtheria	92	95	90	132	99	161	112	125	113	64	66	62
Hooping-cough	262	232	288	141	149	134	206	187	225	323	286	359
Croup	140	151	129	188	149	224	143	153	135	134	150	119
DIARRHŒA	224	223	226	85	79	89	220	219	211	238	237	239
Dysentery	38	35	42	42	39	45	48	44	52	29	27	31
Cholera	21	22	21	–	–	–	25	31	19	19	14	24
Influenza	32	30	33	61	79	45	41	37	46	20	20	20
ALL FEVERS, viz.	514	507	519	349	329	366	510	493	528	528	533	523
Typhus	265	269	260	245	249	241	208	200	217	319	336	302
Enteric	209	197	221	80	79	80	257	242	271	172	162	182
Relapsing	6	7	5	–	–	–	8	10	7	5	5	5
Continued	16	15	16	19	–	36	20	22	18	12	10	14
Infantile	18	19	17	5	–	9	17	19	15	20	20	20
Metria	24	–	49	19	–	36	27	–	55	22	–	44
Erysipelas	34	38	30	42	49	36	36	10	31	31	34	29
Dropsy	108	75	140	217	139	286	107	73	141	101	72	130
Cancer	195	127	262	188	219	164	219	147	289	173	102	243
Scrofula	94	102	86	66	79	54	94	97	90	96	108	84
Tabes Mesenterica	143	158	132	80	89	71	127	135	119	162	184	142
PHTHISIS	1250	1164	1336	1079	1186	983	1198	1139	1556	1312	1188	1434
Hydrocephalus	281	314	249	127	149	107	237	274	200	333	363	304
Apoplexy	173	188	157	137	189	89	185	200	170	164	179	150
Paralysis	253	254	252	278	319	241	284	280	288	222	226	218
Epilepsy	37	37	37	28	19	36	39	40	39	35	36	35
Convulsions	129	145	115	33	49	18	90	100	78	174	193	156
BRONCHITIS	1028	1012	1043	448	418	474	811	807	818	1270	1244	1295
Pneumonia	313	393	266	202	209	197	301	353	250	333	381	285
Teething	146	153	138	56	59	54	118	126	111	177	185	169
Enteritis	141	150	132	99	119	80	152	158	147	133	144	122
All Liver Diseases	152	161	143	158	169	134	169	187	151	136	135	137
CHILDBIRTH	49	–	96	104	–	197	49	–	97	45	–	80
Burns and Scalds	37	40	35	19	19	18	39	42	32	37	40	34
Drowning	70	123	19	207	408	26	85	145	25	48	84	13
Fracture & Contusion	137	233	43	56	69	45	143	245	41	137	231	44

And while at the ages of 80 to 90 years, 248·51 died in every thousand males in the town, only 186·51 died in the Rural Districts.

The series of Tables XXXVI. to XLII. inclusive, shows the mortality in ages and sexes in each of the Eight Principal Towns of Scotland, and generally agrees with those of former years.

Causes of Death.

Of the 69068 deaths registered in Scotland during the year 1867, the cause of death was accurately recorded in 65947 instances. In the remaining 3121 cases, being 4½ per cent. of the whole, the causes of death were stated in such indefinite terms that they could not be referred to any particular class of diseases, while in a small number the disease of which the person died was not named. In mentioning the proportion in which the several diseases proved fatal to the population, a correction is made for the non-specified causes of death.

The Zymotic or epidemic and contagious class of diseases cut off 13256 persons in Scotland during the year 1867, of whom 6530 were males and 6726 females. That class of diseases, therefore, caused a proportion of 438

Table XLV.—TOWN DEATHS, 1867. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1867 (allowing for Causes not specified).

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·878	2·708	2·982	2·428	2·814	2·989	2·770	2·108
I. Zymotic Class	0·631	0·576	0·634	0·367	0·673	0·587	0·703	0·256
III. Tubercular Class	0·577	0·440	0·571	0·541	0·480	0·573	0·418	0·414
IV. Brain, etc., Diseases	0·201	0·261	0·233	0·241	0·266	0·257	0·276	0·252
V. Heart, etc., Diseases	0·111	0·175	0·152	0·132	0·090	0·207	0·152	0·135
VI. Respiratory Organs, Dis.	0·630	0·440	0·474	0·328	0·393	0·504	0·439	0·305
VII. Organs of Digestion, Dis.	0·213	0·162	0·184	0·182	0·240	0·233	0·166	0·128
XIII. Premature Debility	0·151	0·138	0·231	0·143	0·158	0·144	0·145	0·131
XV. Old Age	0·104	0·141	0·156	0·183	0·225	0·128	0·116	0·238
XVII. Violent Deaths	0·078	0·106	0·090	0·079	0·067	0·172	0·097	0·056
Small-pox	0·007	0·003	0·016	0·002	0·000	0·008	0·003	0·000
Measles	0·090	0·127	0·006	0·002	0·058	0·048	0·155	0·064
Scarlatina	0·112	0·082	0·066	0·018	0·108	0·100	0·152	0·007
Diphtheria	0·017	0·021	0·018	0·009	0·010	0·028	0·013	0·000
Hooping-cough	0·076	0·064	0·266	0·056	0·168	0·054	0·063	0·037
Croup	0·036	0·030	0·048	0·020	0·030	0·041	0·050	0·023
Diarrhœa	0·071	0·061	0·056	0·080	0·060	0·048	0·029	0·041
Dysentery	0·005	0·004	0·007	0·014	0·008	0·013	0·010	0·018
Cholera	0·004	0·005	0·008	0·004	0·000	0·017	0·010	0·000
Fevers, viz.	0·173	0·129	0·087	0·103	0·199	0·192	0·194	0·056
Typhus	0·115	0·065	0·046	0·049	0·160	0·163	0·118	0·033
Enteric	0·046	0·058	0·034	0·047	0·026	0·022	0·064	0·019
Relapsing	0·002	0·000	0·001	0·000	0·000	0·000	0·002	0·000
Continued	0·004	0·002	0·001	0·001	0·000	0·000	0·005	0·000
Infantile	0·006	0·004	0·005	0·006	0·013	0·007	0·005	0·004
Dropsy	0·023	0·015	0·074	0·013	0·054	0·015	0·050	0·023
Cancer	0·033	0·069	0·050	0·079	0·041	0·032	0·058	0·037
Phthisis	0·399	0·277	0·407	0·379	0·344	0·427	0·205	0·313
Apoplexy	0·035	0·055	0·037	0·056	0·075	0·056	0·052	0·064
Paralysis	0·040	0·072	0·059	0·065	0·097	0·039	0·094	0·105
Convulsions	0·054	0·044	0·087	0·041	0·043	0·043	0·042	0·011
Bronchitis	0·456	0·305	0·346	0·233	0·296	0·375	0·308	0·233
Pneumonia	0·120	0·078	0·069	0·056	0·086	0·089	0·089	0·049
Teething	0·052	0·012	0·084	0·064	0·073	0·100	0·034	0·033

deaths in every hundred thousand persons, or constituted 20·10 per cent. of the mortality during the year. This was a proportion greatly below the average; seeing that, during the ten years 1855 to 1864, the zymotic class of diseases caused the annual proportion of 518 deaths in every hundred thousand persons, or constituted 24·26 per cent. of the ascertained deaths.

As usual, males were cut off by these diseases in a much higher ratio than females; for while 458 males died from the zymotic diseases in every hundred thousand males, only 419 females died out of an equal number of females.

The zymotic diseases constituted 14·81 per cent. of the ascertained deaths in the Insular, 19·34 per cent. in the Mainland-Rural, and 21·18 per cent. in the Town Districts. As compared with the population, however, these diseases caused 243 deaths in every hundred thousand persons in the Insular, 344 deaths in the Mainland-Rural, but 578 deaths in a like population in the Town Districts.

Of the Eight Principal Towns, the mortality from the zymotic class of diseases was heaviest in Leith, and lightest in Perth and Aberdeen. Thus, in every ten thousand persons in each town, 25·6 died from the zymotic diseases during the year in Perth, 36·7 in Aberdeen, 57·6 in Edinburgh, 58·7 in Greenock, 63·1 in Glasgow, 63·4 in Dundee, 67·3 in Paisley, and 70·3 in Leith. If we compare the proportion of zymotic deaths to the total deaths, the towns arrange themselves in nearly the same order,—Perth and

TABLE XLVI.—TOWN DEATHS, 1867. Per-centage of Deaths from different Diseases to the total Specified Causes of Death in each of the Eight Principal Towns of Scotland in 1867.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	21·93	21·21	21·27	15·14	23·92	19·63	25·38	12·16
III. Tubercular Class	20·07	16·25	19·16	22·27	17·07	19·19	15·11	19·67
IV. Brain, etc., Diseases	7·00	9·63	7·81	9·95	9·46	8·61	9·98	11·98
V. Heart, etc., Diseases	3·87	6·47	5·12	5·47	3·23	6·93	5·51	6·44
VI. Respiratory Organs, Dis.	21·91	16·25	15·91	13·54	14·00	16·86	15·87	14·49
VII. Organs of Digestion, Dis.	7·42	5·98	6·19	7·51	8·53	7·88	5·98	6·08
XIII. Premature Debility	5·27	5·10	7·74	5·91	5·61	4·81	5·22	6·26
XV. Old Age	3·49	5·21	5·25	7·57	8·00	4·30	4·18	11·45
XVII. Violent Deaths	2·74	3·92	3·04	3·26	2·38	5·76	3·51	2·68
Small-pox	0·25	0·10	0·55	0·11	0·00	0·29	0·09	0·00
Measles	3·12	4·72	0·20	0·11	2·07	1·60	5·60	3·04
Scarlatina	3·90	3·03	2·21	0·77	3·83	3·35	5·51	0·35
Diphtheria	0·60	0·78	0·62	0·38	0·38	0·94	0·47	0·00
Hooping-cough	2·66	2·38	8·92	2·32	6·00	1·82	2·28	1·78
Croup	1·28	1·12	1·62	0·82	1·00	1·38	1·80	1·07
Diarrhœa	2·49	2·27	1·90	3·31	2·15	1·60	1·04	1·96
Dysentery	0·18	0·15	0·27	0·60	0·30	0·43	0·38	0·35
Cholera	0·13	0·17	0·31	0 16	0·00	0·58	0·38	0·00
Fevers, viz.	6·02	4·76	2·94	4·25	7·07	6·42	7·03	2·68
Typhus	4·00	2·38	1·56	1·99	5·69	5·47	4·28	1·61
Enteric	1·63	2·13	1·15	1·94	0·92	0·73	2·28	0·89
Relapsing	0·05	0·02	0·03	0·00	0·00	0·00	0·09	0·00
Continued	0·13	0·08	0 08	0 05	0·00	0·00	0·19	0·00
Infantile	0·21	0·15	0·17	0·27	0·46	0·22	0·19	0·18
Dropsy	0·82	0·57	2·49	0·55	1·92	0·51	1·80	1·00
Cancer	1·16	2·55	1·69	3·26	1·46	1·09	2·09	1·78
Phthisis	13·87	10·24	13·66	15·64	12·23	15·03	7·41	14·84
Apoplexy	1·21	2·02	1·59	2·32	2·69	1·89	1·90	3·04
Paralysis	1·40	2·68	2·00	2·70	3·46	1·81	3·42	5·00
Convulsions	1·89	1·69	2·94	1·71	1·53	1·46	1·52	0 71
Bronchitis	15·84	11·28	11·62	9·61	10·53	12·55	11·14	11·09
Pneumonia	4·22	2·89	2·31	2·32	3·07	2·98	3·23	2·32
Teething	1·83	0·46	2·83	2·65	2·61	3·35	1·23	1·61

Aberdeen with the smallest proportional mortality, and Leith the highest. Thus, in Perth, 12·16 per cent. of the deaths were caused by the zymotic class of diseases; in Aberdeen, 15·14 per cent.; in Greenock, 19·63; in Edinburgh, 21·21; in Dundee, 21·27; in Glasgow, 21·93; in Paisley, 23·92; and in Leith, 25·38 per cent.

During the year 1867, Small-pox caused only 100 deaths in Scotland—the lowest mortality from that disease ever registered in Scotland, so far as known, during the present century up to that year. Table XLVII. shows the deaths from Small-pox during each year since the Registration Act came into operation, and it will be seen that it has waves of increase and decrease. But as the mortality has been steadily declining during the years 1865, 1866, and 1867, during which periods the Vaccination Act has been

TABLE XLVII.—SMALL-POX Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1862	426
1856	1306	1863	1646
1857	845	1864	1741
1858	332	1865	383
1859	682	1866	200
1860	1495	1867	100
1861	766	*	

* It was estimated that only 24 Deaths from Small-pox occurred in Scotland in 1868, and 100 in 1869.

TABLE XLVIII.—VACCINATION of Children whose Births were registered in Scotland during the Years 1864, 1865, 1866, and 1867.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccination, or not otherwise accounted for.	TOTAL BIRTHS.*
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number	95,047	662	667	154	440	9180	2701	108,851
1865	Number	99,648	719	474	34	207	9366	2681	113,129
1866	Number	100,408	579	332	30	227	9433	2721	113,730
1867	Number	101,139	670	233	16	151	9355	2617	114,181
1864	Per-centage	87·32	0·61	0·61	0·14	0·40	8·44	2·48	100·00
1865	Per-centage	88·08	0·64	0·42	0·03	0·18	8·28	2·37	100·00
1866	Per-centage	88·29	0·51	0·29	0·02	0·20	8·29	2·40	100·00
1867	Per-centage	88·58	0·58	0·21	0·02	0·13	8·19	2·29	100·00

* The slight discrepancy between the annual number of Births as here given and those published in these Reports, arises from the circumstance that some of the Registrars have included the transcript Births in their Returns.

TABLE XLIX.—VACCINATION of the surviving Children whose Births were Registered in Scotland in 1864, 1865, 1866, and 1867.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or not otherwise accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number	86,047	662	667	154	440	2701	99,671
1865	Number	99,648	719	474	34	207	2681	103,763
1866	Number	100,408	579	332	30	227	2721	104,297
1867	Number	101,139	670	233	16	151	2617	104,826
1864	Per-centage	95·36	0·67	0·67	0·15	0·44	2·71	100·00
1865	Per-centage	96·04	0·69	0·46	0·03	0·20	2·58	100·00
1866	Per-centage	96·27	0·56	0·32	0·02	0·22	2·61	100·00
1867	Per-centage	96·48	0·64	0·22	0·02	0·15	2·49	100·00

in full operation, it seems fair to assume that the low mortality from Small-pox may fairly be ascribed to the successful working of that Act.

Tables XLVIII. and XLIX. show how perfectly the Vaccination Act has worked in Scotland. These Tables show that, of the children whose births were registered in 1867, and who survived till vaccinated, only 2·49 per cent. remained unaccounted for, and they were chiefly the children of parents who were vagrants, or who had removed from the district, and were thus lost sight of before the vaccination of the child could be enforced.

Fever was the most fatal of the zymotic diseases during 1867, proving fatal to 3387 persons, and thus constituting 5·14 per cent. of the deaths in Scotland, or causing 111 deaths in every hundred thousand persons. Fever was proportionally more fatal to males than females; for though the absolute number of male deaths from fever was only 1669, while the female deaths numbered 1727, females so preponderate in the population that, in every hundred thousand of each sex, 118 males died, but only 108 females. Of the 3387 deaths from fever, 1745 were caused by Typhus or Spotted Fever, 1378 by Enteric or Typhoid Fever, 40 by Relapsing Fever, 105 by Simple Continued Fever, and 119 by Infantile Fever, which is a mere variety of Enteric Fever. During the same year, therefore, the whole known varieties of continued fever were present; and it only requires one or other fever to take the lead, to constitute the epidemic one of Typhus, or of Enteric, or of Relapsing Fever.

It is worthy of note, however, that in ordinary years Typhus or Spotted Fever is most common in the Towns, while Enteric (Gastric or Typhoid) Fever is most prevalent in the Rural Districts. Thus, it will be seen by Table L., that while 60 per cent. of the fever deaths in the Towns were caused by Typhus Fever, only 40 per cent. were caused by Typhus in the Mainland-Rural Districts. But, on the other hand, while 50 per cent. of the fever deaths in the Mainland-Rural Districts were caused by Enteric Fever, only 32 per cent. of the deaths were caused by that form of fever in the Town Districts.

Fever had a very different mortality in each of the Eight Principal Towns. Thus, 2·68 per cent. of the deaths were caused by fever in Perth, 2·94 per cent. in Dundee, 4·25 per cent. in Aberdeen, 4·76 per cent. in Edinburgh, 6·02 per cent. in Glasgow, 6·42 per cent. in Greenock, 7·03 per cent. in Leith, and 7·07 per cent. in Paisley.

Scarlatina was the next most fatal of the epidemic diseases, having cut off 2253 persons, of whom 1154 were males and 1099 females, being in the

TABLE L.—DEATHS from FEVER in 1867.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus	648	40·86	1045	60·51
Enteric	798	50·31	563	32·60
Relapsing	25	1·58	15	0·87
Simple Continued	62	3·91	39	2·26
Infantile	53	3·34	65	3·76
ALL FEVERS	1586	100·00	1727	100·00

proportion of 81 male deaths, but only 68 female deaths in every hundred thousand of each sex. The relative per-centage of deaths from Scarlet Fever was almost identical in the Town and Rural Districts, seeing that 3·45 per cent. of the deaths were caused by that disease in the Rural Districts, and 3·47 per cent. in the Town Districts.

The Eight Principal Towns suffered very differently from Scarlatina during 1867, the mortality therefrom being lowest in Perth and Aberdeen and highest in Leith; Perth having only 0·35 per cent. of its deaths caused by Scarlatina, but Leith 5·51 of its deaths.

Measles and Hooping-cough were less than usually prevalent and fatal during 1867, the former causing only 1341 deaths, or 2 per cent. of the deaths over Scotland; the latter causing 1728 deaths, or 2·6 per cent. of the mortality.

The mortality from Diarrhœa, Dysentery, and Cholera, was little above the average in 1867; Diarrhœa having caused 1481 deaths, Dysentery 255, and Cholera 142. The Cholera, which during the previous year had assumed the epidemic type, and cut off 1270 persons, did not put on the epidemic form during 1867. Still, the tendency to it was strong, and little might have developed its fatal epidemic virulence. Even as it was, the deaths from Cholera were three times greater than the average.

Diphtheria caused only 610 deaths in Scotland during 1867, and, as in former years, was more prevalent and fatal in the Rural than in the Town Districts.

Of the other diseases belonging to the zymotic class, Croup caused 925 deaths, Thrush 30, Influenza 210, Purpura 49, Ague 1, Worms 27, Metria 163, Rheumatic Fever 125, Erysipelas 225, Pyæmia 34, Syphilis 156 (of which 124 congenital), and Noma 14.

As throwing light on the causes of infantile mortality, and as showing that the younger the child the more liable it is to be cut off by certain diseases, notice may be taken of the proportions in which the epidemic and a few other diseases proved fatal to children under two years of age, as compared with the total deaths from each disease at all ages. 63 per cent. of the persons who died from Hooping-cough were under two years of age. 60½ per cent. of the persons who died from Measles, 61 per cent. of those who died from Diarrhœa, 61 per cent. of those who died from Hydrocephalus, 60 per cent. of those who died from Enteritis, 83 per cent. of those who died from Convulsions, 48½ per cent. of those who died from Croup, 48 per cent. of those who died from Small-pox, 28 per cent. of those who died from Diphtheria, and 21½ per cent. of those who died from Scarlatina, were under two years of age. Of course, almost all the deaths from Teething were under two years. These proportions show that the above are the diseases to which the very young are especially prone, and every effort ought to be made to prevent children being attacked with these diseases till a few years have rolled over them, seeing that, as a general rule, they are less and less liable to fall victims to the disease the older they are.

The diseases of uncertain seat caused 2408 deaths, and thus constituted 3·65 per cent. of the mortality, or caused 80 deaths in every hundred thousand of the population. Cancer was the most fatal of the diseases under this class, causing the death of 1288 persons, of whom 416 were males and 872 females. Of the other diseases belonging to this class, Dropsy (whose cause or exact seat was not stated) caused 711 deaths, Hæmorrhage (not otherwise defined) 63, Abscess 163, Ulcer 39, Fistula 12, Mortification 117, and Gout 15.

The Tubercular class of diseases caused 11668 deaths, of which 5690

were males and 5978 females. This indicates an annual proportion of 399 male and 373 female deaths in every hundred thousand of each sex, showing, as in former years, that males died from these diseases in higher proportion than females. As compared with the population, the proportion of persons dying from these complaints was nearly twice as great in the Town as in the Rural Districts, seeing that, for every hundred thousand persons in each district, 289 died from tubercular diseases in the Mainland-Rural Districts, but 520 in the Town Districts. Compared with the deaths, 16·5 per cent. of the deaths were caused by the tubercular class of diseases in the Mainland-Rural Districts, but 19 per cent. in the Town Districts.

Phthisis, or Consumption, is not only the most fatal of the diseases under the tubercular class, but it is the individual disease which cuts off a larger number of our race than any other. In 1867 it caused the death of 8248 persons, of whom 3810 were males and 4438 females. It thus cut off in the proportion of 268 males and 277 females in every hundred thousand persons of each sex. During 1867, therefore, as in former years, females died in a higher proportion than males from Phthisis. This disease is very much more fatal to the inhabitants of the Town than to those residing in the Rural Districts. Thus it caused 209 deaths in the Mainland-Rural, but 358 deaths in the Town Districts, in every hundred thousand persons in each.

Of the other diseases belonging to the tubercular class, Scrofula caused 620 deaths, Tabes Mesenterica 945, and Hydrocephalus 1855. This last disease is much more fatal to males than to females, seeing it caused the deaths of 1028 males, but only of 827 females, being in the proportion of 72 males, but only 51 females in every hundred thousand of each sex.

Diseases of the Brain caused 5458 deaths, of which 2922 were males and 2536 females, indicating a proportion of 205 male, but only 158 female deaths in every hundred thousand persons of each sex.

Diseases of the Heart and Blood-vessels caused 3380 deaths, of which 1702 were males and 1678 females, being in the proportion of 119 male and 104 female deaths in every hundred thousand of each sex.

Inflammatory Affections of the Respiratory Organs caused 10019 deaths, of which 5152 were males and 4867 females, indicating a proportion of 361 male but only 303 female deaths from these diseases, in every hundred thousand inhabitants—the males again showing a great preponderance of deaths, contrary to what was noticed in Consumption.

Of the individual diseases belonging to this class, Bronchitis was the most fatal, and caused 6777 deaths. Pneumonia caused 2070 deaths, Asthma 530, Laryngitis 123, Pleurisy 203, and Diseases of the Lungs (not otherwise specified) 316 deaths.

It is worthy of note, as being a characteristic of these inflammatory affections of the respiratory organs, that they are always twice as fatal to the inhabitants of the Town as they are to those of the Rural Districts. Thus, in every hundred thousand persons, these diseases of the lungs caused 158 deaths in the Insular, and 225 deaths in the Mainland-Rural, but 486 deaths in the Town Districts of Scotland, during the year 1867. A ten years' summary of the deaths shows the same fact; for, from 1855 to 1864, in every hundred thousand persons, 150 died from these lung diseases in the Insular, 204 in the Mainland-Rural, but 407 in the Town Districts. There is no other class of diseases where the Town mortality is constantly double that of the Rural Districts; and the fact that it is

diseases of the lungs which are so especially fatal to our race in the towns, seems clearly to indicate the especial cause of the high mortality in towns, and what it is which sanitary legislation should attempt to remedy —viz. give a purer air to breathe inside and outside the dwellings.

Diseases of the Organs of Digestion caused 4907 deaths, 2519 being males and 2388 females. This indicates that, in every hundred thousand persons of each sex, 177 male deaths and 149 female deaths occurred from these diseases. Of the diseases belonging to this class, Teething caused 962 deaths, Quinsey 56, Gastritis 155, Enteritis 933, Peritonitis 273, Ascites 82, Ulceration of Intestines 187, Hernia 92, Ileus 297, Intussusception 30, Stricture of Intestines 32, indefinite Disease of Stomach 773, Disease of Pancreas 1, Hepatitis 143, Jaundice 161, other Diseases of Liver 700, and Disease of Spleen 30 deaths.

Kidney and Urinary Diseases caused 1013 deaths, of which 659 were males and 354 females, indicating that 46 males, but only 22 females, died from these complaints in every hundred thousand of each sex. Of these diseases, Nephritis caused 87 deaths, Nephria 239, Ischuria 57, Diabetes 81, Stone 65, Cystitis 170, Stricture of Urethra 16, and undefined Disease of the Kidneys 290 deaths. Eight deaths were ascribed to Addison's Disease—affection of the supra-renal capsules.

Diseases of the Generative Organs caused 486 deaths, confined to females alone. Of these, 321 were ascribed to one or other of the diseases attending childbirth, to which must be added the 163 deaths from Metria, or childbed fever, in order to give us the total number of deaths from childbirth during the year 1867. This gives 484 deaths among the 112,651 mothers who bare children during the year, indicating one death in childbearing in every 233 mothers, or 43 deaths in every ten thousand mothers—a small proportion, which would be much reduced had the mothers proper medical attendance, as is proved by the fact that the relative mortality in childbirth, unlike that of all diseases, was greatest in the Insular Districts, where there is almost no medical attendance to be had, and least in the Town Districts, where no one need want medical aid who wishes to have it. Thus, for every ten thousand female deaths in each group of districts, the proportion of 233 died from childbirth (including Metria) in the Insular Districts, 152 in the Mainland Districts, but only 124 in the Town Districts.

Diseases of the Organs of Locomotion caused 391 deaths, of which 211 were males and 180 females. Of these, 78 deaths were ascribed to Diseases of the Bones, 140 to Diseases of the Joints, and 173 to Rheumatism.

75 deaths were attributed to Diseases of the Skin and subcutaneous cellular tissue. Of these, 18 were caused by Carbuncle, 15 by Phlegmon, and 42 by Diseases of the Skin.

Malformation caused 207 deaths; Premature Birth and Debility at Birth, caused 3367 deaths; Atrophy, 521 deaths; Age, without apparent disease, 6449 deaths; while 146 deaths were sudden, the immediate cause not having been ascertained.

2196 deaths were ascribed to violent causes, being in the proportion of 72 deaths in every hundred thousand persons—being the exact average of the ten years 1855–1864,—indeed, no deaths are so regular, year after year, as those which are caused not by natural but by violent causes. Of these deaths, 905 were attributed to fractures and contusions, 467 to drowning, 249 to burns and scalds, 139 to suffocation (92 of which were from overlying), 25 to gunshot wounds, 32 to cuts and stabs, 63 to hanging, 76 to intemperance, 1 to privation, 82 to want of breast milk, 1 to neglect, 29 to

exposure to cold, 54 to poison, 1 to poisoned wound, and 72 to other violent causes not included in the above.

Of the above violent deaths, 145 were suicides; of which 62 were by hanging, 25 by cut-throat, 20 by drowning, 8 by gunshot, 7 by precipitation from a height, 17 by poison (15 of which were by opium or some of its preparations), while in six the form of suicide was not stated.

Table LI. shows the eighteen most fatal diseases in Scotland and England, arranged according to the order of their fatality, and giving the proportions in which they prove fatal to the population. From that Table it will be seen that the different diseases have very different death-rates in the two countries during the same year, though they are inhabited by the same races, and are usually considered to be subject to very nearly the same meteorological influences.

From that Table it would appear that Consumption and Bronchitis were more prevalent and fatal in Scotland during 1867 than in England, but that Pneumonia was more fatal in England. A very much larger proportion of persons seem to die from Old Age in Scotland than England; while in England the deaths from Atrophy, Debility, and Premature Birth greatly exceed the proportion in Scotland. But one of the most striking peculiarities is the difference in the two countries in the proportion of deaths from Convulsions. This is a complaint, as all are aware, to which very young children are especially liable. But Scotland only lost from Convulsions in the proportion of 28 out of every hundred thousand persons of the population, while England lost 123 from Convulsions out of a like population. The essentially different manner in which infants are fed in the two countries is quite sufficient to account for the difference in the mortality. It does not arise from a greater proportion of infants being drugged with preparations of opium in the one country than in the other, for that vice is equally prevalent in the manufacturing districts of both countries; and a comparison of the mortality from Convulsions in the truly agricultural

TABLE LI.—The Eighteen most fatal Diseases in Scotland and England in 1867, arranged in the order and proportion of their fatality.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	272	Phthisis	259
Bronchitis	224	Debility, Atrophy, Premature Birth	194
Old Age	213	Bronchitis	190
Atrophy, Debility, Premature Birth	128	Old Age	135
Heart, etc., Diseases	112	Convulsions	123
Fever (Typhus, etc.)	111	Heart, etc., Diseases	107
Scarlet Fever	74	Pneumonia	99
Pneumonia	68	Diarrhœa	93
Hydrocephalus	61	Fever (Typhus, etc.)	79
Hooping-cough	57	Scarlet Fever	58
Paralysis	55	Hooping-cough	55
Diarrhœa	49	Paralysis	50
Measles	44	Apoplexy	49
Cancer	42	Cancer	40
Apoplexy	38	All Liver Diseases	39
All Liver Diseases	33	Dropsy	33
Teething	32	Hydrocephalus	33
Tabes Mesenterica	31	Tabes Mesenterica	32

counties of England with those of Scotland, shows that in these, where no opiates are abused, the difference in the mortality is proportionally as great as within the manufacturing counties of Scotland and of England. The English, as a general rule, begin to stuff the infant with bread-pap and other more solid foods almost from birth. The Scotch, as a general rule, give no solid food till the first teeth are cut, and till nature thus shows that she has prepared the suckling for digesting more solid food than that which it drew from its mother's breasts.

Fever and Scarlatina were more prevalent and fatal in Scotland than in England during 1867; while Hooping-cough was also somewhat more fatal in Scotland. Liver diseases, however, were more fatal in England; while Cancer was slightly more fatal in Scotland.

Weather, and its Influence on the Health.

It may be regarded as an ascertained fact, that the weather is the great regulator of the mortality in Scotland, and that two or three months of a very low temperature, or a month or two of very high temperature, do more to raise the mortality than the existence of any epidemics. The high temperature in this country seems directly to induce bowel complaints, of which the most fatal are Diarrhœa, Dysentery, and Cholera; while extremely cold weather increases the prevalence and fatality of all diseases, whether they be epidemic or sporadic. It is of great importance, therefore, that attention should be paid to the character of the weather.

It may be stated, in a general way, that the health of the population was generally good during the year 1867, and the mortality below its average. During the first quarter of the year, however, the death-rate was considerably above the average; but this arose solely from the severity of the wintry weather, which increased the deaths from all diseases, and did not arise from the special prevalence or fatality of any particular epidemic. During the three remaining quarters of the year the mortality, on the other hand, was below its average, and none of the diseases to which we apply the term epidemic was more prevalent than usual.

During the greater part of January keen frosts prevailed, the ground was covered with snow, and the falls of snow were occasionally so heavy as to arrest traffic. This kind of weather came on suddenly on the 30th December 1866, on the wind changing from south-west to north-east. The temperature fell very low during January, the lowest temperature noted being —6°, or 38 degrees below the freezing-point of water. The frost and snow continued uninterrupted from the last day of December 1866 till the evening of the 23d January 1867, when the balmy south-west winds regained the mastery, a rapid thaw set in, and the snow disappeared so rapidly, that by the 25th most of the hills were clear of snow. The mild weather which came with these south-westerly breezes continued till the close of the month. The cold weather which prevailed during the first three weeks of January depressed the mean temperature of the month to 31°·8, and thus caused it to be 5°·3 below the mean of previous years; but the mean temperature of the frosty period was about 28°.

During the previous month (December 1866) the mean temperature had been 40°·6, and 205 persons had died daily in Scotland. But the reduction of the mean temperature during January to 31°·8, increased the daily deaths to 238. In other words, the fall of the mean monthly temperature by 9 degrees had increased the monthly deaths over Scotland by 1016.

February was an unusually mild month, with the wind almost constantly from the south-west. The mean temperature was therefore unusually high, viz. 41°·4, or 3°·8 above the mean of former years. On the 24th, however, the wind veered to the north and north-east, bringing with it frost and occasional falls of snow. The high mean temperature of February, as compared with that of the previous month, had a marked effect in reducing the deaths, for under the milder temperature only 210 persons died daily over Scotland. In other words, allowing for difference in the length of the month, a rise of 10°·4 of mean temperature caused a monthly saving of 777 lives in Scotland.

The keen east and north-east winds which prevailed during almost the whole of March rendered it a cold ungenial month, notwithstanding the much greater warmth of the day temperatures, under the potent influence of the sun's rays. The mean temperature of March, therefore, fell to 36°·2, and thus presented the anomaly of being 5°·2 below the temperature of February, and 3°·3 below the mean of former years. The mortality kept exact pace with the reduction of temperature, for the daily deaths, which numbered 210 during February, rose to 217 daily during March. In other words, February, with its high mean temperature of 41°·4, registered only 5876 deaths, while March, with its much lower mean temperature of 36°·2, registered 6736 deaths.

April was a cold ungenial month, with a more clouded sky, less sunshine, and more rain than usual. The mean temperature was, however, somewhat higher than usual, viz. 45°·3; but this was caused by the nights being less cold, in consequence of the clouded sky arresting the radiation of caloric from the surface of the earth. The range of temperature was consequently 2°·4 less than the average for the month. Under the milder temperature the deaths fell to 208 daily.

May was also a cold ungenial month, particularly during its latter half. During the first and second weeks south-west winds prevailed, and during their continuance vegetation advanced rapidly. During the latter half, however, of the month, cold easterly winds prevailed, and in all the higher parts of the country, frost occurred almost every morning, blighting vegetation. During the month, the weather in Scotland was often the very opposite of that in England. Thus, during the second week of the month, while the mean temperature in the Eight Principal Towns of Scotland was 51°·8, that of London and the English towns ranged from 60° to 63°, the usual difference due to difference of latitude being two degrees only. The mean temperature of May being 47°·5, or two degrees higher than that of April, the deaths over Scotland fell to 194 daily.

June had a lower mean temperature than the average of former years, viz. 54°·3, with a greater amount of cloud, less sunshine, smaller daily range of temperature, and less rain, yet with a greater amount of humidity in the atmosphere. The close heat, from the great amount of humidity in the atmosphere, was for some days very oppressive, particularly on the 11th; yet such was the hazy state of the atmosphere, that on that day the highest degree of temperature noted in the self-registering thermometer was 75°. In many parts of the country, frost was observed on the morning of the 21st. The more genial mean temperature of the month, however, allowed the deaths in Scotland to fall to 174 daily.

July was warm and genial till the 13th, when a rainy period set in, the rain continuing to fall almost constantly till the 24th. In many places on the 21st, from 1½ to 2 inches of rain fell in 24 hours. This rainy period was followed by a cold one, which continued till the close of the month; and the cold east winds which then prevailed so reduced the temperature,

that the mean temperature of the month was only 54°·8, or two degrees below the mean of former years.

August was the warmest month of the year, having a mean temperature of 57°·4; but there was a great deficiency of sunshine, from the sky being more clouded than usual.

September differed little in its weather from its ordinary character in former years, and its mean temperature of 53°·4 was four degrees below that of August.

As is usual when the mean temperature does not rise above 58°, the mortality attained its minimum, or lowest point, in September, when only 157 persons died daily in Scotland.

During the remaining months of the year the weather did not deviate materially from its ordinary character, and the year closed without the mean temperature of any week having been so low as 32°. Indeed, the coldest week was the first week of December, when the mean temperature was 35°·5, but the last week of the year had a mean temperature of 41°·9.

Smart frost occurred on the 3d and 4th of October, mowing down the garden flowers and arresting vegetation. Cold, bleak, misty days followed till the 18th, when the mild enjoyable weather known as the Indian Summer commenced, and continued till the close of the month. Under its influence the mean temperature rose from 45° to 50°, but the mean temperature of the month was 46°·4.

November entered with cold north-west winds, but, on the whole, the winds were less keen than usual. The air was clearer, there was less cloud, less mist or fog, less rain, less humidity of atmosphere, and more sunshine than usual, rendering the month less unpleasant than ordinary Novembers.

December was, on the whole, a mild month, with strong westerly and south-westerly breezes, occasionally rising into hurricanes.

With the fall of temperature the mortality increased, so that October, with its mean temperature of 46°·4, had 169 deaths daily in Scotland; November, with its mean temperature of 41°·6, had 174 deaths daily; while December, with its mean temperature of 38°·8, had its deaths increased to 195 daily.

Table LII. shows the chief points of the meteorology of Scotland for every month of the year 1867. By that Table it appears, that the mean barometric pressure for the year, corrected to 32° Fahr. and to the sea-level, was 29·872 inches. The mean temperature was 45°·7, being more than half of a degree lower than that of the previous year. The highest temperature noted at any station in the protected thermometer was 85°, and the lowest —6°. The mean of the day temperatures was 51°·5, and the mean of the night temperatures 40°·0, giving a mean daily range of 11°·5. The highest temperature in the sun, noted in the black bulb thermometer exposed to its direct rays, was 135°, or 6°·4 less than that of the previous year; and the greatest degree of cold during the night, noted in the black bulb thermometer exposed on the grass, was —9°, being 5° lower than that of the previous year. Rain, sleet, or snow fell on 182 days, with a mean depth of water of 38·52 inches, being 2·89 inches of water less than during the previous year. The sun shone during 1518 hours in the course of the year, and the mean humidity of the air was 86°. Easterly winds, on the average, blew 100 days during the year, or six days more than during the previous year; and westerly winds blew 174 days, or six days less than during the previous year.

But though Table LII. and the above statement show the powerful effect of weather on the mortality, when traced month by month, it is

instructive to know that the deleterious effects arising from depression of temperature may be traced from week to week, and even from day to day. For instance, if a very severe night occurs during the winter or spring months, when the temperature becomes lowered to zero, or thereabouts, it has been again and again noticed by the registrars, that that night proves fatal to most of the very aged persons in the parish, and otherwise increases the general mortality. In consequence of publishing weekly the number of births, deaths, and marriages, the temperature, and the fall of rain, in each of the Eight Principal Towns of Scotland, we have the means of tracing the effect of the weekly variations of temperature on the public health, and

TABLE LII.—Meteorology of Scotland for the Year 1867, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1867; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1867.

1867.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temperature in shade (degrees)	52·7	59·0	60·6	62·7	76·5	78·0	83·0	85·0	72·0	71·2	65·0	59·0	85·0
Lowest Temperature in do. "	—6·0	17·0	0·0	25·7	23·3	32·3	33·7	35·3	30·3	24·0	21·0	12·0	—6 0
Day Temperatures (Mean) "	36·6	46·1	41·9	51·1	53·6	61·4	61·3	64·5	59·3	52·4	46·8	43·4	51·5
Night Temperatures (Mean) "	26·9	36·6	30·5	39·6	41·4	47·2	48·4	50·8	47·6	40·5	36·3	34·2	40·0
Daily Range (Mean) "	9·7	9·5	11·4	11·5	12·2	13·9	12·9	13·7	11·7	11·9	10·4	9·2	11·5
Mean Temperature "	31·8	41·4	36·2	45·3	47·5	54·3	54·8	57·4	53·4	46·4	41·6	38·8	45·7
Highest Day Temperature in Sun "	82·0	101·1	110·3	120·2	125·7	135·0	134·7	134·0	120·0	111·0	102·0	86·0	135·0
Lowest on Grass at Night "	—9·0	9·0	0·0	15·0	19·4	22·0	26·0	26·0	21·0	13·0	12·0	10·0	—9·0
Wet-bulb Temperature (Mean) "	30·5	39·1	33·8	42·9	44·7	51·2	52·1	55·0	51·1	44·6	39·4	37·4	43·5
Dew-point Temperature (Mean) "	27·9	37·2	31·4	40·6	42·1	48·5	49·7	53·0	49·1	42·8	37·4	35·7	41·3
Humidity of Air	86	88	86	86	84	82	84	86	87	89	87	89	86
Elastic Force of Vapour (inch)	·154	·222	·177	·254	·268	·342	·358	·403	·350	·276	·224	·210	·269
Number of Days Rain fell (inches)	18	16	14	20	14	12	14	15	16	18	9	16	182
Amount of Rain (inches)	4·74	3·09	2·26	4·43	2·83	2·11	4·38	2·82	3·17	4·29	1·25	3·15	38·52
Amount of Cloud	6·5	6·5	6·1	7·6	7·6	6·8	7·3	6 8	6·6	6·5	6·1	6·7	6·7
Hours of Sunshine	78	94	136	118	143	196	168	174	134	115	94	68	1518
Mean Barometer (inches)	29·632	29·816	29·875	29·591	29·938	30·050	29·861	29·856	29·931	29·765	30·230	29·919	29·872
Easterly Winds (No. of days)	12	4	17	7	19	6	13	5	5	4	4	14	100
Westerly Winds (No. of days)	10	19	7	18	5	16	9	18	16	19	18	19	174
Births	9417	8820	9715	10254	10437	9684	9927	9244	8699	9795	8903	9149	1114044
Deaths	7365	5876	6736	6242	6010	5223	5443	4952	4780	5242	5212	6037	69068
Marriages	2648	1322	1386	1359	1068	3200	2259	1421	1391	1363	2286	2915	22618
Daily Births	304	315	314	342	337	323	320	298	290	316	297	295	312
Daily Deaths	238	210	217	208	194	174	175	160	157	169	174	195	189
Daily Marriages *	115	66	68	61	46	160	98	64	66	59	108	132	86

* As few or no Marriages are contracted in Scotland on Saturday or Sunday, these days are excluded from each month in calculating the daily number of Marriages.

Table LIII. gives a summary of the results for every week of the year 1867.

In studying that Table it is necessary to observe, that although a sudden fall of temperature manifests immediately its deleterious effects on the human frame, a day or two frequently elapses before the person's death is registered. Consequently, if the fall of temperature occurs at the beginning of a week, the deaths registered during the week, in general, accurately express the effect of the fall of temperature; but if the fall occurs at the end of a week, we must look to the deaths registered during the following week to see the full effects of that depression of temperature. Thus, during the week ending 5th January, the lowest temperature occurred during the

TABLE LIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1867.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 5	602	29·6	51·0	10·2	0·520	27	July 6	484	54·7	74·0	35·0	0·269
2	12	641	34·2	47·0	19·8	1·278	28	13	456	60·4	83·0	41·7	0·859
3	19	597	27·9	38·5	14·2	0·761	29	20	485	56·8	68·0	43·0	2·067
4	26	705	33·8	49·8	15·2	1·759	30	27	454	51·2	64·0	41·0	1·888
5	February 2	597	43·5	56·0	33·0	1·702	31	August 3	464	56·5	72·0	44·1	0·015
6	9	605	40·1	59·0	23·0	1·218	32	10	409	57·5	69·0	45·5	0·879
7	16	552	43·3	56·5	32·0	0·768	33	17	441	61·1	80·0	50·0	0·857
8	23	509	45·7	57·0	36·3	0·218	34	24	405	57·9	72·0	46·2	0·930
9	March 2	497	38·9	55·0	24·8	0·140	35	31	411	58·2	72·0	43·6	0·935
10	9	535	38·7	53·0	28·5	0·379	36	September 7	427	55·8	70·0	44·2	1·297
11	16	576	33·1	49·0	20·6	0·386	37	14	456	56·8	68·0	42·0	0·848
12	23	582	33·9	46·0	17·0	0·285	38	21	427	51·7	64·5	34·3	0·977
13	30	612	43·1	57·0	33·0	0·721	39	28	463	52·8	63·0	41·0	0·384
14	April 6	556	47·3	63·0	32·1	0·334	40	October 5	462	46·9	67·0	28·0	0·607
15	13	565	45·4	59·0	31·2	1·191	41	12	447	45·4	63·0	27·2	0·155
16	20	516	47·9	62·0	34·8	0·847	42	19	463	50·3	59·0	40·0	1·260
17	27	481	45·9	60·9	33·0	1·348	43	26	425	49·6	65·5	31·0	0·866
18	May 4	522	46·9	65·3	33·4	0·665	44	November 2	415	44·4	53·2	32·0	0·751
19	11	568	51·8	70·0	39·0	0·905	45	9	471	44·2	56·0	28·0	0·010
20	18	488	42·8	58·0	32·0	0·859	46	16	431	42·5	52·7	27·0	0·323
21	25	553	45·1	68·4	25·0	0·056	47	23	492	39·7	51·2	25·9	0·001
22	June 1	557	52·1	69·0	37·5	1·274	48	30	548	42·3	52·0	28·6	0·482
23	8	539	54·6	70·8	33·5	1·542	49	December 7	548	35·5	50·0	20·0	0·593
24	15	464	55·9	75·7	39·8	0·205	50	14	579	44·5	56·0	32·3	0·622
25	22	406	54·7	74·0	41·4	0·226	51	21	511	39·2	57·0	24·6	1·232
26	29	460	58·5	78·0	45·2	0·027	52	28	545	41·9	52·0	30·7	0·366

TABLE LIV.—Showing the connection between Atmospheric Phenomena, especially Mean Monthly Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotland, during each Month of the Year 1867.

1867.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	32°·9	42°·1	36°·8	46°·0	47°·4	55°·8	55°·6	58°·6	53°·9	47°·0	42°·2	39°·7
Highest Temperature	49°·6	54°·3	53°·1	59°·7	67°·1	74°·2	74°·5	75°·2	65°·6	61°·8	54°·0	54°·3
Lowest Temperature	16°·6	27°·5	20°·4	33°·4	33°·3	41°·7	42°·4	46°·4	39°·2	31°·2	29°·8	26°·2
Rainfall in inches	4·74	3·05	2·16	4·48	3·31	1·96	4·95	3·42	2·99	3·85	1·00	2·78
Total Deaths	2822	2198	2437	2347	2411	1989	2154	1855	1901	1969	2049	2379
Daily Deaths	91	78	78	78	78	66	69	60	63	63	68	77
Zymotic Diseases	518	425	453	452	499	398	479	410	476	492	457	480
Small-pox	13	10	8	7	4	3	2	6	0	3	2	4
Measles	78	63	80	88	109	83	99	51	33	23	18	26
Scarlatina and Diphtheria	90	73	76	58	72	56	50	51	90	136	129	159
Hooping-Cough	75	68	88	76	72	82	97	70	56	73	69	72
Croup	31	18	10	29	29	23	24	23	40	36	37	41
Typhus	140	109	119	116	136	90	104	64	95	115	131	119
Diarrhœa	31	34	39	33	37	32	67	93	128	62	30	18
Cholera	9	3	0	0	2	2	2	11	8	4	2	4
Consumption	321	281	355	327	332	301	292	260	229	224	208	249
Diseases Respiratory Organs	712	463	479	434	423	317	259	192	203	329	460	538
Heart, etc., Diseases	153	96	126	82	100	106	108	70	84	83	72	101
Brain, etc., Diseases	203	183	208	194	176	169	171	157	159	151	164	235
Age	177	122	125	105	116	86	108	89	80	82	86	118

last day of the week, and consequently, though the mean temperature of the second week was nearly five degrees higher than that of the first week, the deaths really produced by the intense cold on the 5th of January were registered during the second week, so that, while only 602 deaths were registered during the first week, they numbered 641 during the second week. In like manner, the coldest week of the year was that ending January 19, its mean temperature having been 27°·9; but as the intense cold continued to its very close, it was the following week which registered the greatest number of deaths, viz. 705, the deaths registered during the previous week having been 597. A week of mild mean temperature (for winter months), viz. 43°·5, occurred on the week ending 2d February, and the deaths fell to 562, having on the last week of January been 705. The continuance of comparatively mild weather during the second, third, and fourth weeks of February, during the last of which the mean temperature was 45°·7, allowed the deaths to fall to 509. Four cold weeks occurred after this in March, the mean temperature slowly and regularly descending till it reached the mean of 33°·1 and 33°·9,—the greatest cold being on the 21st, when the lowest temperature was 17°·0; the consequence was that the deaths gradually increased, till they numbered 616 on the week ending 30th March. After this milder weather set in, and the mean temperature rose, varying during April from 43° to 47°. With this increase of temperature the deaths decreased, so that on the last week of April they numbered only 481.

A careful study of that Table will show that the closest possible connection exists between the temperature and the mortality, and that in this country it is cold which has the most baneful effects on health. In those countries where the summer heats are great, the hot months are the most fatal to the human race, because the heat encourages or excites attacks of fevers and various bowel complaints, as Diarrhœa, Dysentery, and Cholera. Even in Scotland the tendency of the mortality to increase under the influence of a warm temperature is noticed; but the increased deaths from that cause are so few that they do not in general materially increase the deaths, nor invalidate the general statement, that in Scotland our most deadly enemy is cold. Thus, during one week alone, viz. that ending 17th August, the mean temperature was 61°·1, having been 57°·5 the week previous, and 57°·9 the week following. During that hot week the deaths rose to 441, having been 409 the previous, and 405 the following week. The above examples may suffice to prove the general truth of the facts brought under consideration, and the Table is there to speak for itself.

Table LIV. is drawn with the view of showing the influence of the weather, but especially of the mean monthly temperature, on different diseases and classes of disease in the Eight Principal Towns of Scotland. This Table is worthy of attentive study, because it not only tends to confirm all that has been advanced with regard to the influence of temperature on the general mortality, but also proves that the same agent has an equally powerful influence on each disease and class of diseases. Nay more, it proves that those diseases which we call epidemics are subject to the very same law of temperature in Scotland, as are those diseases which we style sporadic, such as Bronchitis, Pneumonia, Enteritis, etc. Thus, the zymotic (epidemic and contagious) class of diseases, which caused in the Eight Towns 398 deaths in June, caused 480 deaths in December, and 518 deaths in January, the coldest month; Scarlatina, which caused only 50 deaths in July, caused 159 in December; Typhus, which caused 90 deaths in June, caused 140 deaths in January; Diseases of the Respiratory Organs, which

caused 192 deaths in August, caused 538 deaths in December, and 712 in January; Brain Diseases, which caused 157 deaths in August, caused 235 deaths in December; and Old Age, which caused 89 deaths in August, caused 118 in December, and 177 in January, the coldest month.

In countries where the mass of the population is dependent for their sustenance on the crops which they raise, and where they have little or no external trade, it is the crops which are the great regulators of the mortality, after the weather. For if the crops partially or wholly fail, the price of the food rises so high as to be beyond the power of purchasing by the lower classes. In such countries, therefore, the amount of sickness and death almost invariably rises and falls with the price of the provisions. When provisions are abundant, and consequently cheap, the amount of sickness is small and the death-rate low; but a failure of the crops almost invariably brings a high amount of sickness, and the death-rate becomes excessive.

In a country like this, where the great mass of the population is dependent on trade and commerce for their livelihood, and where there exists the means of procuring from other countries any kinds of food which may be deficient in this, we have not been able to trace any connection between the mortality and the price of provisions, as Table LV. will show. The prices of wheat and potatoes which are quoted are those of the official returns for England and Wales, as they are more to be depended on for correctness than the Scottish returns. Here we see that, while the price of wheat, the staple of life, steadily diminished in price from 69s. per quarter in 1856, to 44s. per quarter in 1858, the deaths in Scotland as steadily increased from 52529 in 1856 to 63539 in 1858. Again, the price of wheat was the same in 1861 and 1862, viz. 55s. per quarter; but the deaths, which only numbered 62341 in 1861, had increased in 1862 to 69195. The price of wheat and of all provisions regularly diminished from 1862 to 1864, so that wheat, which sold at 55s. the quarter in 1862, fell to 44s. 8d. the quarter in 1863, and to 40s. 2d. in 1864; while potatoes, which brought 137s. the ton in 1862, fell to 100s. in 1863, and to 75s. the ton in 1864. If a plentiful supply of provisions, therefore, and cheapness in price, could of themselves exert appreciable influence on the mortality, there ought to have been a marked diminution of the deaths during these years. But, on the other hand, the mortality largely increased from year to year; for while only 67195 deaths occurred in 1862, the year of high prices, they increased to 71481 deaths in 1863, and to 74416 deaths in 1864.

TABLE LV.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Thirteen Years 1855-1867.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0

The same want of connection between the prices of provisions and the mortality was noticed during the years 1864 and 1865, and again during the years 1866 and 1867. Thus, in 1866, the price of wheat was only 49s. 11d. per quarter, while potatoes sold for 89s. 6d. per ton; but in 1867 the average price of wheat had risen to the almost famine price of 64s. 5d. per quarter, and potatoes to 138s. per ton. Notwithstanding of this, the cheap year had the large number of 71348 deaths in Scotland, while the year of high prices allowed the deaths to fall to 69068. In other words, 2280 fewer deaths occurred in Scotland during the year when provisions were at fabulously high prices, than during the previous year, when provisions were very low in price.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *December* 7, 1869.

TABLE I.—PRINCIPAL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

YEARS.	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	31719	16266	15453	2421	22254	11155	11099	7507
1857	...	...	...	32674	16854	15820	2519	23363	11692	11671	7476
1858	...	...	...	32563	16828	15735	2779	23445	11770	11675	6865
1859	...	...	...	33027	16885	16142	2818	22352	11075	11277	7554
1860	...	...	...	32958	17035	15923	2874	26066	12814	13252	7688
1861	407839	477116	884955	34351	17444	16907	3211	23149	11464	11685	7753
1862	...	...	...	34436	17649	16787	3457	24960	12270	12690	7724
1863	...	...	...	35888	18537	17351	3550	27045	13624	13421	8544
1864	...	...	...	37058	18930	18128	3660	28845	14504	14341	8897
1865	...	...	...	38109	19591	18518	3731	28515	14263	14252	9347
Ten Years.	...	...	...	342783	176019	166764	31020	249994	124631	125363	79355

TABLE II.—LARGE TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

YEARS.	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	9221	4756	4465	678	5374	2703	2671	1975
1857	...	...	...	9387	4748	4639	682	5860	2917	2943	2113
1858	...	...	...	9282	4728	4554	757	6163	3034	3129	1824
1859	...	...	...	9545	4927	4618	756	5775	2946	2829	1918
1860	...	...	...	9223	4733	4490	743	6042	2972	3070	1983
1861	119602	134428	254030	9695	4983	4712	808	5831	2869	2962	1940
1862	...	...	...	9618	4994	4624	864	6566	3286	3280	1837
1863	...	...	...	9895	5086	4809	909	6780	3358	3422	2086
1864	...	...	...	10263	5222	5041	871	7132	3544	3588	2234
1865	...	...	...	10594	5491	5103	891	6896	3352	3544	2304
Ten Years.	...	...	...	96723	49668	47055	7959	62419	30981	31438	20214

TABLE III.—SMALL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census Numbers of Population in 1861 are Mean Population.

YEARS.	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	17289	8947	8342	1526	9542	4785	4757	3428
1857	...	...	...	17848	9144	8704	1600	10009	4911	5098	3442
1858	...	...	...	17678	9194	8484	1574	10076	5046	5030	3133
1859	...	...	...	18533	9538	8995	1705	10045	4975	5070	3643
1860	...	...	...	18239	9385	8854	1611	11070	5480	5590	3443
1861	239074	265223	504297	18453	9352	9101	1611	10366	5150	5216	3365
1862	...	...	...	18376	9551	8825	1663	10933	5368	5565	3289
1863	...	...	...	18707	9626	9081	1793	11542	5862	5680	3521
1864	...	...	...	19389	9952	9437	1898	12294	6132	6162	3750
1865	...	...	...	19283	9963	9320	1873	11256	5598	5658	3779
Ten Years.	...	...	...	183795	94652	89143	16854	107133	53307	53826	34793

TABLE IV.—TOTAL TOWN DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-65; so that Census of 1861 is the Mean Population for the period.

YEARS:	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	58229	29969	28260	4625	37170	18643	18527	12910
1857	...	...	...	59909	30746	29163	4801	39232	19520	19712	13031
1858	...	...	...	59523	30750	28773	5110	39684	19850	19834	11822
1859	...	...	...	61105	31350	29755	5279	38172	18996	19176	13115
1860	...	...	...	60420	31153	29267	5228	43178	21266	21912	13114
1861	766515	876767	1643282	62499	31779	30720	5630	39346	19483	19863	13058
1862	...	...	...	62430	32194	30236	5984	42459	20924	21535	12850
1863	...	...	...	64490	33249	31241	6252	45367	22844	22523	14151
1864	...	...	...	66710	34104	32606	6429	48271	24180	24091	14881
1865	...	...	...	67986	35045	32941	6495	46667	23213	23454	15430
Ten Years.	...	...	...	623301	320339	302962	55833	419546	208919	210627	134362

TABLE V.—RURAL DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census of 1861 is the Mean Population for the period.

YEARS.	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	43592	22270	21322	4070	21359	10775	10584	7830
1857	...	...	...	43506	22412	21094	4068	22674	11417	11257	8338
1858	...	...	...	44495	22944	21551	4244	23855	11802	12053	7833
1859	...	...	...	45438	23278	22160	4436	23542	11592	11950	8086
1860	...	...	...	45209	23256	21953	4508	24992	12344	12648	8111
1861	683383	735679	1419012	44510	22827	21683	4299	22995	11407	11588	7838
1862	...	...	...	44639	23063	21576	4392	24736	12255	12481	7747
1863	...	...	...	44851	22977	21874	4696	26114	12787	13327	8083
1864	...	...	...	45623	23270	22353	4768	26145	12830	13315	7844
1865	...	...	...	45084	23175	21909	4767	24224	11977	12247	8181
Ten Years.	...	...	...	446947	229472	217475	44248	240636	119186	121450	79891

TABLE VI.—SCOTLAND. Ten Years' Summary of Births, Deaths, and Marriages, 1856-1865; so that Census of 1861 is the Mean Population for the period.

YEARS.	POPULATION. Census 1861.			BIRTHS.				DEATHS.			MARRIAGES.
	Males.	Fem.	Total.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1856	...	...	...	101821	52239	49582	8695	58529	29418	29111	20740
1857	...	...	...	103415	53158	50257	8869	61606	30937	30969	21369
1858	...	...	...	104018	53694	50324	9354	63539	31652	31887	19655
1859	...	...	...	106543	54628	51915	9715	61714	30588	31126	21201
1860	...	...	...	105629	54409	51220	9736	68170	33610	34560	21225
1861	1449848	1612446	3062294	107009	54606	52403	9929	62341	30890	31451	20896
1862	...	...	...	107069	55257	51812	10376	67195	33179	34016	20597
1863	...	...	...	109341	56226	53115	10948	71481	35631	35850	22234
1864	...	...	...	112333	57374	54959	11197	74416	37010	37406	22725
1865	...	...	...	113070	58220	54850	11262	70891	35190	35701	23611
Ten Years.	...	...	...	1070248	549811	520437	100081	660182	328105	332077	214253

TABLE VII.—Annual Proportion of Births, Deaths, and Marriages in the Town and Country Districts, during the Ten Years 1856-1865, to the Mean Population of these years—viz. the Census 1861; and the Proportion of Illegitimate to Total Births.

	Births' Per-centage.				Deaths' Per-centage.			Per-centage of Marriages.
	Total.	Males.	Fem.	Illegit. to Total Births.	Total.	Males.	Fem.	
Eight Principal Towns .	3·873	4·316	3·495	9·0	2·825	3·056	2·627	0·896
Large Towns . . .	3·807	4·152	3·500	8·2	2·457	2·903	2·338	0·795
Small Towns . . .	3·644	3·959	3·361	8·1	2·124	2·253	2·029	0·689
Total Town Districts . .	3·793	4·179	3·456	8·9	2·553	2·725	2·402	0·817
Rural Districts . . .	3·149	3·358	2·956	9·9	1·695	1·741	1·651	0·563
SCOTLAND . . .	3·495	3·785	3·227	9·3	2·156	2·263	2·059	0·709

ABSTRACTS, 1867.

Births, Deaths, and Marriages registered in Scotland during the Year 1867.

1867.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58517	55527	114044	5766	5382	11149	34263	34705	69068	22618	44976	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1696	1645	3343	99	93	192	878	993	1871	643	1472	2,261,062
2 NORTH-WESTERN, .	175,735	167,329	2286	2155	4441	136	135	271	1261	1434	2695	815	1746	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6561	6196	12757	958	903	1861	3082	3329	6411	2389	6346	2,429,594
4 EAST-MIDLAND, .	515,966	523,832	9523	9100	18623	995	922	1917	5462	5737	11199	4010	7424	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4149	3865	8014	354	296	650	2595	2273	4968	1412	3046	2,693,476
6 SOUTH-WESTERN, .	881,092	1,008,253	22756	21794	44550	1944	1865	3809	14233	13900	28133	8698	16417	1,462,397
7 SOUTH-EASTERN, .	383,217	408,962	8141	7670	15811	765	725	1490	4908	4919	9827	3479	5984	1,192,524
8 SOUTHERN, . . .	215,884	213,216	3408	3102	6506	515	443	958	1944	2020	3964	1478	2541	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	441	419	860	15	15	30	211	251	462	168	398	398,726
2 Orkney, . . .	31,455	32,395	400	380	780	24	14	38	205	278	483	182	297	455,708
3 Caithness, . . .	39,782	42,200	591	583	1174	52	45	97	297	275	572	198	602	455,708
4 Sutherland, . . .	24,720	24,157	266	263	529	14	13	27	165	189	354	95	175	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1115	1062	2177	46	53	99	584	699	1283	394	894	2,016,375
6 Inverness, . . .	91,954	84,902	1171	1093	2264	90	82	172	677	735	1412	424	852	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	121	132	253	8	16	24	82	89	171	38	72	137,500
8 Elgin (or Moray), . .	40,532	43,218	728	642	1370	99	76	175	351	361	712	231	658	340,000
9 Banff, . . .	51,353	56,020	971	900	1871	135	138	273	454	517	971	334	900	439,219
10 Aberdeen, . . .	213,461	223,344	4181	3982	8163	630	593	1223	1900	2082	4043	1549	4120	1,260,625
11 Kincardine, . . .	34,944	34,854	570	540	1110	86	80	166	235	279	514	237	596	252,250
IV EAST-MIDLAND.														
12 Forfar, ...	126,627	200,750	4350	4194	8544	508	449	957	2515	2650	5165	1889	3379	568,750
13 Perth, ...	137,309	133,198	1698	1769	3667	219	201	420	1210	1198	2408	775	1259	1,814,063
14 Fife,*	153,789	155,021	2783	2664	5447	215	223	438	1442	1587	3029	1167	2418	328,427
15 Kinross,* . . .	9,626	8,731	110	146	226	12	15	27	64	84	148	55	78	49,312
16 Clackmannan, . .	21,555	20,422	382	357	739	41	34	75	231	218	449	124	290	29,440
V. WEST-MIDLAND.														
17 Stirling, . . .	88,802	88,138	1741	1664	3405	162	131	293	1005	901	1906	599	1499	295,875
18 Dumbarton, . . .	46,995	54,179	1076	969	2045	85	68	153	690	642	1332	369	713	204,800
19 Argyll, ...	94,042	82,859	1117	1024	2141	81	83	164	704	653	1357	353	784	2,093,126
20 Bute, ...	16,608	16,331	215	208	423	26	14	40	196	177	373	97	50	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3542	3505	7047	257	259	516	2395	2305	4700	1422	2347	158,268
22 Ayr,*	189,973	199,063	3807	3747	7554	339	351	690	2229	2217	4446	1442	3108	735,262
23 Lanark,*	533,169	640,444	15407	14542	29949	1348	1255	2603	9609	9378	18987	5864	10962	568,867
VII, SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	950	911	1861	84	70	154	417	423	840	289	1021	81,113
25 Edinburgh,* . . .	259,493	274,093	5600	5161	10761	535	476	1011	3668	3655	7323	2623	3438	234,925
26 Haddington,* . .	36,363	37,626	589	598	1187	49	64	113	318	320	638	216	549	179,142
27 Berwick,* . . .	36,165	36,488	573	560	1133	59	67	126	291	296	587	199	546	302,951
28 Peebles,* . . .	10,804	11,300	198	209	397	22	23	45	86	89	175	61	222	227,869
29 Selkirk,* . . .	9,802	10,410	241	231	472	16	25	41	128	136	264	85	208	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	872	793	1665	141	87	228	479	503	982	308	682	428,494
31 Dumfries,* . . .	73,149	75,904	1228	1106	2334	178	162	340	745	729	1474	435	860	702,253
32 Kirkcudbright,* . .	43,124	42,495	687	648	1335	142	98	240	343	399	742	248	593	610,343
33 Wigtown,* . . .	43,389	42,095	616	555	1171	114	96	210	377	388	765	187	406	327,906

* In all the Counties marked thus *; the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the Islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	11	8	19	–	–	–	3	10	13	6
	(2) Burra and Quarff,	906	890	12	2	14	–	–	–	4	7	11	10
2	Delting, . . .	2124	1975	24	23	47	2	3	5	10	9	19	10
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	c. 2005	2113	35	34	69	–	1	1	7	19	26	7
	(2) Sandwick and Cunningsburgh, . .	c. 2220	2337	29	33	62	–	–	–	13	20	33	10
	(3) Fair Isle, . .	280	380	9	5	14	–	–	–	2	4	6	4
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	7	6	13	–	–	–	2	6	8	1
	(2) North Yell, . .	998	932	4	19	23	–	1	1	2	10	12	6
5	Lerwick (incl. Town), .	3390	3631	52	52	104	1	3	4	42	36	78	42
6	Mid and South Yell, .	1741	1784	17	25	42	–	–	–	13	18	31	3
7	Nesting, etc.—												
	(1) Nesting, . .	c. 806	855	10	15	25	1	–	1	6	5	11	5
	(2) Lunnasting, . .	c. 830	880	11	15	26	–	1	1	9	7	16	3
	(3) Whalsay and Skerries	784	848	14	14	28	–	–	–	4	4	8	4
8	Northmavine, . .	2534	2585	33	24	57	1	1	2	18	15	33	6
9	Sandsting and Aithsting,	2603	2670	53	40	93	2	1	3	16	14	30	10
10	Tingwall, etc.—												
	(1) Tingwall, . .	c. 1654	1554	25	14	39	4	2	6	13	12	25	8
	(2) Whiteness & Weisdale	c. 1220	1143	14	16	30	2	1	3	9	14	23	7
11	Unst, ...	2977	3060	39	42	81	–	–	–	24	23	47	16
12	Walls, etc.—(1) Walls, .	c. 1280	1365	19	11	30	1	1	2	6	10	16	5
	(2) Sandness, .	c. 563	606	16	9	25	1	–	1	6	3	9	5
	(3) Papa-Stour, .	359	366	6	8	14	–	–	–	–	2	2	–
	(4) Foula, . .	240	233	1	4	5	–	–	–	2	3	5	–
	Total,	31078	31670	441	419	860	15	15	30	211	251	462	168
	2. Orkney.												
13	Birsay, ...	1749	1774	16	22	38	–	–	–	12	15	27	10
14	Deerness, . . .	786	813	12	15	27	–	–	–	6	–	6	3
15	Eday and Pharay, .	1016	979	13	14	27	–	–	–	8	8	16	2
16	Evie and Rendall, .	1446	1408	14	13	27	1	–	1	12	14	26	8
17	Firth and Stennes, . .	1327	1493	19	16	35	1	1	2	2	16	18	5
18	Harray, . . .	750	819	4	5	9	–	–	–	6	10	16	7
19	Holm and Paplay, . .	749	834	15	10	25	2	1	3	3	9	12	3
20	Hoy and Græmsay, .	615	556	4	10	14	–	–	–	2	7	9	6
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	59	38	97	5	8	13	33	39	72	26
22	North Ronaldshay, .	526	532	7	7	14	1	2	3	10	5	15	2
23	Orphir, . . .	1157	1133	18	15	33	–	–	–	3	12	15	8
24	Rousay and Egilsay, .	1215	1152	13	13	26	1	–	1	14	12	26	3
25	St Andrews, . . .	926	868	8	9	17	–	1	1	4	12	16	3
26	Sanday, . . .	2004	2145	34	26	60	1	–	1	10	16	26	12
27	Sandwick, . . .	1107	1225	13	9	22	–	–	–	7	7	14	5
28	Shapinshay, . . .	899	973	11	9	20	–	1	1	6	3	9	2
29	South Ronaldshay and Burray, . .	3086	3282	50	50	100	3	2	5	17	31	48	22
30	Stromness, . . .	2770	2540	24	29	53	2	–	2	21	24	45	13
31	Stronsay, . . .	1211	1228	25	20	45	2	–	2	12	5	17	7
32	Walls, etc.—(1) Walls, .	1278	1254	7	11	18	–	–	–	4	13	17	8
	(2) Flotta, .	389	420	3	8	11	–	1	1	1	3	4	4
33	Westray, etc.—(1) Westray	2088	2153	29	26	55	2	–	2	10	16	26	22
	(2) Papa-Westray,	371	392	2	5	7	–	–	–	2	1	3	1
	Total,	31455	32395	400	380	780	21	17	38	205	278	483	182

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	22	22	44	3	–	3	5	13	18	8
35	Canisbay,	2437	2730	47	39	86	1	3	4	13	21	34	12
36	Dunnet,	1868	1861	17	14	31	2	1	3	11	13	24	9
37	Halkirk,	2918	2864	33	33	66	1	3	4	16	17	33	16
38	Latheron,	8224	8571	95	92	187	10	7	17	51	50	101	30
39	Olrig,	1873	2059	34	30	64	2	2	4	4	5	9	13
40	Reay,	2506	2476	28	38	66	1	3	4	19	10	29	5
41	Thurso (incl. Town),	5096	5561	79	70	149	9	7	16	44	40	84	31
42	Watten,	1351	1491	12	17	29	–	–	–	8	7	15	4
43	WICK—(1) Burgh,	6796	7505	155	151	306	13	10	23	94	78	172	54
	(2) Landward,	5055	5336	69	77	146	10	9	19	32	21	53	16
	Total,	39782	42200	591	583	1174	52	45	97	297	275	572	198
	4. Sutherland.												
44	Assynt—(1) Kirkton,	c. 510	553	7	5	12	–	–	–	1	5	6	1
	(2) Stoer,	c. 2479	2625	28	22	50	1	–	1	12	18	30	7
45	Clyne,	1933	1886	15	16	31	–	1	1	11	19	30	11
46	Creich—(1) Bonar,	c. 2134	1982	26	16	42	3	–	3	12	11	23	6
	(2) Rosehall,	c. 580	539	6	7	13	–	1	1	1	10	11	2
47	DORNOCH (incl. Burgh),	2981	2885	28	28	56	–	2	2	19	19	38	17
48	Durness,	1152	1109	12	16	28	–	–	–	7	12	19	2
49	Eddrachillis—(1) Scourie,	c. 700	727	7	6	13	–	–	–	6	2	8	4
	(2) Kinlochbervie,	c. 876	914	15	10	25	1	–	1	5	5	10	2
50	Farr—(1) Kirkton,	c. 1313	1251	10	16	26	–	1	1	5	9	14	1
	(2) Strathy,	c. 890	852	10	14	24	1	3	4	7	3	10	3
51	Golspie,	1529	1615	20	20	40	–	1	1	11	14	25	5
52	Kildonan,	2288	2132	25	23	48	–	1	1	22	13	35	6
53	Lairg,	1162	961	11	9	20	2	2	4	9	15	24	9
54	Loth,	640	610	7	7	14	2	–	2	9	4	13	1
55	Rogart,	1535	1439	17	18	35	–	1	1	12	16	28	11
56	Tongue,	2018	2077	22	30	52	1	3	4	16	14	30	7
	Total,	24720	24157	266	263	529	11	16	27	165	189	354	95
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	13	8	21	2	–	2	13	11	24	1
58	Applecross—												
	(1) Applecross,	c. 1130	1064	17	13	30	2	–	2	11	11	22	6
	(2) Shieldaig,	c. 1579	1480	23	15	38	–	2	2	18	15	33	6
59	Avoch,	2029	1788	24	35	59	1	1	2	15	21	36	20
60	Contin,	1562	1509	16	13	29	–	1	1	5	14	19	4
61	CROMARTY (incl. Burgh)	2727	2300	33	45	78	3	1	4	15	27	42	7
62	DINGWALL (incl. Burgh)	2364	2412	39	27	66	2	2	4	25	19	44	19
63	Edderton,	890	836	16	9	25	1	–	1	2	4	6	3
64	Fearn,	2122	2083	36	27	63	2	–	2	18	12	30	10
65	Fodderty,	2342	2247	24	22	46	3	5	8	15	15	30	9
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	28	22	50	2	1	3	13	15	28	11
	(2) Southern District,	c. 3340	3522	45	26	71	1	–	1	21	22	43	14
67	Glenshiel,	573	485	5	2	7	–	–	–	1	2	3	1
68	Killearnan,	1794	1494	11	10	21	–	2	2	5	11	16	7
69	Kilmuir-Easter,	1437	1295	11	12	23	1	1	2	14	8	22	3
70	Kiltearn,	1538	1634	18	15	33	1	–	1	11	17	28	7
71	Kincardine,	1896	1746	18	26	44	3	6	9	15	15	30	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail,	1009	890	10	4	14	–	–	–	10	4	14	–
73	Knockbain,	3005	2485	35	28	63	2	2	4	13	12	25	4
74	Lochalsh,	2299	2413	23	29	52	–	–	–	10	21	31	10
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	37	35	72	1	2	3	27	23	50	15
	(2) Coigach,	*c.* 1273	1285	17	16	33	–	–	–	7	5	12	–
76	Lochcarron,	1612	1592	13	18	31	1	4	5	16	14	30	7
77	Logie-Easter,	965	932	10	20	30	3	3	6	6	12	18	3
78	Nigg,	1457	1253	14	13	27	–	1	1	7	8	15	2
79	Resolis,	1551	1568	16	15	31	1	3	4	8	21	29	9
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	20	14	34	–	1	1	20	21	41	5
81	Rosskeen,	3699	3766	41	41	82	4	2	6	22	38	60	21
82	TAIN (incl. Burgh),	3574	3294	43	26	69	4	2	6	18	32	50	13
83	Tarbat,	2151	2269	35	34	69	1	–	1	22	28	50	11
84	Urquhart & Logie-Wester,	3153	3147	30	33	63	4	6	10	18	37	55	10
85	Urray,	2621	2355	23	20	43	–	1	1	16	15	31	10
	Insular.												
a86	Barvas,	4189	4609	76	89	165	–	1	1	27	26	53	36
b86	Carloway,	*c.* 2120	2204	59	42	101	–	–	–	13	27	40	7
87	Lochs,	*c.* 3109	3568	65	78	143	1	–	1	27	31	58	25
88	Stornoway (incl. Town),	8057	8668	141	140	281	–	3	3	67	67	134	55
89	Uig,	*c.* 2236	2007	30	40	70	–	–	–	13	18	31	14
	Total,	83781	82427	1115	1062	2177	46	53	99	584	699	1283	391
	6. Inverness. *Mainland.*												
90	Alvie,	914	833	11	13	24	2	–	2	6	7	13	1
91	Ardersier,	1337	1239	10	21	31	2	3	5	14	9	23	6
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	11	11	22	1	2	3	8	6	14	1
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	11	11	22	1	1	2	9	7	16	6
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990	*c.* 1647	18	17	35	3	2	5	7	8	15	6
			c. 2295	37	38	75	8	3	11	22	26	48	15
94	Croy and Dalcross,	1777	1873	32	21	53	5	5	10	16	17	33	7
95	Daviot and Dunlichty,	1857	1741	19	17	36	–	1	1	10	11	21	7
96	Dores,	1650	1506	18	12	30	–	1	1	10	7	17	5
97	Glenelg—(1) Glenelg,	*c.* 1070	800	8	3	11	1	1	2	6	5	11	3
	(2) Knoydart,	*c.* 770	574	13	8	21	1	–	1	1	4	5	2
	(3) North Morar,	*c.* 630	469	9	12	21	–	–	–	1	5	6	2
98	INVERNESS (including Burgh),	16496	16162	289	231	520	20	18	38	183	200	383	112
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	10	4	14	–	–	–	4	4	8	4
	(2) Lochaber,	*c.* 1873	1651	16	14	30	2	2	4	11	11	22	4
100	Kilmorack,	3007	2852	33	23	56	2	1	3	25	21	46	10
101	Kiltarlity,	2965	2839	37	31	68	2	2	4	18	18	36	10
102	Kingussie and Insh,	2201	2033	22	36	58	6	5	11	14	11	25	9
103	Kirkhill,	1730	1757	11	19	30	1	1	2	13	19	32	5
104	Laggan,	1223	986	8	15	23	2	–	2	5	4	9	2
105	Moy and Dalarossie,	1018	1026	8	7	15	1	–	1	9	7	16	7
106	Petty,	1784	1671	21	17	38	1	–	1	12	12	24	8
107	Urquhart, etc.—												
	(1) Urquhart,	*c.* 2585	2294	29	20	49	–	–	–	19	15	34	8
	(2) Glenmoriston,	*c.* 695	617	3	2	5	1	–	1	1	5	6	2
	Insular.												
108	Barra,	1873	1853	31	38	69	–	1	1	18	14	32	11
109	Bracadale,	1597	1335	8	12	20	2	–	2	6	8	14	5
110	Duirinish,	5330	4775	64	55	119	2	3	5	37	35	72	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris,	3663	3769	71	56	127	5	5	10	22	24	46	21
	(2) Bernera,	477	336	8	7	15	–	1	1	2	5	7	7
	(3) St Kilda,	110	78	1	1	2	–	–	–	1	2	3	1
112	Kilmuir—(1) Kilmuir,	*c.* 1743	1561	21	19	40	2	3	5	10	14	24	13
	(2) Stenscholl,	*c.* 1464	1311	24	15	39	3	1	4	11	14	25	9
113	North Uist,	3918	3959	58	66	124	3	5	8	24	35	59	18
114	Portree—(1) Portree,	2805	2579	26	33	59	–	2	2	14	21	35	8
	(2) Raasay,	752	580	9	11	20	–	–	–	4	2	6	–
115	Sleat,	2531	2330	29	33	62	–	1	1	11	21	32	9
116	Small Isles,	916	567	4	3	7	–	–	–	2	1	3	4
117	Snizort—(1) North (2) South	*c.* 3071	2613	13 / 19	8 / 14	21 / 33	4 / 2	1 / 1	5 / 3	6 / 10	7 / 14	13 / 24	– / 15
118	South Uist—												
	(1) Benbecula,	1762	1544	20	22	42	1	3	4	12	7	19	9
	(2) Howmore,	*c.* 2040	1763	19	37	56	1	1	2	24	16	40	16
	(3) Boisdale,	*c.* 2371	2051	30	35	65	2	5	7	17	32	49	6
119	Strath,	3243	2664	32	25	57	1	1	2	22	24	46	17
	Total,	91954	84902	1171	1093	2264	90	82	172	677	735	1412	424
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	11	22	33	3	3	6	7	9	16	3
121	Auldearn,	1480	1328	19	19	38	–	1	1	8	12	20	6
122	Cawdor,	1202	1203	8	8	16	–	–	–	12	13	25	6
123	NAIRN (incl. Burgh),	4116	4486	73	83	156	5	12	17	55	55	110	23
	Total,	8076	8347	111	132	243	8	16	24	82	89	171	38
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	21	23	44	3	2	5	18	16	34	8
125	Alves,	919	1010	18	11	29	2	2	4	8	11	19	3
126	Bellie,	2017	1967	18	23	41	2	4	6	11	16	27	4
127	Birnie,	427	411	–	9	9	–	–	–	2	2	4	1
128	Boharm,	1368	1412	23	22	45	5	3	8	7	4	11	4
129	Dallas,	1226	1102	23	16	39	4	6	10	9	8	17	3
130	Drainy,	1856	3028	75	59	134	3	2	5	24	22	46	24
131	Duffus,	2983	3308	64	58	122	6	1	7	37	26	63	41
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	24	20	44	–	4	4	12	13	25	5
	(2) Rothiemurchus,	*c.* 295	319	7	6	13	2	1	3	7	6	13	2
133	Dyke,	1369	1247	13	17	30	2	–	2	4	8	12	4
134	Edinkillie,	1343	1303	24	19	43	2	–	2	8	9	17	7
135	ELGIN (incl. Burgh),	8231	9866	151	141	292	26	12	38	79	83	162	50
136	New Spynie,	445	518	11	9	20	2	3	5	9	12	21	2
137	FORRES (incl. Burgh),	4069	4112	76	65	141	13	12	25	37	41	78	21
138	Kinloss,	1370	1315	19	11	30	1	–	1	10	13	23	5
139	Knockando,	1771	1736	36	24	60	5	8	13	12	12	24	12
140	Rafford,	1020	1055	23	16	39	3	3	3	12	5	17	1
141	Rothes,	2022	2407	35	29	64	9	7	16	16	21	37	9
142	St Andrews-Lhanbryde,	1208	1344	13	16	29	1	3	4	8	12	20	5
143	Speymouth,	685	689	13	3	16	–	2	2	5	2	7	5
144	Urquhart,	2544	2532	41	45	86	8	4	12	16	19	35	15
	Total,	40532	44218	728	642	1370	99	76	175	351	361	712	231
	9. Banff.												
145	Aberlour,	1447	1665	24	23	47	3	4	7	19	20	39	7
146	Alvah,	1402	1467	16	29	45	2	4	6	5	6	11	11
147	BANFF (incl. Burgh),	6953	7740	160	127	287	16	24	40	67	70	137	41
148	Botriphnie,	713	867	11	13	24	3	2	5	6	10	16	4
149	Boyndie,	1564	1711	37	26	63	1	5	6	20	14	34	18
150	CULLEN (pt. of Burgh),	1697	1821	37	30	67	5	2	7	21	25	46	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
151	Deskford,	917	1031	11	15	26	3	3	6	3	8	11	8
152	Enzie,	*c.* 1872	2072	44	35	79	6	10	16	19	15	34	15
153	Fordyce,	3807	4145	82	65	147	13	9	22	41	44	85	23
154	Forglen,	695	783	16	12	28	1	1	2	7	2	9	2
*a*155	Gamrie,	2758	3019	46	48	94	2	6	8	16	24	40	19
*b*155	Glenrinnes,	?	*c.* 472	6	6	12	1	1	2	5	8	13	2
156	Grange,	1851	1909	32	25	57	7	6	13	17	13	30	14
157	Inveravon—(1) Inveravon,	*c.* 894	868	16	14	30	2	–	2	6	4	10	1
	(2) Auchbreck,	*c.* 1820	1771	20	27	47	4	6	10	11	8	19	7
158	Inverkeithny,	835	880	13	13	26	2	3	5	3	2	5	1
159	Keith,	4986	5943	96	96	192	19	14	33	35	52	87	45
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	*c.* 568	551	7	6	13	1	1	2	1	2	3	1
	(2) Tomintoul,	*c.* 990	960	12	10	22	4	2	6	4	10	14	2
161	Marnoch,	2994	3289	43	55	98	11	11	22	20	28	48	22
162	Mortlach,	2804	3095	36	39	75	9	6	15	23	19	42	9
163	Ordiquhill,	644	764	9	13	22	1	3	4	3	7	10	5
164	Rathven (incl. Buckie, Town),	*c.* 4664	4922	116	104	220	11	8	19	53	76	129	40
165	Rothiemay,	1413	1414	27	14	41	6	3	9	10	11	21	10
166	St Fergus,	1597	1608	26	21	47	1	3	4	12	15	27	11
167	Seafield (pt. of CULLEN, Burgh),	*c.* 1468	1725	28	34	62	1	1	2	27	24	51	8
	Total,	51353	56020	971	900	1871	135	138	273	454	517	971	334
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	950	826	1776	132	120	252	547	532	1079	338
	(2) Old Machar (Burgh),	30503	31938	591	616	1207	72	94	166	343	402	745	316
	(3) Do. (Landward),	1254	1298	25	19	44	1	1	2	7	8	15	9
169	Aberdour,	1707	1837	37	35	72	5	8	13	9	19	28	12
170	Aboyne,	1108	1160	19	25	44	7	4	11	6	9	15	4
171	Alford,	1143	1264	21	30	51	2	6	8	15	18	33	7
172	Auchindoir,	1369	1593	23	25	48	6	4	10	11	8	19	13
173	Auchterless,	1837	2010	35	40	75	7	7	14	13	14	27	10
174	Belhelvie,	1692	1807	27	29	56	2	1	3	12	14	26	5
175	Birse,	1533	1284	22	16	38	3	5	8	6	9	15	6
176	Bourtie,	529	547	9	2	11	1	–	1	–	2	2	5
177	Cabrach,	750	794	15	8	23	1	2	3	2	5	7	2
178	Cairney,	1565	1490	16	23	39	3	9	12	7	9	16	8
179	Chapel of Garioch,	2102	2023	37	31	68	–	5	5	10	18	28	10
180	Clatt,	543	511	6	3	9	1	1	2	5	4	9	–
181	Cluny,	1149	1254	14	25	39	1	5	6	12	8	20	9
182	Coull,	734	792	16	12	28	2	2	4	9	6	15	2
183	Crathie and Braemar,	1788	1574	18	20	38	3	2	5	7	10	17	6
184	Crimond,	893	892	16	14	30	3	1	4	3	5	8	9
185	Cruden,	2479	2743	57	42	99	9	4	13	21	18	39	20
186	Culsamond,	1042	1165	12	15	27	5	2	7	11	4	15	5
187	Daviot,	601	614	4	7	11	–	–	–	6	7	13	5
188	Drumblade,	949	926	7	15	22	2	3	5	5	3	8	5
189	Drumoak,	948	996	16	14	30	2	2	4	6	4	10	8
190	Dyce,	470	585	8	16	24	–	2	2	5	5	10	3
191	Echt,	1206	1287	18	18	36	4	–	4	8	5	13	7
192	Ellon,	*c.* 2750	3239	44	58	102	9	10	19	27	17	44	18
193	Fintray,	1080	1003	15	23	38	1	5	6	5	5	10	5
194	Forgue,	2626	2686	46	47	93	6	9	15	12	13	25	17
195	Foveran,	1638	1891	34	36	70	4	5	9	12	12	24	12
196	Fraserburgh (incl. Twn.),	4447	4511	103	84	187	14	6	20	46	40	86	37
197	Fyvie,	*c.* 2927	*c.* 3264	47	54	101	8	5	13	8	23	31	18
198	Gartly,	990	1029	9	12	21	2	1	3	2	7	9	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
199	Glass,	972	1049	17	12	29	3	–	3	9	8	17	12
200	Glenbucket,	542	552	4	7	11	–	–	–	7	4	11	4
201	Glenmuick, Tullich, and Glengairn,	1984	1668	36	31	67	3	4	7	20	8	28	11
202	Huntly (incl. Town),	4061	4329	64	57	121	15	13	28	29	49	78	19
203	Insch,	1519	1565	29	21	50	7	1	8	14	12	26	8
204	INVERURIE (including part of Burgh),	*c.* 2649	2668	55	64	119	7	9	16	27	30	57	17
205	Keig,	772	811	17	15	32	4	1	5	3	1	4	5
206	Keithhall,	920	933	11	13	24	2	2	4	4	7	11	3
207	Kemnay,	680	832	23	21	44	2	–	2	9	4	13	3
208	Kildrummy,	643	590	13	7	20	3	1	4	2	1	3	2
209	Kincardine O'Neil,	2098	2186	29	32	61	6	5	11	6	19	25	9
210	King-Edward,	2749	2843	46	47	93	9	9	18	11	26	37	15
211	Kinnellar,	590	691	6	9	15	1	2	3	3	4	7	3
212	Kinnethmont,	1108	1187	14	22	36	5	4	9	6	8	14	4
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	28	40	68	5	4	9	13	13	26	15
214	Leochel-Cushnie,	1068	1173	31	11	42	6	2	8	12	12	24	4
215	Leslie,	559	577	6	8	14	1	1	2	2	8	10	2
216	Logie-Buchan,	724	762	10	14	24	4	2	6	4	5	9	4
217	Logie-Coldstone,	889	932	8	18	26	3	1	4	13	8	21	1
218	Longside,	2952	3008	59	59	118	16	8	24	29	37	66	22
219	Lonmay,	1964	2142	39	33	72	7	7	14	14	19	33	12
220	Lumphanan,	1088	1251	23	14	37	5	2	7	10	7	17	6
221	Methlic,	1997	2157	36	23	59	9	4	13	16	14	30	9
*a*222	Midmar,	1166	1091	13	19	32	1	7	8	5	12	17	10
*b*222	Millbrex,	*c.* 1215	*c.* 1295	31	29	60	5	7	12	8	15	23	11
223	Monquhitter,	*c.* 2080	*c.* 2365	50	41	91	8	11	19	22	7	29	13
224	Monymusk,	940	988	13	18	31	3	1	4	10	7	17	6
225	New Deer,	*c.* 3383	3736	85	68	153	16	13	29	28	25	53	23
226	Newhills,	3325	3463	64	78	142	4	7	11	24	30	54	21
*a*227	New Machar,	*c.* 1338	1556	19	28	47	2	2	4	7	11	18	5
*b*227	New Pitsligo,	*c.* 2425	2609	70	47	117	16	12	28	23	27	50	21
228	Old Deer,	*c.* 4025	4392	69	74	143	14	11	25	32	27	59	33
229	Old Meldrum,	2002	2343	45	44	89	6	8	14	12	23	35	17
230	Oyne,	919	1127	24	11	35	3	2	5	6	6	12	3
231	Peterculter,	1351	1410	31	27	58	3	5	8	10	10	20	17
232	PETERHEAD (incl. Burgh),	9429	9796	235	192	427	24	19	43	92	113	205	76
233	Pitsligo,	1801	1890	40	35	75	5	2	7	10	13	23	12
234	Premnay,	793	916	29	20	49	8	6	14	7	6	13	7
235	Rathen,	2368	2554	44	36	80	6	2	8	31	16	47	15
236	Rayne,	1550	1514	26	19	45	4	1	5	10	11	21	8
*a*237	Rhynie,	1017	1061	15	19	34	2	2	4	7	8	15	8
*b*237	Savoch,	*c.* 1852	2061	31	38	69	4	1	5	9	15	24	4
238	Skene,	1862	1831	24	21	45	2	3	5	15	11	26	13
239	Slains,	1232	1266	20	22	42	2	3	5	12	5	17	7
240	Strathdon,	1531	1459	21	20	41	5	3	8	13	13	26	11
241	Strichen,	*c.* 2223	2409	42	41	83	9	11	20	19	16	35	8
242	Tarland,	1197	1246	18	11	29	1	2	3	12	7	19	9
243	Tarves,	*c.* 2339	2377	45	42	87	11	11	22	15	16	31	10
244	Tough,	891	874	12	13	25	3	4	7	5	7	12	5
245	Towie,	758	839	16	14	30	2	4	6	6	3	9	6
246	Tullynessle and Forbes,	930	957	19	11	30	–	1	1	5	4	9	5
247	Turriff,	3584	3693	71	73	144	15	8	23	27	31	58	23
248	Tyrie,	*c.* 775	833	13	20	33	2	4	6	5	7	12	5
249	Udny,	*c.* 1473	1623	25	33	58	3	7	10	12	14	26	11
	Total,	213461	223344	4181	3982	8163	630	593	1223	1960	2083	4043	1549

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. KINCARDINE.												
250	Arbuthnot,	1002	932	9	12	21	3	1	4	7	7	14	3
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl pt. of ABERDEEN, Burgh),	c. 1298	1232	15	25	40	1	1	2	6	6	12	5
	(2) Portlethen,	c. 1780	1687	37	32	69	9	8	17	6	11	17	10
252	Banchory-Ternan,	2462	2947	42	49	91	8	9	17	27	23	50	20
253	Benholm,	1641	1574	32	22	54	5	2	7	15	12	27	21
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	34	26	60	2	4	6	15	12	27	16
255	Dunnottar (incl. part of STONEHAVEN, Town),	1949	1828	27	38	65	4	6	10	15	16	31	19
256	Durris,	962	1109	20	24	44	4	4	8	6	10	16	3
257	Fettercairn,	1741	1700	28	23	51	2	3	5	6	18	24	4
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of STONEHAVEN, TOWN),	c. 3730	3575	55	46	101	10	9	19	28	37	65	21
	(2) Cookney,	c. 1990	1952	40	40	80	7	4	11	17	13	30	17
259	Fordoun,	2386	2297	38	28	66	5	1	6	16	19	35	9
260	Garvock,	457	458	6	4	10	1	–	1	2	3	5	2
261	Glenbervie,	1239	1219	18	10	28	3	1	4	9	6	15	8
262	Kinneff and Catterline,	1069	1054	19	14	33	2	2	4	8	8	16	7
263	Laurencekirk,	2125	2110	38	31	69	3	7	10	7	30	37	14
264	Maryculter,	1055	1055	11	20	31	3	2	5	6	2	8	8
265	MaryKirk,	2232	2068	20	22	42	6	3	9	4	11	15	8
266	Nigg,	1841	2074	42	38	80	4	5	9	22	15	37	21
267	St Cyrus,	1579	1552	26	22	48	3	4	7	9	14	23	17
268	Strachan,	947	870	13	14	27	1	4	5	4	6	10	4
	Total,	34944	34854	570	540	1110	86	80	166	235	279	514	237
	IV. EAST-MIDLAND. 12. FORFAR.												
269	Aberlemno,	1116	1054	17	9	26	–	–	–	6	7	13	6
270	Airlie,	856	845	3	3	6	–	–	–	1	1	2	5
271	Arbirlot,	990	960	11	10	21	2	–	2	6	3	9	3
272	ARBROATH (incl. Bur.),	17238	17831	398	358	756	26	33	59	185	187	372	131
273	Auchterhouse,	686	706	12	8	20	–	2	2	10	4	14	6
274	Barry,	2175	2465	36	45	81	4	4	8	19	38	57	24
275	BRECHIN (incl. Burgh),	8210	8810	141	142	283	25	25	50	102	97	199	45
276	Carmylie,	1240	1286	17	18	35	5	3	8	9	7	16	9
277	Careston,	207	225	4	3	7	–	–	–	–	2	2	2
278	Cortachy and Clova,	722	653	14	6	20	1	2	3	7	7	14	2
279	Coupar-Angus,	2685	2642	38	43	81	9	4	13	34	24	58	16
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	35	56	91	3	4	7	27	17	44	13
281	Dun,	522	552	11	9	20	1	–	1	5	3	8	2
282	DUNDEE—												
	(1) First District,	c.39960	44064	1152	1131	2283	115	96	211	661	666	1327	550
	(2) Second District,	c.34835	40813	958	969	1927	127	126	253	618	742	1360	438
	(3) Third (or Lochee) Dis.	c. 5232	6787	229	221	450	31	29	60	137	127	264	114
283	Dunnichen,	1884	1932	27	25	52	5	3	8	13	20	33	8
284	Eassie and Nevay,	706	748	11	13	24	4	–	4	7	5	12	3
285	Edzell,	1084	1025	16	15	31	5	3	8	11	4	15	6
286	Farnell,	650	703	9	7	16	3	–	3	5	1	6	3
287	Fearn,	392	439	5	7	12	–	–	–	3	1	4	2
288	FORFAR (incl. Burgh),	11009	10838	233	220	453	38	26	64	150	158	308	102
289	Glammis,	2152	1980	27	26	53	4	4	8	23	19	42	9
290	Glenisla,	1050	1008	8	15	23	1	2	3	4	5	9	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	6	8	14	–	1	1	3	2	5	5
292	Inverarity,	948	961	16	9	25	3	–	3	6	4	10	8
293	Inverkeillor,	1871	1792	29	23	52	4	4	8	7	8	15	6
294	Kettins,	995	962	11	13	24	–	1	1	3	5	8	8
295	Kingoldrum,	429	473	4	3	7	–	1	1	1	1	2	1
296	Kinnell,	826	816	24	10	34	5	3	8	3	2	5	6
297	Kinnettles,	460	447	8	6	14	1	–	1	4	–	4	5
298	Kirkden,	1763	1862	28	32	60	1	3	4	10	9	19	16
299	Kirriemuir (incl. Town),	7617	7359	102	98	200	18	18	36	79	80	159	46
300	Lethnott and Navar,	408	446	4	4	8	1	–	1	–	2	2	–
301	Liff, Benvie, and Invergowrie,	1467	1430	17	22	39	2	1	3	10	12	22	4
302	Lintrathen,	926	898	9	10	19	1	1	2	9	4	13	5
303	Lochlee,	615	495	4	6	10	–	1	1	2	2	4	–
304	Logie-Pert,	1609	1483	26	14	40	5	2	7	10	8	18	4
305	Lunan,	279	259	4	1	5	–	–	–	1	1	2	2
306	Lundie,	450	442	10	6	16	–	–	–	2	5	7	2
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1299 735	1392 789	28 11	27 10	55 21	6 –	1 1	7 1	20 7	16 4	36 11	15 7
308	Marytown,	366	417	7	8	15	1	2	3	5	3	8	3
309	Menmuir,	693	796	16	14	30	–	–	–	4	4	8	5
310	Monifieth (including part of Broughty Ferry),	4267	5052	121	108	229	11	6	17	38	48	86	46
311	Monikie,	1317	1460	24	14	38	3	–	3	16	16	32	6
312	MONTROSE (incl. part of Burgh),	16037	15668	274	243	517	22	22	44	152	200	352	132
313	Murroes,	643	763	16	21	37	–	2	2	7	4	11	4
314	Newtyle,	1141	1139	19	17	36	4	2	6	16	13	29	8
315	Oathlaw,	424	399	9	3	12	1	1	2	2	–	2	3
316	Panbride,	1372	1299	23	21	44	2	–	2	13	11	24	11
317	Rescobie,	711	747	10	7	17	–	1	1	5	1	6	7
318	Ruthven,	503	265	2	3	5	–	1	1	1	1	2	–
319	St Vigeans,	2591	2553	32	35	67	4	3	7	19	18	37	10
320	Stracathro,	505	546	6	4	10	1	2	3	4	1	5	2
321	Tannadice,	1517	1438	26	23	49	2	2	4	7	12	19	6
322	Tealing,	844	883	12	12	24	1	1	2	6	8	14	3
	Total,	193627	206750	4350	4194	8544	508	449	957	2515	2650	5165	1889
	13. Perth.												
323	Aberdalgie,	343	295	3	4	7	–	–	–	1	1	2	–
324	Aberfeldy,	c. 2702	2402	37	32	69	3	4	7	29	22	51	10
325	Aberfoyle,	514	565	9	3	12	2	1	3	6	3	9	1
326	Abernethy,	2026	1960	33	27	60	1	2	3	21	14	35	5
327	Abernyte,	275	310	3	4	7	–	–	–	2	–	2	1
328	Alyth (incl. Town),	c. 2946	3198	58	46	104	10	6	16	33	26	59	29
329	Auchterarder (including Town),	4160	4208	54	51	105	12	12	24	25	34	59	10
330	Auchtergaven,	3232	2562	31	31	62	4	5	9	24	25	49	14
331	Balquhidder,	c. 974	c. 846	13	12	25	–	2	2	12	9	21	4
332	Bendochy,	c. 552	549	4	6	10	1	–	1	4	2	6	3
333	Blackford,	c. 2012	2084	25	35	60	4	4	8	18	19	37	9
334	Blair-Athol,	c. 1951	1553	19	18	37	3	–	3	10	15	25	11
335	Blairgowrie (incl. Town),	c. 4081	4423	70	68	138	9	5	14	42	55	97	29
336	Callander,	1716	1676	38	16	54	4	6	10	30	23	53	9
337	Caputh,	c. 1920	1728	11	19	30	–	–	–	12	20	32	7
338	Cargill,	1629	1647	22	21	43	1	5	6	14	13	27	9
339	Clunie,	723	699	7	6	13	2	–	2	6	4	10	3
340	Collace,	581	534	5	5	10	2	–	2	2	4	6	2
341	Comrie,	c. 2363	c. 2126	32	17	49	4	1	5	16	8	24	8
342	Crieff (incl. Town),	4504	4490	59	55	114	6	14	20	47	44	91	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS (incl. Burgh),	1487	1423	25	28	53	2	1	3	18	14	32	10
344	Dowally,	c. 531	486	5	6	11	–	1	1	5	–	5	5
345	Dron,	394	376	7	6	13	1	–	1	2	3	5	3
346	Dull,	c. 855	753	6	10	16	1	2	3	5	7	12	2
347	Dunbarney,	1066	1035	19	10	29	1	–	1	17	11	28	5
348	Dunblane,	c. 3213	3096	42	43	85	6	4	10	31	31	62	18
349	Dunkeld,	c. 1199	1086	13	11	24	–	–	–	6	12	18	6
350	Dunning,	2206	2084	26	28	54	5	5	10	23	11	34	8
351	Errol,	2796	2759	38	43	81	6	2	8	19	30	49	13
352	Findo-Gask,	405	399	7	2	9	1	1	2	5	2	7	3
353	Forgandenny,	828	739	5	7	12	–	–	–	5	5	10	6
354	Forteviot,	638	595	9	6	15	3	–	3	5	3	8	2
a355	Fortingall,	c. 1409	1244	11	14	25	2	2	4	11	7	18	6
b355	Foss,	c. 432	381	3	4	7	–	1	1	2	1	3	–
356	Fowlis-Easter,	300	317	7	8	15	1	–	1	1	1	2	2
357	Fowlis-Wester,	1321	1276	21	15	36	2	3	5	11	9	20	5
358	Glendevon,	128	138	–	–	–	–	–	–	–	1	1	–
359	Inchture,	745	659	12	9	21	–	–	–	3	5	8	7
360	Kenmore,	c. 1718	1515	21	9	30	1	1	2	9	4	13	6
361	Killin,	c. 1817	1681	10	16	26	1	2	3	12	14	26	–
362	Kilmadock,	3659	3312	40	43	83	2	4	6	26	34	60	14
363	Kilspindie,	684	665	13	13	26	4	–	4	4	2	6	6
364	Kincardine,	1993	1778	26	26	52	4	7	11	14	17	31	12
365	Kinclaven,	881	758	11	12	23	2	4	6	3	3	6	5
366	Kinfauns,	650	659	12	8	20	–	1	1	4	6	10	5
367	Kinloch-Rannoch,	c. 1303	1147	12	8	20	3	1	4	7	5	12	4
368	Kinnaird,	370	318	10	6	16	2	1	3	3	3	6	2
369	Kinnoull,	771	796	8	11	19	–	–	–	9	9	18	1
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	11	6	17	4	1	5	6	10	16	7
	(2) Glenshee,	c. 349	334	4	4	8	–	1	1	3	4	7	–
371	Lecropt,	442	538	10	10	20	1	1	2	4	6	10	–
372	Lethendy and Kinloch—												
	(1) Lethendy	c. 544	530	1	2	3	–	–	–	–	1	1	1
	(2) Kinloch			4	4	8	–	–	–	3	1	4	–
373	Little Dunkeld,	c. 2140	2089	25	40	55	2	5	7	28	27	55	13
374	Logie (including part of STIRLING),	2551	3483	37	50	87	5	7	12	43	27	70	21
375	Logiealmond,	c. 959	815	7	5	12	1	–	1	4	5	9	2
376	Logierait,	c. 2109	1902	24	15	39	2	1	3	10	16	26	9
377	Longforgan,	1787	1823	38	27	65	4	–	4	14	18	32	8
378	Madderty,	593	536	2	4	6	–	–	–	4	4	8	2
379	Meigle,	978	1122	15	15	30	1	–	1	6	8	14	8
380	Methven,	c. 2394	2290	30	28	58	5	3	8	14	28	42	6
381	Moneydie,	321	252	2	3	5	–	1	1	1	1	2	–
382	Monzie,	c. 569	461	3	4	7	–	1	1	1	–	1	1
383	Monzievaird,	790	782	13	9	22	1	–	1	6	5	11	2
384	Moulin,	c. 1772	1605	27	18	45	3	1	4	6	15	21	6
385	Muckhart,	685	615	4	5	9	1	1	2	3	5	8	2
a386	Muthill,	c. 2972	2008	37	34	71	8	6	14	19	20	39	13
b386	Persie,	c. 814	839	15	11	26	–	–	–	6	6	12	1
387	PERTH (incl. Burgh),	24670	26094	446	403	849	47	37	84	298	271	569	237
388	Port of Menteith,	1419	1375	18	16	34	1	2	3	10	8	18	4
389	Rattray,	c. 2308	2234	38	34	72	5	5	10	20	27	47	13
390	Redgorton,	c. 1955	1596	22	23	45	–	2	2	9	23	32	9
391	Rhynd,	338	297	2	4	6	–	1	1	–	3	3	3
392	St Madoes,	288	280	4	3	7	–	1	1	4	2	6	–
393	St Martins,	983	904	9	5	14	2	1	3	8	6	14	4
a394	Scone,	2332	2153	31	35	66	3	4	7	18	33	51	23
b394	Strathfillan,	c. 435	411	3	2	5	–	–	–	2	–	2	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
c394	Tenandry,	c. 681	595	6	7	13	1	–	1	2	3	5	2
395	Tibbermore,	1469	1182	9	21	30	–	1	1	7	3	10	12
396	Trinity-Gask,	597	488	7	6	13	–	–	–	7	3	10	5
397	Tulliallan (including Kincardine),	3043	2410	41	36	77	3	7	10	30	18	48	17
398	Weem,	c. 230	215	1	2	3	1	1	2	–	–	–	2
	Total,	137369	133198	1898	1769	3667	219	201	420	1210	1198	2408	775
	14. Fife.												
399	Abbotshall,	688	808	10	8	18	1	1	2	6	5	11	2
400	Abdie,	c. 1353	1257	19	13	32	1	1	2	6	6	12	4
401	Aberdour,	1945	1874	34	23	57	4	3	7	10	16	26	12
402	Anstruther-Easter (pt. of Burgh),	1161	1155	23	15	38	3	1	4	14	7	21	9
403	Anstruther-Wester (incl. Burgh),	443	438	11	6	17	1	–	1	3	5	8	2
404	Arngask,	689	705	9	11	20	3	–	3	7	5	12	5
405	Auchterderran,	3210	3457	89	80	169	4	4	8	34	33	67	23
406	Auchtermuchty (incl. Burgh),	3704	3285	43	53	96	4	4	8	25	39	64	26
407	Auchtertool,	517	609	11	7	18	2	1	3	5	5	10	2
408	Ballingry,	568	736	19	16	35	3	1	4	7	6	13	4
409	Balmerino,	945	815	13	11	24	–	1	1	8	6	14	3
410	Beath,	1252	2390	96	88	184	4	8	12	30	29	59	18
411	Burntisland (incl. Burgh),	3158	3670	73	69	142	7	6	13	29	27	56	36
412	Cameron,	1207	1362	13	21	34	–	1	1	6	6	12	11
413	Carnbee,	1129	1157	14	13	27	–	1	1	7	6	13	7
414	Carnock,	3191	2925	48	27	75	2	3	5	21	14	35	13
415	Ceres,	2833	2723	33	29	62	2	3	5	25	37	62	9
416	Collessie,	1520	1530	29	26	55	–	1	1	18	15	33	10
417	CRAIL (incl. Burgh),	1903	1931	25	26	51	2	1	3	15	16	31	9
418	Creich,	386	377	8	6	14	–	–	–	6	3	9	3
419	Cults,	915	800	11	16	27	2	3	5	4	4	8	8
420	CUPAR (incl. Burgh),	7427	6750	106	111	217	12	19	31	75	80	155	53
421	Dairsie,	708	638	8	7	15	1	1	2	7	8	15	3
422	Dalgetty,	1513	1569	30	26	56	2	2	4	13	12	25	12
423	Dunbog,	c. 409	414	7	16	23	–	3	3	2	4	6	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	244	250	494	19	17	36	124	141	265	165
	(2) Landward,	c. 7602	7609	165	170	335	13	6	19	73	72	145	44
425	Dunino,	289	370	5	5	10	–	1	1	–	2	2	2
426	DYSART (incl. Burgh),	8739	8842	158	149	307	8	13	21	91	97	188	83
427	Elie,	843	826	12	14	26	–	1	1	7	14	21	8
428	FALKLAND (incl. Burgh)	3102	2937	44	45	89	3	5	8	24	26	50	21
429	Ferry-Port-on-Craig,	2238	2013	46	49	95	6	6	12	22	29	51	18
430	Flisk,	c. 157	230	3	4	7	–	1	1	–	1	1	1
431	Forgan,	1125	1326	25	29	54	1	–	1	9	14	23	7
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	53	54	107	6	5	11	24	25	49	16
433	Kemback,	956	896	15	10	25	1	–	1	9	15	24	13
434	Kennoway,	2257	2012	23	27	50	4	4	8	21	23	44	11
435	Kettle,	2601	2474	29	36	65	3	7	10	10	20	30	15
436	Kilconquhar (including Earlsferry),	2489	2431	28	29	57	1	3	4	17	18	35	14
437	Kilmany,	662	656	12	7	19	–	1	1	4	8	12	4
438	KILRENNY (incl. Burgh and part of Anstruther-Easter),	2194	2534	65	56	121	8	4	12	19	33	52	13
439	KINGHORN (incl. Burgh)	2455	2349	42	50	92	5	5	10	29	30	59	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
440	Kinglassie,	1186	1266	22	15	37	1	1	2	13	6	19	4
441	Kingsbarns,	893	937	12	17	29	–	–	–	7	4	11	9
442	KIRKCALDY (including Burgh),	10636	11117	202	212	414	13	11	24	116	144	260	105
443	Largo,	2800	2626	41	38	79	4	2	6	33	33	66	15
444	Leslie (incl. Town),	3800	4332	89	54	143	10	3	13	47	49	96	33
445	Leuchars,	1991	1903	26	31	57	3	4	7	22	21	43	10
446	Logie,	467	410	10	10	20	–	2	2	2	3	5	4
447	Markinch,	5843	5375	99	91	190	6	14	20	59	78	137	39
448	Monimail,	1102	1054	15	15	30	2	2	4	4	14	18	5
449	Moonzie,	198	179	3	4	7	–	–	–	–	2	2	1
450	NEWBURGH (including Burgh),	2986	2693	59	50	109	7	6	13	29	21	50	14
451	Newburn,	375	374	5	7	12	2	–	2	3	5	8	–
452	PITTENWEEM (incl. Burgh),	1473	1710	28	30	58	1	5	6	16	17	33	9
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	108	118	226	9	8	17	61	70	131	55
454	St Monance (or Abercrombie),	1241	1498	30	39	69	2	–	2	8	16	24	6
455	Saline,	1792	1610	33	18	51	3	–	3	10	11	21	6
456	Scoonie (incl. Leven),	3115	3257	68	49	117	2	3	5	37	31	68	32
457	Strathmiglo,	2509	2261	29	34	63	4	8	12	26	27	53	18
458	Torryburn,	1341	1229	23	13	36	1	–	1	12	13	25	12
459	Wemyss,	5647	6003	130	111	241	7	6	13	71	60	131	47
	Total,	153789	155021	2783	2664	5447	215	223	438	1442	1587	3029	1167
	15. Kinross.												
460	Cleish,	659	649	5	4	9	–	–	–	3	6	9	8
461	Fossoway and Tulliebole,	1621	1584	24	27	51	2	5	7	9	9	18	8
462	Kinross (incl. Town),	3227	2649	35	26	61	5	4	9	25	33	58	16
463	Orwell,	2569	2399	26	35	61	3	2	5	17	25	42	17
464	Portmoak,	1550	1450	20	24	44	2	4	6	10	11	21	6
	Total,	9626	8731	110	116	226	12	15	27	64	84	148	55
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	183	162	345	20	10	30	113	92	205	59
466	Clackmannan,	5802	4425	95	83	178	13	7	20	56	59	115	29
467	Dollar,	1574	1776	29	25	54	1	5	6	13	19	32	7
468	Tillicoultry (including Town),	4686	5054	75	87	162	7	12	19	49	48	97	29
	—— Total,	21555	20122	382	357	739	41	34	75	231	218	449	124
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	30	34	64	–	4	4	8	15	23	16
470	Alva (incl. Town),	3204	3283	87	70	157	12	5	17	49	37	86	16
471	Baldernock,	801	718	2	6	8	–	–	–	2	5	7	4
472	Balfron,	1900	1517	24	30	54	–	3	3	16	22	38	5
473	Bothkennar,	1179	1722	54	38	92	3	1	4	21	8	29	12
474	Buchanan,	632	705	6	13	19	1	–	1	6	5	11	3
475	Campsie (including Lennoxtown),	6918	6483	110	105	215	10	7	17	67	50	117	46
476	Denny (incl. Town),	4754	4988	82	85	167	10	6	16	54	53	107	32
477	Drymen,	1481	1619	13	21	34	1	1	2	11	9	20	8
478	Dunipace,	1472	1731	32	33	65	–	2	2	18	5	23	6
479	FALKIRK—(1) Burgh,	8752	9030	166	149	315	21	10	31	124	102	226	67
	(2) Landward,	7686	7996	176	175	351	13	12	25	73	67	140	62

No. of District	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	13	7	20	2	2	4	8	9	17	1
481	Gargunnock,	754	728	9	6	15	–	–	–	6	6	12	–
482	Killearn,	1176	1171	14	28	42	–	2	2	8	11	19	61
483	Kilsyth (incl. Town),	5346	6112	142	153	295	17	24	41	67	66	133	2
484	Kippen,	1892	1722	34	26	60	5	–	5	16	14	30	6
485	Larbert,	4606	4999	88	106	194	8	11	19	49	54	103	30
486	Muiravonside,	2647	2660	51	51	102	2	1	3	36	19	55	17
487	Polmont,	3764	4111	75	70	145	9	5	14	40	39	79	18
488	St Ninians (includ. Bannockburn, Town),	7630	6648	151	119	270	11	9	20	69	69	138	30
489	Slamannan,	1655	2916	106	101	207	7	3	10	43	38	81	130
490	STIRLING (incl. Burgh),	12401	14012	244	223	467	26	23	49	208	189	397	5
491	Strathblane,	1010	1388	32	15	47	4	–	4	6	9	15	22
	Total,	83802	88138	1741	1664	3405	162	131	293	1005	901	1996	599
	18. Dumbarton.												
492	Arrochar,	562	629	3	10	13	–	–	–	5	1	6	3
493	Bonhill (includ. Town, & Alexandria, Town).	7819	9059	149	156	305	10	9	19	107	121	228	78
494	Cardross (incl. Renton),	3402	4168	82	66	148	6	4	10	58	68	126	26
495	Cumbernauld,	3778	3513	94	65	159	10	7	17	35	29	64	32
496	DUMBARTON (incl. Burgh)	5445	8268	238	204	442	9	14	23	181	139	320	52
497	Kilmaronock,	1033	1085	10	15	25	–	3	3	10	6	16	8
498	Kirkintilloch (incl. Town)	8426	8179	160	144	304	23	15	38	90	80	170	63
499	Luss,	907	831	9	9	18	–	–	–	6	8	14	1
500	New, or East, Kilpatrick,	4286	4910	120	105	225	9	6	15	59	52	111	23
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	89	92	181	9	5	14	56	48	104	34
502	Roseneath,	1044	1626	14	13	27	–	1	1	14	13	27	11
503	Row (incl. Helensburgh).	4372	6334	108	90	198	9	4	13	69	77	146	38
	Total,	46995	54179	1076	969	2045	85	68	153	690	642	1332	369
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	9	20	29	–	1	1	9	8	17	1
505	Ardnamurchan—												
	(1) Aharacle,	c. 1791	1544	17	25	42	–	–	–	12	11	23	8
	(2) Arisaig,	c. 1555	1343	22	9	31	–	1	1	8	10	18	4
	(3) Sunart (or Strontian)	c. 875	759	8	8	16	–	1	1	7	11	18	2
	(4) Western District,	c. 1225	1054	10	14	24	2	2	4	11	9	20	2
506	Ballachulish and Corran of Ardgour,	c. 1125	919	18	12	30	3	1	4	7	4	11	1
507	CAMPBELTOWN (incl. Burgh),	9381	8149	119	109	228	9	11	20	76	80	156	61
508	Craignish,	756	618	6	4	10	1	–	1	4	5	9	3
509	Cumlodden,	1095	1033	20	13	33	1	–	1	4	5	9	7
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	79	75	154	2	4	6	56	46	102	34
511	Glassary,	c. 1860	1769	34	22	56	1	3	4	18	12	30	6
512	Glenorchy and Inishail,	1450	1307	12	14	26	3	2	5	3	12	15	4
513	INVERARAY (including Burgh),	1755	1650	23	24	47	1	3	4	8	16	24	4
514	Inverchaolain,	474	424	8	8	16	1	–	1	4	–	4	3
515	Kilbrandon & Kilchattan,	c. 2571	2053	31	25	56	–	2	2	14	12	26	7
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	c. 930	742	11	6	17	–	1	1	8	5	13	4
	(2) Kilberry,	689	583	8	6	14	1	–	1	7	6	13	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	2	3	5	–	–	–	3	3	6	2
	(2) Dalavich,	282	230	3	4	7	–	–	–	2	1	3	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	37	33	70	4	2	6	14	19	33	12
519	Killean and Kilchenzie,	2219	1890	26	26	52	1	1	2	11	15	26	9
520	Kilmalie,	*c.* 4110	3353	46	32	78	5	2	7	27	32	59	18
521	Kilmartin,	1144	949	10	15	25	–	1	1	2	–	2	3
522	Kilmodan,	500	433	6	6	12	–	–	–	5	2	7	–
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	43	38	81	3	3	6	24	38	62	21
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	4	3	7	1	–	1	1	2	3	1
	(2) Kilmelford,	265	486	8	7	15	–	1	1	2	3	5	1
525	Lismore, etc.—												
	(1) Lismore,	*c.* 1167	1023	13	12	25	1	1	2	6	8	14	3
	(2) Appin,	*c.* 940	825	4	8	12	–	–	–	10	4	14	1
	(3) Glencoe & Ballachulish,	*c.* 1510	1324	30	29	59	1	3	4	14	11	25	4
	(4) Duror,	*c.* 480	423	6	1	7	–	1	1	4	1	5	3
526	Lochgilphead,	*c.* 3263	3312	60	50	110	3	3	6	35	31	66	11
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	8	7	15	–	1	1	6	4	10	3
	(2) Kilmorich,	388	284	5	4	9	–	1	1	3	4	7	1
528	Morvern,	1547	1226	14	19	33	–	–	–	9	3	12	2
529	Muckairn,	788	729	4	4	8	1	–	1	3	6	9	1
530	North Knapdale,	1666	1327	9	11	20	1	1	2	6	10	16	2
531	Saddell, etc.—												
	(1) Saddell,	791	739	6	11	17	–	–	–	3	3	6	3
	(2) Skipness,	*c.* 705	533	6	3	9	1	–	1	3	3	6	1
532	Southend,	1406	1214	16	15	31	1	2	3	5	5	10	5
533	South Knapdale,	565	654	5	6	11	–	–	–	2	1	3	1
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	5	7	12	–	–	–	4	1	5	2
	(2) Strachur,	518	563	10	4	14	1	–	1	2	–	2	6
535	Tarbert,	*c.* 1828	1661	36	31	67	5	1	6	21	12	33	15
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	27	34	61	5	7	12	31	32	63	4
537	Gigha,	547	467	4	4	8	3	1	4	3	4	7	3
538	Iona,	*c.* 900	743	6	15	21	2	–	2	8	3	11	2
539	Jura, etc.—(1) Jura,	*c.* 868	858	14	7	21	5	1	6	5	3	8	1
	(2) Colonsay,	837	598	2	9	11	–	1	1	5	2	7	1
540	Kilchoman,	*c.* 2865	2377	28	24	52	2	2	4	34	20	54	3
541	Kildalton,	*c.* 2450	2187	21	23	44	2	5	7	11	14	25	9
542	Kilfinichen & Kilvickeon,	*c.* 2171	1792	27	16	43	–	2	2	15	10	25	8
543	Kilmeny,	1413	1268	14	10	24	1	1	2	9	11	20	7
544	Kilninian and Kilmore,	*c.* 1890	1641	13	16	29	–	2	2	9	11	20	4
545	Kinlochspelvie,	*c.* 420	428	5	2	7	–	–	–	2	3	5	1
546	Oa,	*c.* 860	769	5	2	7	–	–	–	10	6	16	3
547	Portnahaven,	*c.* 1277	1059	18	11	29	2	1	3	18	10	28	2
548	Salen,	*c.* 634	604	2	6	8	–	–	–	4	4	8	2
549	Tobermory,	*c.* 1804	1566	18	13	31	3	1	4	23	13	36	5
550	Torosay,	*c.* 550	557	11	8	19	–	1	1	–	4	4	1
551	Tyree, etc.—(1) Tyree,	3709	3217	32	26	58	1	1	2	30	27	57	9
	(2) Coll,	1109	781	13	15	28	1	1	2	4	2	6	4
	Total,	94042	83859	1117	1024	2141	81	83	164	704	653	1357	353
	20. Bute.												
552	Cumbraes,	1275	1256	16	10	26	–	–	–	22	11	33	4
553	Kilbride, part of—												
	(1) Brodick,	*c.* 2340	*c*1253	11	14	25	–	–	–	8	5	13	8
	(2) Kilbride,		*c*1000	8	8	16	–	–	–	16	8	24	2
554	Kilmory,	*c.* 2724	2515	17	26	43	3	2	5	19	12	31	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth,	1007	905	12	9	21	4	–	4	13	8	21	6
556	Lochranza,	*c.* 883	824	18	11	29	2	–	2	12	6	18	7
557	North Bute,	*c.* 1235	1351	17	10	27	–	1	1	20	10	30	6
558	ROTHESAY,	*c.* 7144	7227	116	120	236	17	11	28	86	117	203	47
	Total,	16608	16331	215	208	423	26	14	40	196	177	373	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	280	297	577	27	26	53	213	199	412	179
	(2) Landward (including part of Barrhead),	*c.* 4867	5670	85	87	172	4	6	10	62	56	118	33
	(3) Johnstone (including Town),	*c.* 7363	8142	181	168	349	20	8	28	112	107	219	58
560	Cathcart,	2916	3782	82	97	179	2	4	6	51	38	89	36
561	Eaglesham,	2524	2328	28	25	53	1	–	1	26	38	64	24
562	Eastwood,	9243	11314	249	246	495	25	23	48	155	145	300	76
563	Erskine,	1232	1457	32	12	44	–	–	–	9	9	18	11
564	GREENOCK—												
	(1) New, or Middle	9414	9446	231	243	474	23	19	42	146	145	291	36
	(2) East,	7704	12135	354	322	676	13	21	34	157	184	341	107
	(3) Old, or West,	20318	22313	581	597	1178	37	28	65	452	349	801	287
565	Houston and Killellan,	2753	2490	36	38	74	2	3	5	30	33	63	14
566	Inchinnan,	649	619	8	9	17	–	–	–	14	4	18	9
567	Innerkip—												
	(1) Innerkip,	*c.* 1026	1188	11	21	32	1	1	2	9	10	19	5
	(2) Gourock (including Town),	*c.* 1992	2307	49	49	98	2	5	7	29	42	71	12
568	Kilbarchan,	5474	6348	109	119	228	6	11	17	86	59	145	44
569	Kilmalcolm,	1399	1455	31	29	60	3	3	6	15	18	33	10
570	Lochwinnoch,	4153	3821	41	47	88	5	9	14	38	46	84	26
571	Mearns,	3704	3547	51	54	105	2	7	9	28	21	49	16
572	Neilston—(1) Neilston, (2) Barrhead,	12233	*c.* 3013	74	73	147	9	12	21	41	28	69	35
			c. 8000	101	105	206	12	4	16	70	80	150	36
573	PAISLEY—												
	(1) High,	14643	14900	282	275	557	15	21	36	171	207	378	111
	(2) Low,	7205	6712	126	119	245	8	12	20	147	124	271	55
	(3) Middle,	9904	9926	186	166	352	19	15	34	122	152	274	86
574	PORT-GLASGOW (incl. Burgh),	7017	7294	218	215	433	17	17	34	122	138	260	90
575	RENFREW (incl. Burgh),	3866	4650	116	92	208	4	4	8	90	73	163	26
	Total,	157950	168746	3542	3505	7047	257	259	516	2395	2305	4700	1422
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats),	*c.* 3434	3530	60	60	120	6	2	8	32	46	78	32
	(2) New (including Ardrossan),	*c.* 2147	3246	59	75	134	–	5	5	28	32	60	19
577	Auchinleck,	3697	4213	114	115	229	7	5	12	63	55	118	26
578	AYR (incl. Burgh),	18845	19659	323	319	642	37	41	78	212	243	455	144
579	Ballantrae,	1801	1483	16	16	32	1	2	3	13	20	33	7
580	Barr,	907	910	12	14	26	1	1	2	10	4	14	6
581	Beith (incl. Town),	6425	5775	94	103	197	7	8	15	53	51	104	42
582	Colmonell,	2934	2588	41	32	73	7	4	11	26	17	43	16
583	Coylton,	1542	1604	20	24	44	4	1	5	16	15	31	8
584	Craigie,	793	730	7	10	17	–	–	–	3	4	7	3
585	Dailly,	2413	2050	24	38	62	3	2	5	10	20	30	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington,	2910	4194	123	115	238	14	8	22	56	55	111	23
587	Dalry (incl. Town),	8865	11156	290	263	553	14	13	27	121	91	212	79
588	Dalrymple,	1096	1325	29	28	57	4	3	7	11	10	21	7
589	Dreghorn,	1828	3283	79	68	147	3	6	9	29	22	51	21
590	Dundonald (incl. Troon),	4555	4694	77	67	144	2	5	7	45	44	89	33
591	Dunlop,	1115	1038	16	18	34	1	–	1	12	11	23	10
592	Fenwick,	1741	1532	23	25	48	2	–	2	14	12	26	14
593	Galston (incl. Town),	4392	5254	125	145	270	6	10	16	63	68	131	49
594	Girvan (incl. Town),	8588	7053	99	86	185	17	23	40	69	74	143	37
595	IRVINE (incl. Burgh),	8463	8607	149	177	326	18	16	34	105	104	209	76
596	Kilbirnie (incl. Town),	5484	5265	109	108	217	10	9	19	54	58	112	44
597	KILMARNOCK (incl. part of Burgh),	21287	23556	476	475	951	50	52	102	336	335	671	192
598	Kilmaurs,	3144	3526	74	63	137	6	4	10	34	29	63	28
599	Kilwinning (incl. Town),	6359	7717	179	168	347	15	11	26	82	96	178	38
600	Kirkmichael,	3262	2823	38	38	76	3	8	11	19	21	40	11
601	Kirkoswald,	2242	2060	19	41	60	2	8	10	21	12	33	11
602	Largs (incl. Town),	3715	3620	60	55	115	2	5	7	41	28	69	27
603	Loudoun (incl. Newmilns),	4720	4840	122	103	225	8	6	14	63	64	127	41
604	Mauchline,	2470	2303	44	34	78	4	3	7	30	26	56	18
605	Maybole (incl. Town),	7615	6713	107	99	206	13	15	28	58	67	125	31
606	Monkton and Prestwick,	1960	1937	32	24	56	3	3	6	23	20	43	14
607	Muirkirk (incl. Town),	3423	3270	68	67	135	9	7	16	37	27	64	28
608	New Cumnock,	2759	2891	60	49	109	4	5	9	32	47	79	28
609	Ochiltree,	1787	1676	14	18	32	1	2	3	6	14	20	5
610	Old Cumnock (including Town),	3777	3721	67	86	153	6	9	15	47	45	92	34
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	128	138	266	8	5	13	81	76	157	33
612	St Quivox and Newton-upon-Ayr,	2231	1870	30	25	55	3	3	6	12	18	30	8
613	Sorn (incl. Catrine),	4174	4042	58	55	113	5	5	10	30	41	71	29
614	Stair,	820	743	4	9	13	–	1	1	5	5	10	6
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	120	98	218	6	17	23	58	58	116	35
616	Stewarton (incl. Town),	4572	4449	79	55	134	10	8	18	74	77	151	40
617	Straiton,	1540	1544	28	28	56	5	2	7	14	9	23	12
618	Symington,	902	855	10	13	23	–	1	1	5	6	11	6
619	Tarbolton,	2824	2669	67	68	135	8	4	12	58	27	85	22
620	West Kilbride,	2021	1968	34	32	66	4	3	7	18	13	31	9
	Total,	189973	199063	3807	3747	7554	339	351	690	2229	2217	4446	1412
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	97	98	195	9	10	19	64	61	125	50
622	Barony—												
	(1) Marythill (incl. Town and part of GLASGOW),	c. 4007	6734	177	158	335	10	10	20	74	91	165	55
	(2) Springburn (incl. pt. of GLASGOW),	c. 6386	8911	271	255	526	30	34	64	255	262	517	53
	(3) Shettleston,	c. 6564	6914	137	134	271	13	3	16	94	75	169	39
623	Biggar,	2049	1999	26	35	61	5	6	11	15	14	29	16
624	Blantyre,	2848	3092	60	54	114	5	6	11	37	42	79	19
625	Bothwell—												
	(1) Bothwell (including Bellshill),	c. 5583	7059	166	149	315	3	9	12	98	90	188	43
	(2) Holytown,	c. 9700	10844	252	249	501	22	11	33	113	119	232	73

No. of Dist.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
626	Cadder—												
	(1) Western District, .	c. 2550	3023	62	57	119	3	3	6	29	22	51	13
	(2) Eastern District, .	c. 2464	2925	63	60	123	4	6	10	22	22	44	19
626	Calderhead, . . .	c. 2140	3789	88	90	178	5	4	9	49	48	97	39
627	Cambuslang, . . .		3306	84	62	146	6	3	9	50	20	70	21
628	Cambusnethan (including Wishaw) (part of), .	c. 8571	c. 13377	444	465	909	18	32	50	218	205	423	122
629	Carluke (incl. Town), .	6283	6176	130	114	244	14	14	28	69	50	119	63
630	Carmichael, . . .	805	836	12	14	26	3	1	4	5	6	11	5
631	Carmunnock, . . .	710	734	15	12	27	–	–	–	5	5	10	6
632	Carnwath, . . .	3551	3584	123	89	212	14	15	29	50	46	96	29
633	Carstairs, . . .	1066	1345	34	30	64	4	3	7	10	18	28	8
634	Covington & Thankerton,	548	532	5	4	9	1	–	1	4	1	5	3
635	Crawford—												
	(1) Crawford, . .	c. 730	694	14	12	26	–	2	2	8	3	11	2
	(2) Leadhills, . .	c. 940	896	27	14	41	2	1	3	15	9	24	11
636	Crawfordjohn, . .	1111	980	12	10	22	3	2	5	11	8	19	9
637	Culter, ...	472	665	10	7	17	–	1	1	5	4	9	3
638	Dalserf—												
	(1) Larkhall (including Town), . .	c. 2670	3629	116	106	222	12	10	22	46	49	95	43
	(2) Dalserf, . . .	c. 913	1247	41	39	80	3	–	3	24	12	36	10
639	Dalziel (incl. Motherwell), . . .	2262	5438	186	178	364	12	11	23	86	75	161	33
640	Dolphington, . . .	305	260	1	2	3	–	–	–	1	2	3	2
641	Douglas, ...	2611	2490	54	40	94	5	6	11	22	16	38	17
642	Dunsyre, . . .	312	312	5	3	8	1	–	1	5	–	5	3
643	East Kilbride, . .	3760	4064	62	62	124	8	5	13	29	41	70	20
644	GLASGOW—												
	(1) Central District, .	c. 43270	49678	1330	1187	2517	252	198	450	1049	1105	2154	416
	(2) High, . . .	c. 42005	48119	1128	1103	2231	103	102	205	1069	947	2016	425
	(3) Bridgeton, . .	c. 38385	45485	1092	1078	2170	106	72	178	651	662	1313	407
	(4) Calton, . . .	c. 33310	36625	831	760	1591	84	69	153	530	509	1039	376
	(5) Clyde, . . .	c. 32800	29975	617	564	1181	98	104	202	409	405	814	176
	(6) Blythswood, . .	c. 21405	28697	458	440	898	43	40	83	261	277	538	518
	(7) Milton, . . .	c. 26240	33360	902	848	1750	58	78	136	468	486	954	344
	(8) Anderston, . .	c. 30035	40945	1042	994	2036	53	59	112	588	605	1193	374
	(9) Tradeston, . .	c. 27163	38600	906	893	1799	59	59	118	619	610	1229	532
	(10) Hutchesontown, .	c. 34484	44019	1179	995	2174	78	78	156	668	660	1328	351
645	Glassford, . . .	1955	1938	35	26	61	3	4	7	20	21	41	10
646	Govan—												
	(1) Govan (incl. Town),	c. 6238	13725	463	495	958	21	21	42	246	239	485	163
	(2) Partick (incl. Town)	c. 7852	14859	361	347	708	12	13	25	243	251	494	163
647	HAMILTON (incl. Burgh),	11740	14047	275	316	591	17	19	36	166	181	347	120
648	LANARK (incl. Burgh),	8243	7891	141	105	246	20	14	34	100	111	211	47
649	Lesmahagow, . . .	7746	9266	208	190	398	22	25	47	112	80	192	74
650	Libberton, . . .	800	836	16	9	25	2	3	5	2	6	8	6
651	New Monkland—												
	(1) AIRDRIE, . .	14435	12922	331	270	601	23	19	42	147	150	297	126
	(2) Landward, . .	8766	7632	171	177	348	15	17	32	85	76	161	54
652	Old Monkland—												
	(1) Western District, .	c. 6646	6932	175	180	355	7	13	20	107	88	195	37
	(2) Middle District (incl. Coatbridge), .	c. 13168	15303	374	394	768	18	17	35	201	181	382	124
	(3) Eastern District (incl. Calderbank),	c. 7519	7308	182	172	354	16	7	23	79	73	152	22
653	Pettinain, . . .	428	407	6	6	12	–	1	1	1	1	2	3
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	204	203	407	8	4	12	153	134	287	100
655	Shotts (part of), . .	c. 3892	c. 4778	107	96	203	6	4	10	50	42	92	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	82	61	143	6	3	9	52	44	96	31
657	Symington, . . .	536	528	5	10	15	2	1	3	9	7	16	8
658	Walston, . . .	497	480	3	6	9	–	2	2	6	4	10	6
659	Wandell and Lamington,	369	380	4	8	12	–	–	–	–	1	1	1
660	Wiston and Roberton, .	839	786	5	7	12	1	1	2	5	6	11	6
	Total,	533169	640444	15407	14542	29949	1348	1255	2603	9609	9378	18987	5864
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	14	14	28	2	3	5	9	10	19	11
662	Bathgate—(1) Bathgate (2) Armadale	4533	c. 5434	167	164	331	26	12	38	75	79	154	81
			c. 4700	109	110	219	3	7	10	39	45	84	23
663	Borrowstounness (incl. Town), . . .	5192	5698	113	130	243	10	6	16	41	55	96	42
664	Carriden, . . .	1724	1821	37	49	86	3	8	11	15	13	28	8
665	Dalmeny, . . .	768	804	11	17	28	–	2	2	6	9	15	6
666	Ecclesmachen, . .	289	309	3	8	11	–	1	1	2	3	5	–
667	Kirkliston, . . .	2029	1907	44	42	86	5	2	7	19	19	38	10
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	75	77	152	11	8	19	41	48	89	27
	(2) Landward, . .	1902	1941	48	16	64	5	1	6	25	27	52	7
669	Livingstone, . . .	1289	1366	32	24	56	2	1	3	14	9	23	6
670	QUEENSFERRY (incl. Burgh), . . .	1195	1391	28	28	56	2	2	4	17	15	32	6
671	Torphichen, . . .	1356	1848	37	36	73	5	2	7	15	7	22	10
672	Uphall, ...	1331	1507	63	54	117	2	2	4	27	20	47	15
673	Whitburn, . . .	3792	5511	169	142	311	8	13	21	72	64	136	37
	Total,	30590	39045	950	911	1861	84	70	154	417	423	840	289
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	35	34	69	2	3	5	22	15	37	10
675	Carrington, . . .	710	681	14	15	29	3	1	4	2	6	8	6
676	Cockpen, . . .	3228	2902	70	53	123	7	2	9	28	21	49	20
677	Colinton, . . .	2676	2656	48	53	101	2	8	10	39	35	74	21
678	Corstorphine, . . .	1499	1579	25	22	47	1	2	3	11	21	32	9
679	Cramond, . . .	2547	2695	53	45	98	6	5	11	32	24	56	12
680	Cranston, . . .	1235	1035	25	21	46	–	1	1	9	7	16	4
681	Crichton, . . .	1387	1304	27	18	45	2	1	3	11	13	24	15
682	Currie, ...	2190	2248	35	37	72	4	4	8	16	13	29	20
683	Dalkeith (incl. Town),	6521	7114	160	124	284	8	8	16	105	76	181	49
684	Duddingston—												
	(1) PORTOBELLO, .	3559	4366	76	71	147	10	4	14	49	65	114	32
	(2) Landward, . .	904	857	18	13	31	3	1	4	9	6	15	6
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert), . . .	c. 38540	42068	812	774	1586	66	46	112	531	661	1192	367
	(2) St Andrew, . .	c. 37435	38731	527	453	980	34	26	60	284	316	600	400
	(3) Canongate (incl. Landward), . .	c. 29230	30169	680	686	1366	70	68	138	768	635	1403	266
	(4) St Giles, . . .	c. 29245	29679	641	633	1274	137	135	272	408	416	824	296
	(5) Newington, . .	c. 27198	29797	662	594	1256	34	43	77	347	399	746	377
686	Fala and Soutra, . .	434	382	7	9	16	1	1	2	1	2	3	3
687	Glencross, . . .	1138	1217	21	11	32	2	–	2	15	2	17	8
688	Heriot, ...	352	407	5	10	15	–	1	1	1	1	2	2
689	Inveresk (incl. MUSSELBURGH), . . .	8653	9518	192	147	339	22	12	34	124	121	245	74

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	44	35	79	7	5	12	29	22	51	14
691	Lasswade,	5821	5688	119	89	208	11	9	20	45	54	99	56
692	LEITH—												
	(1) North Leith,	c. 9494	11562	283	261	544	10	7	17	142	140	282	125
	(2) South Leith	c. 22725	24467	577	531	1108	54	37	91	415	367	782	266
693	Liberton,	3528	3510	60	49	109	3	9	12	50	37	87	14
694	Mid-Calder,	1474	1389	34	30	64	4	6	10	15	15	30	9
695	Newbattle,	2518	2837	60	61	121	3	10	13	23	19	42	27
696	Newton,	1780	1553	18	20	38	2	1	3	12	13	25	9
697	Penicuik,	3003	3249	55	49	104	4	4	8	29	31	60	31
698	Ratho,	1718	1659	29	25	54	1	4	5	15	19	34	14
699	Stow,	1973	2171	38	35	73	6	3	9	15	16	31	19
700	Temple,	1414	1385	34	22	56	5	2	7	9	10	19	6
701	West-Calder,	2120	1927	116	131	247	11	7	18	57	57	114	36
	Total,	259493	274093	5600	5161	10761	535	476	1011	3668	3655	7323	2623
	26. Haddington.												
702	Aberlady,	1099	1019	8	17	25	–	3	3	10	8	18	7
703	Athelstaneford,	971	902	13	9	22	1	–	1	6	2	8	3
704	Bolton,	373	332	5	3	8	–	–	–	2	2	4	1
705	Dirleton,	1634	1540	15	12	27	3	–	3	15	17	32	8
706	DUNBAR (incl. Burgh),	4415	4944	93	82	175	4	9	13	38	49	87	23
707	Garvald,	869	891	15	9	24	2	2	4	9	4	13	4
708	Gladsmuir,	1780	1945	21	34	55	2	5	7	13	14	27	9
709	HADDINGTON (incl. Burgh),	5525	5548	78	80	158	4	7	11	58	44	102	38
710	Humbie,	925	997	13	15	28	1	2	3	6	13	19	6
711	Innerwick,	1012	937	15	20	35	1	–	1	7	3	10	2
712	Morham,	249	281	–	–	–	–	–	–	3	1	4	–
713	NORTH BERWICK (incl. Burgh),	1643	2071	37	32	69	9	2	11	16	18	34	11
714	Oldhamstocks,	692	615	8	10	18	–	1	1	1	1	2	3
715	Ormiston,	811	915	17	16	33	–	5	5	4	7	11	6
716	Pencaitland,	1175	1187	23	23	46	1	2	3	6	15	21	11
717	Prestonkirk,	1894	1960	35	44	79	5	6	11	21	26	47	10
718	Prestonpans,	2123	2080	34	43	77	2	1	3	25	22	47	16
719	Salton,	697	712	2	9	11	–	–	–	7	6	13	2
720	Spott,	595	555	12	6	18	1	–	1	1	2	3	2
721	Stenton,	719	692	12	5	17	3	2	5	8	9	17	3
722	TRANENT (incl. Town),	4158	4647	98	100	198	5	14	19	44	43	87	33
723	Whitekirk & Tynninghame	1131	1113	12	14	26	2	–	2	5	5	10	4
724	Whittinghame,	671	710	7	6	13	1	1	2	3	3	6	7
725	Yester (or Gifford),	1202	1033	16	9	25	2	2	4	10	6	16	7
	Total,	36363	37626	589	598	1187	49	64	113	318	320	638	216
	27. Berwick.												
726	Abbey St Bathans,	155	179	1	2	3	–	–	–	–	1	1	–
727	Ayton,	1959	2014	35	23	58	3	–	3	11	16	27	13
728	Bunkle and Preston,	715	756	9	10	19	–	2	2	3	8	11	4
729	Channelkirk,	728	671	8	6	14	2	1	3	5	4	9	6
730	Chirnside,	1384	1502	15	22	37	–	4	4	14	15	29	11
731	Cockburnspath,	1196	1194	23	18	41	5	1	6	13	6	19	4
732	Coldingham,	3188	3241	55	54	109	5	4	9	24	17	41	17
733	Coldstream,	3245	2823	42	32	74	7	4	11	32	23	55	11
734	Cranshaws,	127	134	1	1	2	–	–	–	–	1	1	1
735	DUNSE (incl. Town),	3407	3595	40	57	97	2	8	10	26	43	69	17
736	Earlston,	1819	1825	35	30	65	6	5	11	14	15	29	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	30	22	52	4	2	6	12	18	30	5
738	Edrom,	1474	1592	17	14	31	1	1	2	14	11	25	9
739	Eyemouth,	1488	1804	61	53	114	3	3	6	18	12	30	5
740	Fogo,	604	559	9	6	15	–	2	2	6	3	9	2
741	Foulden,	430	431	11	7	18	1	1	2	1	2	3	2
742	Gordon,	983	931	15	15	30	–	3	3	7	11	18	7
743	Greenlaw,	1378	1370	21	19	40	2	3	5	15	14	29	8
744	Hume,	406	420	8	7	15	–	1	1	6	8	14	1
745	Hutton,	1102	1067	11	18	29	1	2	3	3	8	11	5
746	Ladykirk,	561	564	9	6	15	1	–	1	6	5	11	1
747	Langton,	484	502	8	4	12	1	–	1	4	1	5	4
748	LAUDER (incl. Burgh),	2154	2198	31	41	72	7	4	11	18	19	37	15
749	Legerwood,	587	599	6	9	15	–	–	–	2	2	4	7
750	Longformacus,	411	448	9	10	19	1	–	1	5	3	8	3
751	Merton,	692	729	14	11	25	4	1	5	5	6	11	6
752	Mordington,	427	377	1	7	8	–	3	3	3	2	5	1
753	Nenthorn,	441	461	5	6	11	–	–	–	3	1	4	4
754	Polwarth,	331	251	3	2	5	–	–	–	1	1	2	2
755	Swinton,	994	964	20	22	42	1	8	9	12	12	24	7
756	Westruther,	791	786	11	17	28	1	2	3	3	5	8	7
757	Whitsome,	612	640	9	9	18	1	2	3	5	3	8	4
	Total,	36165	36488	573	560	1133	59	67	126	291	296	587	199
	28. PEEBLES.												
758	Broughton,	284	297	2	4	6	1	2	3	1	–	1	2
759	Drumelzier,	244	209	1	6	7	–	–	–	1	2	3	–
760	Eddlestone,	790	753	11	16	27	1	1	2	6	5	11	7
761	Glenholm,	252	198	5	2	7	–	–	–	2	1	3	4
762	Innerleithen,	1236	1823	34	49	83	4	6	10	11	18	29	16
763	Kilbucho,	345	228	2	5	7	–	–	–	1	1	2	–
764	Kirkurd,	326	362	5	4	9	–	–	–	3	4	7	1
765	Lyne, etc.—(1) Lyne,	95	81	4	2	6	1	–	1	1	1	2	–
	(2) Meggat,	63	53	2	1	3	1	–	1	–	–	–	–
766	Manor,	256	247	3	3	6	–	–	–	2	3	5	2
767	Newlands,	950	987	25	12	37	3	2	5	8	3	11	4
768	PEEBLES (incl. Burgh),	2673	2850	46	45	91	5	5	10	27	34	61	15
769	Skirling,	316	317	1	5	6	–	1	1	3	–	3	–
770	Stobo,	478	478	8	12	20	–	1	1	4	5	9	1
771	Traquair,	646	687	11	14	25	1	2	3	5	3	8	4
772	Tweedsmuir,	220	196	1	–	1	–	–	–	1	–	1	–
773	West Linton,	1630	1534	27	29	56	5	3	8	10	9	19	5
	Total,	10804	11300	188	209	397	22	23	45	86	89	175	61
	29. SELKIRK.												
774	Ettrick,	477	454	4	9	13	–	1	1	1	2	3	1
775	GALASHIELS (incl. part of Town),	3014	3379	120	100	220	9	11	20	64	67	131	35
776	Kirkhope,	c. 600	555	7	9	16	–	2	2	1	6	7	3
777	Roberton,	670	640	10	9	19	–	–	–	4	4	8	6
778	SELKIRK (incl. Burgh),	4347	4739	86	93	179	6	9	15	53	51	104	37
779	Yarrow,	c. 694	643	14	11	25	1	2	3	5	6	11	3
	Total,	9802	10410	241	231	472	16	25	41	128	136	264	85
	VIII. SOUTHERN. 30. ROXBURGH.												
780	Ancrum,	1554	1511	24	25	49	4	4	8	8	9	17	5
781	Ashkirk,	578	578	6	7	13	1	1	2	2	4	6	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	10	1	11	1	–	1	1	1	2	1
783	Bowden,	981	864	22	10	32	2	–	2	5	6	11	1
784	Castleton,	2130	3688	44	30	74	3	6	9	22	22	44	12
785	Cavers,	1495	1824	31	19	50	4	1	5	15	9	24	9
786	Crailing,	734	673	10	9	19	3	–	3	4	8	12	2
a787	Eckford,	1073	957	12	12	24	3	2	5	6	5	11	6
b787	Edgerston,	c. 373	359	7	5	12	1	–	1	–	1	1	7
788	Ednam,	658	599	7	10	17	–	–	–	2	2	4	4
789	Hawick (incl. part of Town),	7801	8726	169	148	317	24	19	43	109	136	245	51
790	Hobkirk,	720	771	11	9	20	1	2	3	3	1	4	6
791	Hownam,	252	289	2	7	9	–	–	–	3	2	5	–
792	JEDBURGH (incl. Burgh),	c. 5220	5011	70	75	145	12	8	20	47	53	100	23
793	Kelso (incl. Town),	5634	5192	55	61	116	7	5	12	51	43	94	43
794	Kirktown,	282	421	4	8	12	–	–	–	3	1	4	2
795	Lilliesleaf,	798	772	11	9	20	2	–	2	6	3	9	2
796	Linton,	630	608	8	4	12	2	1	3	2	2	4	1
797	Makerston,	345	380	4	5	9	–	3	3	–	1	1	3
798	Maxton,	550	497	6	10	16	1	1	2	5	3	8	2
799	Melrose—												
	(1) Melrose,	3592	3557	65	51	116	3	2	5	35	26	61	14
	(2) Ladhope (incl. part of Galashiels),	3773	4154	81	90	171	9	9	18	63	63	126	39
800	Minto,	467	430	5	4	9	2	1	3	6	2	8	3
801	Morebattle,	997	1031	17	9	26	–	2	2	11	5	16	5
802	Oxnam,	c. 632	592	7	8	15	–	–	–	2	3	5	1
803	Roxburgh,	1141	1178	19	16	35	1	2	3	3	9	12	10
804	St Boswells,	884	865	12	12	24	1	–	1	3	10	13	1
805	Smailholm,	617	554	8	6	14	2	–	2	3	7	10	5
806	Southdean,	c. 765	687	12	11	23	1	1	2	2	3	5	1
807	Sprouston,	1424	1305	22	19	41	–	3	3	14	5	19	13
808	Stitchel,	426	425	7	6	13	1	–	1	–	2	2	3
809	Teviothead,	550	438	9	12	21	2	1	3	4	–	4	5
810	Wilton (incl. Town and part of Hawick),	2557	3357	76	73	149	15	12	27	31	51	82	18
811	Yetholm,	1352	1207	19	12	31	3	1	4	8	6	14	7
	Total,	51225	53722	872	793	1665	111	87	198	479	504	983	308
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	84	87	171	14	14	28	63	76	139	31
a813	Applegarth,	918	935	17	14	31	3	1	4	8	7	15	8
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	15	7	22	–	2	2	3	8	11	2
814	Canonbie,	3163	3219	54	47	101	11	5	16	28	25	53	15
815	Carlaverock,	1418	1248	15	13	28	3	1	4	12	13	25	10
816	Closeburn,	1732	1651	35	29	64	3	3	6	17	17	34	5
817	Cummertrees,	c. 1334	1184	22	13	35	3	3	6	2	5	7	5
818	Dalton,	761	679	4	6	10	–	2	2	3	3	6	4
819	Dornock,	936	856	12	15	27	1	2	3	7	3	10	3
820	Dryfesdale,	2409	2509	45	37	82	4	5	9	25	30	55	21
821	DUMFRIES (incl. part of Burgh),	12298	13523	251	240	491	32	33	65	192	177	369	83
822	Dunscore,	1578	1554	26	20	46	5	–	5	10	11	21	3
823	Durrisdeer,	1795	1320	18	15	33	1	1	2	18	14	32	12
824	Eskdalemuir,	672	590	7	7	14	1	1	2	3	2	5	4
825	Ewes,	354	356	8	6	14	–	4	4	3	4	7	1
826	Glencairn,	1980	1867	30	21	51	5	3	8	16	18	34	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	19	23	42	3	4	7	11	11	22	11
828	Halfmorton,	687	713	11	8	19	–	1	1	3	5	8	2
829	Hoddam,	*c.* 1705	1568	29	28	57	5	8	13	15	16	31	6
830	Holywood,	1060	1115	13	7	20	2	–	2	8	12	20	4
831	Hutton,	836	876	10	11	21	1	2	3	7	11	18	2
832	Johnstone,	1261	1149	18	11	29	1	–	1	7	6	13	7
833	Keir,	960	849	12	15	27	2	4	6	5	2	7	9
834	Kirkconnel,	1245	996	19	18	37	2	2	4	13	15	28	6
835	Kirkmahoe,	1553	1462	18	15	33	3	1	4	11	14	25	9
836	Kirkmichael,	1124	1026	12	11	23	1	2	3	11	6	17	10
837	Kirkpatrick-Fleming— (1.) Northern Dist., (2.) Southern Dist.,	1829	*c.* 483 *c.* 1442	5 23	3 18	8 41	1 7	2 7	3 14	3 18	1 20	4 38	1 8
838	Kirkpatrick-Juxta,	1097	1025	25	12	37	5	1	6	4	5	9	7
839	Langholm,	2990	2979	66	52	118	7	6	13	40	27	67	11
840	LOCHMABEN (includ. Burgh),	3127	3087	53	45	98	15	5	20	28	28	56	19
841	Middlebie,	2163	2004	28	43	71	5	7	12	18	20	38	18
842	Moffat,	2304	2232	38	32	70	6	2	8	20	16	36	15
843	Morton,	2482	2253	26	30	56	3	4	7	27	22	49	13
844	Mousewald,	686	633	11	7	18	2	2	4	3	3	6	5
845	Penpont,	1411	1326	14	17	31	2	2	4	8	8	16	4
846	Ruthwell,	1110	1046	18	14	32	3	3	6	9	2	11	6
847	St Mungo,	645	686	8	4	12	1	–	1	3	3	6	2
848	SANQUHAR (including Burgh),	*c.* 3155	2758	27	42	69	1	10	11	17	19	36	14
849	Tinwald,	1080	1079	20	16	36	2	2	4	7	5	12	6
850	Torthorwald,	1313	1254	18	14	32	5	3	8	12	16	28	10
851	Tundergarth,	577	507	6	6	12	–	–	–	8	8	16	1
852	Tynron,	482	446	4	5	9	2	–	2	3	2	5	5
*a*853	Wamphray,	523	559	8	7	15	1	–	1	5	3	8	2
*b*853	Wanlockhead,	*c.* 916	811	12	12	24	–	2	2	6	7	13	6
854	Westerkirk,	658	537	14	3	17	4	–	4	5	3	8	1
	Total,	78149	75904	1228	1106	2334	178	162	340	745	729	1474	435
	32. KIRKCUDBRIGHT.												
855	Anwoth,	900	899	6	13	19	–	3	3	9	17	26	10
856	Balmaclellan,	*c.* 938	890	22	13	35	4	1	5	8	4	12	4
*a*857	Balmaghie,	1217	1225	12	11	23	5	1	6	9	10	19	3
*b*857	Bargrennan,	*c.* 500	*c.* 500	3	2	5	1	–	1	1	4	5	3
858	Borgue,	1043	1162	19	12	31	3	2	5	9	4	13	3
859	Buittle,	1042	1165	18	11	29	–	–	–	3	8	11	9
860	Carsphairn,	855	553	7	8	15	2	2	4	1	5	6	2
861	Colvend,	1398	1366	15	16	31	2	3	5	8	10	18	7
862	Corsock-Bridge,	*c.* 550	544	7	7	14	1	1	2	1	4	5	4
863	Crossmichael,	1362	1536	25	19	44	2	6	8	12	13	25	8
864	Dalbeattie,	*c.* 1927	2054	63	53	116	4	6	10	26	28	54	27
865	Dalry,	1238	1149	15	16	31	4	3	7	10	14	24	9
866	Girthon,	1787	1702	22	20	42	5	3	8	30	20	50	10
867	Irongray,	918	913	12	11	23	2	1	3	10	8	18	7
868	Kells (incl. NEW GALLOWAY),	1091	1170	14	22	36	2	6	8	8	7	15	9
869	Kelton,	3186	3436	54	49	103	10	7	17	30	39	69	19
870	Kirkbean,	982	942	15	12	27	2	2	4	9	6	15	1
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	52	53	105	12	5	17	26	32	58	18
872	Kirkgunzeon,	734	793	11	16	27	1	1	2	9	12	21	4
873	Kirkmabreck,	2266	1851	36	28	64	6	5	11	13	18	31	8
874	Kirkpatrick-Durham,	*c.* 1349	1323	26	18	44	7	5	12	8	13	21	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
875	Lochrutton,	726	677	11	11	22	3	1	4	7	5	12	10
876	Minnigaff,	*c.* 1804	*c.* 1554	22	16	38	3	2	5	11	8	19	8
877	New Abbey,	1098	1063	11	17	28	1	5	6	5	11	16	5
878	Parton,	*c.* 547	572	5	5	10	–	–	–	1	1	2	3
879	Rerrick,	1725	1738	34	33	67	4	5	9	17	16	33	7
880	Terregles (incl. part of DUMFRIES),	566	580	11	7	18	1	2	3	1	5	6	7
881	Tongland,	924	892	14	17	31	3	2	5	6	4	10	4
882	Troqueer (incl. part of DUMFRIES),	4925	4743	91	97	188	16	14	30	38	50	88	17
883	Twynholm,	782	815	12	10	22	2	2	4	4	6	10	5
884	Urr,	*c.* 1436	1531	22	25	47	4	2	6	13	17	30	11
	Total,	43121	42495	687	648	1335	112	98	210	343	399	742	248
	33. Wigtown.												
885	Glasserton,	1487	1472	24	12	36	6	4	10	12	9	21	6
886	Inch,	2579	2460	36	23	59	5	2	7	23	29	52	6
887	Kirkcolm,	2018	1860	30	32	62	4	6	10	15	19	34	15
888	Kirkcowan,	1541	1434	24	28	52	6	4	10	10	22	32	4
889	Kirkinner,	1914	1716	14	19	33	2	1	3	10	9	19	12
890	Kirkmaiden,	2681	2333	40	41	81	7	8	15	16	18	34	13
891	Leswalt,	1703	1417	20	14	34	3	1	4	7	9	16	11
892	Mochrum,	2946	2694	42	24	66	7	7	14	22	17	39	13
893	New Luce,	791	731	8	9	17	2	2	4	7	6	13	6
894	Old Luce (or Glenluce),	2841	2800	45	35	80	9	6	15	24	22	46	11
895	Penninghame (incl. Newton-Stewart),	4155	4061	42	50	92	5	9	14	48	37	85	20
896	Portpatrick,	1963	2189	23	25	48	5	5	10	20	17	37	4
897	Sorbie,	1886	1814	21	23	44	5	3	8	17	14	31	2
898	Stoneykirk,	3321	3228	48	39	87	7	9	16	22	24	46	15
899	STRANRAER (incl. Burgh)	5738	6315	114	109	223	24	24	48	82	89	171	28
900	WHITHORN (incl. Burgh)	3001	2934	47	33	80	10	2	12	30	25	55	11
901	WIGTOWN (incl. Burgh)	2824	2637	38	39	77	7	3	10	12	22	34	10
	Total,	43389	42095	616	555	1171	114	96	210	377	388	765	187

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular,	166,487	1,60733	2174	2127	4301	118	111	229	1233	1350	2583	829
Mainland-Rural,	1,711,717	1,762,576	30896	29184	60080	3200	2980	6180	16589	16601	33190	10763
Town,	1,010,538	1,138,985	25447	24216	49663	2448	2291	4739	16541	16754	33295	11026
SCOTLAND,	2,888,742	3,062,294	58517	55527	114044	5766	5382	11148	34363	34705	69068	22618

MARRIAGES registered in SCOTLAND in 1867 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	22618	10066	5347	3247	488	2039	1323	65	43	19067	578	2075	689	209	2394	4687
INSULAR DISTRICTS	829	348	333	67	1	41	34	4	1	690	8	81	10	40	226	349
MAINLAND-RURAL DIST.	10763	5717	2524	1449	133	520	406	12	2	9261	202	913	225	162	808	1623
TOWN DISTRICTS	11026	4001	2490	1731	354	1478	883	49	40	9116	368	1081	454	7	1360	2715
DIVISIONS.																
I. NORTHERN	643	258	275	68	–	–	37	4	1	550	8	65	8	12	44	109
II. NORTH-WESTERN	815	197	523	20	4	57	14	–	–	675	12	80	8	40	275	409
III. NORTH-EASTERN	2389	1393	625	121	89	45	115	–	1	2104	42	200	34	9	78	226
IV. EAST-MIDLAND	4010	1961	827	705	97	258	153	8	1	3416	90	360	112	32	249	621
V. WEST-MIDLAND	1412	679	346	183	23	117	62	2	–	1188	40	108	38	38	151	303
VI. SOUTH-WESTERN	8698	3393	1686	1347	170	1283	758	44	17	7199	288	816	370	25	1331	2575
VII. SOUTH-EASTERN	3473	1527	862	623	90	221	122	5	23	2939	83	328	91	32	211	351
VIII. SOUTHERN	1178	658	203	180	15	58	62	2	–	996	15	118	28	21	55	93
COUNTIES.																
1 Shetland	168	104	37	7	–	–	16	4	–	146	1	12	2	7	15	56
2 Orkney	182	83	37	51	–	–	10	–	1	155	1	23	3	–	5	7
3 Caithness	198	62	115	10	–	–	11	–	–	172	4	19	3	–	5	16
4 Sutherland	95	9	86	–	–	–	–	–	–	77	2	11	–	5	19	30
5 Ross & Cromarty	391	47	330	4	–	–	10	–	–	333	4	36	2	16	154	212
6 Inverness	424	150	193	16	4	57	4	–	–	342	8	44	6	24	121	197
7 Nairn	38	8	17	9	–	1	3	–	–	36	1	1	–	–	2	7
8 Elgin	231	102	99	20	4	3	3	–	–	206	4	15	3	3	15	36
9 Banff	334	204	79	18	5	13	15	–	–	291	4	35	4	–	17	49
10 Aberdeen	1549	908	384	70	66	28	92	–	1	1367	28	124	24	6	39	125
11 Kincardine	237	171	46	4	14	–	2	–	–	204	5	25	3	–	5	9
12 Forfar	1889	793	378	325	81	212	96	4	–	1608	54	163	62	2	181	450
13 Perth	775	401	219	102	10	22	17	4	–	686	11	57	16	5	22	64
14 Fife	1167	672	197	236	5	21	36	–	–	968	20	123	31	25	42	92
15 Kinross	55	26	12	16	–	–	–	–	1	50	1	4	–	–	–	–
16 Clackmannan	124	69	21	26	1	3	4	–	–	104	4	13	3	–	4	15
17 Stirling	599	281	130	102	6	46	32	2	–	504	18	48	16	13	66	126
18 Dumbarton	369	176	67	54	5	52	15	–	–	319	11	24	13	2	43	95
19 Argyll	353	190	107	21	11	13	11	–	–	290	10	25	7	21	34	70
20 Bute	91	32	42	6	1	6	4	–	–	75	1	11	2	2	8	12
21 Renfrew	1422	640	266	175	38	234	68	–	1	1184	56	115	59	8	243	424
22 Ayr	1412	760	294	157	19	97	85	–	–	1168	36	141	59	8	187	348
23 Lanark	5864	1993	1126	1015	113	952	605	44	16	4847	196	560	252	9	901	1803
24 Linlithgow	289	102	68	60	6	41	12	–	–	257	7	15	5	5	44	74
25 Edinburgh	2623	1098	701	454	81	167	95	5	22	2195	69	272	72	15	143	238
26 Haddington	216	137	43	25	–	11	–	–	–	185	3	16	8	4	20	31
27 Berwick	199	113	31	47	1	–	6	–	1	178	1	11	1	8	3	5
28 Peebles	61	35	6	16	–	2	2	–	–	47	2	11	1	–	1	1
29 Selkirk	85	42	13	21	2	–	7	–	–	77	1	3	4	–	–	2
30 Roxburgh	308	146	47	72	5	14	24	–	–	268	5	28	6	1	9	19
31 Dumfries	435	232	82	70	8	16	26	1	–	364	4	43	13	11	13	21
32 Kirkcudbright	248	168	45	16	2	12	5	–	–	207	4	26	5	6	11	18
33 Wigtown	187	112	29	22	–	16	7	1	–	157	2	21	4	3	22	35

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1867.

CONDITION.	Total.	AGES.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	19067	–	–	–	7	119	445	926	7463	6464	2121	838	357	181	74	26	19	7	4	–	–	–	16
	19067	–	11	67	292	825	1402	1866	7950	4796	1233	404	140	49	8	3	–	1	–	–	–	–	20
Bachelors with Widows.	578	–	–	–	–	–	8	8	91	171	129	65	55	25	14	6	3	2	1	–	–	–	–
	578	–	–	–	–	–	1	2	42	154	174	120	52	22	5	4	2	–	–	–	–	–	–
Widowers with Spinsters.	2075	–	–	–	–	–	–	1	40	251	402	413	361	227	153	107	71	26	10	11	1	–	1
	2075	–	–	–	5	19	32	48	315	519	435	354	187	99	36	20	4	–	–	–	–	–	2
Widowers with Widows.	689	–	–	–	–	–	–	–	2	26	64	106	134	146	93	49	44	16	6	2	1	–	–
	689	–	–	–	–	–	–	–	9	55	118	142	172	108	52	22	8	1	–	–	–	–	2
Condition not stated. Men.	209	–	–	–	1	1	5	11	52	67	32	16	7	3	2	5	–	–	–	–	–	–	7
Condition not stated. Women.	209	–	–	–	4	4	11	22	64	60	20	9	4	2	1	–	–	–	–	–	–	–	8
Total Men.....	22618	–	–	–	8	120	458	946	7648	6979	2748	1438	914	582	336	193	137	51	21	13	2	–	24
Total Women.....	22618	–	11	67	301	848	1446	1938	8380	5584	1980	1029	555	280	102	49	14	2	–	–	–	–	32

AGES of MALES married in Scotland in 1867.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1867.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	22618	–	–	–	8	120	458	946	7648	6979	2748	1438	914	582	336	193	137	51	21	13	2	–	24
DISTRICTS.																							
Insular . .	829	–	–	–	1	3	8	15	144	328	145	67	44	37	9	11	6	4	2	–	1	–	4
Mainland-Rural	10763	–	–	–	3	58	215	457	3709	3307	1279	705	415	259	140	98	63	20	9	9	–	–	17
Town . . .	11026	–	–	–	4	59	235	474	3795	3344	1324	666	455	286	187	84	68	27	10	4	1	–	3
DIVISIONS.																							
1. Northern . .	643	–	–	–	1	1	9	19	150	221	100	54	25	20	10	13	8	3	2	2	1	–	4
2. North-Western	815	–	–	–	–	–	2	7	133	296	178	94	46	24	16	6	7	2	–	–	–	–	4
3. North-Eastern	2389	–	–	–	2	4	47	78	764	771	298	167	97	68	41	24	18	5	2	1	–	–	2
4. East-Midland .	4010	–	–	–	1	27	110	167	1430	1195	443	227	173	96	53	37	28	11	5	2	1	–	4
5. West-Midland	1412	–	–	–	–	9	25	51	465	434	191	98	53	42	19	15	4	2	1	–	–	–	3
6. South-Western	8698	–	–	–	3	53	184	441	3159	2617	995	486	309	200	132	59	37	15	4	2	–	–	2
7. South-Eastern	3473	–	–	–	1	21	57	141	1188	1056	409	230	151	94	49	31	22	10	4	4	–	–	5
8. Southern . .	1178	–	–	–	–	5	24	42	359	389	134	82	60	38	16	8	13	3	3	2	–	–	–
COUNTIES.																							
Shetland . .	168	–	–	–	–	–	4	7	45	68	19	6	4	5	–	2	2	1	–	–	1	–	4
Orkney . .	182	–	–	–	1	1	3	7	41	54	26	15	12	8	2	7	2	1	2	–	–	–	–
Caithness . .	198	–	–	–	–	–	2	5	50	66	31	25	2	4	7	1	3	–	–	2	–	–	–
Sutherland . .	95	–	–	–	–	–	–	–	14	33	24	8	7	3	1	3	1	1	–	–	–	–	–
Ross and Cromarty	391	–	–	–	–	–	–	5	78	159	77	40	15	7	7	3	4	–	–	–	–	–	1
Inverness . .	424	–	–	–	–	–	2	2	60	137	101	54	31	17	9	3	3	2	–	–	–	–	3

AGES of MALES married in Scotland in 1867.

| | | |

AGES of FEMALES married in Scotland in 1867.

	Total Females	AGES OF FEMALES MARRIED IN SCOTLAND IN 1867.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	22618	–	11	67	301	848	1446	1938	8380	5584	1980	1029	555	280	102	49	14	2	–	–	–	–	32
DISTRICTS.																							
Insular . .	829	–	–	1	3	8	25	33	289	293	91	47	18	13	–	3	–	–	–	–	–	–	5
Mainland-Rural	10763	–	5	41	154	418	690	950	3955	2702	924	464	254	114	43	20	6	2	–	–	–	–	21
Town . . .	11026	–	6	25	144	422	731	955	4136	2589	965	518	283	153	59	26	8	–	–	–	–	–	6
DIVISIONS.																							
1. Northern . .	643	–	–	2	3	12	27	30	209	206	65	49	20	10	3	2	–	–	–	–	–	–	5
2. North-Western	815	–	–	1	1	18	23	50	254	287	108	46	20	1	1	1	–	–	–	–	–	–	4
3. North-Eastern	2389	–	1	9	40	91	161	245	809	603	220	101	62	27	15	2	1	–	–	–	–	–	2
4. East-Midland .	4010	–	–	4	34	122	183	314	1568	1048	357	187	102	50	17	13	4	2	–	–	–	–	5
5. West-Midland .	1412	–	1	4	22	40	96	113	543	353	125	58	36	14	2	1	2	–	–	–	–	–	2
6. South-Western	8698	–	8	33	146	405	663	805	3304	1920	694	343	199	102	43	17	7	–	–	–	–	–	9
7. South-Eastern	3473	–	1	11	44	121	216	297	1261	850	312	187	85	58	16	9	–	–	–	–	–	–	5
8. Southern . .	1178	–	–	3	11	39	77	84	432	317	99	58	31	18	5	4	–	–	–	–	–	–	
COUNTIES.																							
Shetland . .	168	–	–	1	–	2	3	2	67	62	10	12	2	2	–	1	–	–	–	–	–	–	4
Orkney . .	182	–	–	–	2	4	10	13	56	48	22	11	8	7	–	–	–	–	–	–	–	–	–
Caithness . .	198	–	–	–	–	3	10	12	62	68	18	17	5	1	1	–	–	–	–	–	–	–	1
Sutherland . .	95	–	–	1	1	3	4	3	24	28	15	9	5	2	–	–	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	–	7	9	21	121	145	53	22	9	–	1	1	–	–	–	–	–	–	2
Inverness . .	424	–	–	1	1	11	14	29	133	142	55	24	11	1	–	–	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1867.

| | | |

DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS,											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	2888742	3062294	69068	6684	2390	4447	5730	2818	1802	1248	3209	1753	2238	2565	2443
Insular	166487	160733	2588	213	52	90	92	57	40	34	93	49	60	97	96
Mainland	1711717	1762576	33190	3144	987	1867	2201	1447	798	534	1558	910	1121	1211	1091
Towns	1010538	1138985	33295	3327	1351	2490	3437	1614	964	680	1558	794	1057	1257	1256
Shetland	31078	31670	462	40	9	9	9	9	10	6	6	4	11	17	21
Orkney	31455	32395	483	16	7	8	9	7	2	9	20	15	9	15	21
Caithness	39782	42200	572	43	15	28	28	16	18	8	18	14	20	22	16
Sutherland	24720	24157	354	24	3	10	6	5	5	1	8	20	15	18	10
Ross & Cromarty	83781	82427	1283	136	32	52	47	29	13	9	34	25	30	44	49
Inverness	91954	84902	1412	154	30	65	56	20	17	11	50	18	35	57	53
Nairn	8076	8347	171	16	9	9	5	3	5	2	3	2	5	6	8
Elgin	40532	44218	712	63	24	30	33	15	12	9	25	14	15	22	30
Banff	51353	56020	971	80	24	46	50	34	26	18	61	36	26	29	32
Aberdeen	213461	223344	4043	404	138	200	203	102	71	55	163	120	157	145	162
Kincardine	34944	34854	514	39	13	16	28	11	12	5	14	10	22	20	18
Forfar	193627	206750	5165	631	213	328	430	201	148	90	192	124	158	183	180
Perth	137369	133198	2408	190	63	83	121	54	29	26	76	42	74	96	83
Fife	153789	155021	3029	269	99	153	215	93	73	56	148	81	109	77	81
Kinross	9626	8731	148	14	3	8	4	2	2	4	7	3	6	4	5
Clackmannan	21555	20122	449	50	20	31	38	14	6	8	20	10	14	19	13
Stirling	83802	88138	1906	196	68	111	147	71	49	33	76	54	74	68	64
Dumbarton	46995	54179	1332	116	37	100	126	79	55	33	86	35	36	52	48
Argyll	94042	83859	1357	80	27	46	49	35	27	15	42	30	39	60	48
Bute	16608	16331	373	23	9	17	17	11	8	7	14	9	9	16	5
Renfrew	157950	168746	4700	434	192	351	449	247	139	105	264	122	155	180	151
Ayr	189973	199063	4446	417	151	275	381	176	130	82	242	153	175	180	136
Lanark	533169	640444	18987	1837	762	1652	2205	1016	618	420	1035	522	636	767	712
Linlithgow	30590	39045	840	108	22	79	89	44	20	14	33	19	21	18	28
Edinburgh	259493	274093	7323	733	251	464	674	345	191	144	329	150	198	236	272
Haddington	36363	37626	638	74	22	37	39	22	4	7	30	12	22	25	19
Berwick	36165	36488	587	61	14	18	16	18	12	6	30	8	22	17	19
Peebles	10804	11300	175	22	7	7	9	6	2	2	11	3	2	8	7
Selkirk	9802	10410	264	33	16	19	25	10	5	5	14	8	6	11	10
Roxburgh	51225	53722	983	104	31	54	73	42	32	22	45	25	32	44	27
Dumfries	78149	75904	1474	144	38	65	71	32	30	20	55	33	46	53	59
Kirkcudbright	43121	42495	742	59	21	42	37	25	11	8	29	21	26	27	19
Wigtown	43389	42095	765	74	20	34	41	24	20	8	29	11	33	29	37

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—BOTH SEXES.

Inverness	16496	16162	383	42	12	22	20	6	6	3	11	4	9	10	14
Aberdeen	71973	73900	1824	188	73	98	117	53	34	25	67	46	85	60	81
Arbroath	17238	17831	372	41	16	18	16	12	6	5	14	10	22	11	9
Dundee	80027	91664	2951	393	147	223	330	134	92	59	112	63	67	111	117
Forfar	11009	10838	308	28	8	24	23	12	6	4	15	14	11	7	11
Montrose	16037	15668	352	29	16	20	18	10	12	1	12	8	11	15	11
Perth	24670	26094	569	52	17	22	47	19	4	9	13	10	21	19	25
Dunfermline	13836	13506	265	28	11	12	22	11	6	4	12	11	12	9	6
Kirkcaldy	10636	11117	260	24	8	17	28	9	7	12	17	8	5	6	7
Stirling	12401	14012	397	35	11	29	45	18	11	7	15	11	20	9	8
Greenock	37436	43894	1433	155	61	108	133	73	45	31	62	33	38	63	55
Paisley	48071	47427	1335	115	56	98	125	68	43	26	67	37	45	43	43
Ayr	18845	19659	455	49	16	17	29	13	16	13	19	21	12	20	24
Kilmarnock	21287	23556	671	69	26	45	74	40	18	13	31	15	28	25	20
Glasgow	329097	395503	12578	1228	552	1115	1553	661	408	280	641	301	414	516	488
Barony	16050	22559	851	78	19	70	79	40	22	10	45	23	26	37	33
Govan	14996	28584	979	87	31	82	118	74	42	30	60	31	26	32	40
Hamilton	11740	14047	347	15	14	20	26	18	8	5	18	16	14	18	13
Airdrie	14435	12922	297	33	13	23	24	21	7	7	30	8	10	15	7
Coatbridge, etc.	13168	13303	382	30	20	34	41	21	12	11	23	8	17	16	9
Edinburgh	161648	170444	4765	437	158	295	431	237	118	98	190	87	127	175	184
Leith	32219	36029	1064	120	46	73	121	56	31	22	60	19	24	21	38
Dumfries	17223	18266	457	51	20	25	17	8	10	5	15	10	13	19	13

DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
SCOTLAND	2140	2165	2212	2280	2434	2544	3098	3319	3536	3223	2494	1461	572	170	20	78
Insular	79	66	57	72	97	85	132	169	215	203	199	132	71	17	4	12
Mainland	914	871	923	961	1091	1173	1528	1807	2043	2078	1650	1008	393	128	8	42
Towns	1147	1228	1232	1244	1246	1286	1433	1343	1278	942	645	321	108	25	8	24
Shetland	20	16	8	18	16	19	15	38	32	37	35	26	19	5	–	7
Orkney	13	14	10	14	11	16	26	41	51	54	44	34	11	3	–	3
Caithness	20	11	11	15	15	22	28	32	44	47	36	25	16	3	–	1
Sutherland	10	8	8	11	8	11	15	22	27	37	34	21	12	3	–	2
Ross and Cromarty	34	29	29	34	38	35	79	82	103	99	111	57	30	17	4	2
Inverness	34	35	38	49	55	51	84	83	111	107	94	50	35	12	4	4
Nairn	9	3	7	8	8	3	6	13	16	10	7	4	3	–	–	1
Elgin	20	24	17	17	29	27	28	39	55	60	65	28	6	5	–	–
Banff	23	21	23	24	38	24	39	57	66	62	62	39	19	9	1	2
Aberdeen	123	130	141	122	123	146	187	238	232	241	222	135	53	22	1	7
Kincardine	16	8	13	12	12	20	22	40	37	57	39	14	12	4	–	–
Forfar	184	168	169	186	192	222	241	222	245	186	142	92	28	3	1	6
Perth	62	62	61	76	87	110	143	166	213	188	171	90	27	14	–	1
Fife	84	85	85	81	120	127	161	177	204	187	152	76	37	5	1	3
Kinross	4	3	4	6	6	11	4	9	11	12	8	4	4	–	–	–
Clackmannan	12	16	12	11	15	18	25	25	22	27	10	8	3	2	–	–
Stirling	58	52	67	54	73	95	97	94	86	97	65	35	15	3	1	3
Dumbarton	39	47	31	46	41	38	65	47	60	49	31	25	7	1	–	2
Argyll	43	38	21	47	49	65	80	77	112	114	107	65	28	8	2	3
Bute	13	11	20	10	20	10	21	22	32	22	23	15	8	–	–	1
Renfrew	147	161	173	178	160	175	188	185	199	162	96	48	22	9	2	6
Ayr	135	121	136	124	132	126	181	215	243	211	152	129	32	6	–	5
Lanark	625	658	669	680	705	637	731	640	540	436	254	144	66	12	3	5
Linlithgow	20	15	26	20	22	26	41	24	42	55	24	22	5	2	–	1
Edinburgh	239	277	280	276	269	286	328	383	373	294	197	98	26	6	–	4
Haddington	8	20	20	12	21	23	27	47	47	41	35	15	3	4	–	2
Berwick	14	11	16	21	21	22	28	48	42	54	41	20	4	2	–	2
Peebles	4	6	3	3	8	9	9	9	7	11	14	4	2	–	–	–
Selkirk	7	7	7	5	9	8	8	8	17	16	5	5	–	–	–	–
Roxburgh	17	26	22	25	30	36	38	56	61	57	58	18	6	–	–	2
Dumfries	54	50	49	55	56	62	74	94	100	90	67	55	19	3	–	–
Kirkcudbright	25	19	22	18	23	28	38	51	52	48	44	33	12	3	–	1
Wigtown	24	13	14	22	22	36	36	35	54	55	49	27	12	4	–	2

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—BOTH SEXES.

Inverness	12	17	17	15	14	17	25	20	25	24	25	6	1	2	1	3
Aberdeen	63	67	69	65	60	80	88	106	94	77	72	36	9	7	1	3
Arbroath	14	11	15	9	21	22	21	15	26	16	10	10	2	–	–	–
Dundee	106	92	112	118	115	115	129	91	96	49	46	29	8	–	1	2
Forfar	9	9	8	6	10	14	17	18	18	16	13	5	2	–	–	–
Montrose	19	20	4	13	13	22	20	19	17	16	14	9	3	–	–	–
Perth	20	23	22	11	20	36	38	25	39	30	31	13	3	–	–	–
Dunfermline	9	10	8	8	5	12	15	16	8	9	11	5	3	–	1	1
Kirkcaldy	9	7	7	8	6	14	15	15	16	9	3	1	2	–	–	–
Stirling	10	16	9	16	15	20	20	13	25	17	11	4	1	–	1	–
Greenock	55	56	62	57	56	59	63	58	50	22	23	10	3	2	–	–
Paisley	39	47	46	53	44	48	58	54	70	62	16	18	5	2	1	6
Ayr	11	12	6	13	12	16	21	24	28	30	20	10	2	–	–	1
Kilmarnock	23	19	19	27	15	23	19	23	41	24	15	15	3	–	–	1
Glasgow	429	450	471	475	500	430	488	401	325	234	125	59	27	5	1	1
Barony	29	42	38	23	34	30	48	36	36	19	21	10	–	1	1	1
Govan	32	46	30	34	21	24	29	34	26	27	8	6	3	–	–	1
Hamilton	18	8	9	14	10	13	12	22	23	15	11	2	3	2	–	–
Airdrie	8	4	11	8	18	10	7	18	4	6	2	2	–	–	–	1
Coatbridge, etc.	14	13	13	22	10	12	23	7	9	8	2	4	3	–	–	–
Edinburgh	164	191	201	187	186	214	223	245	237	184	126	50	16	1	–	3
Leith	36	49	30	39	37	29	42	54	45	27	21	10	3	2	–	–
Dumfries	18	19	25	23	24	26	18	29	20	21	19	7	1	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
				MONTHS.											
	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	1375479	1449848	34363	3826	1291	2433	3002	1468	902	620	1646	892	1096	1332	1143
Insular	76760	73409	1233	120	28	54	43	30	16	16	44	22	26	63	53
Mainland	828852	848998	16589	1838	543	1023	1170	599	389	267	803	462	585	647	530
Towns	469867	527441	16541	1862	720	1356	1789	839	497	337	799	408	485	622	560
Shetland	13145	13053	211	19	5	5	6	5	2	4	2	2	2	11	15
Orkney	14350	14924	205	6	4	4	1	3	2	5	9	5	5	9	9
Caithness	18809	19846	297	23	11	17	14	9	8	3	11	9	15	10	8
Sutherland	11437	11058	165	15	2	6	4	2	2	1	4	9	10	11	6
Ross & Cromarty	39489	38462	584	74	13	27	22	15	7	3	18	10	15	22	31
Inverness	42814	39479	677	94	21	36	29	10	7	3	23	9	18	34	27
Nairn	3831	3976	82	10	2	5	3	2	1	1	1	2	1	3	4
Elgin	18943	20737	351	38	14	16	18	7	7	5	14	12	6	15	23
Banff	24195	26401	454	44	14	18	29	16	12	11	33	19	13	12	13
Aberdeen	100935	105322	1960	226	70	106	112	51	36	30	87	61	74	78	70
Kincardine	17188	16939	235	26	8	8	17	8	7	2	5	7	8	7	8
Forfar	89408	93280	2515	352	108	167	235	85	77	45	101	56	75	81	81
Perth	65697	63169	1210	121	35	50	64	37	15	15	36	25	46	51	41
Fife	73305	72714	1442	144	54	87	106	45	34	28	69	34	59	37	32
Kinross	4660	4150	64	5	2	4	1	1	–	2	5	1	5	4	3
Clackmannan	10634	9742	231	30	12	14	21	7	3	2	13	7	6	12	7
Stirling	41113	43487	1005	121	36	60	92	38	22	19	41	27	44	35	34
Dumbarton	23340	26455	690	74	24	56	74	37	26	11	46	17	16	28	17
Argyll	46197	40914	704	46	12	29	24	22	12	8	22	17	23	42	30
Bute	7518	7208	196	11	6	12	12	6	4	2	6	6	4	9	2
Renfrew	74224	79380	2395	260	92	200	226	137	64	57	137	62	67	94	78
Ayr	92933	97035	2229	231	88	146	190	82	73	43	119	80	92	97	58
Lanark	258449	308263	9609	1034	429	925	1133	548	318	199	515	276	284	382	287
Linlithgow	15422	20069	417	56	15	37	50	20	12	8	16	10	9	9	13
Edinburgh	119428	126429	3668	425	136	252	368	178	91	78	188	79	107	130	140
Haddington	17592	17866	318	36	12	21	23	12	2	3	14	2	11	15	8
Berwick	17367	17354	291	42	7	11	9	13	5	2	15	4	12	9	12
Peebles	5400	5603	86	11	2	5	4	3	1	2	5	2	1	2	3
Selkirk	4836	5069	128	21	8	11	11	6	2	3	8	5	2	6	3
Roxburgh	25002	26593	479	61	12	34	37	20	15	13	25	11	14	20	13
Dumfries	37200	35687	745	86	17	25	34	17	18	7	30	13	26	26	33
Kirkcudbright	20223	19789	343	33	12	17	15	13	7	3	13	10	14	16	11
Wigtown	20335	19395	377	45	8	22	18	13	10	2	15	3	12	15	23
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—MALES.															
Inverness	7401	7261	183	23	9	11	13	4	4	–	5	2	4	6	9
Aberdeen	31746	32554	890	104	38	52	64	23	18	16	41	27	41	33	34
Arbroath	7866	7770	185	25	4	8	10	8	3	1	9	6	8	5	5
Dundee	36364	40395	1416	221	80	115	176	60	47	28	55	26	31	46	49
Forfar	5017	4735	150	14	3	11	18	4	3	2	7	5	5	3	5
Montrose	7061	6736	152	10	4	7	7	4	6	1	6	6	7	7	6
Perth	11689	11947	298	31	10	15	22	12	2	7	6	8	13	11	15
Dunfermline	6901	6447	124	13	3	7	10	6	2	1	4	4	6	4	3
Kirkcaldy	4906	5074	116	11	4	6	16	3	4	7	7	4	3	4	2
Stirling	5908	6814	208	24	6	16	26	8	8	3	6	3	15	4	6
Greenock	17905	21567	755	86	23	62	66	38	18	20	34	17	22	40	34
Paisley	22608	21913	653	69	29	52	56	39	20	9	36	19	15	19	17
Ayr	8675	9094	212	25	8	10	16	6	7	7	9	12	5	10	9
Kilmarnock	10163	11398	336	38	13	23	39	17	13	6	18	6	11	12	8
Glasgow	154930	185556	6312	692	323	622	804	349	219	133	318	164	173	236	194
Barony	8090	11221	423	40	9	37	43	21	11	4	22	12	15	16	15
Govan	7286	13603	489	44	12	51	67	42	23	15	26	14	7	16	17
Hamilton	5576	6798	166	7	6	7	12	12	1	2	12	8	5	11	6
Airdrie	7333	6242	147	16	6	13	14	9	6	3	13	2	4	7	3
Coatbridge, etc.	7084	8155	201	18	7	23	17	12	5	4	10	4	10	14	8
Edinburgh	72067	76013	2338	259	83	153	247	128	62	54	105	42	70	95	98
Leith	15482	17894	557	63	30	44	71	30	10	12	43	11	8	12	15
Dumfries	7809	8254	230	29	10	11	5	4	5	2	7	6	7	11	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1016	1011	1045	1155	1245	1317	1493	1596	1578	1401	992	567	193	58	10	41
Insular	36	26	25	42	48	41	61	79	103	95	77	52	19	5	2	7
Mainland	439	389	423	484	577	606	769	888	950	935	670	384	146	49	3	21
Towns	541	596	597	629	620	670	663	629	525	371	245	131	28	4	5	13
Shetland	10	8	4	9	6	9	10	15	10	17	14	10	6	2	–	3
Orkney	4	8	2	6	8	6	10	23	20	23	16	10	5	–	–	2
Caithness	10	5	6	7	6	14	15	14	27	28	11	7	6	2	–	1
Sutherland	3	2	4	4	5	6	6	11	12	13	12	12	2	1	–	–
Ross and Cromarty	12	14	12	16	19	18	29	38	38	44	37	29	10	9	1	1
Inverness	16	19	16	22	30	19	31	37	50	43	42	20	14	2	3	2
Nairn	–	2	5	4	6	1	3	6	8	6	3	1	1	–	–	1
Elgin	12	11	7	8	15	12	13	14	22	22	28	9	3	–	–	–
Banff	10	10	7	13	14	12	20	21	33	29	25	9	11	4	1	1
Aberdeen	68	51	58	62	60	81	91	110	95	116	84	56	18	7	–	2
Kincardine	8	3	8	7	4	6	10	17	9	26	19	4	3	–	–	–
Forfar	86	74	79	90	89	109	103	110	112	87	61	38	8	1	1	4
Perth	31	27	30	31	47	59	72	73	98	86	70	35	8	7	–	–
Fife	37	38	35	44	61	59	84	88	90	86	55	25	7	1	–	3
Kinross	1	2	–	3	3	6	3	4	3	5	1	–	–	–	–	–
Clackmannan	3	10	5	7	9	9	15	11	8	12	2	4	1	1	–	–
Stirling	28	24	29	25	44	54	44	46	42	42	32	19	4	1	–	2
Dumbarton	15	17	19	26	28	23	31	27	25	24	15	9	3	1	–	1
Argyll	25	15	12	28	19	39	39	44	56	56	45	23	10	4	1	1
Bute	6	5	11	7	8	6	15	10	19	12	9	6	1	–	–	1
Renfrew	73	77	86	97	85	89	98	90	89	61	42	19	9	3	1	2
Ayr	65	58	63	61	64	68	93	107	121	91	64	57	12	2	–	4
Lanark	307	317	339	352	383	322	347	323	233	184	93	53	21	1	2	2
Linlithgow	10	7	11	12	13	14	24	9	20	21	15	4	1	1	–	–
Edinburgh	112	140	133	144	121	150	155	169	148	104	72	39	4	2	–	3
Haddington	2	7	9	6	9	15	13	33	23	17	17	5	1	1	–	1
Berwick	7	4	4	7	9	12	14	25	18	27	13	8	–	1	–	1
Peebles	–	2	1	2	3	6	7	3	4	6	9	2	–	–	–	–
Selkirk	4	3	2	2	5	3	2	2	9	5	2	3	–	–	–	–
Roxburgh	5	13	7	9	16	23	15	28	28	29	24	4	3	–	–	–
Dumfries	21	24	26	28	37	38	44	50	56	36	24	20	9	–	–	–
Kirkcudbright	11	6	8	6	14	10	20	21	23	19	18	17	4	1	–	1
Wigtown	14	8	7	10	5	19	17	17	29	24	18	10	8	3	–	2

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—MALES.

Inverness	6	9	7	5	6	9	7	8	10	8	13	2	1	–	1	1
Aberdeen	31	29	27	29	23	44	48	47	30	39	27	19	3	2	–	1
Arbroath	9	4	2	5	10	14	10	7	10	8	6	6	2	–	–	–
Dundee	44	36	57	57	50	55	51	45	38	20	17	8	2	–	1	1
Forfar	3	5	3	4	6	8	6	8	9	8	8	2	–	–	–	–
Montrose	7	12	2	7	7	9	7	7	6	6	4	6	1	–	–	–
Perth	8	9	11	5	14	22	19	10	17	14	13	4	–	–	–	–
Dunfermline	1	7	5	5	3	6	10	7	3	5	5	3	–	–	–	1
Kirkcaldy	4	4	1	5	2	6	5	6	6	4	1	–	1	–	–	–
Stirling	5	8	4	5	8	15	9	6	10	6	5	2	–	–	–	–
Greenock	26	27	34	34	37	30	33	27	20	9	12	5	–	1	–	–
Paisley	19	21	25	27	18	26	33	34	33	17	7	8	2	–	1	2
Ayr	5	6	3	3	4	10	6	9	17	10	8	5	1	–	–	1
Kilmarnock	8	8	11	17	9	13	6	13	22	11	7	6	–	–	–	1
Glasgow	209	216	236	244	256	217	228	193	130	89	40	19	5	1	1	1
Barony	13	22	12	11	21	18	19	22	21	10	5	3	–	–	1	–
Govan	17	22	18	12	15	8	10	19	11	13	8	3	3	–	–	1
Hamilton	10	7	5	6	6	8	6	9	7	6	3	2	2	–	–	–
Airdrie	5	1	7	6	6	7	3	9	2	5	–	–	–	–	–	–
Coatbridge, etc.	6	8	7	12	4	7	13	4	4	5	1	1	2	–	–	–
Edinburgh	79	96	89	95	85	106	104	105	87	57	47	17	2	–	–	3
Leith	18	27	17	23	14	16	18	25	22	15	6	6	1	–	–	–
Dumfries	8	12	14	12	16	16	12	9	10	6	7	4	–	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.		3	6	12									
SCOTLAND .	1513263	1612446	34705	2864	1099	2014	2728	1350	900	628	1563	861	1142	1233	1300
Insular . .	89727	87324	1350	93	24	36	49	27	24	18	49	27	34	34	43
Mainland .	882865	913578	16601	1306	444	844	1031	548	409	267	755	448	536	564	561
Towns . .	540671	611544	16754	1465	631	1134	1648	775	467	343	759	386	572	635	696
Shetland . .	17933	18617	251	21	4	4	3	4	8	2	4	2	9	6	6
Orkney . .	17105	17471	278	10	3	4	8	4	–	4	11	10	4	6	12
Caithness .	20973	22354	275	20	4	11	14	7	10	5	7	5	5	12	8
Sutherland .	13283	13099	189	9	1	4	2	3	3	–	4	11	5	7	4
Ross & Cromarty	44292	43965	699	62	19	25	25	14	6	6	16	15	15	22	18
Inverness .	49140	45523	735	60	9	29	27	10	10	8	27	9	17	23	26
Nairn . .	4245	4371	89	6	7	4	2	1	4	1	2	–	4	3	4
Elgin . .	21589	23481	361	25	10	14	15	8	5	4	11	2	9	7	7
Banff . .	27158	29619	517	36	10	28	21	18	14	7	28	17	13	17	19
Aberdeen .	112526	118022	2083	178	68	94	91	51	35	25	76	59	83	67	92
Kincardine .	17756	17915	279	13	5	8	11	3	5	3	9	3	14	13	10
Forfar . .	104219	113470	2650	279	105	161	195	116	71	45	91	68	83	102	99
Perth . .	71672	70029	1198	69	28	33	57	17	14	11	40	17	28	45	42
Fife . .	80484	82307	1587	125	45	66	109	48	39	28	79	47	50	40	49
Kinross . .	4966	4581	84	9	1	4	3	1	2	2	2	2	1	–	2
Clackmannan .	10921	10380	218	20	8	17	17	7	3	6	7	3	8	7	6
Stirling . .	42689	44651	901	75	32	51	55	33	27	14	35	27	30	33	30
Dumbarton .	23655	27724	642	42	13	44	52	42	29	22	40	18	20	24	31
Argyll . .	47845	42945	653	34	15	17	25	13	15	7	20	13	16	18	18
Bute . .	9090	9123	177	12	3	5	5	5	4	5	8	3	5	7	3
Renfrew . .	83726	89366	2305	174	100	151	223	110	75	48	127	60	88	86	73
Ayr . .	96980	102028	2217	186	63	129	191	94	57	39	123	73	83	83	78
Lanark . .	274420	332181	9378	803	333	727	1072	468	300	221	520	246	352	385	425
Linlithgow .	15168	18976	423	52	7	42	39	24	8	6	17	9	12	9	15
Edinburgh .	140065	147664	3655	308	115	212	306	167	100	66	141	71	91	106	132
Haddington .	18771	19760	320	38	10	16	16	10	2	4	16	10	11	10	11
Berwick . .	18798	19134	296	19	7	7	7	5	7	4	15	4	10	8	7
Peebles . .	5404	5697	89	11	5	2	5	3	1	–	6	1	1	6	4
Selkirk . .	4966	5341	136	12	8	8	14	4	3	2	6	3	4	5	7
Roxburgh .	26223	27129	504	43	19	20	36	22	17	9	20	14	18	24	14
Dumfries .	40949	42217	729	58	21	40	37	15	12	13	25	20	20	27	26
Kirkcudbright	22898	22706	399	26	9	25	22	12	4	5	16	11	12	11	8
Wigtown .	23054	22700	388	29	12	12	23	11	10	6	14	8	21	14	14

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—FEMALES.

Inverness .	9095	8901	200	19	3	11	7	2	2	3	6	2	5	4	5
Aberdeen .	40227	41346	934	84	35	46	53	30	16	9	26	19	44	27	47
Arbroath .	9372	10061	187	16	12	10	6	4	3	4	5	4	14	6	4
Dundee . .	43663	51269	1535	172	67	108	154	74	45	31	57	37	36	65	68
Forfar . .	5992	6103	158	14	5	13	5	8	3	2	8	9	6	4	6
Montrose .	8976	8932	200	19	12	13	11	6	6	–	6	2	4	8	5
Perth . .	12981	14147	271	21	7	7	25	7	2	2	7	2	8	8	10
Dunfermline .	6935	7059	141	15	8	5	12	5	4	3	8	7	6	5	3
Kirkcaldy .	5730	6043	144	13	4	11	12	6	3	5	10	4	2	2	5
Stirling . .	6493	7198	189	11	5	13	19	10	3	4	9	8	5	5	2
Greenock .	19531	22327	678	69	38	46	67	35	27	11	28	16	16	23	21
Paisley . .	25463	25514	682	46	27	46	69	29	23	17	31	18	30	24	26
Ayr . .	10170	10565	243	24	8	7	13	7	9	6	10	9	7	10	15
Kilmarnock .	11124	12158	335	31	13	22	35	23	5	7	13	9	17	13	12
Glasgow . .	174167	209947	6266	536	229	493	749	312	189	147	323	137	241	280	294
Barony . .	7960	11338	428	38	10	33	36	19	11	6	23	11	11	21	18
Govan . .	7710	14981	490	43	19	31	51	32	19	15	34	17	19	16	23
Hamilton .	6164	7249	181	8	8	13	14	6	7	3	6	8	9	7	7
Airdrie . .	7102	6680	150	17	7	10	10	12	1	4	17	6	6	8	4
Coatbridge, etc.	6084	7148	181	12	13	11	24	9	7	7	13	4	7	2	6
Edinburgh .	89581	94431	2427	178	75	142	214	109	56	44	85	45	57	80	86
Leith . .	16737	18135	507	57	16	29	50	26	21	10	26	8	16	9	23
Dumfries .	9414	10012	227	22	10	14	12	4	5	3	8	4	6	8	6

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1867.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1124	1154	1167	1125	1189	1227	1600	1723	1958	1822	1502	894	379	112	10	37
Insular	43	40	32	30	49	44	71	90	112	108	122	80	52	12	2	5
Mainland	475	482	500	480	514	567	759	919	1093	1143	980	624	247	79	5	21
Towns	606	632	635	615	626	616	770	714	753	571	400	190	80	21	3	11
Shetland	10	8	4	9	10	10	5	23	22	20	21	16	13	3	–	4
Orkney	9	6	8	8	3	10	16	18	31	31	28	24	6	3	–	1
Caithness	10	6	5	8	9	8	13	18	17	19	25	18	10	1	–	–
Sutherland	7	6	4	7	3	5	9	11	15	24	22	9	10	2	–	2
Ross and Cromarty	22	15	17	18	19	17	50	44	65	55	74	28	20	8	3	1
Inverness	18	16	22	27	25	32	53	46	61	64	52	30	21	10	1	2
Nairn	9	1	2	4	2	2	3	7	8	4	4	3	2	–	–	–
Elgin	8	13	10	9	14	15	15	25	33	38	37	19	3	5	–	–
Banff	13	11	16	11	24	12	19	36	33	33	37	30	8	5	–	1
Aberdeen	55	79	83	60	63	65	96	128	137	125	138	79	35	15	1	5
Kincardine	8	5	5	5	8	14	12	23	28	31	20	10	9	4	–	–
Forfar	98	94	90	96	103	113	138	112	133	99	81	54	20	2	–	2
Perth	31	35	31	45	40	51	71	93	115	102	101	55	19	7	–	1
Fife	47	47	50	37	59	68	77	89	114	101	97	51	20	4	1	–
Kinross	3	1	4	3	3	5	1	5	8	7	7	4	4	–	–	–
Clackmannan	9	6	7	4	6	9	10	14	14	15	8	4	2	1	–	–
Stirling	30	28	38	29	29	41	53	48	44	55	33	16	11	2	1	1
Dumbarton	24	30	12	20	13	15	34	20	35	25	16	16	4	–	–	1
Argyll	18	23	9	19	30	26	41	33	56	58	62	42	18	4	1	2
Bute	7	6	9	3	12	4	6	12	13	10	14	9	7	–	–	–
Renfrew	74	84	87	81	75	86	90	95	110	101	54	29	13	6	1	4
Ayr	70	63	73	63	68	58	88	108	122	120	88	72	20	4	–	1
Lanark	318	341	330	328	322	315	384	317	307	252	161	91	45	11	1	3
Linlithgow	10	8	15	8	9	12	17	15	22	34	9	18	4	1	–	1
Edinburgh	127	137	147	132	148	136	173	214	225	190	125	59	22	4	–	1
Haddington	6	13	11	6	12	8	14	14	24	24	18	10	2	3	–	1
Berwick	7	7	12	14	12	10	14	23	24	27	28	12	4	1	–	1
Peebles	4	4	2	1	5	3	2	6	3	5	5	2	2	–	–	–
Selkirk	3	4	5	3	4	5	6	6	8	11	3	2	–	–	–	–
Roxburgh	12	13	15	16	14	13	23	28	33	28	34	14	3	–	–	2
Dumfries	33	26	23	27	19	24	30	44	44	54	43	35	10	3	–	–
Kirkcudbright	14	13	14	12	9	18	18	30	29	29	26	16	8	2	–	–
Wigtown	10	5	7	12	17	17	19	18	25	31	31	17	4	1	–	–
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1867.—FEMALES.																
Inverness	6	8	10	10	8	8	18	12	15	16	12	4	–	2	–	2
Aberdeen	32	38	42	36	37	36	40	59	64	38	45	17	6	5	1	2
Arbroath	5	7	13	4	11	8	11	8	16	8	4	4	–	–	–	–
Dundee	62	56	55	61	65	60	72	46	58	29	29	21	6	–	–	1
Forfar	6	4	5	2	4	6	11	10	9	8	5	3	2	–	–	–
Montrose	12	8	2	6	6	13	13	12	11	10	10	3	2	–	–	–
Perth	12	14	11	6	6	14	19	15	22	16	18	9	3	–	–	–
Dunfermline	8	3	3	3	2	6	5	9	5	4	6	2	3	–	1	–
Kirkcaldy	5	3	6	3	4	8	10	9	10	5	2	1	1	–	–	–
Stirling	5	8	5	11	7	5	11	7	15	11	6	2	1	–	1	–
Greenock	29	29	28	23	19	29	30	31	30	13	11	5	3	1	–	–
Paisley	20	26	21	26	26	22	25	20	37	45	9	10	3	2	–	4
Ayr	6	6	3	10	8	6	15	15	11	20	12	5	1	–	–	–
Kilmarnock	15	11	8	10	6	10	13	10	19	13	8	9	3	–	–	–
Glasgow	220	234	235	231	244	213	260	208	195	145	85	40	22	4	–	–
Barony	16	20	26	12	13	12	29	14	15	9	16	7	–	1	–	1
Govan	15	24	12	22	6	16	19	15	15	14	5	3	5	–	–	–
Hamilton	8	1	4	8	4	5	6	13	16	9	8	–	1	2	–	–
Airdrie	3	3	4	2	12	3	4	9	2	1	2	2	–	–	–	1
Coatbridge, etc.	8	5	6	10	6	5	10	3	5	3	1	3	1	–	–	–
Edinburgh	85	95	112	92	101	108	119	140	150	127	79	33	14	1	–	–
Leith	18	22	13	16	23	13	24	29	23	12	15	4	2	2	–	–
Dumfries	10	7	11	11	8	10	6	20	10	15	12	3	1	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	69068	462	483	572	354	1283	1412	171	712	971	4043	514	5165	2408	3029	148
SPECIFIED CAUSES	65947	349	435	505	305	1070	1220	156	657	922	3862	492	5034	2305	2829	139
I. Zymotic Class	13256	37	34	98	34	155	176	14	104	202	644	86	1009	302	572	25
II. Diseases of Uncer. Seat	2408	13	14	19	15	54	54	6	26	44	193	18	234	94	127	3
III. Tubercular Class	11668	46	66	88	46	146	158	17	100	132	739	75	895	356	399	19
IV. Brain and Nervous Sys.	5458	13	36	36	14	75	92	23	61	74	373	42	418	232	244	16
V. Organs of Circulation	3380	6	9	18	8	26	47	11	27	41	229	20	299	168	206	7
VI. Respiratory Organs	10019	13	43	67	28	90	137	15	71	118	467	56	752	293	359	22
VII. Organs of Digestion	4907	17	30	30	18	52	75	14	72	81	296	50	344	173	180	9
VIII. Urinary Organs	1013	5	13	7	6	17	19	3	10	23	87	10	74	36	40	3
IX. Organs of Generation	486	8	2	4	5	18	15	1	7	5	27	5	40	24	15	1
X. Organs of Locomotion	391	2	3	1	5	5	11	–	4	6	22	6	21	12	22	–
XI. Skin, etc.	75	–	–	–	–	2	1	–	–	–	4	–	5	5	6	1
XII. Malformation	207	–	–	–	–	1	1	1	3	5	10	3	20	9	4	1
XIII. Premature Debility	3367	8	6	15	3	27	53	11	25	44	188	22	354	101	138	4
XIV. Atrophy	521	4	5	3	2	5	9	4	2	–	17	5	24	21	20	1
XV. Age	6449	154	160	105	105	363	338	31	126	135	441	74	375	384	387	23
XVI. Sudden Deaths	146	2	1	–	4	3	6	1	–	–	7	–	6	6	15	1
XVII. Violent Deaths	2196	21	13	14	12	31	28	4	19	12	118	20	164	92	95	3
I. Small Pox	100	1	–	–	–	3	2	–	1	–	2	–	18	1	1	–
Measles	1341	–	–	–	–	2	5	–	2	9	6	1	7	27	44	–
Scarlatina	2253	–	2	–	–	5	12	–	29	81	52	10	70	19	128	10
Diphtheria	610	–	11	13	8	9	10	3	5	4	64	17	43	18	48	–
Hooping Cough	1728	–	–	1	2	39	23	2	7	7	79	3	352	39	27	–
Croup	925	1	7	23	6	29	28	1	3	14	55	4	85	28	40	1
Thrush	30	1	–	–	–	–	–	–	1	2	4	–	7	1	–	–
Diarrhœa	1481	2	1	10	1	13	17	4	16	21	113	19	91	33	41	7
Dysentery	255	1	–	–	2	1	3	–	4	10	30	3	24	16	15	1
Cholera	142	–	–	–	–	–	–	–	–	–	6	2	11	2	2	–
Influenza	210	–	–	6	2	12	6	–	3	2	18	4	24	12	16	–
Purpura	49	8	1	–	–	1	1	–	1	–	2	–	2	2	3	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	27	–	1	–	1	–	1	–	–	–	1	–	2	–	–	–
Typhus	1745	17	3	12	5	10	29	2	5	23	67	6	95	27	68	2
Enteric Fever	1378	3	2	18	4	11	24	–	12	16	79	12	105	48	90	1
Relapsing Fever	40	–	–	–	–	3	–	1	–	1	–	–	3	1	2	–
Simple Cont. Fever	105	2	2	–	–	2	–	–	1	1	6	–	8	–	4	–
Infantile Remittent	119	–	–	–	1	2	1	–	–	6	7	1	6	3	5	–
Metria	163	–	1	5	–	5	2	1	3	2	6	1	13	5	9	–
Rheumatic Fever	125	–	1	5	2	3	2	–	4	–	5	–	12	5	10	2
Erysipelas	225	–	1	5	–	4	10	–	5	1	24	2	10	14	6	1
Pyæmia	34	1	–	–	–	1	–	–	1	2	2	–	–	–	4	–
Syphilis	156	–	1	–	–	–	–	–	1	–	16	1	19	1	8	–
Noma	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	–	–	–	–	1	1	–	1	–	4	–	4	4	2	–
Dropsy	711	10	6	7	6	22	22	1	4	9	28	1	101	30	30	2
Abscess	163	–	–	3	–	1	4	1	1	2	18	–	10	1	6	–
Ulcer	39	–	–	1	–	1	–	–	1	1	1	–	2	–	2	–
Fistula	12	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–
Mortification	117	–	–	–	1	1	2	–	1	1	8	2	10	5	8	–
Cancer	1288	2	8	7	8	28	24	4	18	28	128	15	106	53	78	1
Gout	15	1	–	1	–	–	–	–	–	3	4	–	1	1	–	–
III. Scrofula	620	5	2	4	–	5	9	1	4	15	57	6	36	20	20	–
Tabes Mesenterica	945	–	2	3	1	5	4	–	4	3	37	2	46	12	42	1
Phthisis	8248	39	51	64	40	128	133	15	82	95	531	51	654	281	283	14
Hydrocephalus	1855	2	11	17	5	8	12	1	10	19	114	16	159	43	54	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES.

DISEASES.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	449	1906	1332	1357	373	4700	4446	18987	840	7323	638	587	175	264	983	1474	742	765
SPECIFIED CAUSES	408	1749	1233	1168	341	4481	4295	18532	796	7249	601	567	168	262	968	1395	707	747
Zymotic Class	60	371	300	154	57	980	1049	4153	155	1552	115	112	24	52	216	188	99	127
Uncertain Seat	24	72	33	52	9	130	144	496	29	277	19	40	7	7	39	58	22	36
Tubercular Class	76	309	251	160	65	839	837	3630	133	1125	77	78	22	54	186	268	143	133
Brain, etc.	31	141	74	102	29	349	338	1364	57	693	64	56	21	20	104	144	65	57
Heart, etc.	18	95	70	69	21	206	212	671	50	485	39	49	14	26	68	83	41	41
Respiratory Organs	68	199	156	116	50	728	516	3661	125	1173	71	47	20	41	109	197	112	99
Digestive Organs	28	162	89	87	25	403	293	1410	67	475	41	46	12	16	76	117	59	60
Urinary Organs	6	21	16	23	10	31	60	199	9	187	10	12	2	4	7	34	10	19
Generative Organs	—	20	13	6	1	32	23	121	8	45	6	6	2	2	6	9	8	4
Locomotive Organs	2	9	5	9	3	33	29	99	1	55	2	3	2	2	3	11	2	1
Skin	—	—	—	1	—	7	4	19	1	16	1	—	—	—	—	—	1	1
Malformation	1	4	4	1	2	17	18	32	9	28	4	7	1	3	5	8	2	3
Premature Debility	28	103	66	30	9	221	210	1007	50	383	45	22	10	17	46	67	19	35
Atrophy	1	13	11	9	3	42	23	182	2	71	10	5	—	1	9	4	7	6
Age	51	163	97	297	44	289	366	857	67	400	78	65	24	14	74	164	98	100
Sudden Deaths	1	5	2	1	—	6	5	54	2	10	1	—	2	—	—	3	2	—
Violent Deaths	13	62	46	51	13	168	168	577	31	274	18	19	5	3	20	40	17	25
Small Pox	—	1	1	2	—	13	4	38	1	10	—	—	—	—	—	1	—	—
Measles	4	49	39	18	4	80	56	573	31	330	14	4	—	1	2	15	16	2
Scarlatina	14	23	109	30	6	193	217	820	21	227	10	24	11	18	87	12	4	9
Diphtheria	4	26	13	7	8	34	32	120	13	63	1	8	—	—	5	19	4	—
Hooping Cough	5	39	40	6	2	163	108	445	6	151	14	10	3	15	37	24	27	52
Croup	10	28	12	15	4	61	75	248	15	91	5	3	—	1	6	12	5	9
Thrush	—	—	—	2	—	2	2	5	—	3	—	—	—	—	—	—	—	—
Diarrhœa	10	35	23	20	5	89	138	489	17	172	10	15	3	7	15	27	11	6
Dysentery	—	16	2	6	2	16	14	54	4	12	3	1	—	—	1	9	2	3
Cholera	1	—	—	2	—	35	24	36	1	14	1	1	—	—	3	1	—	—
Influenza	—	13	2	4	2	6	23	28	1	9	1	3	—	—	1	2	2	8
Purpura	—	—	1	—	—	4	2	11	1	4	1	1	—	—	2	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	1	—	—	1	9	4	—	1	—	—	—	—	2	2	1	—
Typhus	4	78	25	8	14	184	125	682	14	170	23	5	—	1	14	14	4	9
Enteric Fever	5	41	20	24	5	47	142	327	20	183	20	27	5	4	28	29	9	17
Relapsing Fever	—	2	—	—	—	1	2	17	—	4	—	—	—	—	—	1	—	2
Simple Cont. Fever	—	2	3	1	—	—	16	30	1	7	—	1	—	1	2	6	7	2
Infantile Remittent	—	4	—	1	—	14	6	46	1	9	2	1	—	—	—	1	—	2
Metria	—	7	3	3	—	8	11	43	3	20	2	2	1	1	3	2	—	1
Rheumatic Fever	—	—	1	1	1	8	9	23	1	13	3	2	—	1	4	3	3	1
Erysipelas	3	4	2	2	1	12	24	53	3	25	—	1	1	—	2	4	3	2
Pyæmia	—	1	—	—	2	2	1	7	—	5	—	2	—	—	—	1	1	1
Syphilis	—	2	3	2	—	5	9	48	1	27	5	1	—	2	2	1	—	1
Noma	—	—	—	—	1	2	—	6	—	2	—	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	2	1	3	—	6	2	22	—	7	—	—	1	—	—	—	1	—
Dropsy	7	28	9	17	1	41	47	173	7	55	6	9	—	—	8	11	4	9
Abscess	—	2	4	1	—	10	4	54	1	24	2	—	1	1	5	4	2	1
Ulcer	1	3	—	1	—	3	5	6	1	5	—	1	1	—	2	—	—	1
Fistula	—	—	—	—	—	—	1	4	1	2	—	—	—	—	—	—	—	—
Mortification	1	3	5	2	1	7	6	22	4	15	1	3	1	—	2	4	1	—
Cancer	14	34	14	28	7	62	78	215	15	167	10	27	3	6	22	39	14	25
Gout	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—
Scrofula	1	20	5	7	4	36	51	162	10	81	7	5	2	4	14	11	13	3
Tabes Mesenterica	—	36	15	1	12	60	84	338	14	146	8	1	2	4	22	20	15	5
Phthisis	61	203	188	135	38	626	585	2493	71	689	51	61	16	33	113	212	101	113
Hydrocephalus	14	50	43	17	11	117	119	637	38	209	11	11	2	13	37	25	14	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	452	2	2	1	–	9	10	1	8	3	30	1	21	13	23	–
Apoplexy	1141	5	8	6	–	6	16	5	9	15	78	10	89	55	52	4
Paralysis	1671	4	16	17	4	33	33	6	22	26	118	17	118	96	103	7
Delirium Tremens	64	–	–	–	–	–	2	1	–	1	3	–	9	2	2	2
Chorea	10	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–
Epilepsy	245	–	1	1	4	5	3	2	3	6	19	1	15	11	9	–
Tetanus	38	–	–	2	–	3	5	–	–	1	2	–	3	2	2	–
Insanity	53	–	–	–	–	1	2	–	–	1	4	–	–	3	3	–
Convulsions	856	–	2	4	1	7	12	2	6	4	50	4	105	15	15	2
Brain Disease	928	2	7	5	5	10	9	6	13	17	69	9	57	33	35	1
V. Pericarditis	65	–	–	1	–	1	1	1	–	–	6	1	6	4	3	–
Aneurism	81	–	–	1	–	–	–	–	–	2	8	1	10	7	5	1
Heart Disease	3234	6	9	16	8	25	46	10	27	39	215	18	283	157	198	6
VI. Laryngitis	123	–	1	–	–	–	1	–	1	1	9	2	5	7	7	–
Bronchitis	6777	9	19	42	16	36	60	4	45	61	309	36	537	194	233	12
Pleurisy	203	–	3	1	–	5	7	1	1	8	13	–	23	8	13	–
Pneumonia	2070	1	8	14	2	20	28	7	16	40	109	14	115	71	91	7
Asthma	530	3	1	9	9	29	29	2	6	8	18	4	43	11	11	3
Lung Disease	316	–	11	1	1	–	12	1	2	–	9	–	29	2	4	–
VII. Teething	962	5	1	3	1	2	12	2	18	12	57	6	107	23	40	1
Quinsey	56	1	1	1	–	1	–	–	1	3	5	–	2	1	4	–
Gastritis	155	–	–	2	1	3	–	–	2	–	11	1	6	5	8	1
Enteritis	933	2	6	4	1	6	11	3	10	14	35	10	43	27	20	–
Peritonitis	273	1	1	1	2	3	4	–	4	7	17	–	22	15	3	1
Ascites	82	–	3	1	–	–	2	–	–	3	9	–	5	1	4	1
Ulceration of Intestines	187	–	–	1	–	–	1	–	6	10	15	2	10	7	6	1
Hernia	92	–	–	1	1	2	1	–	1	4	5	3	6	2	4	–
Ileus	297	–	1	–	1	7	7	–	4	6	39	3	20	17	13	1
Intussusception	30	–	–	1	–	–	1	–	–	2	1	1	4	–	3	–
Stricture of Intestines	32	–	–	–	–	–	–	–	1	–	2	–	–	3	2	–
Stomach Disease	773	5	13	4	5	22	20	4	8	8	45	14	48	30	32	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hepatitis	143	2	1	1	–	1	5	–	3	1	3	3	5	6	3	1
Jaundice	161	–	–	1	1	–	3	–	5	1	17	4	23	6	14	1
Liver Disease	700	1	3	9	5	4	8	5	9	8	32	3	41	30	22	–
Spleen Disease	30	–	–	–	–	1	–	–	–	1	3	–	2	–	2	1
VIII. Nephritis	87	–	–	2	–	–	3	–	–	2	1	–	4	1	4	–
Nephria	239	–	–	–	–	3	3	–	1	2	11	3	21	11	12	3
Addison's Disease	8	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–
Ischuria	57	–	–	1	–	1	1	–	1	1	6	–	2	4	4	–
Diabetes	81	–	1	1	–	2	1	–	1	1	12	2	7	3	4	–
Stone	65	3	6	1	3	2	2	1	2	3	6	–	7	2	2	–
Cystitis	170	–	1	1	1	4	2	1	4	8	17	3	9	9	5	–
Stricture of Urethra	16	–	–	–	–	–	1	–	–	–	1	–	1	2	–	–
Kidney Disease	290	2	5	1	2	4	5	1	1	6	32	2	22	4	9	–
IX. Paramenia	29	–	–	–	–	–	2	–	1	1	1	1	3	1	2	–
Ovarian Dropsy	81	–	1	–	2	–	3	1	1	–	9	–	7	3	1	–
Childbirth	321	8	1	3	3	16	8	–	4	–	14	2	27	10	9	1
Organs of Generation	55	–	–	1	–	2	2	–	1	4	3	2	3	7	3	–
X. Arthritis	78	1	–	–	–	–	–	–	1	2	4	–	5	1	3	–
Rheumatism	173	1	3	1	3	4	10	–	2	1	6	5	7	6	11	–
Joint and Bone Disease	140	–	–	–	2	1	1	–	1	3	12	1	9	5	8	–
XI. Carbuncle	18	–	–	–	–	–	–	–	–	–	1	–	1	2	3	–
Phlegmon	15	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–
Skin Disease	42	–	–	–	–	2	–	–	–	–	3	–	3	1	2	1
XVII. Intemperance	76	–	–	–	–	–	–	–	–	2	4	–	7	5	–	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	82	–	–	–	–	–	–	–	–	–	7	–	9	3	6	1
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cold	29	1	–	1	1	2	2	1	–	–	3	–	1	1	–	–
Poison	54	–	–	–	–	–	–	–	–	1	1	–	2	1	4	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	249	2	1	3	3	4	–	–	1	1	11	2	12	14	8	–
Hanging, etc.	63	–	–	–	–	–	–	–	2	–	3	1	6	4	4	–
Suffocation	139	–	2	–	–	1	–	–	2	1	8	–	10	5	5	–
Drowning	467	15	8	1	2	13	11	3	9	3	27	4	34	17	28	1
Fracture and Contusion	905	3	1	9	6	6	12	–	5	3	43	12	69	34	34	1
Gunshot Wounds	25	–	–	–	–	1	1	–	–	–	3	–	2	1	3	–
Cuts and Stabs	32	–	1	–	–	–	1	–	–	–	2	1	4	1	1	–
Other Violent Causes	72	–	–	–	–	3	1	–	–	1	6	–	8	6	1	–
Not Specified	3121	113	48	67	49	213	192	15	55	49	181	22	131	103	200	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	10	7	12	2	25	23	134	3	56	5	2	4	–	16	16	4	5
Apoplexy	11	17	17	18	9	99	74	244	12	146	18	14	3	3	23	35	28	12
Paralysis	9	43	20	41	12	92	116	324	17	206	23	16	8	7	28	49	20	20
Delirium Tremens	–	1	–	1	–	4	3	16	–	12	–	–	–	1	2	1	1	
Chorea	–	–	–	–	–	–	1	3	–	1	–	1	–	–	–	–	–	–
Epilepsy	1	4	3	7	1	10	13	60	3	39	5	2	–	1	2	8	3	3
Tetanus	–	–	–	1	–	3	5	4	1	1	1	–	–	–	–	1	1	–
Insanity	–	–	1	3	–	4	2	13	2	10	–	1	–	–	–	3	–	–
Convulsions	4	26	13	7	2	54	51	301	13	107	6	7	3	4	14	9	1	5
Brain Disease	2	40	13	12	3	58	50	265	6	115	6	13	3	5	20	21	7	11
Pericarditis	–	2	2	5	1	3	3	12	3	4	1	–	1	1	–	2	–	1
Aneurism	–	1	3	1	–	3	2	8	2	17	1	–	–	1	1	4	1	1
Heart Disease	18	92	65	63	20	200	207	651	45	464	37	49	13	24	67	77	40	39
Laryngitis	–	3	1	1	1	8	8	40	–	17	–	2	1	1	3	1	2	–
Bronchitis	46	108	114	72	28	510	357	2588	102	806	46	26	14	28	73	113	70	63
Pleurisy	–	–	4	2	2	10	12	36	2	31	2	1	–	–	2	8	3	5
Pneumonia	18	50	24	27	15	160	87	735	13	215	19	15	3	10	22	61	30	23
Asthma	4	24	9	11	4	21	38	139	4	57	4	3	1	1	8	8	6	2
Lung Disease	–	14	4	3	–	19	14	123	4	47	–	–	1	1	1	6	1	6
Teething	7	26	21	6	3	129	43	332	13	56	11	2	–	3	8	5	1	6
Quinsey	–	–	–	1	–	4	4	19	–	1	1	1	–	1	–	3	1	–
Gastritis	–	11	1	5	1	8	15	49	1	3	–	–	–	–	5	7	3	6
Enteritis	7	25	9	13	6	107	75	322	20	68	7	12	3	2	18	17	23	7
Peritonitis	2	4	2	4	1	9	23	74	6	41	2	1	1	1	5	11	4	1
Ascites	–	3	4	2	–	1	11	23	–	5	–	–	–	–	1	1	–	2
Ulceration of Intestines	2	3	6	1	1	11	12	37	2	25	3	6	1	3	6	6	–	3
Hernia	–	3	–	1	1	4	3	28	1	16	1	1	–	–	2	–	–	1
Ileus	1	7	6	6	4	8	15	67	5	34	2	5	2	–	2	10	1	3
Intussusception	1	–	1	2	–	1	–	5	1	1	–	–	–	2	1	–	–	2
Stricture of Intestines	–	3	–	2	–	2	–	5	–	7	–	1	–	–	–	3	–	1
Stomach Disease	4	34	13	15	3	44	40	186	6	93	4	9	1	3	14	19	11	16
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	3	7	2	11	8	40	1	9	4	2	1	–	1	10	3	1
Jaundice	2	8	4	3	–	12	7	27	–	12	1	–	1	–	1	2	4	1
Liver Disease	1	28	19	18	3	52	35	188	11	100	4	5	2	1	12	23	8	10
Spleen Disease	–	3	–	1	–	–	2	8	–	4	1	1	–	–	–	–	–	–
Nephritis	1	4	2	1	–	1	8	28	–	14	2	1	–	–	1	3	1	3
Nephria	1	1	2	7	1	11	13	46	2	65	3	1	–	2	–	7	3	4
Addison's Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–
Ischuria	2	1	1	3	3	1	5	7	1	9	–	1	–	–	–	–	–	2
Diabetes	–	2	1	3	1	1	5	14	–	10	–	1	2	1	1	3	–	1
Stone	–	1	1	2	–	–	4	7	–	2	–	1	–	–	–	4	1	2
Cystitis	–	7	6	1	3	4	15	23	2	24	3	4	–	1	1	7	2	2
Stricture of Urethra	–	1	–	1	–	–	–	1	–	8	–	–	–	–	–	–	–	–
Kidney Disease	2	4	3	5	2	13	10	72	4	54	2	3	–	–	3	9	3	5
Paramenia	–	–	–	–	–	–	4	7	–	2	1	–	–	–	–	1	2	–
Ovarian Dropsy	–	4	2	2	–	6	3	18	1	10	1	2	–	–	2	1	–	1
Childbirth	–	16	11	4	1	21	15	86	7	27	4	3	2	2	4	3	6	3
Organs of Generation	–	–	–	–	–	5	1	10	–	6	–	1	–	–	4	–	–	–
Arthritis	–	–	1	3	1	7	6	13	–	19	1	1	–	2	3	3	–	1
Rheumatism	–	4	2	5	1	17	14	38	1	20	1	2	2	–	–	4	2	–
Joint Disease	2	5	2	1	1	9	9	48	–	16	–	–	–	–	–	4	–	–
Carbuncle	–	–	–	–	–	1	2	3	–	3	1	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	2	1	4	–	3	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	4	1	12	1	10	–	–	–	–	–	–	–	1
Intemperance	–	1	1	5	–	1	2	27	–	16	–	1	–	–	–	2	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	9	3	23	–	14	–	1	–	1	–	3	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	1	2	–	2	3	3	–	3	–	–	–	–	–	–	1	–
Poison	1	3	1	–	–	5	6	17	2	8	–	–	–	–	–	2	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	3	9	3	2	–	17	12	87	8	31	2	1	1	–	4	3	2	2
Hanging, etc.	1	4	2	1	–	6	4	11	2	8	–	2	–	1	–	–	1	–
Suffocation	–	3	2	3	1	12	9	38	–	26	–	1	–	–	2	3	–	5
Drowning	1	15	18	29	9	41	26	96	5	21	2	3	–	–	1	9	6	9
Fracture and Contusion	5	25	16	8	3	68	94	245	13	129	11	9	3	1	13	14	5	5
Gunshot Wounds	–	1	–	–	–	1	4	3	–	4	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	1	–	1	2	5	1	5	2	–	–	–	–	3	–	1
Other Violent Causes	1	–	1	–	–	5	3	22	–	9	1	–	1	–	–	1	1	1
Not Specified	41	157	99	189	32	219	151	455	44	74	37	20	7	2	15	79	35	18

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34363	211	205	297	165	584	677	82	351	454	1960	235	2515	1210	1442	64
SPECIFIED CAUSES	32720	158	185	260	141	488	591	80	323	433	1869	220	2443	1159	1326	58
I. Zymotic Class	6530	23	11	47	13	68	83	6	54	106	319	35	483	146	270	11
II. Diseases of Uncer. Seat	867	4	5	5	7	19	25	1	14	13	71	5	77	36	44	–
III. Tubercular Class	5690	25	30	58	23	75	78	9	62	61	360	34	429	193	188	12
IV. Brain and Nervous Sys.	2922	6	17	16	8	41	58	14	30	36	193	12	230	133	114	7
V. Organs of Circulation	1702	3	5	10	2	17	22	6	13	19	105	10	137	82	96	–
VI. Respiratory Organs	5152	3	18	43	15	45	75	4	34	58	229	25	351	148	175	11
VII Organs of Digestion	2519	10	14	19	8	30	36	8	33	30	147	27	173	92	98	5
VIII. Urinary Organs	659	4	10	4	5	13	13	3	10	16	61	4	47	25	24	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	211	1	2	1	5	–	5	–	1	3	15	4	9	7	9	–
XI. Skin, etc.	44	–	–	–	–	1	–	–	–	–	1	–	4	4	4	1
XII. Malformation	123	–	–	–	–	1	–	1	2	4	5	3	14	6	2	1
XIII. Premature Debility	1937	2	1	7	2	18	35	8	15	21	109	14	203	66	72	–
XIV. Atrophy	232	1	1	–	2	3	4	2	1	–	10	2	12	10	9	–
XV. Age	2407	57	58	40	36	132	127	13	40	58	151	32	151	149	147	4
XVI. Sudden Deaths	86	–	1	–	3	2	5	1	–	–	5	–	4	3	6	1
XVII. *Violent Deaths*	1639	19	12	10	12	23	25	4	14	8	88	13	119	59	68	3
I. Small Pox	51	–	–	–	–	2	2	–	1	–	2	–	9	–	1	–
Measles	718	–	–	–	–	1	1	–	–	4	6	–	5	17	20	–
Scarlatina	1154	–	–	–	–	3	5	–	18	44	27	7	35	11	67	5
Diphtheria	312	–	3	6	2	6	3	2	2	3	34	7	24	7	24	–
Hooping Cough	769	–	–	1	1	18	7	1	4	5	37	1	151	17	14	–
Croup	495	1	4	12	2	9	17	–	2	8	33	3	43	17	14	–
Thrush	13	1	–	–	–	–	–	–	–	1	3	–	4	1	–	–
Diarrhœa	731	2	–	4	–	6	10	2	9	12	47	7	42	15	21	2
Dysentery	116	1	–	–	1	–	2	–	2	2	16	1	15	7	6	–
Cholera	72	–	–	–	–	–	–	–	–	–	2	–	7	1	–	–
Influenza	99	–	–	3	1	5	4	–	1	1	7	1	11	8	4	–
Purpura	33	8	1	–	–	–	–	–	–	–	2	–	2	1	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Typhus	881	9	1	6	3	7	11	–	3	12	31	2	53	10	29	2
Enteric Fever	645	–	1	8	2	4	14	–	8	9	42	3	46	20	48	–
Relapsing Fever	23	–	–	–	–	2	–	1	–	–	–	–	2	–	–	–
Simple Cont. Fever	50	–	–	–	–	–	–	–	–	–	1	–	5	–	3	–
Infantile Remittent	61	–	–	–	–	1	1	–	–	2	5	1	5	1	4	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	61	–	–	3	1	1	–	–	1	–	3	–	8	3	4	1
Erysipelas	126	–	–	4	–	2	5	–	3	1	11	1	7	10	2	1
Pyæmia	17	1	–	–	–	1	–	–	–	2	1	–	–	–	2	–
Syphilis	86	–	–	–	–	–	–	–	–	–	8	1	8	–	5	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	33	–	–	–	–	1	1	–	–	–	1	–	2	1	1	–
Dropsy	245	3	2	1	2	7	6	–	1	3	10	–	34	12	13	–
Abscess	76	–	–	2	–	1	2	1	1	–	7	–	4	1	4	–
Ulcer	18	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Fistula	9	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–
Mortification	62	–	–	–	1	1	1	–	1	–	6	1	5	1	4	–
Cancer	416	1	3	2	4	8	14	–	10	7	42	4	31	21	21	–
Gout	8	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–
III. Scrofula	335	3	2	2	–	3	5	1	2	6	32	5	17	11	12	–
Tabes Mesenterica	517	–	1	2	1	4	2	–	3	2	27	–	30	7	19	1
Phthisis	3810	20	33	41	20	64	66	8	50	43	237	17	290	149	131	10
Hydrocephalus	1028	2	4	13	2	4	5	–	7	10	64	12	92	26	26	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	231	1005	690	704	196	2395	2229	9609	417	3668	318	291	86	128	479	745	343	377
SPECIFIED CAUSES	207	910	637	608	176	2279	2138	9353	397	3625	296	276	82	128	471	714	324	365
Zymotic Class	27	193	154	83	30	482	514	2043	80	810	41	50	12	27	102	99	48	60
Uncertain Seat	10	21	12	17	8	47	53	179	15	98	9	14	2	1	14	23	8	10
Tubercular Class	45	152	120	87	32	391	388	1715	64	583	40	44	8	26	98	128	63	74
Brain, etc.	14	66	46	65	20	204	192	750	32	352	38	25	7	11	51	84	26	24
Heart, etc.	11	57	37	35	12	108	115	332	28	244	20	27	10	7	34	46	21	31
Respiratory Organs	39	111	74	56	23	396	279	1972	65	553	40	24	11	20	53	106	49	47
Digestive Organs	13	96	47	52	10	206	135	728	31	244	27	23	5	8	37	64	33	30
Urinary Organs	3	15	11	16	6	17	45	123	4	117	6	8	2	2	2	27	6	8
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	5	2	7	2	17	13	53	1	35	2	2	–	1	2	6	–	–
Skin	–	–	–	1	–	4	2	11	–	9	1	–	–	–	–	–	1	–
Malformation	–	3	3	–	–	9	12	20	5	17	1	3	1	2	2	5	–	1
Premature Debility	18	68	45	18	5	130	104	579	24	212	21	19	4	12	25	45	14	21
Atrophy	–	8	5	5	1	22	11	85	1	16	7	1	–	1	6	3	2	1
Age	17	60	43	119	17	108	141	292	25	145	32	20	15	7	30	56	42	43
Sudden Deaths	1	3	1	1	–	4	3	31	–	7	1	–	2	–	–	–	1	–
Violent Deaths	8	52	37	46	10	134	131	440	22	183	10	16	3	3	15	27	10	15
Small Pox	–	1	1	1	–	4	2	20	1	4	–	–	–	–	–	–	–	–
Measles	2	27	20	10	3	37	30	297	17	190	7	–	–	–	2	11	11	–
Scarlatina	7	13	59	18	1	99	118	394	14	125	5	8	5	11	42	6	1	6
Diphtheria	–	15	8	4	4	15	16	66	10	31	–	5	–	–	2	10	3	–
Hooping Cough	2	14	18	3	2	71	53	192	1	70	4	5	1	8	21	11	10	26
Croup	5	15	5	8	2	35	37	139	6	55	2	3	–	–	3	6	4	5
Thrush	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	3	16	14	12	2	43	65	248	8	101	2	5	3	3	5	18	2	2
Dysentery	–	12	1	2	1	8	4	18	3	3	2	–	–	–	–	5	1	3
Cholera	1	–	–	1	–	20	18	16	–	4	–	1	–	–	–	1	–	–
Influenza	–	8	2	2	1	4	11	13	–	6	1	1	–	–	–	1	–	3
Purpura	–	–	1	–	–	2	1	6	1	3	1	1	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	4	4	–	–	–	–	–	–	2	–	1	–
Typhus	1	41	15	5	9	97	59	354	6	88	6	2	–	1	6	5	1	6
Enteric Fever	4	23	6	13	2	26	58	145	9	87	5	14	2	3	12	18	6	7
Relapsing Fever	–	2	–	–	–	–	1	11	–	4	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	2	–	1	–	–	11	13	1	2	–	1	–	–	1	3	5	1
Infantile Remittent	–	2	–	–	–	7	2	24	–	3	2	–	–	–	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	1	4	3	10	1	4	2	2	–	–	3	2	2	–
Erysipelas	2	1	1	1	1	4	15	35	1	14	–	–	1	–	1	2	–	–
Pyæmia	–	–	–	–	1	2	–	5	–	–	1	–	–	–	–	–	1	–
Syphilis	–	1	2	1	–	3	6	30	1	15	2	1	–	1	1	–	–	–
Noma	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	–	2	–	2	1	11	–	5	–	–	1	–	–	–	1	–
Dropsy	4	5	3	4	–	14	19	69	4	14	2	4	–	–	4	2	1	2
Abscess	–	2	2	1	–	6	1	23	1	10	1	–	–	–	3	1	1	1
Ulcer	1	2	–	1	–	2	1	3	–	3	–	–	–	–	1	–	–	1
Fistula	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Mortification	1	1	3	–	1	3	2	11	3	9	1	3	–	–	–	3	–	–
Cancer	3	9	4	9	7	19	28	59	7	55	5	7	1	1	6	17	5	6
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	1	15	4	–	2	17	25	90	4	48	6	2	–	1	8	5	4	2
Tabes Mesenterica	–	19	5	–	7	30	43	182	9	82	7	–	–	2	11	8	10	3
Phthisis	35	89	87	76	16	289	247	1086	34	344	23	35	6	16	52	103	42	61
Hydrocephalus	9	29	24	11	7	55	73	357	17	109	4	7	2	7	27	7	7	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	252	–	2	1	–	7	6	1	6	1	10	–	12	7	10	–
Apoplexy	617	3	3	4	–	3	9	3	5	9	49	2	50	33	21	3
Paralysis	833	2	7	4	1	18	16	3	9	13	58	4	65	50	45	3
Delirium Tremens	53	–	–	–	–	–	2	1	–	1	3	–	8	2	2	1
Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	122	–	–	1	3	3	2	–	–	3	10	–	4	8	1	–
Tetanus	25	–	–	1	–	1	3	–	–	1	1	–	2	1	1	–
Insanity	26	–	–	–	–	–	1	–	–	–	3	–	–	2	2	–
Convulsions	474	–	1	2	1	4	11	2	5	1	25	1	58	7	9	–
Brain Disease	518	1	4	3	3	5	8	4	5	7	34	5	31	22	23	–
V. Pericarditis	37	–	–	1	–	1	1	1	–	–	2	1	2	3	–	–
Aneurism	65	–	–	–	–	–	–	–	–	2	4	1	8	5	4	–
Heart Disease	1600	3	5	9	2	16	21	5	13	17	99	8	127	74	92	–
VI. Laryngitis	63	–	–	–	–	–	1	–	1	1	7	1	2	3	4	–
Bronchitis	3311	3	8	24	10	13	39	1	19	26	141	12	237	92	107	6
Pleurisy	129	–	2	1	–	3	4	–	1	6	7	–	15	4	7	–
Pneumonia	1186	–	2	10	1	15	16	2	11	22	64	10	68	43	46	3
Asthma	280	–	1	7	4	14	10	1	–	3	5	2	16	6	8	2
Lung Disease	183	–	5	1	–	–	5	–	2	–	5	–	13	–	3	–
VII. Teething	502	3	–	2	–	2	8	2	7	5	24	5	56	15	23	1
Quinsey	25	–	–	1	–	–	–	–	–	2	–	–	1	1	3	–
Gastritis	68	–	–	2	–	–	–	–	–	–	5	1	4	3	4	1
Enteritis	492	1	2	2	1	4	4	1	6	6	17	3	26	13	11	–
Peritonitis	128	1	1	1	–	–	2	–	2	2	9	–	5	10	1	1
Ascites	33	–	3	–	–	–	–	–	–	–	4	–	–	–	1	–
Ulceration of Intestines	92	–	–	–	–	–	–	–	2	3	8	1	4	3	3	–
Hernia	49	–	–	1	1	–	1	–	–	1	1	1	5	–	2	–
Ileus	158	–	–	–	–	5	4	–	1	2	21	1	13	9	8	–
Intussusception	19	–	–	1	–	–	–	–	–	1	–	1	3	–	2	–
Stricture of Intestines	22	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–
Stomach Disease	390	3	7	2	3	14	11	1	6	3	24	10	24	19	13	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hepatitis	71	2	1	1	–	1	1	–	1	–	2	1	4	3	3	1
Jaundice	92	–	–	1	–	–	1	–	2	1	9	2	14	4	9	1
Liver Disease	364	–	–	5	3	3	4	4	5	3	19	1	14	12	12	–
Spleen Disease	13	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–
VIII. Nephritis	48	–	–	–	–	–	2	–	–	1	–	–	3	–	2	–
Nephria	136	–	–	–	–	2	–	–	1	1	6	2	13	6	9	2
Addison's Disease	5	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ischuria	40	–	–	–	–	1	1	–	1	1	6	–	2	3	3	–
Diabetes	50	–	1	1	–	1	1	–	1	–	10	–	5	1	3	–
Stone	57	2	6	1	2	2	2	1	2	3	6	–	7	2	2	–
Cystitis	154	–	1	1	1	3	2	1	4	8	15	2	6	8	4	–
Stricture of Urethra	16	–	–	–	–	–	1	–	–	–	1	–	1	2	–	–
Kidney Disease	153	2	2	1	2	3	3	1	1	2	17	–	10	3	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	48	1	–	–	–	–	1	–	–	1	4	–	4	–	1	–
Rheumatism	75	–	2	1	3	–	5	–	1	–	3	4	2	2	2	–
Joint and Bone Disease	88	–	–	–	2	–	–	–	–	2	8	–	3	5	6	–
XI. Carbuncle	11	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Skin Disease	26	–	–	–	–	1	–	–	–	–	1	–	3	1	1	1
XVII. Intemperance	47	–	–	–	–	–	–	–	–	1	4	–	4	3	–	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	43	–	–	–	–	–	–	–	–	–	2	–	5	1	1	1
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cold	24	1	–	1	1	2	2	1	–	–	2	–	1	–	–	–
Poison	27	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	132	1	1	2	3	2	–	–	–	1	3	–	7	5	5	–
Hanging, etc.	44	–	–	–	–	–	–	–	2	–	2	1	1	4	1	–
Suffocation	71	–	2	–	–	1	–	–	1	1	5	–	2	4	2	–
Drowning	403	15	7	1	2	9	10	3	8	3	26	3	29	13	23	1
Fracture and Contusion	761	2	1	6	6	5	11	–	3	2	36	9	60	27	29	1
Gunshot Wounds	20	–	–	–	–	1	–	–	–	–	3	–	2	1	2	–
Cuts and Stabs	21	–	1	–	–	–	1	–	–	–	2	–	1	–	1	–
Other Violent Causes	43	–	–	–	–	2	1	–	–	–	3	–	6	1	1	–
Not Specified	1643	53	20	37	24	96	86	2	28	21	91	15	72	51	116	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	5	6	11	1	11	12	85	2	30	1	2	–	–	7	9	1	4
Apoplexy	4	7	10	10	7	64	43	131	1	72	12	8	1	2	13	18	12	5
Paralysis	4	18	12	24	7	46	63	167	8	99	14	8	1	4	13	29	9	9
Delirium Tremens	–	1	–	1	–	4	2	13	–	10	–	–	–	–	1	–	1	–
Chorea	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	3	–	6	6	34	2	17	2	1	–	1	2	6	–	2
Tetanus	–	–	–	1	–	2	4	4	1	1	–	–	–	–	–	1	–	–
Insanity	–	–	1	1	–	1	–	5	2	6	–	–	–	–	–	2	–	–
Convulsions	2	10	7	4	2	33	34	160	10	60	4	3	2	2	7	5	–	2
Brain Disease	1	23	8	10	3	37	27	151	6	58	4	3	3	2	8	14	3	2
Pericarditis	–	2	1	2	1	2	2	7	3	3	–	–	–	–	–	1	–	1
Aneurism	–	1	3	–	–	3	2	6	2	16	1	–	–	–	1	4	1	1
Heart Disease	11	54	33	33	11	103	111	319	23	225	19	27	10	7	33	41	20	29
Laryngitis	–	–	1	1	1	6	2	22	–	6	–	–	–	1	2	1	–	–
Bronchitis	23	56	46	30	11	269	183	1342	47	358	31	11	7	11	33	56	31	28
Pleurisy	–	–	4	2	–	5	8	25	1	22	–	1	–	–	–	6	2	3
Pneumonia	13	29	16	17	8	93	50	427	12	110	7	10	3	7	12	34	13	12
Asthma	3	18	4	4	3	10	26	84	2	30	2	2	–	–	5	5	3	–
Lung Disease	–	8	3	2	–	13	10	72	3	27	–	–	1	1	1	4	–	4
Teething	3	16	12	2	2	72	15	169	5	38	8	–	–	–	2	2	–	3
Quinsey	–	–	–	–	–	3	1	9	–	–	1	1	–	1	–	–	1	–
Gastritis	–	6	–	4	–	7	6	14	1	–	–	–	–	–	2	3	2	3
Enteritis	4	16	4	8	3	53	35	180	13	36	4	7	1	1	12	6	9	3
Peritonitis	2	3	1	1	1	5	10	35	2	18	1	–	–	1	3	5	4	1
Ascites	–	1	1	1	–	1	4	12	–	2	–	–	–	–	1	–	–	2
Ulceration of Intestines	–	3	3	–	1	4	6	23	1	9	2	3	–	2	3	6	–	2
Hernia	–	2	–	1	1	1	2	17	–	9	1	–	–	–	1	–	–	1
Ileus	–	2	3	4	–	4	11	37	1	19	2	4	1	–	1	5	–	–
Intussusception	1	–	–	1	–	1	–	4	1	–	–	–	–	1	–	–	–	2
Stricture of Intestines	–	3	–	–	–	2	–	3	–	6	–	–	–	–	–	3	–	–
Stomach Disease	–	18	6	10	1	20	15	96	3	42	2	4	–	1	9	11	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	2	4	–	5	3	15	1	6	1	–	–	–	–	7	2	–
Jaundice	1	4	3	3	–	4	6	13	–	7	–	–	1	–	–	2	3	1
Liver Disease	1	17	12	12	1	24	20	100	3	50	4	3	2	1	3	14	6	6
Spleen Disease	–	2	–	1	–	–	1	1	–	2	1	1	–	–	–	–	–	–
Nephritis	1	3	1	–	–	1	5	17	–	8	1	1	–	–	–	1	–	1
Nephria	–	1	2	4	–	6	9	30	–	35	–	1	–	–	–	5	1	–
Addison's Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–
Ischuria	1	1	–	3	2	1	4	3	–	5	–	–	–	–	–	–	–	2
Diabetes	–	–	–	2	1	1	3	8	–	5	–	–	2	1	–	2	–	1
Stone	–	–	–	1	–	–	3	7	–	2	–	1	–	–	–	4	1	–
Cystitis	–	6	5	1	3	4	15	21	2	22	3	4	–	1	1	7	1	2
Stricture of Urethra	–	1	–	1	–	–	–	1	–	8	–	–	–	–	–	–	–	–
Kidney Disease	1	3	3	4	–	4	6	35	2	31	2	1	–	–	1	7	3	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	3	1	4	3	5	–	13	1	1	–	1	2	2	–	–
Rheumatism	–	2	–	4	1	6	4	18	1	10	1	1	–	–	–	2	–	–
Joint Disease	1	3	1	–	–	7	6	30	–	12	–	–	–	–	–	2	–	–
Carbuncle	–	–	–	–	–	–	1	2	–	2	1	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	3	1	7	–	6	–	–	–	–	–	–	–	–
Intemperance	–	1	1	5	–	1	2	17	–	5	–	1	–	–	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	6	1	14	–	6	–	1	–	1	–	2	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	1	2	–	1	2	3	–	3	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	2	5	9	–	5	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	1	9	1	1	–	11	7	50	5	13	–	–	1	–	2	–	–	1
Hanging, etc.	1	3	1	–	–	5	3	9	1	6	–	2	–	1	–	–	1	–
Suffocation	–	2	–	1	1	5	4	23	–	11	–	1	–	–	2	1	–	2
Drowning	1	14	16	29	8	36	21	82	3	17	1	3	–	–	–	8	3	8
Fracture and Contusion	3	20	15	8	1	61	81	210	12	106	6	7	2	1	11	12	5	2
Gunshot Wounds	–	1	–	–	–	1	3	2	–	4	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	1	–	4	1	4	2	–	–	–	–	2	–	1
Other Violent Causes	1	–	–	–	–	4	2	17	–	3	1	–	–	–	–	–	–	1
Not Specified	24	95	53	96	20	116	91	256	20	43	22	15	4	–	8	31	19	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34705	251	278	275	189	699	735	89	361	517	2083	279	2650	1198	1587	84
SPECIFIED CAUSES	33227	191	250	245	164	582	629	76	334	489	1993	272	2591	1146	1503	81
I. Zymotic Class	6726	14	23	51	21	87	93	8	50	96	325	51	526	156	302	14
II. Diseases of Uncer. Seat	1541	9	9	14	8	35	29	5	12	31	122	13	157	58	83	3
III. Tubercular Class	5978	21	36	30	23	71	80	8	38	71	379	41	466	163	211	7
IV. Brain and Nervous Sys.	2536	7	19	20	6	34	34	9	31	38	180	30	188	99	130	9
V. Organs of Circulation	1678	3	4	8	6	9	25	5	14	22	124	10	162	86	110	7
VI. Respiratory Organs	4867	10	25	24	13	45	62	11	37	60	238	31	401	145	184	11
VII. Organs of Digestion	2388	7	16	11	10	22	39	6	39	51	149	23	171	81	82	4
VIII. Urinary Organs	354	1	3	3	1	4	6	–	–	7	26	6	27	11	16	1
IX. Organs of Generation	486	8	2	4	5	18	15	1	7	5	27	5	40	21	15	1
X. Organs of Locomotion	180	1	1	–	–	5	6	–	3	3	7	2	12	5	13	–
XI. Skin, etc.	31	–	–	–	–	1	1	–	–	–	3	–	1	1	2	–
XII. Malformation	84	–	–	–	–	–	1	–	1	1	5	–	6	3	2	–
XIII. Premature Debility	1430	6	5	8	1	9	18	3	10	23	79	8	151	35	66	4
XIV. Atrophy	289	3	4	3	–	2	5	2	1	–	7	3	12	11	11	1
XV. Age	4042	97	102	65	69	231	211	18	86	77	290	42	224	235	240	19
XVI. Sudden Deaths	60	2	–	–	1	1	1	–	–	–	2	–	2	3	9	–
XVII. Violent Deaths	557	2	1	4	–	8	3	–	5	4	30	7	45	33	27	–
I. Small Pox	49	1	–	–	–	1	–	–	–	–	–	–	9	1	–	–
Measles	623	–	–	–	–	1	4	–	2	5	–	1	2	10	24	–
Scarlatina	1099	–	2	–	–	2	7	–	11	37	25	3	35	8	61	5
Diphtheria	298	–	8	7	6	3	7	1	3	1	30	10	19	11	24	–
Hooping Cough	959	–	–	–	1	21	16	1	3	2	42	2	201	22	13	–
Croup	430	–	3	11	4	20	11	1	1	6	22	1	42	11	26	1
Thrush	17	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–
Diarrhœa	750	–	1	6	1	7	7	2	7	9	66	12	49	18	20	5
Dysentery	139	–	–	–	1	1	1	–	2	8	14	2	9	9	9	1
Cholera	70	–	–	–	–	–	–	–	–	–	4	2	4	1	2	–
Influenza	111	–	–	3	1	7	2	–	2	1	11	3	13	4	12	–
Purpura	16	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	13	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–
Typhus	864	8	2	6	2	3	18	2	2	11	36	4	42	17	39	–
Enteric Fever	733	3	1	10	2	7	10	–	4	7	37	9	59	28	42	1
Relapsing Fever	17	–	–	–	–	1	–	–	–	1	–	–	1	1	2	–
Simple Cont. Fever	55	2	2	–	–	2	–	–	1	1	5	–	3	–	1	–
Infantile Remittent	58	–	–	–	1	1	–	–	–	4	2	–	1	2	1	–
Metria	163	–	1	5	–	5	2	1	3	2	6	1	13	5	9	–
Rheumatic Fever	64	–	1	2	1	2	2	–	3	–	2	–	4	2	6	1
Erysipelas	99	–	1	1	–	2	5	–	2	–	13	1	3	4	4	–
Pyæmia	17	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–
Syphilis	70	–	1	–	–	–	–	–	1	–	8	–	11	1	3	–
Noma	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	–	–	–	–	–	–	–	1	–	3	–	2	3	1	–
Dropsy	466	7	4	6	4	15	16	1	3	6	18	1	67	18	17	2
Abscess	87	–	–	1	–	–	2	–	–	2	11	–	6	–	2	–
Ulcer	21	–	–	1	–	–	–	–	–	1	–	–	2	–	2	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	55	–	–	–	–	–	1	–	–	1	2	1	5	4	4	–
Cancer	872	1	5	5	4	20	10	4	8	21	86	11	75	32	57	1
Gout	7	1	–	1	–	–	–	–	–	–	2	–	–	1	–	–
III. Scrofula	285	2	–	2	–	2	4	–	2	9	25	1	19	9	8	–
Tabes Mesenterica	428	–	1	1	–	1	2	–	1	1	10	2	16	5	23	–
Phthisis	4438	19	28	23	20	64	67	7	32	52	294	34	364	132	152	4
Hydrocephalus	827	–	7	4	3	4	7	1	3	9	50	4	67	17	28	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	218	901	642	653	177	2305	2217	9378	423	3655	320	296	89	136	504	729	399	388
SPECIFIED CAUSES	201	839	596	560	165	2202	2157	9179	399	3624	305	291	86	134	497	681	383	382
Zymotic Class	33	178	146	71	27	498	535	2110	75	742	74	62	12	25	114	89	51	67
Uncertain Seat	14	51	21	35	1	83	91	317	14	179	10	26	5	6	25	35	14	26
Tubercular Class	31	157	131	73	33	448	449	1915	69	542	37	34	14	28	88	145	80	59
Brain, etc.	17	75	28	37	9	145	146	614	25	341	26	31	14	9	53	60	39	33
Heart, etc.	7	38	33	34	9	98	97	339	22	241	19	22	4	19	34	37	20	10
Respiratory Organs	29	88	82	60	27	332	237	1689	60	620	31	23	9	21	56	91	63	52
Digestive Organs	15	66	42	35	15	197	158	682	36	231	14	23	7	8	39	53	26	30
Urinary Organs	3	6	5	7	4	14	15	76	5	70	4	4	–	2	5	7	4	11
Generative Organs	–	20	13	6	1	32	23	121	8	45	6	6	2	2	6	9	8	4
Locomotive Organs	1	4	3	2	1	16	16	46	–	20	–	1	2	1	1	5	2	1
Skin	–	–	–	–	–	3	2	8	1	7	–	–	–	–	–	–	–	1
Malformation	1	1	1	1	2	8	6	12	4	11	3	4	–	1	3	3	2	2
Premature Debility	10	35	21	12	4	91	106	428	26	171	24	3	6	5	21	22	5	14
Atrophy	1	5	6	4	2	20	12	97	1	55	3	4	–	–	3	1	5	5
Age	34	103	54	178	27	181	225	565	42	255	46	45	9	7	44	108	56	57
Sudden Deaths	–	2	1	–	–	2	2	23	2	3	–	–	–	–	–	3	1	–
Violent Deaths	5	10	9	5	3	34	37	137	9	91	8	3	2	–	5	13	7	10
Small Pox	–	–	–	1	–	9	2	18	–	6	–	–	–	–	–	1	–	–
Measles	2	22	19	8	1	43	26	276	14	140	7	4	–	1	–	4	5	2
Scarlatina	7	10	50	12	5	94	99	426	7	102	5	16	6	7	45	6	3	3
Diphtheria	4	11	5	3	4	19	16	54	3	32	1	3	–	–	3	9	1	–
Hooping Cough	3	25	22	3	–	92	55	253	5	81	10	5	2	7	16	13	17	26
Croup	5	13	7	7	2	26	38	109	9	36	3	–	–	1	3	6	1	4
Thrush	–	–	–	2	–	1	2	4	–	2	–	–	–	–	–	–	–	–
Diarrhœa	7	19	9	8	3	46	73	241	9	71	8	10	–	4	10	9	9	4
Dysentery	–	4	1	4	1	8	10	36	1	9	1	1	–	–	1	4	1	–
Cholera	–	–	–	1	–	15	6	20	1	10	1	–	–	–	3	–	–	–
Influenza	–	5	–	2	1	2	12	15	1	3	–	2	–	–	1	1	2	5
Purpura	–	–	–	–	–	2	1	5	–	1	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	1	–	–	1	5	–	–	1	–	–	–	–	–	2	–	–
Typhus	3	37	10	3	5	87	66	328	8	82	17	3	–	8	9	3	3	3
Enteric Fever	1	18	14	11	3	21	84	182	11	96	15	13	3	1	16	11	3	10
Relapsing Fever	–	–	–	–	–	1	1	6	–	–	–	–	–	–	–	1	–	2
Simple Cont. Fever	–	–	3	–	–	–	5	17	–	5	–	–	–	1	1	3	2	1
Infantile Remittent	–	2	–	1	–	7	4	22	1	6	–	1	–	–	–	1	–	1
Metria	–	7	3	3	–	8	11	43	3	20	2	2	1	1	3	2	–	1
Rheumatic Fever	–	–	–	–	–	4	6	13	–	9	1	–	–	1	1	1	1	1
Erysipelas	1	3	1	1	–	8	9	18	2	11	–	1	–	–	1	2	3	2
Pyæmia	–	1	–	–	1	–	1	2	–	5	–	1	–	–	–	1	–	1
Syphilis	–	1	1	1	–	2	3	18	–	12	3	–	–	1	1	1	–	1
Noma	–	–	–	–	1	2	–	4	–	2	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	4	1	11	–	2	–	–	–	–	–	–	–	–
Dropsy	3	23	6	13	1	27	28	104	3	41	4	5	–	–	4	9	3	7
Abscess	–	–	2	–	–	4	3	31	–	14	1	–	1	1	2	3	1	–
Ulcer	–	1	–	–	–	1	4	3	1	2	–	1	1	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Mortification	–	2	2	2	–	4	4	11	1	6	–	–	1	–	2	1	1	–
Cancer	11	25	10	19	–	43	50	156	8	112	5	20	2	5	16	22	9	19
Gout	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	5	1	7	2	19	26	72	6	33	1	3	2	3	6	6	9	1
Tabes Mesenterica	–	17	10	1	5	30	41	156	5	64	1	1	2	2	11	12	5	2
Phthisis	26	114	101	59	22	337	336	1407	37	345	28	26	10	17	61	109	59	52
Hydrocephalus	5	21	19	6	4	62	46	280	21	100	7	4	–	6	10	18	7	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1867.—FEMALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	200	2	–	–	–	2	4	–	2	2	20	1	9	6	13	–
Apoplexy	524	2	5	2	–	3	7	2	4	6	29	8	39	22	31	1
Paralysis	838	2	9	13	3	15	17	3	13	13	60	13	53	46	58	4
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Chorea	8	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Epilepsy	123	–	1	–	1	2	1	2	3	3	9	1	11	3	8	–
Tetanus	13	–	–	1	–	2	2	–	–	–	1	–	1	1	1	–
Insanity	27	–	–	–	–	1	1	–	–	1	1	–	–	1	1	–
Convulsions	382	–	1	2	–	3	1	–	1	3	25	3	47	8	6	2
Brain Disease	410	1	3	2	2	5	1	2	8	10	35	4	26	11	12	1
V. Pericarditis	28	–	–	–	–	–	–	–	–	–	4	–	4	1	3	–
Aneurism	16	–	–	1	–	–	–	–	–	–	4	–	2	2	1	1
Heart Disease	1634	3	4	7	6	9	25	5	14	22	116	10	156	83	106	6
VI. Laryngitis	60	–	1	–	–	–	–	–	–	–	2	1	3	4	3	–
Bronchitis	3466	6	11	18	6	23	21	3	26	35	168	24	300	102	126	6
Pleurisy	74	–	1	–	–	2	3	1	–	2	6	–	8	4	6	–
Pneumonia	884	1	6	4	1	5	12	5	5	18	45	4	47	28	45	4
Asthma	250	3	–	2	5	15	19	1	6	5	13	2	27	5	3	1
Lung Disease	133	–	6	–	1	–	7	1	–	–	4	–	16	2	1	–
VII. Teething	460	2	1	1	1	–	4	–	11	7	33	1	51	8	17	–
Quinsey	31	1	1	–	–	1	–	–	1	1	5	–	1	–	1	–
Gastritis	87	–	–	–	1	3	–	–	2	–	6	–	2	2	4	–
Enteritis	441	1	4	2	–	2	7	2	4	8	18	7	17	14	9	–
Peritonitis	145	–	–	–	2	3	2	–	2	5	8	–	17	5	2	–
Ascites	49	–	–	1	–	–	2	–	–	3	5	–	5	1	3	1
Ulceration of Intestines	95	–	–	1	–	–	1	–	4	7	7	1	6	4	3	1
Hernia	43	–	–	–	–	2	–	–	1	3	4	2	1	2	2	–
Ileus	139	–	1	–	1	2	3	–	3	4	18	2	7	8	5	1
Intussusception	11	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–
Stricture of Intestines	10	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Stomach Disease	383	2	6	2	2	8	9	3	2	5	21	4	24	11	19	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	72	–	–	–	–	–	4	–	2	1	1	2	1	3	–	–
Jaundice	69	–	–	–	1	–	2	–	3	–	8	2	9	2	5	–
Liver Disease	336	1	3	4	2	1	4	1	4	5	13	2	27	18	10	–
Spleen Disease	17	–	–	–	–	–	–	–	–	1	1	–	2	–	1	1
VIII. Nephritis	39	–	–	2	–	–	1	–	–	1	1	–	1	1	2	–
Nephria	103	–	–	–	–	1	3	–	–	1	5	1	8	5	3	1
Addison's Disease	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Ischuria	17	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–
Diabetes	31	–	–	–	–	1	–	–	–	1	2	2	2	2	1	–
Stone	8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	1	–	–	–	–	2	1	3	1	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	137	–	3	–	–	1	2	–	–	4	15	2	12	1	8	–
IX. Paramenia	29	–	–	–	–	–	2	–	1	1	1	1	3	1	2	–
Ovarian Dropsy	81	–	1	–	2	–	3	1	1	–	9	–	7	3	1	–
Childbirth	321	8	1	3	3	16	8	–	4	–	14	2	27	10	9	1
Organs of Generation	55	–	–	1	–	2	2	–	1	4	3	2	3	7	3	–
X. Arthritis	30	–	–	–	–	–	–	–	1	1	–	–	1	1	2	–
Rheumatism	98	1	1	–	–	4	5	–	1	1	3	1	5	4	9	–
Joint and Bone Disease	52	–	–	–	–	1	1	–	1	1	4	1	6	–	2	–
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Phlegmon	8	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Skin Disease	16	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	1	–	–	3	2	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	39	–	–	–	–	–	–	–	–	–	5	–	4	2	5	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Poison	27	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	117	1	–	1	–	2	–	–	1	–	8	2	5	9	3	–
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	5	–	3	–
Suffocation	68	–	–	–	–	–	–	–	1	–	3	–	8	1	3	–
Drowning	64	–	1	–	–	4	1	–	1	–	1	1	5	4	5	–
Fracture and Contusion	144	1	–	3	–	1	1	–	2	1	7	3	9	7	5	–
Gunshot Wounds	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Cuts and Stabs	11	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–
Other Violent Causes	29	–	–	–	–	1	–	–	–	1	3	–	2	5	–	–
Not Specified	1478	60	28	30	25	117	106	13	27	28	90	7	59	52	84	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	5	1	1	1	14	11	49	1	26	4	–	4	–	9	7	3	1
Apoplexy	7	10	7	8	2	35	31	113	11	74	6	6	2	1	10	17	16	7
Paralysis	5	25	8	17	5	46	53	157	9	107	9	8	7	3	15	20	11	11
Delirium Tremens	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	2	–	1
Chorea	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–
Epilepsy	–	2	1	4	1	4	7	26	1	22	3	1	–	–	–	2	3	1
Tetanus	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–
Insanity	–	–	–	2	–	3	2	8	–	4	–	1	–	–	–	1	–	–
Convulsions	2	16	6	3	–	21	17	141	3	47	2	4	1	2	7	4	1	3
Brain Disease	1	17	5	2	–	21	23	114	–	57	2	10	–	3	12	7	4	9
Pericarditis	–	–	1	3	–	1	1	5	–	1	1	–	1	1	–	1	–	–
Aneurism	–	–	–	1	–	–	–	2	–	1	–	–	–	1	–	–	–	–
Heart Disease	7	38	32	30	9	97	96	332	22	239	18	22	3	17	34	36	20	10
Laryngitis	–	3	–	–	–	2	6	18	–	11	–	2	1	–	1	–	2	–
Bronchitis	23	52	68	42	17	241	174	1246	55	448	15	15	7	17	40	57	39	35
Pleurisy	–	–	–	–	2	5	4	11	1	9	2	–	–	–	2	2	1	2
Pneumonia	5	21	8	10	7	67	37	368	1	105	12	5	–	3	10	27	17	11
Asthma	1	6	5	7	1	11	12	55	2	27	2	1	1	1	3	3	3	2
Lung Disease	–	6	1	1	–	6	4	51	1	20	–	–	–	–	–	2	1	2
Teething	4	10	9	4	1	57	28	163	8	18	3	2	–	3	6	3	1	3
Quinsey	–	–	–	1	–	1	3	10	–	1	–	–	–	–	–	3	–	–
Gastritis	–	5	1	1	1	1	9	35	–	3	–	–	–	–	3	4	1	3
Enteritis	3	9	5	5	3	54	40	142	7	32	3	5	2	1	6	11	14	4
Peritonitis	–	1	1	3	–	4	13	39	4	23	1	1	1	–	2	6	–	–
Ascites	–	2	3	1	–	–	7	11	–	3	–	–	–	–	–	1	–	–
Ulceration of Intestines	2	–	3	1	–	7	6	14	1	16	1	3	1	1	3	–	–	1
Hernia	–	1	–	–	–	3	1	11	1	7	–	1	–	–	1	–	–	–
Ileus	1	5	3	2	4	4	4	30	4	15	–	1	1	–	1	5	1	3
Intussusception	–	–	1	1	–	–	–	1	–	1	–	–	–	1	1	–	–	–
Stricture of Intestines	–	–	–	2	–	–	–	2	–	1	–	1	–	–	–	–	–	1
Stomach Disease	4	16	7	5	2	24	25	90	3	51	2	5	1	2	5	8	5	10
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	3	2	6	5	25	–	3	3	2	1	–	1	3	1	1
Jaundice	1	4	1	–	–	8	1	14	–	5	1	–	–	–	1	–	1	–
Liver Disease	–	11	7	6	2	28	15	88	8	50	–	2	–	–	9	9	2	4
Spleen Disease	–	1	–	–	–	–	1	7	–	2	–	–	–	–	–	–	–	–
Nephritis	–	1	1	1	–	–	3	11	–	6	1	–	–	–	1	2	1	2
Nephria	1	–	–	3	1	5	4	16	2	30	3	–	–	2	–	2	2	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	1	–	1	–	1	–	1	4	1	4	–	1	–	–	–	–	–	–
Diabetes	–	2	1	1	–	–	2	6	–	5	–	1	–	–	1	1	–	–
Stone	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2
Cystitis	–	1	1	–	–	–	–	2	–	2	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	1	2	9	4	37	2	23	–	2	–	2	2	–	–	3
Paramenia	–	–	–	–	–	–	4	7	–	2	1	–	–	–	–	1	2	–
Ovarian Dropsy	–	4	2	2	–	6	3	18	1	10	1	2	–	2	1	–	1	
Childbirth	–	16	11	4	1	21	15	86	7	27	4	3	2	2	4	3	6	3
Organs of Generation	–	–	–	–	–	5	1	10	–	6	–	1	–	–	–	4	–	–
Arthritis	–	–	–	–	–	3	3	8	–	6	–	–	–	1	1	1	–	1
Rheumatism	–	2	2	1	–	11	10	20	–	10	–	1	2	–	–	2	2	–
Joint Disease	1	2	1	1	1	2	3	18	–	4	–	–	–	–	–	2	–	–
Carbuncle	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	5	1	4	–	–	–	–	–	–	–	1
Intemperance	–	–	–	–	–	–	–	10	–	11	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	3	2	9	–	8	–	–	–	–	–	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Poison	1	2	–	–	–	3	1	8	2	3	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	2	1	–	6	5	37	3	18	2	1	–	–	2	3	2	1
Hanging, etc.	–	1	1	1	–	1	1	2	1	2	–	–	–	–	–	–	–	–
Suffocation	–	1	2	2	–	7	5	15	–	15	–	–	–	–	–	2	–	3
Drowning	–	1	2	–	1	5	5	14	2	4	1	–	–	–	1	1	3	1
Fracture and Contusion	2	5	1	–	2	7	13	35	1	23	5	2	1	–	2	2	–	3
Gunshot Wounds	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	1	–	–
Other Violent Causes	–	–	1	–	–	1	1	5	–	6	–	–	1	–	–	1	1	–
Not Specified	17	62	46	93	12	103	60	199	24	31	15	5	3	2	7	48	16	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	12578	851	979	4765	2951	1824	1335	1433	1064	569
SPECIFIED CAUSES	12407	830	957	4744	2891	1809	1300	1370	1052	559
I. Zymotic Class	2722	155	256	1010	615	274	311	269	267	68
II. Diseases of Uncertain Seat	324	26	20	184	136	86	49	33	49	19
III. Tubercular Class	2491	165	193	771	554	403	222	263	159	110
IV. Brain and Nervous System	869	72	117	457	226	180	123	118	105	67
V. Organs of Circulation	481	19	18	307	148	99	42	95	58	36
VI. Respiratory Organs	2719	134	134	771	460	245	182	231	167	81
VII. Organs of Digestion	921	49	70	284	179	136	111	108	63	34
VIII. Urinary Organs	133	10	5	138	40	40	6	7	23	8
IX. Organs of Generation	79	6	11	31	24	10	12	12	2	6
X. Organs of Locomotion	61	4	7	38	11	9	14	8	7	4
XI. Skin, etc.	15	1	–	7	3	2	1	4	–	3
XII. Malformation	20	–	1	17	10	5	1	8	–	1
XIII. Premature Debility	654	55	45	242	224	107	73	66	55	35
XIV. Atrophy	105	20	13	51	16	14	14	10	12	9
XV. Age	433	86	42	247	152	137	104	59	44	63
XVI. Sudden Deaths	41	1	1	3	5	3	4	–	4	–
XVII. Violent Deaths	339	27	24	186	88	59	31	79	37	15
I. Small Pox	32	4	1	5	16	2	–	4	1	–
Measles	388	35	6	224	6	2	27	22	59	17
Scarlatina	484	28	104	144	64	14	50	46	58	2
Diphtheria	75	5	7	37	18	7	5	13	5	–
Hooping Cough	331	6	44	113	258	42	78	25	24	10
Croup	159	4	17	53	47	15	14	19	19	6
Thrush	4	–	–	2	5	1	–	–	–	–
Diarrhœa	309	29	27	108	55	60	28	22	11	11
Dysentery	23	1	1	7	8	11	4	6	4	2
Cholera	17	4	2	8	9	3	–	8	4	–
Influenza	19	2	1	5	13	8	–	1	–	3
Purpura	8	–	1	2	–	–	2	1	1	–
Ague	–	–	–	–	1	–	–	–	–	–
Worms	3	–	–	1	2	1	–	–	–	–
Typhus	497	22	9	113	45	36	74	75	45	9
Enteric Fever	202	10	17	101	33	35	12	10	24	5
Relasing Fever	7	–	1	1	1	–	–	–	1	–
Simple Continued Fever	16	1	3	4	1	1	–	–	2	–
Infantile Remittent	26	–	–	7	5	5	6	3	2	1
Metria	26	1	4	17	5	2	1	5	–	–
Rheumatic Fever	16	2	1	11	6	2	3	1	1	–
Erysipelas	35	1	6	17	4	13	4	3	4	1
Pyæmia	7	–	–	4	–	1	1	1	1	–
Syphilis	34	–	4	24	13	13	–	4	1	1
Noma	4	–	–	2	–	–	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	2	2	2	3	2	–	4	2	1
Dropsy	102	8	5	27	72	10	25	7	19	6
Abscess	37	5	2	18	7	9	4	2	4	–
Ulcer	4	–	–	3	1	–	–	1	1	–
Fistula	4	–	–	2	–	2	–	–	–	–
Mortification	18	1	–	10	4	3	1	4	1	1
Cancer	145	10	11	121	49	59	19	15	22	10
Gout	–	–	–	1	–	1	–	–	–	1
III. Scrofula	109	11	6	57	22	21	10	10	15	5
Tabes Mesenterica	200	12	22	82	29	25	18	19	30	5
Phthisis	1722	115	118	486	395	283	159	206	78	83
Hydrocephalus	460	27	47	146	108	74	35	28	36	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	383	372	308	352	265	260	397	455	671	347	297	382	457
SPECIFIED CAUSES	377	370	306	344	244	258	393	439	666	331	280	370	441
Zymotic Class	63	45	65	58	48	81	98	100	177	60	74	77	37
Uncertain Seat	11	23	15	18	4	13	15	15	18	6	15	13	20
Tubercular Class	45	70	60	69	49	28	70	75	135	75	49	91	87
Brain, etc.	41	46	21	33	15	21	40	29	42	30	19	24	53
Heart, etc.	19	30	20	20	26	18	24	24	34	21	8	12	28
Respiratory Organs	45	64	44	52	36	40	31	52	97	47	40	44	101
Digestive Organs	34	30	23	34	15	9	33	26	43	21	34	26	28
Urinary Organs	7	2	5	6	–	1	3	10	8	5	3	4	11
Generative Organs	5	1	1	1	1	1	4	2	3	1	–	1	2
Locomotive Organs	4	2	1	–	2	2	2	6	5	–	2	4	3
Skin	–	–	–	1	1	–	–	–	1	1	–	–	–
Malformation	–	1	1	–	–	–	1	–	3	–	–	1	4
Premature Debility	29	22	16	15	20	15	27	29	33	10	17	21	26
Atrophy	5	–	1	–	2	2	8	3	–	2	1	3	1
Age	59	25	22	26	20	16	27	49	43	31	9	19	24
Sudden Deaths	–	–	–	–	1	4	–	1	1	–	4	1	1
Violent Deaths	10	9	11	11	4	7	10	18	23	21	5	29	15
Small Pox	–	1	–	–	–	1	1	–	–	–	–	1	–
Measles	–	–	–	–	13	12	37	11	16	3	1	5	–
Scarlatina	–	1	–	1	1	14	–	31	17	12	44	17	4
Diphtheria	4	–	2	4	2	10	1	–	6	4	2	1	3
Hooping-Cough	7	7	26	18	1	–	14	8	34	5	–	5	1
Croup	13	3	8	5	4	7	4	5	14	8	7	6	3
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	9	6	8	1	5	14	10	22	6	6	12	12
Dysentery	2	1	1	2	1	2	6	–	6	2	1	3	1
Cholera	–	–	–	–	1	–	–	–	5	1	1	–	–
Influenza	–	–	1	2	2	–	5	4	–	–	1	–	–
Purpura	1	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	2	–	–	–	–	–
Typhus	10	8	10	5	1	5	7	14	30	7	6	15	2
Enteric Fever	16	10	3	8	5	22	5	11	17	9	1	2	5
Relapsing Fever	–	1	1	–	1	–	–	–	–	–	–	–	1
Simple Cont. Fever	–	2	3	–	–	–	–	–	5	–	–	1	–
Infantile Remittent	–	–	–	–	3	–	–	–	–	–	1	5	1
Metria	–	1	1	1	1	1	2	–	3	–	1	1	–
Rheumatic Fever	1	–	–	–	7	–	–	1	–	–	–	–	2
Erysipelas	1	–	1	1	2	1	1	3	1	1	2	–	1
Pyæmia	–	–	–	–	2	–	1	–	–	–	–	–	–
Syphilis	–	1	2	1	–	1	–	–	1	1	–	3	1
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	1	–	1	–	–	–	1
Dropsy	1	4	7	5	1	2	5	7	–	–	8	10	1
Abscess	2	–	1	1	1	1	–	–	–	2	1	–	1
Ulcer	–	–	1	–	–	1	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	4	–	–	–	1	2	–	1	–	1	–	–
Cancer	6	15	6	11	2	8	6	8	16	4	5	3	17
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	3	4	2	3	–	7	7	5	5	1	4	4
Tabes Mesenterica	1	4	7	3	11	4	4	8	12	3	12	14	8
Phthisis	37	52	34	56	31	23	53	53	100	60	29	55	67
Hydrocephalus	4	11	15	8	4	1	6	7	18	7	7	18	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	84	8	8	31	7	9	6	13	10	2
	Apoplexy	151	11	17	96	36	42	35	26	20	17
	Paralysis	174	24	34	127	58	49	45	18	36	28
	Delirium Tremens	11	–	–	8	4	3	–	1	4	–
	Chorea	2	–	–	1	–	–	–	–	–	–
	Epilepsy	31	5	7	29	7	8	4	5	3	–
	Tetanus	2	–	–	1	2	–	2	1	–	1
	Insanity	8	1	2	9	–	4	2	2	–	2
	Convulsions	235	7	14	77	85	31	20	20	16	4
	Brain Disease	171	16	35	78	27	34	9	32	16	13
V.	Pericarditis	9	2	–	2	3	5	–	2	–	–
	Aneurism	6	1	–	17	6	5	–	1	–	2
	Heart Disease	466	16	18	288	139	89	42	92	58	34
VI.	Laryngitis	30	–	–	15	3	5	1	5	–	1
	Bronchitis	1966	84	91	535	336	174	137	172	117	62
	Pleurisy	22	2	2	17	7	5	2	3	5	3
	Pneumonia	520	34	33	137	67	42	40	41	34	13
	Asthma	90	6	6	37	27	12	1	4	4	2
	Lung Disease	91	8	2	30	20	7	1	6	7	–
VII.	Teething	227	14	21	22	82	48	34	46	13	9
	Quinsey	14	–	4	1	1	1	–	1	–	–
	Gastritis	21	3	1	2	4	2	1	4	1	–
	Enteritis	213	7	12	36	20	11	34	24	12	5
	Peritonitis	39	4	5	28	15	5	1	4	6	3
	Ascites	11	1	–	3	2	3	–	1	–	–
	Ulceration of Intestines	25	–	2	17	1	5	1	2	4	2
	Hernia	15	–	2	11	4	–	1	–	1	2
	Ileus	37	4	2	17	6	19	2	6	8	1
	Intussusception	4	–	–	1	1	–	–	–	–	–
	Stricture of Intestines	4	–	–	7	–	–	–	2	–	–
	Stomach Disease	136	3	6	64	23	18	11	10	8	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	22	2	6	5	–	–	4	1	1	–
	Jaundice	17	1	–	6	12	6	3	2	2	1
	Liver Disease	130	9	9	63	8	16	19	5	6	8
	Spleen Disease	6	1	–	1	–	2	–	–	1	–
VIII.	Nephritis	14	2	2	6	2	1	–	–	4	–
	Nephria	29	2	2	57	15	4	4	3	7	1
	Addison's Disease	1	–	–	1	1	1	–	–	–	–
	Ischuria	5	–	–	6	–	2	–	–	1	1
	Diabetes	10	–	–	6	4	4	–	–	1	1
	Stone	5	–	–	–	4	3	–	–	1	–
	Cystitis	16	–	1	16	4	3	1	1	3	4
	Stricture of Urethra	1	–	–	7	1	1	–	–	–	1
	Kidney Disease	52	6	–	39	9	21	1	3	6	–
IX.	Paramenia	4	–	1	1	1	–	–	–	–	1
	Ovarian Dropsy	12	–	3	9	2	5	3	1	–	1
	Childbirth	55	6	6	18	20	3	8	11	2	2
	Organs of Generation	8	–	1	3	1	2	1	–	–	2
X.	Arthritis	10	1	2	12	1	2	3	–	2	–
	Rheumatism	23	1	2	13	4	1	8	3	3	2
	Joint and Bone Disease	28	2	3	13	6	6	3	5	2	2
XI.	Carbuncle	3	–	–	1	1	1	1	–	–	1
	Phlegmon	3	–	–	1	–	–	–	2	–	1
	Skin Disease	9	1	–	5	2	1	–	2	–	1
XVII.	Intemperance	20	1	–	11	7	2	–	–	2	1
	Privation	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	19	–	1	11	9	7	1	8	1	–
	Neglect	–	–	–	–	–	–	–	–	–	–
	Cold	1	–	–	1	–	1	–	–	–	–
	Poison	15	2	–	7	2	1	2	2	1	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	48	4	5	23	6	3	7	2	3	1
	Hanging, etc.	7	–	–	2	4	1	3	2	3	–
	Suffocation	23	2	1	15	5	7	5	4	7	1
	Drowning	57	7	7	9	13	8	4	17	4	4
	Fracture and Contusion	133	7	9	94	35	24	9	40	16	7
	Gunshot Wounds	3	–	–	2	–	1	–	–	–	–
	Cuts and Stabs	3	–	1	4	2	–	–	–	–	1
	Other Violent Causes	10	4	–	7	5	4	–	4	–	–
	Not Specified	171	21	22	21	60	15	35	63	12	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—BOTH SEXES. *(Contd.)*

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	2	2	3	5	2	2	1	1	1	–	3	3
Apoplexy	7	7	8	8	2	5	4	4	9	5	4	7	16
Paralysis	15	14	5	9	3	6	10	16	14	12	6	5	20
Delirium Tremens	2	2	1	1	–	–	–	1	–	–	1	1	–
Chorea	–	1	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	1	3	–	2	1	–	1	2	1	1	–	2	3
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	1	1	–	–	3
Convulsions	6	9	2	4	2	2	9	4	8	5	3	3	4
Brain Disease	7	8	3	5	2	5	14	1	8	4	5	3	4
Pericarditis	–	1	–	–	–	1	1	–	1	–	–	–	1
Aneurism	–	1	1	1	2	–	–	–	1	–	–	–	–
Heart Disease	19	28	19	19	24	17	23	24	32	21	8	12	27
Laryngitis	1	–	–	–	–	1	2	–	1	1	1	–	1
Bronchitis	19	51	32	44	22	30	16	35	78	37	26	30	64
Pleurisy	3	2	1	2	2	1	–	–	2	–	–	1	4
Pneumonia	10	10	7	6	11	5	8	6	9	8	9	12	27
Asthma	7	1	3	–	1	3	4	9	3	–	1	1	3
Lung Disease	5	–	1	–	–	–	1	2	4	1	3	–	2
Teething	10	9	4	3	1	2	8	7	5	4	5	5	2
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	2	–	1	2	–	–	6	4	1
Enteritis	9	3	4	2	2	–	2	5	19	7	3	6	1
Peritonitis	1	1	–	3	–	–	1	1	1	4	1	2	1
Ascites	–	1	–	–	–	1	2	6	–	1	1	1	1
Ulceration of Intestines	–	3	1	3	2	–	–	–	4	–	1	–	1
Hernia	–	–	–	1	–	–	–	–	–	–	1	–	–
Ileus	1	1	2	3	1	–	2	–	2	1	–	–	2
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	2	–	3	1	5	13	2	2	2	7	1	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	–	–	–	1	–	1	–	1	1	2
Jaundice	–	1	1	3	2	–	–	–	1	–	1	2	2
Liver Disease	5	6	9	6	2	–	3	3	7	2	7	3	6
Spleen Disease	–	–	–	1	1	1	–	–	1	–	–	1	–
Nephritis	1	–	–	–	–	–	–	4	1	1	–	1	1
Nephria	3	–	–	3	–	1	–	–	3	2	1	–	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	1	–	–	–	–	–	–	1	1	–	–	1	–
Diabetes	–	–	–	–	–	–	–	2	–	1	–	–	1
Stone	–	–	1	–	–	–	–	1	1	–	1	–	1
Cystitis	–	–	–	2	–	–	1	1	–	–	–	1	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	4	1	–	–	2	1	2	1	1	1	4
Paramenia	1	–	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	1	1	4	2	3	–	–	1	2
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	1	–	–	1	1	–	–	–	1
Rheumatism	3	–	–	–	1	1	1	3	1	–	–	1	1
Joint Disease	1	2	–	–	–	1	1	2	3	–	2	3	1
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	1	–	1	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	2	–	–	–	2
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	1	–	2	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	1	–	1	1	4	7	1	3	1
Hanging, etc.	–	–	1	1	–	1	1	1	–	–	–	–	–
Suffocation	–	1	3	1	–	–	1	1	2	1	–	3	2
Drowning	3	1	–	5	–	2	2	6	1	2	–	3	3
Fracture and Contusion	5	6	6	2	3	2	5	5	10	10	2	17	2
Gunshot Wounds	1	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	1	–	–	–	–	–	1	–	–	–	–	1
Other Violent Causes	–	–	–	1	–	1	–	–	1	–	2	2	1
Not Specified	6	2	2	8	21	2	4	16	5	16	17	12	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6312	423	489	2338	1416	890	653	755	557	298
SPECIFIED CAUSES	6223	409	475	2329	1375	881	633	724	550	294
I. Zymotic Class	1329	75	115	515	288	144	153	128	136	34
II. Diseases of Uncertain Seat	121	7	4	61	45	28	17	16	22	5
III. Tubercular Class	1182	68	104	393	262	196	101	126	87	59
IV. Brain and Nervous System	476	49	66	232	126	88	68	69	59	43
V. Organs of Circulation	246	9	10	148	65	45	21	51	32	22
VI. Respiratory Organs	1423	72	79	366	205	124	97	136	75	44
VII. Organs of Digestion	473	29	33	137	89	62	60	52	38	20
VIII. Urinary Organs	86	4	2	89	23	28	2	2	15	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	31	4	3	23	4	7	5	5	7	3
XI. Skin, etc.	10	–	–	3	2	–	–	2	–	3
XII. Malformation	12	–	–	11	7	1	1	4	–	1
XIII. Premature Debility	384	26	21	138	131	60	39	37	27	19
XIV. Atrophy	46	10	3	12	6	8	9	5	1	4
XV. Age	128	34	18	84	60	45	35	25	21	21
XVI. Sudden Deaths	22	1	–	1	3	2	2	–	3	–
XVII. Violent Deaths	254	21	17	116	59	43	23	66	27	9
I. Small Pox	16	2	1	1	9	2	–	2	–	–
Measles	209	13	3	129	4	2	13	8	32	10
Scarlatina	229	15	47	79	31	9	25	25	34	1
Diphtheria	41	4	3	15	8	4	2	4	4	–
Hooping Cough	147	3	15	54	108	22	35	8	10	3
Croup	84	2	10	32	24	10	9	11	12	2
Thrush	1	–	–	1	3	1	–	–	–	–
Diarrhœa	147	18	15	62	29	24	15	10	3	8
Dysentery	10	–	–	3	3	8	4	3	–	–
Cholera	8	–	–	2	5	–	–	1	2	–
Influenza	8	1	–	5	6	4	–	1	–	2
Purpura	4	–	1	2	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	1	–	–	–	–
Typhus	256	11	4	56	27	21	39	42	22	3
Enteric Fever	90	5	7	45	16	20	7	6	10	3
Relapsing Fever	3	–	1	1	1	–	–	–	1	–
Simple Continued Fever	7	–	–	1	1	–	–	–	1	–
Infantile Remittent	12	–	–	2	4	3	1	2	1	1
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	1	2	3	2	2	–	1	–
Erysipelas	20	1	5	9	2	6	–	1	3	1
Pyæmia	5	–	–	–	–	–	1	1	–	–
Syphilis	22	–	2	14	4	5	–	2	–	–
Noma	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	2	1	2	1	–	–	2	1	1
Dropsy	42	2	2	4	25	4	9	4	7	1
Abscess	18	2	–	7	3	4	3	1	2	–
Ulcer	1	–	–	2	–	–	–	1	1	–
Fistula	3	–	–	1	–	2	–	–	–	–
Mortification	9	–	–	7	2	2	–	3	1	–
Cancer	42	1	1	37	14	15	5	5	10	3
Gout	–	–	–	1	–	1	–	–	–	–
III. Scrofula	62	8	4	31	13	12	5	5	9	4
Tabes Mesenterica	114	3	14	46	20	20	11	8	17	3
Phthisis	754	41	56	251	167	122	69	99	35	39
Hydrocephalus	252	16	30	65	62	42	16	14	26	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES	183	185	150	152	124	116	208	212	336	166	147	201	230
SPECIFIED CAUSES	181	185	149	147	111	115	204	203	333	155	141	195	221
Zymotic Class	35	19	34	19	16	39	52	57	88	26	42	40	18
Uncertain Seat	5	7	4	8	2	2	4	5	8	3	6	4	7
Tubercular Class	21	44	26	33	23	11	35	29	61	31	17	45	38
Brain, etc.	25	23	9	18	9	11	16	17	24	16	11	10	28
Heart, etc.	7	11	11	6	17	7	13	13	20	4	6	7	13
Respiratory Organs	20	34	20	21	16	14	13	19	48	24	22	24	54
Digestive Organs	17	14	14	15	7	5	20	11	19	13	15	12	17
Urinary Organs	3	1	4	2	–	1	3	8	6	4	1	3	9
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	1	–	–	1	1	2	3	–	2	1	1
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	1	–	–	–	–	1	–	1	–	–	1	2
Premature Debility	18	13	8	5	8	7	21	14	21	5	9	14	19
Atrophy	2	–	1	–	1	2	4	–	–	2	1	1	1
Age	19	13	11	8	9	7	11	17	16	12	3	9	7
Sudden Deaths	–	–	–	–	–	2	–	–	–	–	2	1	–
Violent Deaths	8	4	6	11	3	6	10	11	18	15	4	23	7
Small Pox	–	–	–	–	–	1	1	–	–	–	–	1	–
Measles	–	–	–	–	4	5	20	6	8	2	–	2	–
Scarlatina	–	–	–	–	1	5	–	21	9	3	23	9	4
Diphtheria	1	–	1	3	1	6	1	–	4	1	2	1	2
Hooping Cough	1	4	15	4	–	–	7	5	17	2	–	4	–
Croup	9	1	5	2	1	3	2	2	9	3	5	3	2
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	4	2	2	1	2	5	5	12	3	4	4	4
Dysentery	2	1	1	–	1	–	5	–	–	1	1	1	–
Cholera	–	–	–	–	–	–	–	–	4	–	1	–	–
Influenza	–	–	–	–	–	–	3	2	–	–	1	–	–
Purpura	–	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	5	3	4	4	–	3	5	11	14	5	2	8	1
Enteric Fever	11	5	2	1	2	13	3	2	6	4	–	1	3
Relapsing Fever	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	1	–	–	–	–	–	4	–	–	–	–
Infantile Remittent	–	–	–	–	2	–	–	–	–	–	1	3	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	2	–	–	1	–	–	–	–	2
Erysipelas	1	–	–	1	1	–	–	1	1	1	2	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	1	–	–	–	–	–	3	–
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	1	–	1	–	–	–	1
Dropsy	–	2	3	1	1	1	1	2	–	–	4	3	–
Abscess	1	–	–	1	–	1	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	–	–	1	–	1	–	–	–	–
Cancer	3	3	1	5	1	–	–	3	6	2	2	1	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	1	1	1	–	5	3	3	2	1	2	1
Tabes Mesenterica	1	2	5	1	4	1	2	1	7	1	7	8	3
Phthisis	18	32	15	27	17	9	26	19	43	25	5	27	32
Hydrocephalus	1	8	5	4	1	1	2	6	8	3	4	8	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	56	6	3	20	5	3	2	7	4	2
	Apoplexy	79	7	11	50	18	23	22	16	10	9
	Paralysis	84	17	16	58	34	21	22	8	19	20
	Delirium Tremens	9	–	–	6	4	3	–	1	4	–
	Chorea	–	–	–	–	–	–	–	–	–	–
	Epilepsy	18	1	5	12	2	2	3	3	3	–
	Tetanus	2	–	–	–	1	–	1	1	–	–
	Insanity	4	1	–	6	–	3	1	–	–	2
	Convulsions	130	5	6	44	48	16	13	12	9	1
	Brain Disease	94	12	25	36	14	17	4	21	10	9
V.	Pericarditis	5	1	–	1	1	1	–	1	–	–
	Aneurism	5	–	–	16	5	3	–	1	–	2
	Heart Disease	236	8	10	131	59	41	21	49	32	20
VI.	Laryngitis	16	–	–	6	–	4	1	4	–	1
	Bronchitis	998	40	51	240	150	81	69	100	49	31
	Pleurisy	16	1	2	14	2	3	1	2	3	2
	Pneumonia	297	22	20	71	35	29	25	24	15	8
	Asthma	44	5	4	18	10	4	–	3	3	2
	Lung Disease	52	4	2	17	8	3	1	3	5	–
VII.	Teething	119	10	10	11	40	19	19	23	11	6
	Quinsey	6	–	2	–	1	–	–	–	–	–
	Gastritis	3	2	–	–	3	–	1	3	–	–
	Enteritis	118	5	6	20	11	4	18	10	7	3
	Peritonitis	16	2	3	13	4	2	1	1	2	3
	Ascites	5	–	–	2	–	–	–	1	–	–
	Ulceration of Intestines	19	–	–	6	–	4	1	–	1	1
	Hernia	11	–	1	5	3	–	–	–	1	–
	Ileus	20	2	1	9	5	12	1	3	6	1
	Intussusception	3	–	–	–	1	–	–	–	–	–
	Stricture of Intestines	3	–	–	6	–	–	–	2	–	–
	Stomach Disease	68	1	4	28	12	7	5	5	6	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	9	–	1	5	–	–	2	1	–	–
	Jaundice	5	1	–	4	7	3	1	1	1	1
	Liver Disease	67	6	5	27	2	10	11	2	3	4
	Spleen Disease	1	–	–	1	–	1	–	–	–	–
VIII.	Nephritis	10	1	–	4	2	–	–	–	2	–
	Nephria	22	1	1	32	8	2	1	1	3	1
	Addison's Disease	1	–	–	1	–	–	–	–	–	–
	Ischuria	1	–	–	3	–	2	–	–	1	1
	Diabetes	5	–	–	4	3	4	–	–	1	–
	Stone	5	–	–	–	4	3	–	–	1	–
	Cystitis	14	–	1	16	3	2	1	1	3	4
	Stricture of Urethra	1	–	–	7	1	1	–	–	–	1
	Kidney Disease	27	2	–	22	2	14	–	–	4	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	3	1	1	8	1	2	1	–	2	–
	Rheumatism	10	1	1	5	1	1	2	1	3	1
	Joint and Bone Disease	18	2	1	10	2	4	2	4	2	2
XI.	Carbuncle	2	–	–	–	–	–	–	–	–	1
	Phlegmon	2	–	–	1	–	–	–	1	–	1
	Skin Disease	6	–	–	2	2	–	–	1	–	1
XVII.	Intemperance	12	–	–	2	4	2	–	–	1	–
	Privation	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	12	–	–	4	5	2	1	5	1	–
	Neglect	–	–	–	–	–	–	–	–	–	–
	Cold	1	–	–	1	–	1	–	–	–	–
	Poison	7	2	–	4	1	–	1	1	1	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	27	2	4	9	3	–	5	1	1	–
	Hanging, etc.	6	–	–	1	–	1	3	1	3	–
	Suffocation	13	2	–	5	1	4	3	1	4	–
	Drowning	53	6	5	6	9	8	2	17	4	4
	Fracture and Contusion	111	6	7	76	30	22	8	36	12	5
	Gunshot Wounds	2	–	–	2	–	1	–	–	–	–
	Cuts and Stabs	2	–	1	3	1	–	–	–	–	–
	Other Violent Causes	8	3	–	3	5	2	–	4	–	–
	Not Specified	89	14	14	9	41	9	20	31	7	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	1	1	-	3	1	1	-	1	1	-	1	2
Apoplexy	5	3	3	6	2	1	1	3	5	3	3	3	7
Paralysis	5	8	2	5	2	3	2	10	8	7	3	3	10
Delirium Tremens	2	2	1	1	-	-	-	1	-	-	1	1	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	1	-	1	-	-	-	1	-	1	-	1	3
Tetanus	-	-	-	1	-	1	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	2
Convulsions	5	4	1	2	1	1	4	2	4	1	2	-	2
Brain Disease	6	4	1	2	1	4	8	-	6	3	2	1	2
Pericarditis	-	-	-	-	-	-	1	-	-	-	-	-	-
Aneurism	-	1	1	-	2	-	-	-	1	-	-	-	-
Heart Disease	7	10	10	6	15	7	12	13	19	4	6	7	13
Laryngitis	1	-	-	-	-	1	-	-	1	-	1	-	-
Bronchitis	8	21	14	16	9	9	7	13	33	18	13	17	33
Pleurisy	2	2	-	2	1	1	-	-	2	-	-	1	3
Pneumonia	5	10	5	3	5	1	4	2	5	6	5	5	16
Asthma	2	1	1	-	1	2	2	4	3	-	1	1	1
Lung Disease	2	-	-	-	-	-	-	-	4	-	2	-	1
Teething	7	7	3	-	-	1	6	3	1	1	1	3	-
Quinsey	-	-	-	-	1	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	1	-	-	1	-	-	1	1	-
Enteritis	3	1	3	2	1	-	1	2	7	5	2	5	1
Peritonitis	1	-	-	1	-	-	1	-	-	4	-	-	1
Ascites	-	-	-	-	-	1	1	2	-	-	1	-	-
Ulceration of Intestines	-	1	1	-	1	-	-	-	2	-	1	-	1
Hernia	-	-	-	1	-	-	-	-	-	-	1	-	-
Ileus	1	-	1	3	1	-	2	-	1	1	-	-	1
Intussusception	-	-	-	1	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	3	1	-	5	1	2	7	1	2	-	3	1	6
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	2	1	-	-	-	-	-	1	-	-	-	2
Jaundice	-	1	-	1	-	-	-	-	1	-	-	2	2
Liver Disease	2	1	5	1	1	-	2	2	4	2	5	-	3
Spleen Disease	-	-	-	-	-	1	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	4	-	1	-	1	-
Nephria	-	-	-	2	-	1	-	-	3	2	-	-	1
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	1
Ischuria	1	-	-	-	-	-	-	-	1	-	-	1	-
Diabetes	-	-	-	-	-	-	-	1	-	-	-	-	-
Stone	-	-	1	-	-	-	-	1	1	-	1	-	1
Cystitis	-	-	-	-	-	-	1	1	-	-	-	1	2
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	1	3	-	-	-	2	1	1	1	-	-	4
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis	-	-	1	-	-	-	-	1	-	-	-	-	1
Rheumatism	1	-	-	-	-	-	-	1	-	-	-	-	-
Joint Disease	-	1	-	-	-	1	1	-	3	-	2	1	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	1	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	-	-	-	-	-	-	-	1	-	1	-	1	2
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	1	-	-	-	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	1	-	-	-	-
Poison	-	-	-	-	-	1	-	2	2	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	-	1	-	1	-	2	6	1	2	-
Hanging, etc.	-	-	-	1	-	-	1	1	-	-	-	-	-
Suffocation	-	-	-	1	-	-	1	-	1	1	-	-	1
Drowning	2	1	-	5	-	2	2	4	1	1	-	3	2
Fracture and Contusion	5	3	6	2	2	2	5	3	9	6	1	17	1
Gunshot Wounds	-	-	-	1	-	-	-	-	-	-	-	-	-
Cuts and Stabs	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	1	-	1	-	-	1	-	2	-	-
Not Specified	2	-	1	5	13	1	4	9	8	11	6	6	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6266	428	490	2427	1535	934	682	678	507	271
SPECIFIED CAUSES	6184	421	482	2415	1516	928	667	646	502	265
I. Zymotic Class	1393	80	141	495	327	130	158	141	131	34
II. Diseases of Uncertain Seat	203	19	16	123	91	58	32	17	27	14
III. Tubercular Class	1309	97	89	378	292	207	121	137	72	51
IV. Brain and Nervous System	393	23	51	225	100	92	55	49	46	24
V. Organs of Circulation	235	10	8	159	83	54	21	44	26	14
VI. Respiratory Organs	1296	62	55	405	255	121	85	95	92	37
VII. Organs of Digestion	448	20	37	147	90	74	51	56	25	14
VIII. Urinary Organs	47	6	3	49	17	12	4	5	8	1
IX. Organs of Generation	79	6	11	31	24	10	12	12	2	6
X. Organs of Locomotion	30	–	4	15	7	2	9	3	–	1
XI. Skin, etc.	5	1	–	4	1	2	1	2	–	–
XII. Malformation	8	–	1	6	3	4	–	4	–	–
XIII. Premature Debility	270	29	24	104	93	47	34	29	28	16
XIV. Atrophy	59	10	10	39	10	6	5	5	11	5
XV. Age	305	52	24	163	92	92	69	34	23	42
XVI. Sudden Deaths	19	–	1	2	2	1	2	–	1	–
XVII. Violent Deaths	85	6	7	70	29	16	8	13	10	6
I. Small Pox	16	2	–	4	7	–	–	2	1	–
Measles	179	22	3	95	2	–	14	14	27	7
Scarlatina	255	13	57	65	33	5	25	21	24	1
Diphtheria	34	1	4	22	10	3	3	9	1	–
Hooping Cough	184	3	29	59	150	20	43	17	14	7
Croup	75	2	7	21	23	5	5	8	7	4
Thrush	3	–	–	1	2	–	–	–	–	–
Diarrhœa	162	11	12	46	26	36	13	12	8	3
Dysentery	13	1	1	4	5	3	–	3	4	2
Cholera	9	4	2	6	4	3	–	7	2	–
Influenza	11	1	1	–	7	4	–	–	–	1
Purpura	4	–	–	–	–	–	2	–	1	–
Ague	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	1	2	–	–	–	–	–
Typhus	241	11	5	57	18	15	35	33	23	6
Enteric Fever	112	5	10	56	17	15	5	4	14	2
Relapsing Fever	4	–	–	–	–	–	–	–	–	–
Simple Continued Fever	9	1	3	3	–	1	–	–	1	–
Infantile Remittent	14	–	–	5	1	2	5	1	1	–
Metria	26	1	4	17	5	2	1	5	–	–
Rheumatic Fever	10	2	–	9	3	–	1	1	–	–
Erysipelas	15	–	1	8	2	7	4	2	1	–
Pyæmia	2	–	–	4	–	1	–	–	1	–
Syphilis	12	–	2	10	9	8	–	2	1	1
Noma	3	–	–	2	–	–	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	1	–	2	2	–	2	1	–
Dropsy	60	6	3	23	47	6	16	3	12	5
Abscess	19	3	2	11	4	5	1	1	2	–
Ulcer	3	–	–	1	1	–	–	–	–	–
Fistula	1	–	–	1	–	–	–	–	–	–
Mortification	9	1	–	3	2	1	1	1	–	1
Cancer	103	9	10	84	35	44	14	10	12	7
Gout	–	–	–	–	–	–	–	–	–	1
III. Scrofula	47	3	2	26	9	9	5	5	6	1
Tabes Mesenterica	86	9	8	36	9	5	7	11	13	2
Phthisis	968	74	62	235	228	161	90	107	43	44
Hydrocephalus	208	11	17	81	46	32	19	14	10	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	200	187	158	200	141	144	189	243	335	181	150	181	227
SPECIFIED CAUSES	196	185	157	197	133	143	189	236	333	176	139	175	220
Zymotic Class	28	26	31	39	32	42	46	43	89	34	32	37	19
Uncertain Seat	6	16	11	10	2	11	11	10	10	3	9	9	13
Tubercular Class	24	26	34	36	26	17	35	46	74	44	32	46	49
Brain, etc.	16	23	12	15	6	10	24	12	18	14	8	14	25
Heart, etc.	12	19	9	14	9	11	11	11	14	17	2	5	15
Respiratory Organs	25	30	24	31	20	26	18	33	49	23	18	20	47
Digestive Organs	17	16	9	19	8	4	13	15	24	8	19	14	11
Urinary Organs	4	1	1	4	–	–	–	2	2	1	2	1	2
Generative Organs	5	1	1	1	1	1	4	2	3	1	–	1	2
Locomotive Organs	3	1	–	–	2	1	1	4	2	–	–	3	2
Skin	–	–	–	–	1	–	–	–	1	1	–	–	–
Malformation	–	–	1	–	–	–	–	–	2	–	–	–	2
Premature Debility	11	9	8	10	12	8	6	15	12	5	8	7	7
Atrophy	3	–	–	–	1	–	4	3	–	–	–	2	–
Age	40	12	11	18	11	9	16	32	27	19	6	10	17
Sudden Deaths	–	–	–	–	1	2	–	1	1	–	2	–	1
Violent Deaths	2	5	5	–	1	1	–	7	5	6	1	6	8
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	9	7	17	5	8	1	1	3	–
Scarlatina	–	1	–	1	–	9	–	10	8	9	21	8	–
Diphtheria	3	–	1	1	1	4	–	–	2	3	–	–	1
Hooping Cough	6	3	11	14	1	–	7	3	17	3	–	1	1
Croup	4	2	3	3	3	4	2	3	5	5	2	3	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	5	4	6	–	3	9	5	10	3	2	8	8
Dysentery	–	–	–	2	–	2	1	–	6	1	–	2	1
Cholera	–	–	–	–	1	–	–	–	1	1	–	–	–
Influenza	–	–	1	2	2	–	2	2	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	5	5	6	1	1	2	2	3	16	2	4	7	1
Enteric Fever	5	5	1	7	3	9	2	9	11	5	1	1	2
Relapsing Fever	–	1	–	–	1	–	–	–	–	–	–	–	1
Simple Cont. Fever	–	1	2	–	–	–	–	–	1	–	–	1	–
Infantile Remittent	–	–	–	–	1	–	–	–	–	–	–	2	1
Metria	–	1	1	1	1	1	2	–	3	–	1	1	–
Rheumatic Fever	1	–	–	–	5	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	1	1	2	–	–	–	–	1
Pyæmia	–	–	–	–	2	–	1	–	–	–	–	–	–
Syphilis	–	1	–	1	–	–	–	–	1	1	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	4	4	–	1	4	5	–	–	4	7	1
Abscess	1	–	1	–	1	–	–	–	–	1	1	–	1
Ulcer	–	–	1	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	2	–	–	–	1	1	–	–	–	1	–	–
Cancer	3	12	5	6	1	8	6	5	10	2	3	2	11
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	3	1	2	–	2	4	2	3	–	2	3
Tabes Mesenterica	–	2	2	2	7	3	2	7	5	2	5	6	5
Phthisis	19	20	19	29	14	14	27	34	57	35	24	28	35
Hydrocephalus	3	3	10	4	3	–	4	1	10	4	3	10	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	28	2	5	11	2	6	4	6	6	–
	Apoplexy	72	4	6	46	18	19	13	10	10	8
	Paralysis	90	7	18	69	24	28	23	10	17	8
	Delirium Tremens	2	–	–	2	–	–	–	–	–	–
	Chorea	2	–	–	1	–	–	–	–	–	–
	Epilepsy	13	4	2	17	5	6	1	2	–	–
	Tetanus	–	–	–	1	1	–	1	–	–	1
	Insanity	4	–	2	3	–	1	1	2	–	–
	Convulsions	105	2	8	33	37	15	7	8	7	3
	Brain Disease	77	4	10	42	13	17	5	11	6	4
V.	Pericarditis	4	1	–	1	2	4	–	1	–	–
	Aneurism	1	1	–	1	1	2	–	–	–	–
	Heart Disease	230	8	8	157	80	48	21	43	26	14
VI.	Laryngitis	14	–	–	9	3	1	–	1	–	–
	Bronchitis	968	44	40	295	186	93	68	72	68	31
	Pleurisy	6	1	–	3	5	2	1	1	2	1
	Pneumonia	223	12	13	66	32	13	15	17	19	5
	Asthma	46	1	2	19	17	8	1	1	1	–
	Lung Disease	39	4	–	13	12	4	–	3	2	–
VII.	Teething	108	4	11	11	42	29	15	23	2	3
	Quinsey	8	–	2	1	–	1	–	1	–	–
	Gastritis	18	1	1	2	1	2	–	1	1	–
	Enteritis	95	2	6	16	9	7	16	14	5	2
	Peritonitis	23	2	2	15	11	3	–	3	4	–
	Ascites	6	1	–	1	2	3	–	–	–	–
	Ulceration of Intestines	6	–	2	11	1	1	–	2	3	1
	Hernia	4	–	1	6	1	–	1	–	–	2
	Ileus	17	2	1	8	1	7	1	3	2	–
	Intussusception	1	–	–	1	–	–	–	–	–	–
	Stricture of Intestines	1	–	–	1	–	–	–	–	–	–
	Stomach Disease	68	2	2	36	11	11	6	5	2	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	13	2	5	–	–	–	2	–	1	–
	Jaundice	12	–	–	2	5	3	2	1	1	–
	Liver Disease	63	3	4	36	6	6	8	3	3	4
	Spleen Disease	5	1	–	–	–	1	–	–	1	–
VIII.	Nephritis	4	1	2	2	–	1	–	–	2	–
	Nephria	7	1	1	25	7	2	3	2	4	–
	Addison's Disease	–	–	–	–	1	1	–	–	–	–
	Ischuria	4	–	–	3	–	–	–	–	–	–
	Diabetes	5	–	–	2	1	–	–	–	–	1
	Stone	–	–	–	–	–	–	–	–	–	–
	Cystitis	2	–	–	–	1	1	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	25	4	–	17	7	7	1	3	2	–
IX.	Paramenia	4	–	1	1	1	–	–	–	–	1
	Ovarian Dropsy	12	–	3	9	2	5	3	1	–	1
	Childbirth	55	6	6	18	20	3	8	11	2	2
	Organs of Generation	8	–	1	3	1	2	1	–	–	2
X.	Arthritis	7	–	1	4	–	–	2	–	–	–
	Rheumatism	13	–	1	8	3	–	6	2	–	1
	Joint and Bone Disease	10	–	2	3	4	2	1	1	–	–
XI.	Carbuncle	1	–	–	1	1	1	1	–	–	–
	Phlegmon	1	–	–	–	–	–	–	1	–	–
	Skin Disease	3	1	–	3	–	1	–	1	–	–
XVII.	Intemperance	8	1	–	9	3	–	–	–	1	1
	Privation	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	7	–	1	7	4	5	–	3	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–
	Poison	8	–	–	3	1	1	1	1	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	21	2	1	14	3	3	2	1	2	1
	Hanging, etc.	1	–	–	1	4	–	–	1	–	–
	Suffocation	10	–	1	10	4	3	2	3	3	1
	Drowning	4	1	2	3	4	–	2	–	–	–
	Fracture and Contusion	22	1	2	18	5	2	1	4	4	2
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	1	1	–	–	–	–	1
	Other Violent Causes	2	1	–	4	–	2	–	–	–	–
	Not Specified	82	7	8	12	19	6	15	32	5	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1867.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	1	1	3	2	1	1	1	–	–	–	2	1
Apoplexy	2	4	5	2	–	4	3	1	4	2	1	4	9
Paralysis	10	6	3	4	1	3	8	6	6	5	3	2	10
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	–	2	–	1	1	–	1	1	1	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	1	1	–	–	1
Convulsions	1	5	1	2	1	1	5	2	4	4	1	3	2
Brain Disease	1	4	2	3	1	1	6	1	2	1	3	2	2
Pericarditis	–	1	–	–	–	1	–	–	1	–	–	–	1
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	12	18	9	13	9	10	11	11	13	17	2	5	14
Laryngitis	–	–	–	–	–	–	2	–	–	1	–	–	1
Bronchitis	11	30	18	28	13	21	9	22	45	19	13	13	31
Pleurisy	1	–	1	–	1	–	–	–	–	–	–	–	1
Pneumonia	5	–	2	3	6	4	4	4	4	2	4	7	11
Asthma	5	–	2	–	–	1	2	5	–	–	–	–	2
Lung Disease	3	–	1	–	–	–	1	2	–	1	1	–	1
Teething	3	2	1	3	1	1	2	4	4	3	4	2	2
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	1	–	1	1	–	–	5	3	1
Enteritis	6	2	1	–	1	–	1	3	12	2	1	1	–
Peritonitis	–	1	–	2	–	–	–	1	1	–	1	2	–
Ascites	–	1	–	–	–	–	1	4	–	1	–	1	1
Ulceration of Intestines	–	2	–	3	1	–	–	–	2	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	–	1	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	3	–	3	6	1	–	2	4	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	–	–	–	1	1	–
Jaundice	–	–	1	2	2	–	–	–	–	–	1	–	–
Liver Disease	3	5	4	5	1	–	1	1	3	–	2	3	3
Spleen Disease	–	–	–	1	1	–	–	–	1	–	–	1	–
Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	1
Nephria	3	–	–	1	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	1	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	2	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	–	–	–	–	1	–	1	1	–
Paramenia	1	1	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	1	1	4	2	3	–	–	1	2
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	1	1	1	2	1	–	–	1	1
Joint Disease	1	1	–	–	–	–	–	2	–	–	–	2	1
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	1	2	1	–	1	1
Hanging, etc.	–	–	1	–	–	1	–	–	–	–	–	–	–
Suffocation	–	1	3	–	–	–	–	1	1	–	–	3	1
Drowning	1	–	–	–	–	–	–	2	–	1	–	–	1
Fracture and Contusion	–	3	–	–	1	–	–	2	1	4	1	–	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	1	–	–	–	–	1
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	2	1
Not Specified	4	2	1	3	8	1	–	7	2	5	11	6	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	69068	6684	2390	4447	5730	2818	1802	1248	3209	1753	2238	2565	2443
Specified Causes	65947	5777	2127	4182	5502	2691	1717	1184	3090	1670	2158	2500	2376
I. Zymotic Class	13256	612	515	1263	2240	1303	961	687	1513	503	412	355	327
II. Diseases of Uncertain Seat	2408	42	14	18	23	23	18	13	40	27	36	36	53
III. Tubercular Class	11668	190	272	688	948	484	281	203	693	613	1099	1328	1160
IV. Brain and Nervous System	5458	422	175	223	231	116	76	63	214	130	105	102	119
V. Organs of Circulation	3380	14	6	4	8	5	8	9	52	60	67	80	104
VI. Respiratory Organs	10019	682	587	1131	1188	482	221	107	244	78	106	162	179
VII. Organs of Digestion	4907	522	248	599	608	129	45	38	97	73	105	106	133
VIII. Urinary Organs	1013	5	3	6	10	19	18	13	31	19	30	42	48
IX. Organs of Generation	486	–	–	–	–	–	–	–	–	2	31	61	75
X. Organs of Locomotion	391	1	–	3	5	3	5	5	37	38	38	27	21
XI. Skin, etc.	75	10	5	10	7	–	–	1	2	1	–	4	2
XII. Malformation	207	184	11	5	2	1	2	1	–	1	–	–	–
XIII. Premature Debility	3367	2953	225	189	–	–	–	–	–	–	–	–	–
XIV. Atrophy	521	–	–	–	163	61	24	8	28	19	9	7	8
XV. Age	6449	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	146	11	11	3	1	1	3	3	1	1	2	3	8
XVII. Violent Deaths	2196	129	55	40	68	64	55	33	138	105	118	187	139
I. Small Pox	100	13	9	9	17	5	7	2	13	5	2	5	5
Measles	1341	9	35	215	554	245	114	53	100	6	3	2	1
Scarlatina	2253	14	17	139	313	360	321	262	635	128	19	12	14
Diphtheria	610	15	7	50	98	73	77	58	135	39	12	10	7
Hooping Cough	1728	114	136	367	573	221	141	80	89	4	–	3	–
Croup	925	41	24	121	264	174	137	88	73	2	–	–	–
Thrush	30	20	1	3	2	3	1	–	–	–	–	–	–
Diarrhœa	1481	226	187	238	254	40	17	8	24	11	8	14	13
Dysentery	255	8	8	11	10	6	2	4	–	2	2	3	7
Cholera	142	6	15	17	13	6	2	1	15	2	1	1	4
Influenza	210	9	8	3	4	4	5	4	3	4	4	1	3
Purpura	49	1	–	–	1	1	1	2	7	3	1	4	3
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	27	–	1	1	4	5	–	3	11	1	–	–	–
Typhus	1745	6	9	18	46	50	43	42	127	90	147	147	122
Enteric Fever	1378	4	2	28	44	68	70	56	211	161	169	91	70
Relapsing Fever	40	–	–	2	2	–	1	–	2	8	3	3	1
Simple Continued Fever	105	–	–	1	3	8	5	8	10	9	11	3	3
Infantile Remittent	119	8	5	9	18	21	11	13	34	–	–	–	–
Metria	163	–	–	–	–	–	–	–	–	–	5	37	48
Rheumatic Fever	125	1	–	–	1	1	2	–	9	21	19	11	11
Erysipelas	225	63	13	12	7	2	3	1	7	4	2	2	9
Pyæmia	34	1	–	–	–	2	–	–	4	3	3	2	2
Syphilis	156	53	37	19	10	2	–	1	2	–	1	4	4
Noma	14	–	1	–	2	6	1	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	10	2	–	–	–	–	1	1	–	2	2	3
Dropsy	711	5	1	1	11	14	12	9	27	11	12	15	23
Abscess	163	17	9	12	8	2	2	1	6	12	12	5	8
Ulcer	39	1	–	1	–	1	2	–	1	–	2	2	–
Fistula	12	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	117	8	2	2	2	–	1	1	1	–	3	3	1
Cancer	1288	1	–	2	2	6	1	1	4	4	5	9	17
Gout	15	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	620	19	30	38	68	27	27	15	63	72	52	46	39
Tabes Mesenterica	945	76	49	123	230	132	70	43	99	55	17	8	9
Phthisis	8248	22	49	95	160	131	65	44	297	439	1020	1267	1110
Hydrocephalus	1855	73	144	432	490	194	119	101	234	47	10	7	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	2140	2165	2212	2280	2434	2544	3093	3319	3536	3223	2494	1461	572	170	20	78
SPECIFIED CAUSES	2067	2093	2125	2187	2319	2421	2937	3303	3535	3223	2494	1461	571	170	20	47
Zymotic Class	298	278	253	264	233	191	243	228	232	180	97	43	13	1	–	11
Uncertain Seat	53	94	120	197	233	258	274	263	244	168	96	54	9	1	1	–
Tubercular Class	857	700	580	440	369	318	223	122	48	31	12	3	–	–	–	6
Brain, etc.	135	161	170	219	255	312	403	514	504	458	242	84	17	4	–	4
Heart, etc.	160	166	196	239	279	301	391	426	374	250	120	52	5	2	–	2
Respiratory Organs	156	240	321	360	447	491	640	693	601	487	266	109	29	8	–	4
Digestive Organs	116	141	172	193	228	272	287	290	223	165	83	24	9	–	–	1
Urinary Organs	57	55	56	57	61	63	97	101	105	63	36	12	3	2	–	1
Generative Organs	79	94	57	28	15	11	5	13	8	6	–	–	–	–	–	1
Locomotive Organs	18	10	17	17	17	19	30	25	26	24	2	2	1	–	–	–
Skin	2	2	3	3	3	4	6	3	2	2	2	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	11	11	24	27	47	74	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	227	543	1107	1341	1515	1060	482	150	19	5
Sudden Deaths	2	9	10	9	14	10	18	11	9	5	–	–	–	–	–	1
Violent Deaths	123	132	146	134	118	97	93	71	52	43	23	18	3	1	–	11
Small Pox	1	2	1	2	–	2	–	–	–	–	–	–	–	–	–	–
Measles	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	6	6	3	2	–	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	7	5	6	4	–	2	2	3	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	22	17	19	22	28	44	58	71	80	35	21	11	1	–	2
Dysentery	7	7	5	11	9	20	29	26	29	25	16	8	–	–	–	–
Cholera	13	6	8	6	7	2	3	5	5	4	–	–	–	–	–	–
Influenza	2	4	4	5	14	6	25	23	28	22	18	4	2	–	–	1
Purpura	6	1	1	3	3	2	2	3	2	–	–	1	–	–	–	1
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	136	124	133	127	123	76	63	49	39	15	3	6	–	–	–	4
Enteric Fever	47	54	43	53	33	29	44	34	31	20	13	1	–	–	–	2
Relapsing Fever	1	–	1	2	3	1	3	3	–	3	1	–	–	–	–	–
Simple Cont. Fever	5	5	2	4	1	4	9	4	6	2	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	32	23	16	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	4	4	8	4	3	7	3	5	3	2	–	–	–	–	–
Erysipelas	5	7	5	11	12	9	10	12	15	6	6	2	–	–	–	–
Pyæmia	6	1	3	–	–	2	1	3	–	–	1	–	–	–	–	–
Syphilis	7	4	–	4	2	3	1	1	1	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	3	7	10	5	3	1	1	3	1	–	2	–	–	–	–
Dropsy	14	19	28	44	57	53	83	81	80	62	34	15	–	–	–	–
Abscess	6	7	8	5	10	10	11	1	4	5	2	–	–	–	–	–
Ulcer	–	1	1	2	–	5	5	5	3	1	4	2	–	–	–	–
Fistula	–	1	1	1	2	2	3	2	–	–	–	–	–	–	–	–
Mortification	1	4	–	2	4	6	9	10	17	15	8	15	2	–	–	–
Cancer	25	59	75	132	155	178	159	160	137	81	46	20	7	1	1	–
Gout	1	–	–	1	–	1	3	3	–	3	2	–	–	–	–	–
Scrofula	23	24	14	12	18	8	12	9	2	2	–	–	–	–	–	–
Tabes Mesenterica	8	5	5	–	7	2	4	1	–	–	1	1	–	–	–	–
Phthisis	824	671	561	428	344	308	207	112	46	29	11	2	–	–	–	6
Hydrocephalus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. *(Contd.)*

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	452	14	32	51	45	26	16	15	83	42	22	20	17
Apoplexy	1141	26	9	24	16	12	7	5	16	14	17	15	26
Paralysis	1671	–	–	–	5	2	3	1	7	9	7	3	15
Delirium Tremens	64	–	–	–	–	–	–	–	–	–	–	2	3
Chorea	10	–	–	1	–	1	–	1	1	–	1	–	–
Epilepsy	245	–	–	–	–	1	–	–	5	14	16	23	26
Tetanus	38	15	3	–	1	–	–	1	1	2	1	4	–
Insanity	53	–	–	–	–	–	–	–	–	–	2	1	1
Convulsions	856	355	112	121	121	53	32	25	35	–	–	–	2
Brain Disease	928	12	19	26	43	21	18	15	66	49	39	34	29
V. Pericarditis	65	1	–	–	–	2	1	1	7	8	7	2	4
Aneurism	81	–	–	–	–	–	–	–	–	–	1	1	3
Heart Disease	3234	13	6	4	8	3	7	8	45	52	59	77	97
VI. Laryngitis	123	10	5	16	21	9	9	3	11	3	1	3	4
Bronchitis	6777	494	459	886	918	355	156	71	145	25	42	63	70
Pleurisy	203	6	3	3	6	1	1	2	7	7	11	14	14
Pneumonia	2070	150	107	210	231	112	53	29	73	34	41	66	73
Asthma	530	–	–	–	–	–	–	–	–	3	2	5	5
Lung Disease	316	22	13	16	12	5	2	2	8	6	9	11	13
VII. Teething	962	10	57	387	455	50	3	–	–	–	–	–	–
Quinsey	56	6	1	7	8	4	4	1	7	3	1	–	3
Gastritis	155	11	6	10	11	1	1	3	5	2	5	3	7
Enteritis	933	277	101	112	71	28	17	16	33	16	29	18	19
Peritonitis	273	21	7	9	7	7	3	2	13	17	13	24	25
Ascites	82	1	–	1	2	2	2	–	4	6	–	–	3
Ulceration of Intestines	187	7	3	5	3	3	–	–	6	3	8	10	9
Hernia	92	7	1	2	2	1	–	–	–	1	3	1	2
Ileus	297	30	7	6	7	5	1	3	7	2	13	8	9
Intussusception	30	–	5	3	2	–	2	–	–	1	2	2	–
Stricture of Intestines	32	1	1	–	–	–	–	–	–	–	–	2	–
Stomach Disease	773	69	49	47	32	18	9	7	11	8	17	11	20
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	143	2	–	3	–	–	–	1	2	1	3	6	4
Jaundice	161	57	3	2	4	5	1	1	1	–	4	2	1
Liver Disease	700	23	7	4	4	5	2	3	8	11	6	18	30
Spleen Disease	30	–	–	1	–	–	–	1	–	2	1	1	1
VIII. Nephritis	87	–	1	4	1	7	10	3	12	2	3	2	5
Nephria	239	–	–	1	1	4	5	4	8	6	13	15	13
Addison's Disease	8	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	57	1	–	–	2	1	–	–	1	–	1	3	1
Diabetes	81	1	–	–	–	–	–	–	–	3	5	5	8
Stone	65	1	–	–	–	–	–	–	–	–	–	1	2
Cystitis	170	–	–	–	–	2	1	–	2	2	2	3	4
Stricture of Urethra	16	–	–	–	–	–	–	–	–	1	–	–	1
Kidney Disease	290	2	2	1	6	5	1	6	8	5	6	13	14
IX. Paramenia	29	–	–	–	–	–	–	–	–	2	14	1	2
Ovarian Dropsy	81	–	–	–	–	–	–	–	–	–	2	4	3
Childbirth	821	–	–	–	–	–	–	–	–	–	14	53	65
Organs of Generation	55	–	–	–	–	–	–	–	–	–	1	3	5
X. Arthritis	78	–	–	1	2	1	2	2	7	8	9	6	7
Rheumatism	173	–	–	–	–	–	–	1	7	5	5	4	2
Joint and Bone Disease	140	1	–	2	3	2	3	2	23	25	24	17	12
XI. Carbuncle	18	1	1	–	2	–	–	–	–	–	–	–	1
Phlegmon	15	–	–	–	1	–	–	–	1	1	–	–	1
Skin Disease	42	9	4	10	4	–	–	1	1	–	–	4	–
XVII. Intemperance	76	–	–	–	–	–	–	–	–	–	–	1	2
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	82	46	24	12	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	29	2	–	–	–	1	–	–	1	1	1	3	2
Poison	54	7	2	2	1	4	2	–	3	1	3	2	5
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	249	–	3	10	42	29	29	13	32	9	6	5	10
Hanging, etc.	63	–	–	–	–	–	–	–	–	–	3	3	2
Suffocation	139	55	25	9	1	1	1	–	3	3	6	1	2
Drowning	467	4	–	1	13	14	7	6	37	25	31	67	38
Fracture and Contusion	905	3	–	5	9	13	13	12	58	59	56	95	63
Gunshot Wounds	25	–	–	–	–	–	–	–	–	2	6	2	5
Cuts and Stabs	32	–	–	–	–	–	–	1	–	2	2	3	–
Other Violent Causes	72	12	–	1	2	2	3	1	4	3	4	5	10
Not Specified	3121	907	263	265	228	127	85	64	119	83	80	65	67

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	12	11	6	12	9	4	3	1	1	2	–	–	–	–	–
Apoplexy	23	28	41	70	72	107	120	134	142	127	59	23	6	1	–	1
Paralysis	36	40	35	54	80	121	177	284	291	274	158	54	10	3	–	2
Delirium Tremens	11	17	8	8	4	5	4	1	–	1	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
Epilepsy	19	8	22	16	14	17	20	19	12	6	5	2	–	–	–	–
Tetanus	2	1	1	–	–	2	2	1	–	1	–	–	–	–	–	–
Insanity	2	6	6	7	9	4	6	3	2	4	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	33	49	46	58	64	46	70	67	55	44	18	5	1	–	–	1
Pericarditis	3	4	1	3	3	4	5	3	2	3	–	1	–	–	–	–
Aneurism	12	12	6	7	15	6	5	9	2	2	–	–	–	–	–	–
Heart Disease	145	150	189	229	261	291	381	414	370	245	120	51	5	2	–	2
Laryngitis	4	3	2	4	5	5	1	1	–	2	1	–	–	–	–	–
Bronchitis	68	118	171	199	265	300	397	471	412	351	216	90	26	8	–	1
Pleurisy	10	10	11	11	12	15	10	19	14	8	3	3	1	–	–	1
Pneumonia	60	79	89	100	71	93	113	97	87	61	28	11	1	–	–	1
Asthma	4	18	32	31	68	46	90	81	70	53	16	5	1	–	–	–
Lung Disease	10	12	16	15	26	32	29	24	18	12	2	–	–	–	–	1
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	5	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Gastritis	7	6	9	10	8	8	10	9	12	3	6	–	2	–	–	–
Enteritis	15	15	15	14	29	22	18	21	13	20	11	3	–	–	–	–
Peritonitis	12	14	11	16	6	5	21	14	8	11	5	1	1	–	–	–
Ascites	3	2	4	9	5	5	5	6	9	7	5	1	–	–	–	–
Ulceration of Intestines	9	7	9	14	19	18	12	17	11	7	6	1	–	–	–	–
Hernia	3	1	7	3	5	9	10	11	8	8	5	1	1	–	–	–
Ileus	11	10	17	8	16	23	22	29	30	23	6	4	–	–	–	–
Intussusception	–	1	4	–	1	1	2	4	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	2	3	4	1	7	2	4	2	–	1	–	–	–	–
Stomach Disease	23	28	26	35	50	58	80	71	47	32	18	4	3	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	11	9	13	13	19	13	15	9	8	5	–	–	–	–	–
Jaundice	2	–	5	6	8	5	10	10	11	13	5	5	–	–	–	–
Liver Disease	21	38	49	59	60	93	74	78	60	31	11	3	1	–	–	1
Spleen Disease	3	1	4	1	3	4	3	2	1	–	–	–	1	–	–	–
Nephritis	2	5	2	3	3	4	3	6	4	4	–	–	–	1	–	–
Nephria	21	17	17	19	18	15	23	16	12	9	1	–	–	–	–	1
Addison's Disease	2	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	3	1	3	4	1	1	6	4	11	9	2	1	–	1	–	–
Diabetes	9	4	5	8	5	5	8	7	7	1	–	–	–	–	–	–
Stone	–	–	–	1	6	4	9	9	11	9	9	2	1	–	–	–
Cystitis	4	3	5	9	4	9	21	30	35	16	14	3	1	–	–	–
Stricture of Urethra	1	2	3	2	1	2	–	1	1	1	–	–	–	–	–	–
Kidney Disease	15	21	19	11	23	22	27	28	24	14	10	6	1	–	–	–
Paramenia	2	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	13	7	14	12	5	4	6	3	5	–	–	–	–	–	–
Childbirth	71	69	41	8	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	8	6	5	3	6	1	7	5	1	–	–	–	–	–	1
Arthritis	8	4	6	3	5	2	1	1	1	2	–	–	–	–	–	–
Rheumatism	6	4	7	7	9	17	28	23	22	21	2	2	1	–	–	–
Joint Disease	4	2	4	7	3	–	1	1	3	1	–	–	–	–	–	–
Carbuncle	–	1	1	2	1	–	2	2	1	1	1	–	–	1	–	–
Phlegmon	1	1	1	1	2	2	2	–	–	1	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	2	2	1	1	–	1	–	–	–	–	–
Intemperance	7	10	9	17	7	6	6	7	2	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	3	2	4	4	1	–	1	–	–	–	1	–	–	–
Poison	4	3	1	4	3	3	2	1	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	2	5	4	3	10	2	11	10	2	4	1	–	–	–
Hanging, etc.	5	8	10	6	11	3	6	1	3	1	–	1	–	–	–	–
Suffocation	4	7	9	3	2	2	2	1	1	–	1	–	–	–	–	–
Drowning	27	34	30	31	22	26	21	12	4	5	3	–	–	–	–	9
Fracture and Contusion	64	62	72	59	56	45	40	40	29	22	16	12	1	1	–	–
Gunshot Wounds	1	2	1	2	1	2	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	2	1	2	2	5	1	2	5	1	2	–	1	–	–	–	–
Other Violent Causes	3	2	6	3	3	2	3	1	–	–	–	–	–	–	–	2
Not Specified	73	72	87	93	115	123	156	16	1	–	–	–	1	–	–	31

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34363	3820	1291	2433	3002	1468	902	620	1646	892	1096	1332	1143
SPECIFIED CAUSES	32720	3319	1139	2281	2890	1407	861	589	1592	856	1046	1299	1099
I. Zymotic Class	6530	331	263	663	1177	657	441	342	736	226	188	184	122
II. Diseases of Uncertain Seat	867	18	6	9	16	17	9	4	21	14	17	14	17
III. Tubercular Class	5690	105	133	385	505	249	158	106	367	309	479	665	535
IV. Brain and Nervous System	2922	248	98	126	134	59	44	33	117	72	56	51	64
V. Organs of Circulation	1702	7	3	1	3	4	4	5	21	28	33	30	45
VI. Respiratory Organs	5152	387	329	636	605	269	125	43	123	31	58	93	85
VII. Organs of Digestion	2519	317	147	327	316	61	24	19	45	40	65	48	61
VIII. Urinary Organs	659	5	–	4	5	11	8	7	18	15	18	16	24
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	211	–	–	1	2	2	1	3	23	24	26	18	13
XI. Skin, etc.	44	5	2	8	4	–	–	–	1	1	–	1	1
XII. Malformation	123	106	8	5	2	1	1	–	–	–	–	–	–
XIII. Premature Debility	1937	1725	117	95	–	–	–	–	–	–	–	–	–
XIV. Atrophy	232	–	–	–	87	32	12	3	12	12	3	2	2
XV. Age	2407	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	86	5	6	2	1	1	–	1	–	1	1	2	7
XVII. Violent Deaths	1639	60	27	19	33	44	34	23	108	83	102	175	123
I. Small Pox	51	9	5	5	8	2	3	2	4	1	1	3	4
Measles	718	4	22	115	295	134	62	30	48	5	–	1	–
Scarlatina	1154	10	11	70	177	185	165	126	324	58	12	5	3
Diphtheria	312	8	7	33	60	36	34	28	62	15	7	6	2
Hooping Cough	769	45	53	173	272	101	53	32	37	1	–	2	–
Croup	495	25	13	72	153	84	54	51	42	–	–	–	–
Thrush	13	11	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa	731	124	100	125	133	24	5	5	8	5	3	8	3
Dysentery	116	3	4	8	5	3	2	1	–	–	1	2	5
Cholera	72	6	7	10	5	3	2	–	5	–	–	–	2
Influenza	99	6	2	1	2	4	4	1	2	1	1	1	2
Purpura	33	–	–	–	1	–	1	1	3	3	1	4	3
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	1	3	2	–	2	4	1	–	–	–
Typhus	881	5	3	8	24	25	18	22	61	45	67	92	55
Enteric Fever	645	4	1	15	18	35	30	28	102	72	71	46	30
Relapsing Fever	23	–	–	2	–	–	1	–	1	3	2	3	1
Simple Continued Fever	50	–	–	1	3	4	2	4	5	5	3	2	–
Infantile Remittent	61	6	4	7	9	12	4	6	13	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	61	–	–	–	–	1	1	–	5	7	14	6	1
Erysipelas	126	36	8	6	5	–	–	1	4	3	1	1	8
Pyæmia	17	1	–	–	–	–	–	–	3	1	3	1	1
Syphilis	86	28	22	10	4	1	–	1	2	–	1	1	2
Noma	3	–	–	–	–	1	–	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	33	5	2	–	–	–	–	–	–	–	2	2	1
Dropsy	245	–	–	–	8	12	7	4	16	8	7	3	4
Abscess	76	6	4	6	6	–	1	–	3	5	2	2	5
Ulcer	18	1	–	–	–	–	–	–	1	–	1	1	–
Fistula	9	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	62	5	–	1	1	–	–	–	1	–	2	1	1
Cancer	416	1	–	2	1	5	1	–	–	1	3	5	6
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	335	15	14	21	33	15	11	5	32	49	25	25	24
Tabes Mesenterica	517	39	28	64	125	71	42	23	54	37	11	5	4
Phthisis	3810	11	21	51	80	56	41	22	150	191	440	629	505
Hydrocephalus	1028	40	70	249	267	107	64	56	131	32	3	6	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1016	1011	1045	1155	1245	1317	1493	1596	1578	1401	992	567	193	58	10	41
SPECIFIED CAUSES	978	982	999	1109	1186	1256	1417	1591	1578	1401	992	567	192	58	10	26
Zymotic Class	138	119	113	139	118	87	102	130	98	82	46	19	3	–	–	6
Uncertain Seat	16	29	27	63	76	100	106	81	90	59	36	21	1	–	–	–
Tubercular Class	373	296	218	232	194	181	103	57	19	14	4	1	–	–	–	2
Brain, etc.	78	95	101	113	131	170	213	261	259	231	110	44	9	3	–	2
Heart, etc.	77	91	94	120	151	171	210	217	175	127	56	24	2	2	–	1
Respiratory Organs	92	126	183	194	240	245	300	342	267	217	102	46	10	2	–	2
Digestive Organs	51	65	87	89	114	138	140	132	113	74	36	7	2	–	–	1
Urinary Organs	30	28	35	30	32	45	72	73	88	50	30	11	3	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	8	9	6	10	11	10	11	12	12	8	1	–	–	–	–	–
Skin	2	–	1	1	3	2	4	2	2	2	2	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	4	9	10	19	23	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	74	228	424	514	558	388	162	49	10	–
Sudden Deaths	2	7	6	6	8	7	8	7	4	3	–	–	–	–	–	1
Violent Deaths	109	113	119	102	89	77	74	49	27	20	11	6	–	1	–	11
Small Pox	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	2	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	2	4	1	–	2	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	9	11	9	5	11	15	33	27	38	16	8	1	–	–	1
Dysentery	3	3	4	5	6	4	11	13	13	9	7	4	–	–	–	–
Cholera	6	3	3	3	4	2	1	3	3	4	–	–	–	–	–	–
Influenza	2	1	1	2	9	3	9	12	11	9	8	2	2	–	–	1
Purpura	6	1	–	2	1	–	2	1	2	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	62	55	70	70	39	31	30	17	5	3	2	–	–	–	1
Enteric Fever	23	21	24	27	13	15	20	20	11	11	6	1	–	–	–	1
Relapsing Fever	1	–	–	1	2	1	1	2	–	1	1	–	–	–	–	–
Simple Cont. Fever	4	3	–	2	–	1	4	3	3	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	2	2	6	1	1	3	2	4	1	1	–	–	–	–	–
Erysipelas	2	4	4	8	6	4	4	7	6	4	2	2	–	–	–	–
Pyæmia	1	1	1	–	–	1	–	2	–	–	1	–	–	–	–	–
Syphilis	5	2	–	1	1	3	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	2	5	5	1	1	1	–	1	–	–	–	–	–	–
Dropsy	6	4	3	13	20	16	22	25	28	21	11	7	–	–	–	–
Abscess	1	6	2	3	6	5	7	–	1	4	1	–	–	–	–	–
Ulcer	–	–	1	1	–	2	3	2	2	–	3	–	–	–	–	–
Fistula	–	–	1	1	2	–	3	2	–	–	–	–	–	–	–	–
Mortification	1	3	–	1	3	4	4	6	10	7	3	7	1	–	–	–
Cancer	4	14	18	38	40	72	64	44	49	24	17	7	–	–	–	–
Gout	1	–	–	1	–	–	2	1	–	2	1	–	–	–	–	–
Scrofula	15	10	6	9	10	5	5	4	1	1	–	–	–	–	–	–
Tabes Mesenterica	4	2	1	–	5	–	2	–	–	–	–	–	–	–	–	–
Phthisis	353	284	211	223	179	176	96	53	18	13	4	1	–	–	–	2
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	252	8	18	26	30	18	9	7	44	24	10	11	11
Apoplexy	617	12	6	17	8	7	5	4	11	5	6	7	15
Paralysis	833	–	–	–	3	2	2	1	4	6	6	2	8
Delirium Tremens	53	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	122	–	–	–	–	–	–	–	2	4	8	12	11
Tetanus	25	10	2	–	–	–	–	1	1	2	1	2	–
Insanity	26	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	474	209	63	64	69	23	19	10	17	–	–	–	–
Brain Disease	518	9	9	19	24	9	9	10	38	31	24	16	16
V. Pericarditis	37	1	–	–	–	2	1	1	3	4	4	1	2
Aneurism	65	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	1600	6	3	1	3	2	3	4	18	24	29	29	41
VI. Laryngitis	63	5	1	8	13	2	6	–	5	1	1	2	2
Bronchitis	3311	280	256	490	460	197	88	26	66	7	23	26	27
Pleurisy	129	3	3	1	5	–	1	1	5	4	8	13	8
Pneumonia	1186	85	60	130	120	65	29	15	41	14	23	42	35
Asthma	280	–	–	–	–	–	–	–	–	2	–	4	5
Lung Disease	183	14	9	7	7	5	1	1	6	3	3	6	8
VII. Teething	502	8	32	210	237	14	1	–	–	–	–	–	–
Quinsey	25	3	1	4	6	–	3	1	2	2	–	–	1
Gastritis	68	5	3	6	6	–	1	2	1	1	4	2	4
Enteritis	492	161	64	57	31	16	7	10	13	9	18	11	9
Peritonitis	128	16	5	6	5	2	–	1	6	7	10	6	7
Ascites	33	–	–	1	1	1	2	–	4	4	–	–	2
Ulceration of Intestines	92	3	1	3	2	3	–	–	2	–	5	5	5
Hernia	49	6	1	2	1	1	–	–	–	1	3	–	1
Ileus	158	21	3	3	1	3	1	1	5	2	8	4	5
Intussusception	19	–	4	2	2	–	1	–	–	–	2	1	–
Stricture of Intestines	22	1	1	–	–	–	–	–	–	–	–	2	–
Stomach Disease	390	39	26	27	20	14	6	2	5	4	8	6	11
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	71	1	–	2	–	–	–	1	1	1	1	3	1
Jaundice	92	38	1	1	2	3	–	1	1	–	3	–	–
Liver Disease	364	15	5	3	2	4	2	–	5	8	2	7	15
Spleen Disease	13	–	–	–	–	–	–	1	–	1	1	1	–
VIII. Nephritis	48	–	–	3	–	6	5	1	8	1	1	1	2
Nephria	136	–	–	1	1	3	2	2	5	4	7	5	6
Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	40	1	–	–	2	–	–	–	–	–	–	–	1
Diabetes	50	1	–	–	–	–	–	–	–	2	3	2	4
Stone	57	1	–	–	–	–	–	–	–	–	–	1	1
Cystitis	154	–	–	–	–	1	1	–	1	2	2	2	4
Stricture of Urethra	16	–	–	–	–	–	–	–	–	1	–	–	1
Kidney Disease	153	2	–	–	2	1	–	4	4	5	5	5	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	48	–	–	–	1	1	–	–	4	5	8	4	6
Rheumatism	75	–	–	–	–	–	–	1	4	2	3	1	–
Joint and Bone Disease	88	–	–	1	1	1	1	2	15	17	15	13	7
XI. Carbuncle	11	–	–	–	1	–	–	–	–	–	–	–	1
Phlegmon	7	–	–	–	–	–	–	–	1	1	–	–	–
Skin Disease	26	5	2	8	3	–	–	–	–	–	–	1	–
XVII. Intemperance	47	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	43	25	11	7	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	24	2	–	–	–	1	–	–	1	1	1	3	2
Poison	27	5	1	–	–	3	1	–	–	–	–	1	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	132	–	1	3	19	23	14	5	24	5	3	3	7
Hanging, etc.	44	–	–	–	–	–	–	–	–	–	3	3	2
Suffocation	71	22	13	5	–	–	–	–	1	2	6	1	2
Drowning	403	2	–	1	9	8	6	6	33	18	30	60	37
Fracture and Contusion	761	2	–	3	5	8	10	11	47	51	50	94	59
Gunshot Wounds	20	–	–	–	–	–	–	–	–	1	4	2	5
Cuts and Stabs	21	–	–	–	–	–	–	–	–	2	2	3	–
Other Violent Causes	43	2	–	–	–	1	3	1	2	3	3	4	8
Not Specified	1643	501	152	152	112	61	41	31	54	36	50	33	44

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	3	6	2	8	6	2	2	1	–	1	–	–	–	–	–
Apoplexy	13	16	25	34	31	62	62	73	75	78	30	13	5	1	–	1
Paralysis	21	24	20	22	45	58	89	141	147	129	70	27	4	2	–	–
Delirium Tremens	11	14	4	7	3	5	4	1	–	1	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	4	17	10	8	8	11	9	6	4	1	1	–	–	–	–
Tetanus	1	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Insanity	1	2	2	2	5	3	4	2	1	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	19	31	27	36	31	25	40	32	29	22	8	3	–	–	–	1
Pericarditis	1	1	–	2	1	3	4	3	1	1	–	1	–	–	–	–
Aneurism	11	12	5	5	12	6	4	7	1	–	–	–	–	–	–	–
Heart Disease	65	78	89	113	138	162	202	207	173	126	56	23	2	2	–	1
Laryngitis	2	3	1	3	4	1	1	1	–	1	–	–	–	–	–	–
Bronchitis	39	54	96	98	134	130	155	220	167	140	85	36	9	2	–	–
Pleurisy	9	7	6	5	7	9	7	10	8	5	2	1	–	–	–	1
Pneumonia	33	50	53	69	42	60	78	52	41	32	9	7	–	–	–	1
Asthma	2	7	17	11	35	26	46	44	40	33	5	2	1	–	–	–
Lung Disease	7	5	10	8	18	19	13	15	11	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	1	2	6	3	3	3	4	4	1	3	–	1	–	–	–
Enteritis	7	6	7	6	16	11	9	6	5	7	5	1	–	–	–	–
Peritonitis	5	5	5	7	2	3	10	4	6	6	4	–	–	–	–	–
Ascites	3	1	2	2	1	2	–	2	2	2	1	–	–	–	–	–
Ulceration of Intestines	2	3	5	8	10	7	7	10	7	3	1	–	–	–	–	–
Hernia	3	–	3	–	2	2	5	5	4	5	4	–	–	–	–	–
Ileus	6	4	7	7	5	9	14	13	19	11	4	2	–	–	–	–
Intussusception	–	1	2	–	1	1	–	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	2	2	3	–	4	1	2	2	–	–	–	–	–	–
Stomach Disease	4	15	10	15	27	30	41	32	28	12	7	–	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	6	4	8	13	7	9	4	5	–	–	–	–	–	–
Jaundice	1	–	4	4	5	1	4	4	6	7	2	4	–	–	–	–
Liver Disease	16	23	29	27	28	55	35	39	25	13	5	–	–	–	–	1
Spleen Disease	1	–	3	–	2	1	1	–	1	–	–	–	–	–	–	–
Nephritis	–	2	2	1	1	2	3	4	3	2	–	–	–	–	–	–
Nephria	11	8	9	10	11	11	17	8	7	7	1	–	–	–	–	–
Addison's Disease	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	1	1	1	5	3	11	8	2	1	–	1	–	–
Diabetes	7	2	3	6	1	3	5	3	7	1	–	–	–	–	–	–
Stone	–	–	–	–	4	4	8	9	10	8	8	2	1	–	–	–
Cystitis	2	3	4	6	4	8	20	28	34	14	14	3	1	–	–	–
Stricture of Urethra	1	2	3	2	1	2	–	1	1	1	–	–	–	–	–	–
Kidney Disease	6	11	11	4	9	13	14	17	15	9	5	5	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	4	3	–	3	4	2	1	–	1	1	–	–	–	–	–	–
Rheumatism	3	4	4	3	5	8	10	11	8	7	1	–	–	–	–	–
Joint Disease	1	2	2	4	2	–	–	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	1	–	2	2	1	1	1	–	–	–	–	–
Phlegmon	1	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	2	1	–	1	–	1	–	–	–	–	–
Intemperance	5	6	4	8	6	5	6	6	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	3	2	3	3	1	–	1	–	–	–	–	–	–	–
Poisoned Wounds	3	3	1	3	1	2	1	1	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	2	3	3	2	3	–	2	4	1	–	–	–	–	–
Hanging, etc.	2	7	5	4	7	1	5	1	2	1	–	1	–	–	–	–
Suffocation	2	6	4	2	1	1	2	–	1	–	–	–	–	–	–	–
Drowning	27	30	28	25	20	20	18	8	3	3	2	–	–	–	–	9
Fracture and Contusion	61	57	65	52	43	41	34	28	18	9	8	4	–	1	–	–
Gunshot Wounds	1	2	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	3	–	1	4	–	2	–	1	–	–	–	–
Other Violent Causes	3	1	4	1	1	1	3	–	–	–	–	–	–	–	–	2
Not Specified	38	29	46	46	59	61	76	5	–	–	–	–	1	–	–	15

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34705	2864	1099	2014	2728	1350	900	628	1563	861	1142	1233	1300
SPECIFIED CAUSES	33227	2458	988	1901	2612	1284	856	595	1498	814	1112	1201	1277
I. Zymotic Class	6726	281	252	600	1063	646	520	345	777	277	224	171	205
II. Diseases of Uncertain Seat	1541	24	8	9	7	6	9	9	19	13	19	22	36
III. Tubercular Class	5978	85	139	303	443	235	123	97	326	304	620	663	625
IV. Brain and Nervous System	2536	174	77	97	97	57	32	30	97	58	49	51	55
V. Organs of Circulation	1678	7	3	3	5	1	4	4	31	32	34	50	59
VI. Respiratory Organs	4867	295	258	495	583	213	96	64	121	47	48	69	94
VII. Organs of Digestion	2388	205	101	272	292	68	21	19	52	33	40	58	72
VIII. Urinary Organs	354	–	3	2	5	8	10	6	13	4	12	26	24
IX. Organs of Generation	486	–	–	–	–	–	–	–	–	2	31	61	75
X. Organs of Locomotion	180	1	–	2	3	1	4	2	14	14	12	9	8
XI. Skin, etc.	31	5	3	2	3	–	–	1	1	–	–	3	1
XII. Malformation	84	78	3	–	–	–	1	1	–	1	–	–	–
XIII. Premature Debility	1430	1228	108	94	–	–	–	–	–	–	–	–	–
XIV. Atrophy	289	–	–	–	76	29	12	5	16	7	6	5	6
XV. Age	4042	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	60	6	5	1	–	–	3	2	1	–	1	1	1
XVII. Violent Deaths	557	69	28	21	35	20	21	10	30	22	16	12	16
I. Small Pox	49	4	4	4	9	3	4	–	9	4	1	2	1
Measles	623	5	13	100	259	111	52	23	52	1	3	1	1
Scarlatina	1099	4	6	69	136	175	156	136	311	70	7	7	11
Diphtheria	298	7	–	17	38	37	43	30	73	24	5	4	5
Hooping Cough	959	69	83	194	301	120	88	48	52	3	–	1	–
Croup	430	16	11	49	111	90	33	37	31	2	–	–	–
Thrush	17	9	–	2	2	3	1	–	–	–	–	–	–
Diarrhœa	750	102	87	113	121	16	12	3	16	6	5	6	10
Dysentery	139	5	4	3	5	3	–	3	–	2	1	1	2
Cholera	70	–	8	7	8	3	–	1	10	2	1	1	2
Influenza	111	3	6	2	2	–	1	3	1	3	3	–	1
Purpura	16	1	–	–	–	1	–	1	4	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	13	–	1	–	1	3	–	1	7	–	–	–	–
Typhus	864	1	6	10	22	25	25	20	66	45	80	55	67
Enteric Fever	733	–	1	13	26	33	40	28	109	89	98	45	40
Relapsing Fever	17	–	–	–	2	–	–	–	1	5	1	–	–
Simple Continued Fever	55	–	–	–	–	4	3	4	5	4	8	1	3
Infantile Remittent	58	2	1	2	9	9	7	7	21	–	–	–	–
Metria	163	–	–	–	–	–	–	–	–	–	5	37	48
Rheumatic Fever	64	1	–	–	1	–	1	–	4	14	5	5	10
Erysipelas	99	27	5	6	2	2	3	–	3	1	1	1	1
Pyæmia	17	–	–	–	–	2	–	–	1	2	–	1	1
Syphilis	70	25	15	9	6	1	–	–	–	–	–	3	2
Noma	11	–	1	–	2	5	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	5	–	–	–	–	–	1	1	–	–	–	2
Dropsy	466	5	1	1	3	2	5	5	11	3	5	12	19
Abscess	87	11	5	6	2	2	1	1	3	7	10	3	3
Ulcer	21	–	–	1	–	1	2	–	–	–	1	1	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	55	3	2	1	1	–	1	1	–	–	1	2	–
Cancer	872	–	–	–	1	1	–	1	4	3	2	4	11
Gout	7	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	285	4	16	17	35	12	16	10	31	23	27	21	15
Tabes Mesenterica	428	37	21	59	105	61	28	20	45	18	6	3	5
Phthisis	4438	11	28	44	80	75	24	22	147	248	580	638	605
Hydrocephalus	827	33	74	183	223	87	55	45	103	15	7	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1124	1154	1167	1125	1189	1227	1600	1723	1958	1822	1502	894	379	112	10	37
SPECIFIED CAUSES	1089	1111	1126	1078	1133	1165	1520	1712	1957	1822	1502	894	379	112	10	21
Zymotic Class	160	159	140	125	115	104	141	98	134	98	51	24	10	1	–	5
Uncertain Seat	37	65	93	134	157	158	168	182	154	109	60	33	8	1	1	–
Tubercular Class	484	404	362	208	175	137	120	65	29	17	8	2	–	–	–	4
Brain, etc.	57	66	69	106	124	142	190	253	245	227	132	40	8	1	–	2
Heart, etc.	83	75	102	119	128	130	181	209	199	123	64	28	3	–	–	1
Respiratory Organs	64	114	138	166	207	246	340	351	334	270	164	63	19	6	–	2
Digestive Organs	65	76	85	104	114	134	147	158	110	91	47	17	7	–	–	–
Urinary Organs	27	27	21	27	29	18	25	28	17	13	6	1	–	1	–	1
Generative Organs	79	94	57	28	15	11	5	13	8	6	–	–	–	–	–	1
Locomotive Organs	10	1	11	7	6	9	19	13	14	16	1	2	1	–	–	–
Skin	–	2	2	2	–	2	2	1	–	–	–	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	7	15	17	28	51	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	153	315	683	827	957	672	320	101	9	5
Sudden Deaths	–	2	4	3	6	3	10	4	5	2	–	–	–	–	–	–
Violent Deaths	14	19	27	32	29	20	19	22	25	23	12	12	3	–	–	–
Small Pox	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	4	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	3	3	2	3	–	–	2	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	13	6	10	17	17	29	25	44	42	19	13	10	1	–	1
Dysentery	4	4	1	6	3	16	18	13	16	16	9	4	–	–	–	–
Cholera	7	3	5	3	3	–	2	2	2	–	–	–	–	–	–	–
Influenza	–	3	3	3	5	3	16	11	17	13	10	2	–	–	–	–
Purpura	–	–	1	1	2	2	–	2	–	–	–	1	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	65	62	78	57	53	37	32	19	22	10	–	4	–	–	–	3
Enteric Fever	24	33	19	26	20	14	24	14	20	9	7	–	–	–	–	1
Relapsing Fever	–	–	1	1	1	–	2	1	–	2	–	–	–	–	–	–
Simple Cont. Fever	1	2	2	2	1	3	5	1	3	2	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	32	23	16	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	2	2	2	3	2	4	1	1	2	1	–	–	–	–	–
Erysipelas	3	3	1	3	6	5	6	5	9	2	4	–	–	–	–	–
Pyæmia	5	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Syphilis	2	2	–	3	1	–	–	1	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	1	5	5	–	2	–	–	3	–	–	2	–	–	–	–
Dropsy	8	15	25	31	37	37	61	56	52	41	23	8	–	–	–	–
Abscess	5	1	6	2	4	5	4	1	3	1	1	–	–	–	–	–
Ulcer	–	1	–	1	–	3	2	3	1	1	1	2	–	–	–	–
Fistula	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	2	5	4	7	8	5	8	1	–	–	–
Cancer	21	45	57	94	115	106	95	116	88	57	29	13	7	1	1	–
Gout	–	–	–	–	–	1	1	2	–	1	1	–	–	–	–	–
Scrofula	8	14	8	3	8	3	7	5	1	1	–	–	–	–	–	–
Tabes Mesenterica	4	3	4	–	2	2	2	1	–	–	1	1	–	–	–	–
Phthisis	471	387	350	205	165	132	111	59	28	16	7	1	–	–	–	4
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	200	6	14	25	15	8	7	8	39	18	12	9	6
Apoplexy	524	14	3	7	8	5	2	1	5	9	11	8	11
Paralysis	838	–	–	–	2	–	1	–	3	3	1	1	7
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	8	–	–	1	–	1	–	1	1	–	1	–	–
Epilepsy	123	–	–	–	–	1	–	–	3	10	8	11	15
Tetanus	13	5	1	–	1	–	–	–	–	–	–	2	–
Insanity	27	–	–	–	–	–	–	–	–	–	1	1	–
Convulsions	382	146	49	57	52	30	13	15	18	–	–	–	2
Brain Disease	410	3	10	7	19	12	9	5	28	18	15	18	13
V. Pericarditis	28	–	–	–	–	–	–	–	4	4	3	1	2
Aneurism	16	–	–	–	–	–	–	–	–	–	1	1	1
Heart Disease	1634	7	3	3	5	1	4	4	27	28	30	48	56
VI. Laryngitis	60	5	4	8	8	7	3	3	6	2	–	1	2
Bronchitis	3466	214	203	396	458	158	68	45	79	18	19	37	43
Pleurisy	74	3	–	2	1	1	–	1	2	3	3	1	6
Pneumonia	884	65	47	80	111	47	24	14	32	20	18	24	38
Asthma	250	–	–	–	–	–	–	–	–	1	2	1	–
Lung Disease	133	8	4	9	5	–	1	1	2	3	6	5	5
VII. Teething	460	2	25	177	218	36	2	–	–	–	–	–	–
Quinsey	31	3	–	3	2	4	1	–	5	1	1	–	2
Gastritis	87	6	3	4	5	1	–	1	4	1	1	1	3
Enteritis	441	116	37	55	40	12	10	6	20	7	11	7	10
Peritonitis	145	5	2	3	2	5	3	1	7	10	3	18	18
Ascites	49	1	–	–	1	1	–	–	–	2	–	–	1
Ulceration of Intestines	95	4	2	2	1	–	–	–	4	3	3	5	4
Hernia	43	1	–	–	1	–	–	–	–	–	–	1	1
Ileus	139	9	4	3	6	2	–	2	2	–	5	4	4
Intussusception	11	–	1	1	–	–	1	–	–	1	–	1	–
Stricture of Intestines	10	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	383	30	23	20	12	4	3	5	6	4	9	5	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	72	1	–	1	–	–	–	1	1	–	2	3	3
Jaundice	69	19	2	1	2	2	1	–	–	–	1	2	1
Liver Disease	336	8	2	1	2	1	–	3	3	3	4	11	15
Spleen Disease	17	–	–	1	–	–	–	–	–	1	–	–	1
VIII. Nephritis	39	–	1	1	1	1	5	2	4	1	2	1	3
Nephria	103	–	–	–	–	1	3	2	3	2	6	10	7
Addison's Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	17	–	–	–	–	1	–	–	1	–	1	3	–
Diabetes	31	–	–	–	–	–	–	–	–	1	2	3	4
Stone	8	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	16	–	–	–	–	1	–	–	1	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	137	–	2	1	4	4	1	2	4	–	1	8	9
IX. Paramenia	29	–	–	–	–	–	–	–	–	2	14	1	2
Ovarian Dropsy	81	–	–	–	–	–	–	–	–	–	2	4	3
Childbirth	321	–	–	–	–	–	–	–	–	–	14	53	65
Organs of Generation	55	–	–	–	–	–	–	–	–	–	1	3	5
X. Arthritis	30	–	–	1	1	–	2	2	3	3	1	2	1
Rheumatism	98	–	–	–	–	–	–	–	3	3	2	3	2
Joint and Bone Disease	52	1	–	1	2	1	2	–	8	8	9	4	5
XI. Carbuncle	7	1	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	8	–	–	–	1	–	–	–	–	–	–	–	1
Skin Disease	16	4	2	2	1	–	–	1	1	–	–	3	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	39	21	13	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	–	–	–	–	–
Poison	27	2	1	2	1	1	1	–	3	1	3	1	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	117	–	2	7	23	6	15	8	8	4	3	2	3
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	68	33	12	4	1	1	1	–	2	1	–	–	–
Drowning	64	2	–	–	4	6	1	–	4	7	1	7	1
Fracture and Contusion	144	1	–	2	4	5	3	1	11	8	6	1	4
Gunshot Wounds	5	–	–	–	–	–	–	–	–	1	2	–	–
Cuts and Stabs	11	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	29	10	–	1	2	1	–	–	2	–	1	1	2
Not Specified	1478	406	111	113	116	66	44	33	65	47	30	32	23

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	9	5	4	4	3	2	1	–	1	1	–	–	–	–	–
Apoplexy	10	12	16	36	41	45	58	61	67	54	29	10	1	–	–	–
Paralysis	15	16	15	32	35	63	88	143	144	145	88	27	6	1	–	2
Delirium Tremens	–	3	4	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Epilepsy	13	4	5	6	6	9	9	10	6	2	4	1	–	–	–	–
Tetanus	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Insanity	1	4	4	5	4	1	2	1	1	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	18	19	22	33	21	30	35	26	22	10	2	1	–	–	–
Pericarditis	2	3	1	1	2	1	1	–	1	2	–	–	–	–	–	–
Aneurism	1	–	1	2	3	–	1	2	1	2	–	–	–	–	–	–
Heart Disease	80	72	100	116	123	129	179	207	197	119	64	28	3	–	–	–
Laryngitis	2	–	1	1	1	4	–	–	–	1	1	–	–	–	–	–
Bronchitis	29	64	75	101	131	170	242	251	245	211	131	54	17	6	–	1
Pleurisy	1	3	5	6	5	6	3	9	6	3	1	2	1	–	–	–
Pneumonia	27	29	36	31	29	33	35	45	46	29	19	4	1	–	–	–
Asthma	2	11	15	20	33	20	44	37	30	20	11	3	–	–	–	–
Lung Disease	3	7	6	7	8	13	16	9	7	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	5	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	5	5	7	4	5	5	7	5	8	2	3	–	1	–	–	–
Enteritis	8	9	8	8	13	11	9	15	8	13	6	2	–	–	–	–
Peritonitis	7	9	6	9	4	2	11	10	2	5	1	1	1	–	–	–
Ascites	–	1	2	7	4	3	5	4	7	5	4	1	–	–	–	–
Ulceration of Intestines	7	4	4	6	9	11	5	7	4	4	5	1	–	–	–	–
Hernia	–	1	4	3	3	7	5	6	4	3	1	1	1	–	–	–
Ileus	5	6	10	1	11	14	8	16	11	12	2	2	–	–	–	–
Intussusception	–	–	2	–	–	–	2	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	3	1	2	–	–	1	–	–	–	–
Stomach Disease	19	13	16	20	23	28	39	39	19	20	11	4	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	7	3	9	5	6	6	6	5	3	5	–	–	–	–	–
Jaundice	1	–	1	2	3	4	6	6	5	6	3	1	–	–	–	–
Liver Disease	5	15	20	32	32	38	39	30	35	18	6	3	1	–	–	–
Spleen Disease	2	1	1	1	1	3	2	2	–	–	–	–	1	–	–	–
Nephritis	2	3	–	2	2	2	–	2	1	2	–	–	–	1	–	–
Nephria	10	9	8	9	7	4	6	8	5	2	–	–	–	–	–	1
Addison's Disease	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	2	3	–	–	1	1	–	1	–	–	–	–	–	–
Diabetes	2	2	2	2	4	2	3	4	–	–	–	–	–	–	–	–
Stone	–	–	–	1	2	–	1	–	1	1	1	–	–	–	–	–
Cystitis	2	–	1	3	–	1	1	2	1	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	10	8	7	14	9	13	11	9	5	5	1	–	–	–	–
Paramenia	2	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	13	7	14	12	5	4	6	3	5	–	–	–	–	–	–
Childbirth	71	69	41	8	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	8	6	5	3	6	1	7	5	1	–	–	–	–	–	1
Arthritis	4	1	6	–	1	–	–	1	–	1	–	–	–	–	–	–
Rheumatism	3	–	3	4	4	9	18	12	14	14	1	2	1	–	–	–
Joint Disease	3	–	2	3	1	–	1	–	–	1	–	–	–	–	–	–
Carbuncle	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intemperance	2	4	5	9	1	1	–	1	2	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	1	1	–	–	–	–	–	–	1	–	–	–
Poison	1	–	–	1	2	1	1	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	2	1	1	7	2	9	6	1	4	1	–	–	–
Hanging, etc.	3	1	5	2	4	2	1	–	1	–	–	–	–	–	–	–
Suffocation	2	1	5	1	1	1	–	1	–	–	1	–	–	–	–	–
Drowning	–	4	2	6	2	6	3	4	1	2	1	–	–	–	–	–
Fracture and Contusion	3	5	7	7	13	4	6	12	11	13	8	8	1	–	–	–
Gunshot Wounds	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	1	1	1	2	1	1	1	1	–	–	–	–	–	–	–
Other Violent Causes	–	1	2	2	2	1	–	1	–	–	–	–	–	–	–	–
Not Specified	35	43	41	47	56	62	80	11	1	–	–	–	–	–	–	16

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2583	213	52	90	92	57	40	34	93	49	60	97	96
SPECIFIED CAUSES	2121	85	29	55	68	38	27	26	75	39	44	86	78
I. Zymotic Class	314	16	10	26	36	20	18	15	46	11	5	10	12
II. Diseases of Uncertain Seat	93	–	–	1	–	–	1	1	–	1	1	1	3
III. Tubercular Class	287	3	5	8	13	10	1	5	9	9	18	45	35
IV. Brain and Nervous System	138	12	4	3	1	1	1	1	5	7	3	4	2
V. Organs of Circulation	65	–	–	–	–	–	–	–	1	1	–	3	1
VI. Respiratory Organs	204	14	5	10	9	3	3	1	5	1	4	5	7
VII. Organs of Digestion	130	5	–	6	7	1	1	1	4	3	3	4	6
VIII. Urinary Organs	44	–	–	–	–	1	–	1	1	–	–	2	–
IX. Organs of Generation	28	–	–	–	–	–	–	–	–	–	1	2	7
X. Organs of Locomotion	18	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	36	33	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	–	–	1	–	1	1	–	1	–
XV. Age	666	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	70	–	2	–	2	2	1	–	3	4	3	10	5
I. Small Pox	5	–	–	1	–	–	–	–	–	1	–	1	1
Measles	22	–	2	2	5	4	2	–	5	–	1	1	–
Scarlatina	43	–	–	3	4	5	3	7	18	3	–	–	–
Diphtheria	28	2	–	2	6	1	4	2	5	3	1	–	–
Hooping Cough	30	3	2	5	8	5	2	–	5	–	–	–	–
Croup	40	4	5	8	7	4	3	4	4	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	18	3	–	3	1	–	–	–	–	1	–	–	1
Dysentery	9	–	1	1	1	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	13	1	–	–	1	–	–	–	1	–	–	–	–
Purpura	9	–	–	–	–	–	–	–	–	–	–	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	52	1	–	–	2	–	1	–	1	2	2	7	3
Enteric Fever	17	–	–	–	–	–	3	1	2	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	–	–	1
Erysipelas	9	1	–	1	–	–	–	–	1	–	1	–	1
Pyæmia	3	–	–	–	–	1	–	–	1	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	46	–	–	1	–	–	1	1	–	1	1	1	2
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	1	1	–	1	–	1	–	3	2	1	1
Tabes Mesenterica	17	3	2	2	3	2	–	–	1	1	–	–	1
Phthisis	229	–	1	2	3	1	1	–	3	4	16	44	33
Hydrocephalus	27	–	1	3	7	6	–	4	5	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	79	66	57	72	97	85	132	169	215	203	199	132	71	17	4	12
SPECIFIED CAUSES	66	51	48	54	69	68	109	162	214	203	199	132	71	17	4	4
Zymotic Class	10	4	6	7	11	7	10	15	6	3	6	2	–	–	–	2
Uncertain Seat	1	3	2	2	10	11	13	10	11	12	5	3	–	–	1	–
Tubercular Class	33	20	12	14	12	9	14	6	3	–	1	1	–	–	–	1
Brain, etc.	4	4	3	5	2	8	15	9	23	12	5	4	–	–	–	–
Heart, etc.	3	–	3	2	5	6	8	13	10	5	2	2	–	–	–	–
Respiratory Organs	2	3	3	4	5	9	19	25	26	20	14	6	1	–	–	–
Digestive Organs	3	4	5	6	10	6	12	15	11	6	4	1	1	–	–	–
Urinary Organs	3	–	–	3	3	1	5	7	7	6	3	1	–	–	–	–
Generative Organs	3	6	4	2	–	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	2	2	3	4	3	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	3	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	56	112	132	157	111	69	17	3	–
Sudden Deaths	–	2	2	1	–	–	1	1	–	1	–	–	–	–	–	–
Violent Deaths	3	5	8	4	6	3	1	1	1	2	2	1	–	–	–	1
Small Pox	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	1	2	–	1	2	1	–	–	–	–
Dysentery	1	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	3	4	1	–	1	–	–	–	–	–
Purpura	3	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	4	4	6	3	3	6	1	1	1	–	–	–	–	–
Enteric Fever	–	1	1	1	2	1	2	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	–	–	5	6	8	4	5	7	1	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	1	2	–	4	4	5	6	6	5	2	3	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	33	20	12	13	11	9	13	4	3	–	1	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	13	2	2	–	1	1	1	–	2	1	1	1	1
Apoplexy	29	1	–	1	–	–	–	–	–	3	–	1	–
Paralysis	59	–	–	–	–	–	–	–	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	7	5	–	–	–	–	–	–	–	–	–	2	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	7	4	2	–	–	–	–	–	1	–	–	–	–
Brain Disease	14	–	–	1	–	–	–	1	1	1	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	63	–	–	–	–	–	–	–	1	1	–	3	1
VI. Laryngitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	95	8	4	7	6	2	1	1	1	–	1	–	1
Pleurisy	8	2	–	–	–	1	–	–	–	–	–	2	–
Pneumonia	43	3	1	3	3	–	2	–	4	–	3	2	4
Asthma	39	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	17	–	–	–	–	–	–	–	–	–	–	1	2
VII. Teething	12	–	–	6	6	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	1	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	21	2	–	–	1	–	1	–	2	2	1	1	1
Peritonitis	8	1	–	–	–	–	–	–	1	–	1	–	1
Ascites	5	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	–	–	–	–	–	–	–	2	–
Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	33	–	–	–	–	1	–	–	–	–	1	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	1	–	–	–	–	–	1	–	–	1	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	16	–	–	–	–	–	–	–	1	–	1	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	–
Stone	12	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	–	–	–	–	–	1	–	–	–	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	22	–	–	–	–	–	–	–	–	–	–	2	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	14	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	2	1	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	44	–	–	–	–	1	–	–	2	4	2	9	3
Fracture and Contusion	12	–	–	–	–	–	–	–	1	–	1	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	462	128	23	35	24	19	13	8	18	10	16	11	18

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	1	1	3	1	8	4	–	1	–	–	–	–
Paralysis	2	1	–	2	1	6	10	6	15	7	4	3	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	2	–	1	1	2	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	3	2	5	6	7	13	10	4	2	2	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	–	2	2	3	12	13	11	12	4	1	–	–	–
Pleurisy	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	1	–	1	8	3	3	1	–	–	–	–	–	–
Asthma	–	1	–	1	3	2	4	8	10	6	1	2	–	–	–	–
Lung Disease	–	–	1	2	–	2	4	2	–	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	2	–	–	–	1	–	2	2	1	2	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	1	–	1	–	–	2	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	2	3	1	8	4	8	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	1	1	–	5	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	1	2	2	1	2	1	2	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
Diabetes	1	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	2	3	2	2	1	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	1	–	–	1	3	1	2	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	3	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	2	3	4	3	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Drowning	2	3	7	3	2	2	1	–	–	1	1	–	–	–	–	1
Fracture and Contusion	–	1	–	1	3	–	–	–	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	15	9	18	28	17	23	7	1	–	–	–	–	–	–	8

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1233	120	28	54	43	30	16	16	44	22	26	63	53
SPECIFIED CAUSES	1003	41	17	32	35	21	11	11	40	19	16	58	41
I. Zymotic Class	150	5	4	15	15	13	6	7	25	3	2	7	6
II. Diseases of Uncertain Seat	41	–	–	–	–	–	1	–	–	1	1	–	1
III. Tubercular Class	151	1	3	4	9	4	–	1	4	5	5	29	22
IV. Brain and Nervous System	79	7	4	2	1	1	1	1	2	3	–	3	2
V. Organs of Circulation	39	–	–	–	–	–	–	–	1	–	–	2	–
VI. Respiratory Organs	90	8	3	7	6	–	2	1	2	–	2	4	2
VII. Organs of Digestion	71	3	–	3	3	1	1	–	3	3	4	2	3
VIII. Urinary Organs	33	–	–	–	–	–	–	1	1	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	17	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	252	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	57	–	2	–	1	2	–	–	2	3	2	10	5
I. Small Pox	3	–	–	1	–	–	–	–	–	–	–	1	1
Measles	13	–	1	1	4	3	1	–	3	–	–	–	–
Scarlatina	22	–	–	2	2	4	–	3	10	1	–	–	–
Diphtheria	10	–	–	2	1	1	1	1	2	–	–	–	–
Hooping Cough	15	–	2	1	6	3	1	–	2	–	–	–	–
Croup	15	1	1	5	1	2	1	1	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	1	–	2	1	–	–	–	–	–	–	–	–
Dysentery	4	–	–	1	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	8	1	–	–	–	–	–	–	1	–	–	–	–
Purpura	9	–	–	–	–	–	–	–	–	–	–	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	25	1	–	–	–	–	–	–	1	1	1	5	1
Enteric Fever	8	–	–	–	–	–	2	1	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	5	–	–	–	–	–	–	–	1	–	1	–	1
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	–	1	–	–	1	1	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	1	–	–	–	–	–	3	1	–	1
Tabes Mesenterica	9	1	2	1	2	–	–	–	–	1	–	–	1
Phthisis	119	–	1	1	1	–	–	–	2	–	4	29	20
Hydrocephalus	15	–	–	1	6	4	–	1	2	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	36	26	25	42	48	41	61	79	103	95	77	52	19	5	2	7
SPECIFIED CAUSES	30	22	23	32	37	31	51	78	103	95	77	52	19	5	2	4
Zymotic Class	5	2	3	5	5	–	3	9	4	–	2	2	–	–	–	2
Uncertain Seat	–	–	2	2	3	5	1	5	8	6	2	3	–	–	–	–
Tubercular Class	13	10	5	6	8	6	7	5	2	–	–	1	–	–	–	1
Brain, etc.	4	1	2	3	2	3	10	4	12	8	2	1	–	–	–	–
Heart, etc.	2	–	–	1	4	4	5	7	6	5	1	1	–	–	–	–
Respiratory Organs	1	1	1	2	–	3	11	8	11	7	4	4	–	–	–	–
Digestive Organs	2	1	1	3	7	4	5	9	7	3	3	–	–	–	–	–
Urinary Organs	1	–	–	2	–	1	4	5	7	6	3	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	2	–	2	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	22	46	56	59	39	19	5	2	–
Sudden Deaths	–	2	1	1	–	–	1	1	–	1	–	–	–	–	–	–
Violent Deaths	2	5	8	4	5	2	–	1	–	1	1	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	4	1	–	–	–	–	–	–	–
Purpura	3	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	2	2	2	–	2	2	1	–	1	–	–	–	–	–
Enteric Fever	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	2	4	3	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	2	–	2	3	–	3	4	3	1	3	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	10	5	5	7	6	7	4	2	–	–	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	1	2	–	1	1	1	–	–	1	–	1	1
Apoplexy	19	1	–	1	–	–	–	–	–	–	–	1	–
Paralysis	32	–	–	–	–	–	–	–	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	3	2	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	2	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	1	–	–	–	1	1	1	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	37	–	–	–	–	–	–	–	1	–	–	2	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	42	5	2	6	5	–	1	1	–	–	–	–	1
Pleurisy	3	1	–	–	–	–	–	–	–	–	–	2	–
Pneumonia	21	2	1	1	1	–	1	–	2	–	2	1	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	–	–	–	–	–	–	–	–	–	–	1	1
VII. Teething	6	–	–	3	3	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	12	1	–	–	–	–	1	–	1	2	–	1	–
Peritonitis	5	1	–	–	–	–	–	–	1	–	–	–	1
Ascites	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	–	–	–	–	1	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	1	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	–
Stone	10	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	1	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	41	–	–	–	–	1	–	–	1	3	2	9	3
Fracture and Contusion	7	–	–	–	–	–	–	–	1	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	230	79	11	22	8	9	5	5	4	3	10	5	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	1	1	–	1	5	3	–	1	–	–	–	–
Paralysis	2	–	–	1	1	2	8	3	7	4	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	–	1	4	4	4	7	6	4	1	1	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	2	1	4	4	3	3	3	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	–	6	1	1	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	1	3	6	2	–	1	–	–	–	–
Lung Disease	–	–	1	1	–	–	3	–	–	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	2	1	2	4	5	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	3	2	2	1	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	1	1	2	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	3	7	3	2	2	–	–	–	1	1	–	–	–	–	1
Fracture and Contusion	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	4	2	10	11	10	10	1	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1350	93	24	36	49	27	24	18	49	27	34	34	43
SPECIFIED CAUSES	1118	44	12	23	33	17	16	15	35	20	28	28	37
I. Zymotic Class	164	11	6	11	21	7	12	8	21	8	3	3	6
II. Diseases of Uncertain Seat	52	–	–	1	–	–	–	1	–	–	–	1	2
III. Tubercular Class	136	2	2	4	4	6	1	4	5	4	13	16	13
IV. Brain and Nervous System	59	5	–	1	–	–	–	–	3	4	3	1	–
V. Organs of Circulation	26	–	–	–	–	–	–	–	–	1	–	1	1
VI. Respiratory Organs	114	6	2	3	3	3	1	–	3	1	2	1	5
VII. Organs of Digestion	59	2	–	3	4	–	–	1	1	–	4	2	3
VIII. Urinary Organs	11	–	–	–	–	1	–	–	–	–	–	1	–
IX. Organs of Generation	28	–	–	–	–	–	–	–	–	–	1	2	7
X. Organs of Locomotion	9	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	17	16	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	–	–	1	–	1	1	–	–	–
XV. Age	414	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	–	–	–	1	–	1	–	1	1	1	–	–
I. Small Pox	2	–	–	–	–	–	–	–	–	1	–	–	–
Measles	9	–	1	1	1	1	1	–	2	–	1	1	–
Scarlatina	21	–	–	1	2	1	3	4	8	2	–	–	–
Diphtheria	18	2	–	–	5	–	3	1	3	3	1	–	–
Hooping Cough	15	3	–	4	2	2	1	–	3	–	–	–	–
Croup	25	3	4	3	6	2	2	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	2	–	1	–	–	–	–	–	1	–	–	1
Dysentery	5	–	1	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	–	–	2	–	1	–	–	1	1	2	2
Enteric Fever	9	–	–	–	–	–	1	–	1	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	4	1	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	32	–	–	1	–	–	–	1	–	–	–	1	2
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	1	–	–	1	–	1	–	–	1	1	–
Tabes Mesenterica	8	2	–	1	1	2	–	–	1	–	–	–	–
Phthisis	110	–	–	1	2	1	1	–	1	4	12	15	13
Hydrocephalus	12	–	1	2	1	2	–	3	3	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	43	40	32	30	49	44	71	90	112	108	122	80	52	12	2	5
SPECIFIED CAUSES	36	29	25	22	32	37	58	84	111	108	122	80	52	12	2	–
Zymotic Class	5	2	3	2	6	7	7	6	2	3	4	–	–	–	–	–
Uncertain Seat	1	3	–	–	7	6	12	5	3	6	3	–	–	–	1	–
Tubercular Class	20	10	7	8	4	3	7	1	1	–	1	–	–	–	–	–
Brain, etc.	–	3	1	2	–	5	5	5	11	4	3	3	–	–	–	–
Heart, etc.	1	–	3	1	1	2	3	6	4	–	1	1	–	–	–	–
Respiratory Organs	1	2	2	2	5	6	3	17	15	13	10	2	1	–	–	–
Digestive Organs	1	3	4	3	3	2	7	6	4	3	1	1	1	–	–	–
Urinary Organs	2	–	–	1	3	–	1	2	–	–	–	–	–	–	–	–
Generative Organs	3	6	4	2	–	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	2	1	4	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	34	66	76	98	72	50	12	1	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	1	1	1	–	1	1	1	1	–	–	–	–
Small Pox	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–
Dysentery	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	2	2	4	3	1	4	–	1	–	–	–	–	–	–
Enteric Fever	–	1	1	–	2	1	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	–	–	5	5	7	2	1	4	1	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	2	1	5	3	2	2	1	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	20	10	7	8	4	3	6	–	1	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	1	–	–	–	–	–	–	2	–	1	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	3	–	–	–
Paralysis	27	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	4	3	–	–	–	–	–	–	–	–	–	1	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	2	1	–	–	–	–	–	–	1	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	–	–	–	–	–	–	–	–	1	–	1	1
VI. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	53	3	2	1	1	2	–	–	1	–	1	–	–
Pleurisy	5	1	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	22	1	–	2	2	–	1	–	2	–	1	1	4
Asthma	25	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	8	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	6	–	–	3	3	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	1	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	1	–	–	1	–	–	–	1	–	1	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	2	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	–	–	–	–	–	–	–	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	–	–	–	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	22	–	–	–	–	–	–	–	–	–	–	2	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	1	1	–	–	–
Fracture and Contusion	5	–	–	–	–	–	–	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	232	49	12	13	16	10	8	3	14	7	6	6	6

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	3	–	3	1	–	–	–	–	–	–
Paralysis	–	1	–	1	–	4	2	3	8	3	2	3	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	3	1	1	2	3	6	4	–	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	–	2	–	2	8	9	8	9	1	1	–	–	–
Pleurisy	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	–	–	1	2	2	2	–	–	–	–	–	–	–
Asthma	–	1	–	1	3	1	3	5	4	4	1	1	–	–	–	–
Lung Disease	–	–	–	1	–	2	1	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	1	–	6	–	3	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	3	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	1	1	1	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	3	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	2	1	4	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	11	7	8	17	7	13	6	1	–	–	–	–	–	–	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	33190	3144	987	1867	2201	1147	798	534	1558	910	1121	1211	1091
SPECIFIED CAUSES	31080	2540	813	1685	2036	1065	740	497	1479	849	1066	1164	1051
I. Zymotic Class	6012	271	208	543	856	535	446	312	783	292	221	154	144
II. Diseases of Uncertain Seat	1203	18	5	10	9	8	8	4	12	6	22	17	15
III. Tubercular Class	5147	87	110	256	353	175	106	69	298	300	524	649	543
IV. Brain and Nervous System	2572	130	66	81	92	46	29	24	107	60	53	47	62
V. Organs of Circulation	1728	7	4	1	4	4	2	3	27	25	27	29	36
VI. Respiratory Organs	3998	268	205	398	383	174	78	34	98	39	45	58	65
VII. Organs of Digestion	2466	252	99	289	237	48	22	18	50	35	56	50	54
VIII. Urinary Organs	494	1	1	2	4	8	8	6	9	8	14	18	21
IX. Organs of Generation	242	–	–	–	–	–	–	–	–	–	17	23	30
X. Organs of Locomotion	177	–	–	3	1	–	2	1	12	16	17	17	10
XI. Skin, etc.	35	2	2	5	3	–	–	1	–	–	–	2	2
XII. Malformation	130	120	7	2	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	1495	1335	82	78	–	–	–	–	–	–	–	–	–
XIV. Atrophy	213	–	–	–	59	31	7	1	9	11	6	5	5
XV. Age	4046	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	62	6	4	2	1	1	1	1	–	–	–	2	3
XVII. Violent Deaths	1068	43	20	15	34	35	30	23	74	57	64	93	61
I. Small Pox	26	4	3	1	3	2	1	2	2	1	2	–	–
Measles	435	6	8	76	163	69	46	14	45	3	2	1	1
Scarlatina	1074	8	9	69	133	161	140	125	321	72	12	6	9
Diphtheria	371	8	5	23	53	43	51	32	96	25	8	7	3
Hooping Cough	641	62	47	150	191	64	52	36	35	3	–	1	–
Croup	445	16	14	60	124	82	73	38	37	1	–	–	–
Thrush	17	11	1	2	2	1	–	–	–	–	–	–	–
Diarrhœa	684	79	80	96	106	21	7	2	8	3	3	6	7
Dysentery	151	7	4	6	6	4	2	2	–	–	–	3	3
Cholera	79	1	4	9	6	5	1	–	6	1	1	1	3
Influenza	130	5	4	2	1	2	3	2	1	1	2	1	2
Purpura	22	1	–	–	–	–	1	1	5	1	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	1	1	1	4	–	1	8	1	–	–	–
Typhus	648	3	5	12	30	25	20	20	65	56	64	46	39
Enteric Fever	798	4	2	22	22	37	36	26	120	99	99	57	41
Relapsing Fever	25	–	–	2	2	–	–	–	2	6	1	2	–
Simple Continued Fever	62	–	–	–	2	3	4	3	5	6	6	2	2
Infantile Remittent	53	6	3	6	5	8	4	7	14	–	–	–	–
Metria	86	–	–	–	–	–	–	–	–	–	4	11	24
Rheumatic Fever	68	1	–	–	1	1	2	–	2	11	12	6	3
Erysipelas	113	33	4	3	3	1	2	1	6	1	1	1	4
Pyæmia	13	1	–	–	–	–	–	–	3	1	2	–	1
Syphilis	50	15	13	3	2	–	–	–	2	–	1	2	2
Noma	4	–	1	–	–	2	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	25	4	2	–	–	–	–	1	1	–	2	1	1
Dropsy	333	1	–	–	1	4	5	1	6	1	7	6	5
Abscess	63	7	2	5	7	–	1	–	2	4	7	2	3
Ulcer	25	1	–	1	–	–	1	–	–	–	–	2	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	63	4	1	2	1	–	–	1	1	–	3	2	–
Cancer	680	1	–	2	–	4	1	1	2	1	3	4	5
Gout	11	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	292	7	14	16	22	8	5	5	29	32	26	29	20
Tabes Mesenterica	395	34	24	50	103	50	25	14	37	25	11	4	4
Phthisis	3724	14	16	31	49	52	18	16	116	219	481	611	518
Hydrocephalus	786	32	56	159	179	65	58	34	116	24	6	5	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	914	871	923	964	1091	1173	1528	1807	2043	2078	1650	1008	393	128	8	42
SPECIFIED CAUSES	864	826	858	910	1019	1085	1411	1798	2043	2078	1650	1008	392	128	8	25
Zymotic Class	115	114	95	105	89	88	129	115	146	142	65	30	10	–	–	4
Uncertain Seat	25	36	39	89	99	116	134	150	151	114	65	46	4	1	–	–
Tubercular Class	382	301	222	188	161	164	118	76	32	19	9	2	–	–	–	3
Brain, etc.	51	57	74	86	123	138	172	253	285	293	165	59	13	3	–	3
Heart, etc.	60	57	82	104	130	141	201	251	241	173	78	34	5	2	–	–
Respiratory Organs	51	74	112	136	171	168	251	334	288	303	171	67	17	8	–	2
Digestive Organs	52	58	93	86	112	151	169	184	149	115	61	18	7	–	–	1
Urinary Organs	20	19	22	25	25	29	50	59	65	44	25	7	2	2	–	–
Generative Organs	42	45	36	17	6	5	2	10	6	3	–	–	–	–	–	–
Locomotive Organs	9	3	6	6	9	8	16	14	10	13	1	2	1	–	–	–
Skin	–	1	2	1	–	2	4	2	2	2	2	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	4	7	12	23	27	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	108	361	632	828	991	730	332	112	8	4
Sudden Deaths	1	–	3	3	7	6	4	7	6	3	–	–	–	–	–	1
Violent Deaths	50	57	65	52	64	42	53	42	30	26	17	13	1	–	–	7
Small Pox	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	4	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	5	1	4	2	–	2	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	13	6	11	9	14	25	27	38	70	25	16	8	–	–	1
Dysentery	3	1	2	3	7	11	17	16	19	20	10	5	–	–	–	–
Cholera	7	5	6	4	6	1	1	4	4	3	–	–	–	–	–	–
Influenza	2	2	2	3	8	5	15	15	20	18	9	2	2	–	–	1
Purpura	1	–	1	2	1	1	2	1	1	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	29	37	26	30	29	25	16	20	5	2	5	–	–	–	–
Enteric Fever	19	32	19	35	19	13	27	18	23	16	10	–	–	–	–	2
Relapsing Fever	–	–	1	–	2	1	–	2	–	3	1	–	–	–	–	–
Simple Cont. Fever	3	4	1	3	–	2	5	4	4	1	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	21	15	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	2	5	1	1	6	2	4	2	2	–	–	–	–	–
Erysipelas	4	3	2	6	4	3	5	6	12	4	3	1	–	–	–	–
Pyæmia	1	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
Syphilis	2	2	–	1	2	2	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	–	2	–	1	–	1	1	3	–	–	2	–	–	–	–
Dropsy	3	5	14	22	19	25	37	44	51	43	20	13	–	–	–	–
Abscess	3	2	2	1	3	4	5	1	1	–	1	–	–	–	–	–
Ulcer	–	1	–	1	–	1	3	4	3	1	4	2	–	–	–	–
Fistula	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	1	2	3	4	9	10	3	14	–	–	–	–
Cancer	14	27	21	64	75	83	82	93	84	57	36	15	4	1	–	–
Gout	1	–	–	–	–	–	2	3	–	3	1	–	–	–	–	–
Scrofula	16	13	7	10	12	4	7	7	2	1	–	–	–	–	–	–
Tabes Mesenterica	2	3	1	–	2	1	3	–	–	–	1	1	–	–	–	–
Phthisis	363	285	214	178	147	159	108	69	30	18	8	1	–	–	–	3
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	234	6	12	29	21	12	4	7	41	19	13	12	11
Apoplexy	575	11	6	7	6	5	5	2	11	4	8	5	15
Paralysis	884	–	–	–	5	1	2	–	2	4	4	–	5
Delirium Tremens	24	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	4	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	123	–	–	–	–	–	–	–	5	6	7	14	14
Tetanus	20	7	2	–	1	–	–	1	1	2	–	–	–
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	279	98	39	39	42	19	10	9	22	–	–	–	1
Brain Disease	414	8	7	6	17	9	8	5	25	25	21	15	15
V. Pericarditis	35	1	–	–	–	2	–	–	3	2	3	2	3
Aneurism	37	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	1656	6	4	1	4	2	2	3	24	23	23	27	32
VI. Laryngitis	53	2	–	7	6	5	3	2	7	2	1	3	3
Bronchitis	2524	196	149	302	298	125	55	21	53	10	18	18	20
Pleurisy	109	–	2	2	4	–	–	–	4	5	9	6	8
Pneumonia	938	66	51	85	73	43	19	10	32	19	13	27	30
Asthma	266	–	–	–	–	–	–	–	–	–	2	2	4
Lung Disease	108	4	3	2	2	1	1	1	2	3	2	2	–
VII. Teething	369	4	21	171	155	18	–	–	–	–	–	–	–
Quinsey	31	4	–	4	3	2	1	1	5	2	–	–	2
Gastritis	97	6	1	5	6	–	1	3	2	1	4	2	4
Enteritis	475	144	45	61	39	10	8	7	14	4	17	7	11
Peritonitis	139	6	2	7	5	3	3	2	9	10	5	10	10
Ascites	42	–	–	1	1	1	1	–	2	3	–	–	–
Ulceration of Intestines	111	5	2	2	2	1	–	–	5	2	4	5	3
Hernia	52	1	1	1	2	–	–	–	–	1	2	–	1
Ileus	172	9	2	2	2	2	1	1	4	1	10	3	5
Intussusception	21	–	4	3	2	–	1	–	–	1	1	2	–
Stricture of Intestines	19	1	–	–	–	–	–	–	–	–	–	2	–
Stomach Disease	398	27	18	25	15	6	5	2	6	5	8	6	9
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	79	1	–	2	–	–	–	–	2	1	2	6	2
Jaundice	95	34	–	1	2	3	–	1	1	–	3	1	–
Liver Disease	352	10	3	3	3	2	1	1	–	3	–	5	7
Spleen Disease	13	–	–	1	–	–	–	–	–	1	–	1	–
VIII. Nephritis	46	–	–	2	1	4	5	1	4	1	2	–	3
Nephria	100	–	–	–	–	2	2	2	2	2	5	7	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	34	–	–	–	2	–	–	–	–	–	1	1	–
Diabetes	46	–	–	–	–	–	–	–	–	3	5	1	3
Stone	35	–	–	–	–	–	–	–	–	–	–	–	2
Cystitis	107	–	–	–	–	–	1	–	1	1	–	3	3
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	120	1	1	–	1	2	–	3	2	1	1	6	7
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	7	–	1
Ovarian Dropsy	41	–	–	–	–	–	–	–	–	–	1	3	–
Childbirth	152	–	–	–	–	–	–	–	–	–	8	18	25
Organs of Generation	33	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	37	–	–	1	–	–	1	–	3	2	6	3	3
Rheumatism	87	–	–	–	–	–	–	1	4	3	2	2	–
Joint and Bone Disease	53	–	–	2	1	–	1	–	5	11	9	12	7
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	6	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	20	2	2	5	3	–	–	1	–	–	–	2	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	21	12	6	3	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	22	–	–	–	–	–	–	–	–	1	1	2	2
Poison	17	2	1	1	1	2	2	–	2	1	–	2	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	123	–	2	6	15	13	15	11	18	6	2	1	4
Hanging, etc.	35	–	–	–	–	–	–	–	–	–	1	2	–
Suffocation	50	18	10	1	1	1	–	–	1	–	5	1	2
Drowning	265	3	–	1	11	12	6	4	21	15	20	37	18
Fracture and Contusion	444	1	–	2	6	6	5	7	31	31	29	42	27
Gunshot Wounds	17	–	–	–	–	–	–	–	–	1	4	2	3
Cuts and Stabs	15	–	–	–	–	–	–	1	–	2	1	2	–
Other Violent Causes	30	7	–	1	–	1	2	–	1	–	1	2	5
Not Specified	2102	604	174	182	165	82	58	37	79	61	55	47	40

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	9	4	6	8	7	3	1	1	1	2	–	–	–	–	–
Apoplexy	10	8	24	28	35	47	53	63	80	85	37	14	5	–	–	1
Paralysis	11	17	15	19	35	49	80	143	167	163	109	40	8	3	–	2
Delirium Tremens	2	5	4	4	4	3	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Epilepsy	8	4	6	8	7	8	9	9	10	5	3	–	–	–	–	–
Tetanus	1	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–
Insanity	1	1	3	1	3	1	1	2	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	13	17	20	31	21	25	33	26	36	14	5	–	–	–	–
Pericarditis	2	1	–	2	2	2	4	3	2	1	–	–	–	–	–	–
Aneurism	4	5	2	3	7	3	3	4	2	2	–	–	–	–	–	–
Heart Disease	54	51	80	99	121	136	194	244	237	170	78	34	5	2	–	–
Laryngitis	1	1	–	–	3	3	1	–	–	2	1	–	–	–	–	–
Bronchitis	19	30	54	61	82	84	132	196	180	207	132	57	16	8	–	1
Pleurisy	7	3	1	5	5	7	6	14	9	7	2	2	–	–	–	1
Pneumonia	20	34	33	47	32	42	59	69	56	49	23	6	–	–	–	–
Asthma	2	5	19	14	35	19	44	43	30	32	12	2	1	–	–	–
Lung Disease	2	1	5	9	14	13	9	12	13	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Gastritis	4	3	5	6	5	7	6	8	10	2	5	–	1	–	–	–
Enteritis	6	8	9	4	14	16	7	14	7	11	10	2	–	–	–	–
Peritonitis	5	7	7	9	1	4	12	5	6	6	4	–	1	–	–	–
Ascites	1	2	3	4	3	2	4	4	5	2	2	1	–	–	–	–
Ulceration of Intestines	2	2	8	9	8	13	7	11	7	7	5	1	–	–	–	–
Hernia	2	1	4	2	1	5	7	7	4	4	4	1	1	–	–	–
Ileus	5	5	6	4	10	13	15	23	25	16	4	4	–	–	–	–
Intussusception	–	–	3	–	–	–	2	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	2	1	4	2	3	2	–	1	–	–	–	–
Stomach Disease	11	10	13	12	24	31	54	42	27	22	14	3	3	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	5	4	5	7	11	8	5	5	7	4	–	–	–	–	–
Jaundice	1	–	1	4	4	2	6	7	9	10	3	2	–	–	–	–
Liver Disease	11	14	26	24	31	42	36	53	40	26	6	3	1	–	–	1
Spleen Disease	1	–	2	1	1	3	1	–	1	–	–	–	–	–	–	–
Nephritis	1	–	–	1	1	3	3	6	3	4	–	–	–	1	–	–
Nephria	11	6	4	6	8	6	11	6	10	6	1	–	–	–	–	–
Addison's Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	1	2	1	1	4	3	6	7	1	1	–	1	–	–
Diabetes	3	3	4	6	3	3	5	4	3	–	–	–	–	–	–	–
Stone	–	–	–	1	3	2	4	5	6	5	5	1	1	–	–	–
Cystitis	2	1	5	5	1	3	12	20	23	11	11	3	1	–	–	–
Stricture of Urethra	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	6	7	3	8	10	11	15	14	11	7	2	–	–	–	–
Paramenia	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	8	3	8	4	1	2	5	2	3	–	–	–	–	–	–
Childbirth	38	31	27	5	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	3	4	3	2	4	–	5	4	–	–	–	–	–	–	–
Arthritis	4	2	3	2	2	1	1	1	1	1	–	–	–	–	–	–
Rheumatism	3	1	3	3	5	7	15	13	9	12	1	2	1	–	–	–
Joint Disease	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	1	–	–	1	2	1	1	1	–	–	–	–	–
Phlegmon	–	1	1	–	–	1	1	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–
Intemperance	1	3	3	3	4	3	5	3	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	2	2	3	4	1	–	1	–	–	–	1	–	–	–
Poison	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	3	1	2	4	2	6	6	2	3	–	–	–	–
Hanging, etc.	2	6	2	2	8	1	5	1	3	1	–	1	–	–	–	–
Suffocation	2	2	2	1	–	–	1	1	1	–	–	–	–	–	–	–
Drowning	12	18	6	16	14	9	16	9	4	4	2	–	–	–	–	7
Fracture and Contusion	31	25	42	21	30	21	20	21	13	13	12	8	–	–	–	–
Gunshot Wounds	1	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	2	–	–	3	1	1	–	1	–	–	–	–
Other Violent Causes	1	–	4	2	1	–	1	1	–	–	–	–	–	–	–	–
Not Specified	50	45	65	54	72	88	117	9	–	–	–	–	1	–	–	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16589	1838	543	1023	1170	599	389	267	803	462	585	647	580
SPECIFIED CAUSES	15484	1508	438	922	1090	559	359	246	764	437	552	622	504
I. Zymotic Class	2978	159	111	287	476	268	199	155	389	134	106	76	54
II. Diseases of Uncertain Seat	435	9	3	6	6	8	4	–	6	2	13	6	4
III. Tubercular Class	2547	47	46	144	192	96	65	35	153	150	241	337	257
IV. Brain and Nervous System	1350	88	36	41	46	20	13	12	55	37	33	24	33
V. Organs of Circulation	879	4	2	–	2	4	1	1	13	13	17	11	13
VI. Respiratory Organs	2112	152	119	230	191	92	41	14	48	16	29	36	33
VII. Organs of Digestion	1276	161	61	158	120	24	11	9	21	19	32	24	30
VIII. Urinary Organs	323	1	–	1	2	5	3	3	5	5	7	8	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	96	–	–	1	–	–	–	1	7	6	15	12	6
XI. Skin, etc.	23	2	–	4	3	–	–	–	–	–	–	1	1
XII. Malformation	80	72	5	2	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	874	793	43	38	–	–	–	–	–	–	–	–	–
XIV. Atrophy	108	–	–	–	33	20	2	–	8	9	3	1	2
XV. Age	1542	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	5	3	1	1	1	–	–	–	–	–	1	3
XVII. Violent Deaths	821	15	9	9	18	21	19	16	59	46	56	85	58
I. Small Pox	12	3	1	–	2	1	–	2	–	–	1	–	–
Measles	235	3	5	45	97	31	21	6	22	3	–	1	–
Scarlatina	562	4	8	36	83	85	75	62	163	32	6	3	2
Diphtheria	194	5	5	13	35	22	23	15	43	12	6	5	1
Hooping Cough	290	34	19	70	92	29	16	8	21	1	–	–	–
Croup	237	10	7	38	74	37	25	27	19	–	–	–	–
Thrush	6	5	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	339	48	41	52	55	12	3	1	2	3	2	5	2
Dysentery	68	2	3	4	4	2	2	1	–	–	–	2	1
Cholera	49	1	3	5	4	3	1	–	3	–	–	–	2
Influenza	58	3	–	–	1	2	2	–	1	–	–	1	1
Purpura	14	–	–	–	–	–	1	1	3	1	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	1	–	2	–	1	3	1	–	–	–
Typhus	310	3	1	4	16	13	7	11	32	25	28	23	20
Enteric Fever	375	4	1	11	6	20	19	15	59	47	44	26	20
Relapsing Fever	15	–	–	2	–	–	–	–	1	3	1	2	–
Simple Continued Fever	34	–	–	–	2	3	1	2	3	2	3	2	–
Infantile Remittent	29	5	3	4	3	4	2	2	6	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	38	–	–	–	–	1	1	–	1	3	11	4	–
Erysipelas	65	19	4	2	2	–	–	1	3	1	–	–	4
Pyæmia	8	1	–	–	–	–	–	–	2	–	2	–	–
Syphilis	31	9	9	–	–	–	–	–	2	–	1	1	1
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	2	2	–	–	–	–	–	–	–	2	1	–
Dropsy	113	–	–	–	1	4	3	–	4	–	5	1	–
Abscess	31	3	1	3	5	–	–	–	1	2	2	–	2
Ulcer	11	1	–	–	–	–	–	–	–	–	–	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	33	2	–	1	–	–	–	–	1	–	2	1	–
Cancer	228	1	–	2	–	4	1	–	–	–	2	2	2
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	151	6	6	6	12	3	2	1	13	20	12	14	13
Tabes *Mesenterica*	209	15	11	25	56	22	16	9	22	16	8	2	1
Phthisis	1763	7	7	14	22	30	13	7	52	98	219	317	242
Hydrocephalus	424	19	22	99	102	41	34	18	66	16	2	4	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	439	389	423	484	577	606	769	888	950	935	670	384	146	49	3	21
SPECIFIED CAUSES	413	372	389	459	537	565	715	884	950	935	670	384	145	49	3	13
Zymotic Class	49	39	45	49	41	44	53	63	66	67	31	12	3	–	–	2
Uncertain Seat	7	9	5	28	33	51	57	46	51	40	25	16	–	–	–	–
Tubercular Class	182	136	76	99	91	92	53	31	13	8	3	–	–	–	–	–
Brain, etc.	29	33	39	44	55	76	87	131	150	150	78	30	7	2	–	1
Heart, etc.	30	25	33	50	67	69	115	137	123	92	40	13	2	2	–	–
Respiratory Organs	32	45	66	83	98	90	131	183	130	144	71	27	8	2	–	1
Digestive Organs	21	23	49	42	58	71	89	83	78	54	30	5	2	–	–	1
Urinary Organs	11	8	12	12	17	17	38	40	54	34	20	7	2	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	2	5	6	5	8	6	7	5	1	–	–	–	–	–
Skin	–	–	–	1	–	1	2	2	2	2	2	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	4	4	11	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	131	257	325	361	268	121	42	3	–
Sudden Deaths	1	–	2	2	5	4	2	4	2	2	–	–	–	–	–	1
Violent Deaths	49	51	56	40	55	36	46	27	17	12	8	6	–	–	–	7
Small Pox	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	3	–	–	2	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	4	4	4	1	4	10	14	15	36	12	6	1	–	–	–
Dysentery	2	–	2	–	5	4	6	7	9	5	5	2	–	–	–	–
Cholera	5	3	3	2	4	1	–	3	3	3	–	–	–	–	–	–
Influenza	2	–	1	2	4	3	6	6	8	7	4	1	2	–	–	1
Purpura	1	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	11	17	12	17	14	13	9	8	1	2	2	–	–	–	–
Enteric Fever	7	11	11	18	5	8	9	11	9	10	3	–	–	–	–	1
Relapsing Fever	–	–	–	–	1	1	–	2	–	1	1	–	–	–	–	–
Simple Cont. Fever	2	3	–	1	–	1	3	3	2	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	4	–	1	2	1	4	1	1	–	–	–	–	–
Erysipelas	1	2	1	3	2	2	2	5	6	3	1	1	–	–	–	–
Pyæmia	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Syphilis	2	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Dropsy	1	1	1	7	7	11	11	13	12	17	8	6	–	–	–	–
Abscess	1	1	1	–	1	2	4	–	1	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	2	2	2	–	3	–	–	–	–	–
Fistula	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	1	2	1	2	6	5	1	6	–	–	–	–
Cancer	2	6	3	20	23	36	36	27	30	16	11	4	–	–	–	–
Gout	1	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–
Scrofula	11	6	3	7	7	3	2	2	1	1	–	–	–	–	–	–
Tabes Mesenterica	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Phthisis	171	128	72	92	82	89	50	29	12	7	3	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. *(Continued.)*

	DISEASES.	MALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	122	3	5	13	13	6	1	3	20	11	6	8	7
	Apoplexy	308	6	4	6	2	1	3	2	8	2	2	1	11
	Paralysis	434	–	–	–	3	1	1	–	1	3	4	–	2
	Delirium Tremens	17	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	62	–	–	–	–	–	–	–	2	1	5	7	6
	Tetanus	15	6	2	–	–	–	–	1	1	2	–	–	–
	Insanity	7	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	156	68	23	19	22	7	5	2	10	–	–	–	–
	Brain Disease	227	5	2	3	6	5	3	4	13	18	16	8	7
V.	Pericarditis	24	1	–	–	–	2	–	–	2	2	3	1	1
	Aneurism	28	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	827	3	2	–	2	2	1	1	11	11	14	10	12
VI.	Laryngitis	26	1	–	3	4	1	2	–	3	1	1	2	1
	Bronchitis	1249	111	88	169	147	60	31	9	25	4	10	10	7
	Pleurisy	66	–	2	–	3	–	–	–	2	3	7	5	5
	Pneumonia	547	38	27	57	37	30	8	4	17	7	9	16	16
	Asthma	154	–	–	–	–	–	–	–	–	–	–	2	4
	Lung Disease	70	2	2	1	–	1	–	1	1	1	2	1	–
VII.	Teething	195	3	13	93	80	6	–	–	–	–	–	–	–
	Quinsey	15	3	–	3	2	–	1	1	1	1	–	–	1
	Gastritis	51	4	1	4	4	–	1	2	1	1	3	2	2
	Enteritis	245	93	31	28	14	7	2	3	4	1	11	3	5
	Peritonitis	68	4	2	5	3	2	–	1	3	5	4	2	5
	Ascites	16	–	–	1	1	1	1	–	2	2	–	–	–
	Ulceration of Intestines	52	2	–	1	1	1	–	–	2	–	1	3	2
	Hernia	24	1	1	1	1	–	–	–	–	1	2	–	–
	Ileus	85	4	1	2	–	1	1	–	3	1	5	2	3
	Intussusception	13	–	3	2	2	–	1	–	–	–	1	1	–
	Stricture of Intestines	11	1	–	–	–	–	–	–	–	–	–	2	–
	Stomach Disease	202	14	7	15	9	4	3	1	3	3	3	3	6
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	41	1	–	1	–	–	–	–	1	1	–	3	–
	Jaundice	58	25	–	–	1	1	–	1	1	–	2	–	–
	Liver Disease	191	6	2	2	2	1	1	–	–	2	–	2	6
	Spleen Disease	8	–	–	–	–	–	–	–	–	1	–	1	–
VIII.	Nephritis	22	–	–	1	–	3	2	–	2	–	1	–	1
	Nephria	55	–	–	–	–	1	–	1	1	1	2	4	–
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	26	–	–	–	2	–	–	–	–	–	–	–	–
	Diabetes	28	–	–	–	–	–	–	–	–	2	3	–	2
	Stone	29	–	–	–	–	–	–	–	–	–	–	–	1
	Cystitis	98	–	–	–	–	–	1	–	1	1	–	2	3
	Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	60	1	–	–	–	1	–	2	1	1	1	2	3
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	23	–	–	–	–	–	–	–	2	1	6	2	2
	Rheumatism	41	–	–	–	–	–	–	1	2	–	1	1	–
	Joint and Bone Disease	32	–	–	1	–	–	–	–	3	5	8	9	4
XI.	Carbuncle	8	–	–	–	–	–	–	–	–	–	–	–	1
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	14	2	–	4	3	–	–	–	–	–	–	1	–
XVII.	Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	11	6	2	3	–	–	–	–	–	–	–	–	–
	Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
	Cold	17	–	–	–	–	–	–	–	–	1	1	2	2
	Poison	5	–	–	–	–	1	1	–	–	–	–	1	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	65	–	1	3	7	8	7	5	14	4	1	–	4
	Hanging, etc.	26	–	–	–	–	–	–	–	–	–	1	2	–
	Suffocation	30	6	5	1	–	–	–	–	1	–	5	1	2
	Drowning	225	2	–	1	8	7	5	4	18	10	19	32	18
	Fracture and Contusion	379	–	–	1	3	5	4	7	26	28	25	42	25
	Gunshot Wounds	14	–	–	–	–	–	–	–	–	1	2	2	3
	Cuts and Stabs	12	–	–	–	–	–	–	–	–	2	1	2	–
	Other Violent Causes	13	1	–	–	–	–	2	–	–	–	1	1	4
	Not Specified	1105	330	105	101	80	40	30	21	39	25	33	25	26

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	3	2	5	5	2	1	1	–	1	–	–	–	–	–
Apoplexy	5	5	15	15	13	24	26	35	42	50	19	6	4	–	–	1
Paralysis	5	13	6	6	16	26	37	71	84	78	51	21	3	2	–	–
Delirium Tremens	2	3	2	4	3	3	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	6	4	4	5	7	6	4	–	–	–	–	–	–
Tetanus	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	2	1	1	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	10	8	10	11	12	11	16	15	17	17	7	3	–	–	–	–
Pericarditis	1	–	–	1	1	2	3	3	1	–	–	–	–	–	–	–
Aneurism	4	5	2	1	6	3	3	3	1	–	–	–	–	–	–	–
Heart Disease	25	20	31	48	60	64	109	131	121	92	40	13	2	2	–	–
Laryngitis	–	1	–	–	3	1	1	–	–	1	–	–	–	–	–	–
Bronchitis	12	15	30	34	42	39	56	101	73	87	58	22	7	2	–	–
Pleurisy	6	2	–	1	2	3	4	8	5	5	1	1	–	–	–	1
Pneumonia	11	22	21	36	18	25	41	41	29	26	8	3	–	–	–	–
Asthma	1	4	10	8	23	11	23	26	14	22	4	1	1	–	–	–
Lung Disease	2	1	5	4	10	11	6	7	9	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	–	2	4	3	3	1	4	3	1	3	–	1	–	–	–
Enteritis	2	4	4	2	5	8	4	3	2	3	5	1	–	–	–	–
Peritonitis	3	1	3	3	–	2	6	3	4	3	4	–	–	–	–	–
Ascites	1	1	1	–	1	1	–	1	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	5	5	4	6	4	6	4	3	1	–	–	–	–	–
Hernia	2	–	1	–	–	1	3	3	1	2	4	–	–	–	–	–
Ileus	2	1	2	3	4	2	10	10	16	7	3	2	–	–	–	–
Intussusception	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	–	2	1	1	2	–	–	–	–	–	–
Stomach Disease	1	4	5	7	14	17	32	17	18	10	5	–	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	2	1	5	6	5	4	3	5	–	–	–	–	–	–
Jaundice	–	–	1	3	2	–	2	4	5	6	2	2	–	–	–	–
Liver Disease	7	9	18	13	17	24	20	25	18	12	3	–	–	–	–	1
Spleen Disease	1	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	3	4	2	2	–	–	–	–	–	–
Nephria	5	3	1	1	7	3	10	3	6	5	1	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	1	1	3	2	6	6	1	1	–	1	–	–
Diabetes	3	1	2	5	1	2	3	1	3	–	–	–	–	–	–	–
Stone	–	–	–	–	3	2	3	5	5	4	4	1	1	–	–	–
Cystitis	2	1	4	3	1	3	11	18	22	10	11	3	1	–	–	–
Stricture of Urethra	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	3	1	4	4	5	7	10	7	3	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	1	–	2	2	1	1	–	1	1	–	–	–	–	–	–
Rheumatism	–	1	2	2	3	4	7	6	6	4	1	–	–	–	–	–
Joint Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	1	2	1	1	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–
Intemperance	1	2	2	2	4	3	5	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	2	2	2	3	1	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	2	1	1	2	–	1	2	1	–	–	–	–	–
Hanging, etc.	1	5	1	1	6	–	4	1	2	1	–	1	–	–	–	–
Suffocation	2	2	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Drowning	12	17	6	13	13	6	15	6	3	2	1	–	–	–	–	7
Fracture and Contusion	31	24	37	18	26	21	17	15	9	5	6	4	–	–	–	–
Gunshot Wounds	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	2	–	–	2	–	1	–	1	–	–	–	–
Other Violent Causes	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	26	17	34	25	40	41	54	4	–	–	–	–	1	–	–	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16601	1306	444	844	1031	548	409	267	755	448	536	564	561
SPECIFIED CAUSES	15604	1032	375	763	946	506	381	251	715	412	514	542	547
I. Zymotic Class	3034	112	97	256	380	267	247	157	394	158	115	78	90
II. Diseases of Uncertain Seat	768	9	2	4	3	–	4	4	6	4	9	11	11
III. Tubercular Class	2600	40	64	112	161	79	41	34	145	150	283	312	286
IV. Brain and Nervous System	1222	42	30	40	46	26	16	12	52	23	20	23	29
V. Organs of Circulation	849	3	2	1	2	–	1	2	14	12	10	18	23
VI. Respiratory Organs	1886	116	86	168	192	82	37	20	50	23	16	22	32
VII. Organs of Digestion	1190	91	38	131	117	24	11	9	29	16	24	26	24
VIII. Urinary Organs	171	–	1	1	2	3	5	3	4	3	7	10	11
IX. Organs of Generation	242	–	–	–	–	–	–	–	–	–	17	23	30
X. Organs of Locomotion	81	–	–	2	1	–	2	–	5	10	2	5	4
XI. Skin, etc.	12	–	2	1	–	–	–	1	–	–	–	1	1
XII. Malformation	50	48	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	621	542	39	40	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	26	11	5	1	1	2	3	4	3
XV. Age	2504	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	22	1	1	1	–	–	1	1	–	–	–	1	–
XVII. Violent Deaths	247	28	11	6	16	14	11	7	15	11	8	8	3
I. Small Pox	14	1	2	1	1	1	1	–	2	1	1	–	–
Measles	200	3	3	31	66	38	25	8	23	–	2	–	1
Scarlatina	512	4	1	33	50	76	65	63	158	40	6	3	7
Diphtheria	177	3	–	10	18	21	28	17	53	13	2	2	2
Hooping Cough	351	28	28	80	99	35	36	28	14	2	–	1	–
Croup	208	6	7	22	50	45	48	11	18	1	–	–	–
Thrush	11	6	–	2	2	1	–	–	–	–	–	–	–
Diarrhœa	345	31	39	44	51	9	4	1	6	–	1	1	5
Dysentery	83	5	1	2	2	2	–	1	–	–	–	1	2
Cholera	30	–	1	4	2	2	–	–	3	1	1	1	1
Influenza	72	2	4	2	–	–	1	2	–	1	2	–	1
Purpura	8	1	–	–	–	–	–	–	2	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	1	–	1	2	–	–	5	–	–	–	–
Typhus	338	–	4	8	14	12	13	9	33	31	36	23	19
Enteric Fever	423	–	1	11	16	17	17	11	61	52	55	31	21
Relapsing Fever	10	–	–	–	2	–	–	–	1	3	–	–	–
Simple Continued Fever	28	–	–	–	–	–	3	1	2	4	3	–	2
Infantile Remittent	24	1	–	2	2	4	2	5	8	–	–	–	–
Metria	86	–	–	–	–	–	–	–	–	4	11	24	30
Rheumatic Fever	30	1	–	–	1	–	1	–	1	3	1	2	3
Erysipelas	48	14	–	1	1	1	2	–	3	–	1	1	–
Pyæmia	5	–	–	–	–	–	–	–	1	1	–	–	1
Syphilis	19	6	4	3	2	–	–	–	–	–	–	1	1
Noma	3	–	1	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	2	–	–	–	–	–	1	1	–	–	–	1
Dropsy	220	1	–	–	–	–	2	1	2	1	2	5	5
Abscess	32	4	1	2	2	–	1	–	1	2	5	2	1
Ulcer	14	–	–	1	–	–	1	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	30	2	1	1	1	–	–	1	–	–	1	1	–
Cancer	452	–	–	–	–	–	–	1	2	1	1	2	3
Gout	5	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	141	1	8	10	10	5	3	4	16	12	14	15	7
Tabes Mesenterica	186	19	13	25	47	28	9	5	15	9	3	2	3
Phthisis	1961	7	9	17	27	22	5	9	64	121	262	294	276
Hydrocephalus	312	13	34	60	77	24	24	16	50	8	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	475	482	500	480	514	567	759	919	1093	1143	980	624	247	79	5	21
SPECIFIED CAUSES	451	454	469	451	482	520	696	914	1093	1143	980	624	247	79	5	12
Zymotic Class	66	75	50	56	48	44	76	52	80	75	34	18	7	–	–	2
Uncertain Seat	18	27	34	61	66	65	77	104	100	74	40	30	4	1	–	–
Tubercular Class	200	165	146	89	70	72	65	45	19	11	6	2	–	–	–	3
Brain, etc.	22	24	35	42	68	62	85	122	135	143	87	29	6	1	–	2
Heart, etc.	30	32	49	54	63	72	86	114	118	81	38	21	3	–	–	–
Respiratory Organs	19	29	46	53	73	78	120	151	158	159	100	40	9	6	–	1
Digestive Organs	31	35	44	44	54	80	80	101	71	61	31	13	5	–	–	–
Urinary Organs	9	11	10	13	8	12	12	19	11	10	5	–	–	1	–	–
Generative Organs	42	45	36	17	6	5	2	10	6	3	–	–	–	–	–	–
Locomotive Organs	8	1	4	1	3	3	8	8	3	8	–	2	1	–	–	–
Skin	–	1	2	–	–	1	2	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	3	3	8	12	18	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	74	170	375	503	630	462	211	70	5	4
Sudden Deaths	–	–	1	1	2	2	2	3	4	1	–	–	–	–	–	–
Violent Deaths	1	6	9	12	9	6	7	15	13	14	9	7	1	–	–	–
Small Pox	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	3	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	9	2	7	8	10	15	13	23	34	13	10	7	–	–	1
Dysentery	1	1	–	3	2	7	11	9	10	15	5	3	–	–	–	–
Cholera	2	2	3	2	2	–	1	1	1	–	–	–	–	–	–	–
Influenza	–	2	1	1	4	2	9	9	12	11	5	1	–	–	–	–
Purpura	–	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	18	20	14	13	15	12	7	12	4	–	3	–	–	–	–
Enteric Fever	12	21	8	17	14	5	18	7	14	6	7	–	–	–	–	1
Relapsing Fever	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	2	–	1	2	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	21	15	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	4	1	–	1	1	–	–	–	–	–	–
Erysipelas	3	1	1	3	2	1	3	1	6	1	2	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	2	–	–	–	–	–	3	–	–	2	–	–	–	–
Dropsy	2	4	13	15	12	14	26	31	39	26	12	7	–	–	–	–
Abscess	2	1	1	1	2	2	1	1	–	–	–	–	–	–	–	–
Ulcer	–	1	–	1	–	1	1	2	1	1	1	2	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	2	2	3	5	2	8	–	–	–	–
Cancer	12	21	18	44	52	47	46	66	54	41	25	11	4	1	–	–
Gout	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Scrofula	5	7	4	3	5	1	5	5	1	–	–	–	–	–	–	–
Tabes Mesenterica	2	1	–	–	–	1	2	–	–	–	1	1	–	–	–	–
Phthisis	192	157	142	86	65	70	58	40	18	11	5	1	–	–	–	3
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	112	3	7	16	8	6	3	4	21	8	7	4	4
Apoplexy	267	5	2	1	4	4	2	–	3	2	6	4	4
Paralysis	450	–	–	–	2	–	1	–	1	1	–	–	3
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	61	–	–	–	–	–	–	–	3	5	2	7	8
Tetanus	5	1	–	–	1	–	–	–	–	–	–	–	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	123	30	16	20	20	12	5	7	12	–	–	–	1
Brain Disease	187	3	5	3	11	4	5	1	12	7	5	7	8
V. Pericarditis	11	–	–	–	–	–	–	–	1	–	–	1	2
Aneurism	9	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	829	3	2	1	2	–	1	2	13	12	9	17	20
VI. Laryngitis	27	1	–	4	2	4	1	2	4	1	–	1	2
Bronchitis	1275	85	61	133	151	65	24	12	28	6	8	8	13
Pleurisy	43	–	–	2	1	–	–	–	2	2	2	1	3
Pneumonia	391	28	24	28	36	13	11	6	15	12	4	11	14
Asthma	112	–	–	–	–	–	–	–	–	–	2	–	–
Lung Disease	38	2	1	1	2	–	1	–	1	2	–	1	–
VII. Teething	174	1	8	78	75	12	–	–	–	–	–	–	–
Quinsey	16	1	–	1	1	2	–	–	4	1	–	–	1
Gastritis	46	2	–	1	2	–	–	1	1	–	1	–	2
Enteritis	230	51	14	33	25	3	6	4	10	3	6	4	6
Peritonitis	71	2	–	2	2	1	3	1	6	5	1	8	5
Ascites	26	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	59	3	2	1	1	–	–	–	3	2	3	2	1
Hernia	28	–	–	–	1	–	–	–	–	–	–	–	1
Ileus	87	5	1	–	2	1	–	1	1	–	5	1	2
Intussusception	8	–	1	1	–	–	–	–	–	1	–	1	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	196	13	11	10	6	2	2	1	3	2	5	3	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	38	–	–	1	–	–	–	–	1	–	2	3	2
Jaundice	37	9	–	1	1	2	–	–	–	–	1	1	–
Liver Disease	161	4	1	1	1	1	–	1	–	1	–	3	1
Spleen Disease	5	–	–	1	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	–	–	1	1	1	3	1	2	1	1	–	2
Nephria	45	–	–	–	–	1	2	1	1	1	3	3	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	–	–	–	–	–	–	–	–	–	1	1	–
Diabetes	18	–	–	–	–	–	–	–	–	1	2	1	1
Stone	6	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	9	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	60	–	1	–	1	1	–	1	1	–	–	4	4
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	7	–	1
Ovarian Dropsy	41	–	–	–	–	–	–	–	–	–	1	3	–
Childbirth	152	–	–	–	–	–	–	–	–	–	8	18	25
Organs of Generation	33	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	14	–	–	1	–	–	1	–	1	1	–	1	1
Rheumatism	46	–	–	–	–	–	–	–	2	3	1	1	–
Joint and Bone Disease	21	–	–	1	1	–	1	–	2	6	1	3	3
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	6	–	2	1	–	–	–	1	–	–	–	1	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	6	4	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	–	–	–	–	–
Poison	12	2	1	1	1	1	1	–	2	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	58	–	1	3	8	5	8	6	4	2	1	1	–
Hanging, etc.	9	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	20	12	5	–	1	1	–	–	–	–	–	–	–
Drowning	40	1	–	–	3	5	1	–	3	5	1	5	–
Fracture and Contusion	65	1	–	1	3	1	1	–	5	3	4	–	2
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	2	–	–
Cuts and Stabs	3	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	17	6	–	1	–	1	–	–	1	–	–	1	1
Not Specified	997	274	69	81	85	42	28	16	40	36	22	22	14

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	6	1	4	3	2	1	–	–	1	1	–	–	–	–	–
Apoplexy	5	3	9	13	22	23	27	28	38	35	18	8	1	–	–	–
Paralysis	6	4	9	13	19	23	43	72	83	85	58	19	5	1	–	2
Delirium Tremens	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Cherea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	7	3	3	2	3	4	4	2	4	1	3	–	–	–	–	–
Tetanus	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Insanity	–	1	3	1	1	–	–	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	5	7	9	19	10	9	18	9	19	7	2	–	–	–	–
Pericarditis	1	1	–	1	1	–	1	–	1	1	–	–	–	–	–	–
Aneurism	–	–	–	2	1	–	–	1	1	2	–	–	–	–	–	–
Heart Disease	29	31	49	51	61	72	85	113	116	78	38	21	3	–	–	–
Laryngitis	1	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–
Bronchitis	7	15	24	27	40	45	76	95	107	120	74	35	9	6	–	1
Pleurisy	1	1	1	4	3	4	2	6	4	2	1	1	–	–	–	–
Pneumonia	9	12	12	11	14	17	18	28	27	23	15	3	–	–	–	–
Asthma	1	1	9	6	12	8	21	17	16	10	8	1	–	–	–	–
Lung Disease	–	–	–	5	4	2	3	5	4	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	3	3	3	2	2	4	5	4	7	1	2	–	–	–	–	–
Enteritis	4	4	5	2	9	8	3	11	5	8	5	1	–	–	–	–
Peritonitis	2	6	4	6	1	2	6	2	2	3	–	–	1	–	–	–
Ascites	–	1	2	4	2	1	4	3	3	2	2	1	–	–	–	–
Ulceration of Intestines	1	2	3	4	4	7	3	5	3	4	4	1	–	–	–	–
Hernia	–	1	3	2	1	4	4	4	3	2	–	1	1	–	–	–
Ileus	3	4	4	1	6	11	5	13	9	9	1	2	–	–	–	–
Intussusception	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	2	1	2	–	–	1	–	–	–	–
Stomach Disease	10	6	8	5	10	14	22	25	9	12	9	3	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	2	4	2	5	3	1	2	2	4	–	–	–	–	–
Jaundice	1	–	–	1	2	2	4	3	4	4	1	–	–	–	–	–
Liver Disease	4	5	8	11	14	18	16	28	22	14	3	3	1	–	–	–
Spleen Disease	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	1	2	–	2	1	2	–	–	–	1	–	–
Nephria	6	3	3	5	1	3	1	3	4	1	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Diabetes	–	2	2	1	2	1	2	3	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–	–
Cystitis	–	–	1	2	–	–	1	2	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	4	2	4	6	6	8	4	4	4	–	–	–	–	–
Paramenia	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	8	3	8	4	1	2	5	2	3	–	–	–	–	–	–
Childbirth	38	31	27	5	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	3	4	3	2	4	–	5	4	–	–	–	–	–	–	–
Arthritis	3	1	3	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	3	–	1	1	2	3	8	7	3	8	–	2	1	–	–	–
Joint Disease	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	1	1	–	–	–	–	–	–	1	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	1	2	2	5	4	1	3	–	–	–	–
Hanging, etc.	1	1	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	1	–	3	1	3	1	3	1	2	1	–	–	–	–	–
Fracture and Contusion	–	1	5	3	4	–	3	6	4	8	6	4	–	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	2	2	1	–	–	1	–	–	–	–	–	–	–	–
Not Specified	24	28	31	29	32	47	63	5	–	–	–	–	–	–	–	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	33295	3327	1351	2490	3437	1614	964	680	1558	794	1057	1257	1256
Specified Causes	32738	3152	1285	2442	3398	1588	950	661	1536	782	1048	1250	1247
I. Zymotic Class	6930	325	297	694	1348	748	497	360	684	200	186	191	171
II. Diseases of Uncertain Seat	1112	24	9	7	14	15	9	8	28	20	13	18	35
III. Tubercular Class	6234	100	157	424	582	299	174	129	386	304	557	634	582
IV. Brain and Nervous System	2748	280	105	139	138	69	46	38	102	63	49	51	55
V. Organs of Circulation	1587	7	2	3	4	1	6	6	24	34	40	48	67
VI. Respiratory Organs	5817	400	377	723	796	305	140	72	141	38	57	99	107
VII. Organs of Digestion	2311	265	149	304	364	80	22	19	43	35	41	52	73
VIII. Urinary Organs	475	4	2	4	6	10	10	6	21	11	16	22	27
IX. Organs of Generation	216	–	–	–	–	–	–	–	–	2	13	36	38
X. Organs of Locomotion	196	1	–	–	4	3	3	4	25	21	20	10	11
XI. Skin, etc.	40	8	3	5	4	–	–	–	2	1	–	2	–
XII. Malformation	74	62	4	3	2	1	1	–	–	1	–	–	–
XIII. Premature Debility	1836	1585	141	110	–	–	–	–	–	–	–	–	–
XIV. Atrophy	292	–	–	–	104	30	16	7	18	7	3	2	3
XV. Age	1737	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	75	5	6	1	–	–	2	2	1	1	2	1	5
XVII. Violent Deaths	1058	86	33	25	32	27	24	10	61	44	51	84	73
I. Small Pox	69	9	6	7	14	3	6	–	11	3	–	4	4
Measles	884	3	25	137	386	172	66	39	50	3	–	–	–
Scarlatina	1136	6	8	67	176	194	178	130	296	53	7	6	5
Diphtheria	211	5	2	25	39	29	22	24	34	11	3	3	4
Hooping Cough	1057	49	87	212	374	152	87	44	49	1	–	2	–
Croup	440	21	5	53	133	88	61	46	32	1	–	–	–
Thrush	12	8	–	1	–	2	1	–	–	–	–	–	–
Diarrhœa	779	144	107	139	147	19	10	6	16	7	5	8	5
Dysentery	95	1	3	4	3	2	–	2	–	2	2	–	3
Cholera	63	5	11	8	7	1	1	1	9	1	–	–	1
Influenza	67	3	4	1	2	2	2	2	1	3	2	–	1
Purpura	18	–	–	–	1	1	–	1	2	2	–	2	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	3	1	–	1	3	–	–	–	–
Typhus	1045	2	4	6	14	25	22	22	61	32	81	94	80
Enteric Fever	563	–	–	6	22	31	31	29	89	61	70	34	29
Relapsing Fever	15	–	–	–	–	–	1	–	–	2	2	1	1
Simple Continued Fever	39	–	–	1	1	5	1	5	4	3	5	1	1
Infantile Remittent	65	2	2	3	13	13	7	6	19	–	–	–	–
Metria	73	–	–	–	–	–	–	–	–	–	1	26	23
Rheumatic Fever	54	–	–	–	–	–	–	–	6	10	7	5	7
Erysipelas	103	29	9	8	4	1	1	–	–	3	–	1	4
Pyæmia	18	–	–	–	–	1	–	–	–	2	1	2	1
Syphilis	105	38	24	16	8	2	–	1	–	–	–	2	1
Noma	9	–	–	–	1	4	–	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	36	6	–	–	–	–	–	–	–	–	–	1	2
Dropsy	332	4	1	–	10	10	6	7	21	9	4	8	16
Abscess	98	10	7	7	1	2	1	1	4	8	5	3	5
Ulcer	13	–	–	–	–	1	1	–	1	–	2	–	–
Fistula	9	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	53	4	1	–	1	–	1	–	–	–	–	1	1
Cancer	568	–	–	–	2	2	–	–	2	3	2	5	11
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	314	12	15	21	46	18	22	9	34	37	24	16	18
Tabes Mesenterica	533	39	23	71	124	80	45	29	61	29	6	4	4
Phthisis	4295	8	32	62	108	78	46	28	178	216	523	612	559
Hydrocephalus	1092	41	87	270	304	123	61	63	113	22	4	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1147	1228	1232	1244	1246	1286	1433	1343	1278	942	645	321	108	25	8	24
SPECIFIED CAUSES	1137	1216	1219	1223	1231	1268	1417	1343	1278	942	645	321	108	25	8	18
Zymotic Class	173	160	152	152	133	96	104	98	80	35	26	11	3	1	–	5
Uncertain Seat	27	55	79	106	124	131	127	103	82	42	26	5	5	–	–	–
Tubercular Class	442	379	346	238	196	145	91	40	13	12	2	–	–	–	–	2
Brain, etc.	80	100	93	128	130	166	216	252	196	153	72	24	4	1	–	1
Heart, etc.	97	109	111	133	144	154	182	162	123	72	40	16	–	–	–	2
Respiratory Organs	103	163	206	220	271	314	370	334	287	164	81	36	11	–	–	2
Digestive Organs	61	79	74	101	106	115	106	91	63	44	18	5	1	–	–	–
Urinary Organs	34	36	34	29	33	33	42	35	33	13	8	4	1	–	–	1
Generative Organs	34	43	17	9	9	5	3	2	2	2	–	–	–	–	–	1
Locomotive Organs	9	7	11	10	7	9	12	8	12	8	1	–	–	–	–	–
Skin	2	1	1	2	3	2	2	1	–	–	–	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	7	17	12	20	42	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	110	186	363	381	367	219	81	21	8	1
Sudden Deaths	1	7	5	5	7	4	13	3	3	1	–	–	–	–	–	–
Violent Deaths	70	70	73	78	48	52	39	28	21	15	4	4	2	1	–	3
Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	3	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	4	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	9	11	7	12	14	18	29	33	9	8	4	3	1	–	1
Dysentery	3	6	3	8	2	8	12	10	9	5	4	3	–	–	–	–
Cholera	6	1	2	2	1	1	2	1	1	1	–	–	–	–	–	–
Influenza	–	2	2	2	5	1	7	4	7	4	8	2	–	–	–	–
Purpura	2	1	–	–	2	1	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	95	93	92	97	87	44	35	27	18	9	–	1	–	–	–	4
Enteric Fever	28	21	23	17	12	15	15	15	7	4	3	1	–	–	–	–
Relapsing Fever	1	–	–	2	1	–	3	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	1	1	1	1	1	3	–	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	8	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	2	2	3	3	2	1	1	–	1	–	–	–	–	–	–
Erysipelas	1	3	3	5	7	6	5	5	3	2	3	–	–	–	–	–
Pyæmia	5	1	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Syphilis	5	2	–	3	–	1	1	1	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	5	9	4	2	–	–	–	1	–	–	–	–	–	–
Dropsy	11	12	14	22	33	22	38	33	24	12	13	2	–	–	–	–
Abscess	2	5	6	4	6	6	6	–	3	5	1	–	–	–	–	–
Ulcer	–	–	1	–	–	4	2	1	–	–	–	–	–	–	–	–
Fistula	–	1	1	–	2	1	2	2	–	–	–	–	–	–	–	–
Mortification	–	3	–	2	3	4	6	6	8	5	4	1	2	–	–	–
Cancer	11	31	52	68	76	91	72	61	47	19	8	2	3	–	–	–
Gout	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Scrofula	7	11	7	1	6	4	4	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	6	2	4	–	4	1	1	–	–	–	–	–	–	–	–	–
Phthisis	428	366	335	237	186	140	86	39	13	11	2	–	–	–	–	2
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	205	6	18	22	23	13	11	8	40	22	8	7	5
Apoplexy	537	14	3	16	10	7	2	3	5	7	9	9	11
Paralysis	728	–	–	–	–	1	1	1	4	4	3	3	10
Delirium Tremens	40	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	5	–	–	–	–	1	–	1	1	–	1	–	–
Epilepsy	116	–	–	–	–	1	–	–	–	7	8	9	12
Tetanus	11	3	1	–	–	–	–	–	–	–	1	2	–
Insanity	36	–	–	–	–	–	–	–	–	–	1	1	1
Convulsions	570	253	71	82	79	34	22	16	12	–	–	–	1
Brain Disease	500	4	12	19	26	12	10	9	40	23	18	19	13
V. Pericarditis	28	–	–	–	–	–	1	1	4	6	4	–	1
Aneurism	44	–	–	–	–	–	–	–	–	–	–	1	2
Heart Disease	1515	7	2	3	4	1	5	5	20	28	36	47	64
VI. Laryngitis	68	7	5	9	15	4	6	1	4	1	–	–	1
Bronchitis	4158	290	306	577	614	228	100	49	91	15	23	45	49
Pleurisy	86	4	1	1	2	–	1	2	3	2	2	6	6
Pneumonia	1089	81	55	122	155	69	32	19	37	15	25	37	39
Asthma	225	–	–	–	–	–	–	–	–	2	–	3	1
Lung Disease	191	18	10	14	10	4	1	1	6	3	7	8	11
VII. Teething	581	6	36	210	294	32	3	–	–	–	–	–	–
Quinsey	23	2	1	3	5	2	3	–	2	1	–	–	1
Gastritis	56	5	5	5	5	1	–	–	3	1	1	1	2
Enteritis	437	131	56	51	31	18	8	9	17	10	11	10	7
Peritonitis	126	14	5	2	2	4	–	–	3	7	7	14	14
Ascites	35	1	–	–	1	1	1	–	2	2	–	–	2
Ulceration of Intestines	74	2	1	3	1	2	–	–	1	1	3	5	6
Hernia	38	5	–	1	–	1	–	–	–	–	1	1	1
Ileus	117	21	5	4	5	3	–	2	3	1	3	3	4
Intussusception	7	–	1	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	13	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	342	42	31	22	17	11	4	5	5	3	8	5	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	51	–	–	1	–	–	–	–	–	–	–	–	2
Jaundice	63	23	3	1	2	2	1	–	–	–	1	1	1
Liver Disease	332	13	4	1	1	3	1	2	7	8	5	12	23
Spleen Disease	16	–	–	–	–	–	–	1	–	1	1	–	1
VIII. Nephritis	40	–	1	2	–	3	5	2	7	1	1	2	2
Nephria	138	–	–	1	1	2	3	2	6	4	8	7	10
Addison's Disease	6	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	19	1	–	–	–	1	–	–	1	–	–	2	1
Diabetes	30	1	–	–	–	–	–	–	–	–	–	4	5
Stone	18	1	–	–	–	–	–	–	–	–	–	1	–
Cystitis	56	–	–	–	–	1	–	–	1	1	2	–	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	1	–	–	1
Kidney Disease	157	1	1	1	5	3	1	2	6	4	5	6	7
IX. Paramenia	12	–	–	–	–	–	–	–	–	2	6	1	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	1	1	2
Childbirth	147	–	–	–	–	–	–	–	–	–	6	33	34
Organs of Generation	20	–	–	–	–	–	–	–	–	–	–	1	1
X. Arthritis	38	–	–	–	2	1	1	2	4	5	3	3	4
Rheumatism	72	–	–	–	–	–	–	–	3	2	3	2	2
Joint and Bone Disease	86	1	–	–	2	2	2	2	18	14	14	5	5
XI. Carbuncle	9	1	1	–	2	–	–	–	–	–	–	–	–
Phlegmon	9	–	–	–	1	–	–	–	1	1	–	–	–
Skin Disease	22	7	2	5	1	–	–	–	1	–	–	2	–
XVII. Intemperance	50	–	–	–	–	–	–	–	–	–	–	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	61	34	18	9	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	–	–	–	1	–	–	1	–	–	–	–
Poison	37	5	1	1	–	2	–	–	1	–	3	–	5
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	122	–	1	4	25	15	13	2	14	3	4	4	6
Hanging, etc.	27	–	–	–	–	–	–	–	–	–	2	1	2
Suffocation	85	37	13	8	–	–	1	–	2	3	1	–	–
Drowning	158	1	–	–	2	1	1	2	14	6	9	21	17
Fracture and Contusion	449	2	–	3	3	7	8	5	26	28	26	53	34
Gunshot Wounds	8	–	–	–	–	–	–	–	–	1	2	–	2
Cuts and Stabs	15	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	42	5	–	–	2	1	1	1	3	3	3	3	5
Not Specified	557	175	66	48	39	26	14	19	22	12	9	7	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	7	–	4	2	1	2	–	–	–	–	–	–	–	–
Apoplexy	13	19	15	41	36	59	64	70	54	38	22	8	1	1	–	–
Paralysis	23	22	20	33	44	66	87	135	109	104	45	11	2	–	–	–
Delirium Tremens	9	12	4	4	–	2	4	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	10	3	16	8	7	9	10	10	2	1	1	2	–	–	–	–
Tetanus	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	1	5	2	6	6	3	5	1	2	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	20	35	29	36	33	24	44	32	29	7	4	–	1	–	–	1
Pericarditis	1	3	1	1	1	2	–	–	–	1	–	1	–	–	–	–
Aneurism	8	7	4	4	8	3	2	5	–	–	–	–	–	–	–	–
Heart Disease	88	99	106	128	135	149	180	157	123	71	40	15	–	–	–	2
Laryngitis	2	2	2	4	2	2	–	1	–	–	–	–	–	–	–	–
Bronchitis	48	87	116	138	181	214	262	263	219	133	72	29	9	–	–	–
Pleurisy	3	7	9	6	7	6	4	5	5	1	1	1	1	–	–	–
Pneumonia	40	44	56	52	39	50	46	25	28	11	5	5	1	–	–	1
Asthma	2	12	13	16	30	25	42	30	30	15	3	1	–	–	–	–
Lung Disease	8	11	10	4	12	17	16	10	5	4	–	–	–	–	–	1
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	3	4	4	3	1	4	1	2	1	1	–	–	–	–	–
Enteritis	7	7	6	10	14	6	9	5	5	7	1	1	–	–	–	–
Peritonitis	7	7	4	7	4	1	9	8	2	4	1	–	–	–	–	–
Ascites	2	–	–	5	2	3	1	1	4	4	3	–	–	–	–	–
Ulceration of Intestines	7	5	1	5	11	4	5	6	4	–	1	–	–	–	–	–
Hernia	–	–	3	1	4	4	3	4	4	4	1	–	–	–	–	–
Ileus	6	5	10	4	5	10	6	6	5	5	1	–	–	–	–	–
Intussusception	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	1	3	2	–	3	–	1	–	–	–	–	–	–	–
Stomach Disease	12	16	13	21	23	26	18	25	12	10	3	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	6	5	6	5	7	5	5	4	1	–	–	–	–	–	–
Jaundice	1	–	4	2	3	2	4	3	1	3	2	3	–	–	–	–
Liver Disease	10	23	21	33	28	49	37	23	19	5	4	–	–	–	–	–
Spleen Disease	2	1	2	–	1	1	2	2	–	–	–	1	–	–	–	–
Nephritis	1	5	2	2	2	1	–	–	1	–	–	–	–	–	–	–
Nephria	10	11	13	13	10	9	12	10	2	3	–	–	–	–	–	1
Addison's Disease	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	2	1	–	–	2	1	4	1	–	–	–	–	–	–
Diabetes	5	1	1	2	1	2	2	3	2	1	–	–	–	–	–	–
Stone	–	–	–	–	1	2	3	1	3	2	3	1	–	–	–	–
Cystitis	2	2	–	4	3	5	8	9	11	4	2	–	–	–	–	–
Stricture of Urethra	–	1	3	–	1	1	–	1	1	1	–	–	–	–	–	–
Kidney Disease	12	15	12	7	15	12	15	10	9	1	3	3	1	–	–	–
Paramenia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	5	4	6	8	3	2	1	1	1	–	–	–	–	–	–
Childbirth	30	32	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	5	2	1	1	2	1	1	1	1	–	–	–	–	–	1
Arthritis	4	2	3	–	3	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	3	3	4	4	3	9	11	7	9	6	1	–	–	–	–	–
Joint Disease	2	2	4	6	1	–	1	1	3	1	–	–	–	–	–	–
Carbuncle	–	1	–	1	1	–	1	–	–	–	–	–	–	1	–	–
Phlegmon	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Intemperance	6	7	6	14	3	3	1	4	1	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	3	1	4	3	1	2	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	1	2	3	1	6	–	5	4	–	1	1	–	–	–
Hanging, etc.	3	2	8	4	3	1	1	–	–	–	–	–	–	–	–	–
Suffocation	2	4	7	2	2	2	1	–	–	–	–	–	–	–	–	–
Drowning	13	13	17	12	6	15	4	3	–	–	–	–	–	–	–	1
Fracture and Contusion	33	36	30	37	23	24	20	19	15	8	4	3	1	1	–	–
Gunshot Wounds	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	1	1	2	3	1	2	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	2	2	1	2	2	2	–	–	–	–	–	–	–	–	2
Not Specified	10	12	13	21	15	18	16	–	–	–	–	–	–	–	–	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16541	1862	720	1356	1789	839	497	337	799	408	485	622	560
SPECIFIED CAUSES	16233	1770	684	1327	1765	827	491	332	788	400	478	619	554
I. Zymotic Class	3402	167	148	361	686	376	236	180	322	89	80	101	62
II. Diseases of Uncertain Seat	391	9	3	3	10	9	4	4	15	11	3	8	12
III. Tubercular Class	2992	57	84	237	304	149	93	70	210	154	233	299	256
IV. Brain and Nervous System	1493	153	58	83	87	38	30	20	60	32	23	24	29
V. Organs of Circulation	784	3	1	1	1	–	3	4	7	15	16	17	32
VI. Respiratory Organs	2950	227	207	399	408	177	82	28	73	15	27	53	50
VII. Organs of Digestion	1172	153	86	166	193	36	12	10	21	18	29	22	28
VIII. Urinary Organs	303	4	–	3	3	6	5	3	12	10	11	7	14
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	106	–	–	–	2	2	1	2	16	17	11	6	7
XI. Skin, etc.	21	3	2	4	1	–	–	–	1	1	–	–	–
XII. Malformation	43	34	3	3	2	1	–	–	–	–	–	–	–
XIII. Premature Debility	1044	915	73	56	–	–	–	–	–	–	–	–	–
XIV. Atrophy	119	–	–	–	54	12	10	3	4	3	–	1	–
XV. Age	613	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	39	–	3	1	–	–	–	1	–	1	1	1	4
XVII. Violent Deaths	761	45	16	10	14	21	15	7	47	34	44	80	60
I. Small Pox	36	6	4	4	6	1	3	–	4	1	–	2	3
Measles	470	1	16	69	194	100	40	24	23	2	–	–	–
Scarlatina	570	6	3	32	92	96	90	61	151	25	6	2	1
Diphtheria	108	3	2	18	24	13	10	12	17	3	1	1	1
Hooping Cough	464	11	32	102	174	69	36	24	14	–	–	2	–
Croup	243	14	5	29	78	45	28	23	21	–	–	–	–
Thrush	6	5	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	384	75	59	71	77	12	2	4	6	2	1	3	1
Dysentery	44	1	1	3	1	1	–	–	–	–	1	–	3
Cholera	23	5	4	5	1	–	1	–	2	–	–	–	–
Influenza	33	2	2	1	1	2	2	1	–	1	1	–	1
Purpura	10	–	–	–	1	–	–	–	–	2	–	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	3	–	–	–	1	–	–	–	–
Typhus	546	1	2	4	8	12	11	11	28	19	38	64	34
Enteric Fever	262	–	–	4	12	15	9	12	42	24	27	20	10
Relapsing Fever	8	–	–	–	–	–	1	–	–	–	1	1	1
Simple Continue Fever	16	–	–	1	1	1	1	2	2	3	–	–	–
Infantile Remittent	32	1	1	3	6	8	2	4	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	22	–	–	–	–	–	–	–	3	4	3	2	1
Erysipelas	56	17	4	4	3	–	–	–	–	2	–	1	3
Pyæmia	7	–	–	–	–	–	–	–	–	1	1	1	1
Syphilis	55	19	13	10	4	1	–	1	–	–	–	–	1
Noma	2	–	–	–	–	–	–	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	3	–	–	–	–	–	–	–	–	–	1	1
Dropsy	118	–	–	–	7	8	3	4	12	7	1	2	4
Abscess	44	3	3	3	1	–	1	–	2	3	–	2	3
Ulcer	6	–	–	–	–	–	–	–	1	–	1	–	–
Fistula	7	–	–	–	–	–	–	–	–	–	2	–	–
Mortification	28	3	–	–	1	–	–	–	–	–	–	–	1
Cancer	166	–	–	–	1	1	–	–	–	1	1	3	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	176	9	8	14	21	12	9	4	19	26	12	11	10
Tabes Mesenterica	299	23	15	38	67	49	26	14	32	20	3	3	2
Phthisis	1928	4	13	36	57	26	28	15	96	93	217	283	243
Hydrocephalus	589	21	48	149	159	62	30	37	63	15	1	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	541	596	597	629	620	670	663	629	525	371	245	131	28	4	5	13
SPECIFIED CAUSES	535	588	587	618	612	660	651	629	525	371	245	131	28	4	5	9
Zymotic Class	84	78	65	85	72	43	46	58	28	15	13	5	–	–	–	2
Uncertain Seat	9	20	20	33	40	44	48	30	31	13	9	2	1	–	–	–
Tubercular Class	178	150	137	127	95	83	43	21	4	6	1	–	–	–	–	1
Brain, etc.	45	61	60	66	74	91	116	126	97	73	30	13	2	1	–	1
Heart, etc.	45	66	61	69	80	98	90	73	46	30	15	10	–	–	–	1
Respiratory Organs	59	80	116	109	142	152	158	151	126	66	27	15	2	–	–	1
Digestive Organs	28	41	37	44	49	63	46	40	28	17	3	2	–	–	–	–
Urinary Organs	18	20	23	16	15	27	30	28	27	10	7	3	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	7	7	4	4	4	3	3	4	5	1	–	–	–	–	–	–
Skin	2	–	1	–	3	1	2	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	5	4	6	13	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	36	75	121	133	138	81	22	2	5	–
Sudden Deaths	1	5	3	3	3	3	5	2	2	–	–	–	–	–	–	–
Violent Deaths	58	57	55	58	29	39	28	21	10	7	2	–	–	1	–	3
Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	5	7	4	3	7	5	18	12	2	4	1	–	–	–	1
Dysentery	1	3	2	5	1	–	5	6	3	4	1	2	–	–	–	–
Cholera	1	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
Influenza	–	1	–	–	4	–	3	2	2	2	4	1	–	–	–	–
Purpura	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	49	36	56	51	25	16	19	8	4	–	–	–	–	–	1
Enteric Fever	16	10	13	8	8	7	10	8	2	1	3	1	–	–	–	–
Relapsing Fever	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	2	1	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	1	2	3	5	3	2	2	2	–	1	1	–	–	–	–	–
Pyæmia	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	2	4	4	–	–	–	–	1	–	–	–	–	–	–
Dropsy	5	3	2	6	13	4	10	10	12	1	3	1	–	–	–	–
Abscess	–	5	1	3	4	3	3	–	–	4	–	–	–	–	–	–
Ulcer	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	2	–	2	2	–	–	–	–	–	–	–	–
Mortification	–	2	–	1	2	2	3	4	4	2	1	1	1	–	–	–
Cancer	2	8	13	18	15	33	28	14	15	5	5	–	–	–	–	–
Gout	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	4	4	3	1	3	2	3	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	4	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Phthisis	169	146	134	126	90	81	39	20	4	6	1	–	–	–	–	1
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

108184

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	121	4	11	13	16	11	7	4	24	12	4	2	3
Apoplexy	290	5	2	10	6	6	2	2	3	3	4	5	4
Paralysis	367	–	–	–	–	1	1	1	2	2	2	2	6
Delirium Tremens	36	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	58	–	–	–	–	–	–	–	–	3	3	5	5
Tetanus	7	2	–	–	–	–	–	–	–	–	1	1	–
Insanity	19	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	313	138	38	45	47	16	14	8	7	–	–	–	–
Brain Disease	282	4	7	15	18	4	6	5	24	12	8	8	8
V. Pericarditis	11	–	–	–	–	–	1	1	1	2	1	–	1
Aneurism	37	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	736	3	1	1	1	–	2	3	6	13	15	17	29
VI. Laryngitis	36	4	1	5	9	1	4	–	2	–	–	–	1
Bronchitis	2020	164	166	315	308	137	56	16	41	3	13	16	19
Pleurisy	60	2	1	1	2	–	1	1	3	1	1	6	3
Pneumonia	618	45	32	72	82	35	20	11	22	7	12	25	19
Asthma	112	–	–	–	–	–	–	–	–	2	–	2	1
Lung Disease	104	12	7	6	7	4	1	–	5	2	1	4	7
VII. Teething	301	5	19	114	154	8	1	–	–	–	–	–	–
Quinsey	10	–	1	1	4	–	2	–	1	1	–	–	–
Gastritis	16	1	2	2	2	–	–	–	–	–	1	–	1
Enteritis	235	67	33	29	17	9	4	7	8	6	7	7	4
Peritonitis	55	11	3	1	2	–	–	–	2	2	6	4	1
Ascites	13	–	–	–	–	–	1	–	2	1	–	–	1
Ulceration of Intestines	39	1	1	2	1	2	–	–	–	–	3	2	3
Hernia	23	4	–	1	–	1	–	–	–	–	1	–	1
Ileus	71	17	2	1	1	2	–	1	2	1	3	2	2
Intussusception	5	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	11	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	169	25	19	12	11	9	3	1	2	1	4	3	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	24	–	–	1	–	–	–	–	–	–	–	–	1
Jaundice	31	13	1	1	1	2	–	–	–	–	1	–	–
Liver Disease	165	9	3	1	–	3	1	–	4	6	2	4	9
Spleen Disease	4	–	–	–	–	–	–	1	–	–	1	–	–
VIII. Nephritis	25	–	–	2	–	3	3	1	5	1	–	1	1
Nephria	81	–	–	1	1	2	2	1	4	3	5	1	6
Addison's Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	1	–	–	–	–	–	–	–	–	–	–	1
Diabetes	18	1	–	–	–	–	–	–	–	–	–	2	2
Stone	18	1	–	–	–	–	–	–	–	–	–	1	–
Cystitis	50	–	–	–	–	1	–	–	–	1	2	–	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	1	–	–	1
Kidney Disease	85	1	–	–	2	–	–	1	3	4	4	2	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	22	–	–	–	1	1	–	–	2	3	2	2	4
Rheumatism	28	–	–	–	–	–	–	–	2	2	2	–	–
Joint and Bone Disease	56	–	–	–	1	1	1	2	12	12	7	4	3
XI. Carbuncle	3	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	6	–	–	–	–	–	–	–	1	1	–	–	–
Skin Disease	12	3	2	4	–	–	–	–	–	–	–	–	–
X. Intemperance	26	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	32	19	9	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	–	–	–	1	–	–	1	–	–	–	–
Poison	22	5	1	–	–	2	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	–	–	–	11	14	7	–	10	1	2	3	3
Hanging, etc.	18	–	–	–	–	–	–	–	–	–	2	1	2
Suffocation	38	16	6	4	–	–	–	–	–	2	1	–	–
Drowning	137	–	–	–	1	–	1	2	14	5	9	19	16
Fracture and Contusion	375	2	–	2	2	3	6	4	20	23	25	52	32
Gunshot Wounds	6	–	–	–	–	–	–	–	–	–	2	–	2
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	30	1	–	–	–	1	1	1	2	3	2	3	4
Not Specified	308	92	36	29	24	12	6	5	11	8	7	3	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	3	–	3	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	8	10	8	18	17	37	36	37	28	20	11	6	1	1	–	–
Paralysis	14	11	14	15	28	30	44	67	56	47	17	6	1	–	–	–
Delirium Tremens	9	11	2	3	–	2	4	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	3	14	4	4	4	5	2	–	–	1	1	–	–	–	–
Tetanus	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	2	2	2	3	2	3	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	23	17	24	19	14	23	17	12	4	1	–	–	–	–	1
Pericarditis	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–
Aneurism	7	7	3	4	6	3	1	4	–	–	–	–	–	–	–	–
Heart Disease	38	58	58	64	74	94	89	69	46	30	15	9	–	–	–	1
Laryngitis	1	2	1	3	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	27	38	66	64	92	89	98	115	90	50	24	11	2	–	–	–
Pleurisy	3	5	6	4	5	6	3	2	3	–	1	–	–	–	–	–
Pneumonia	22	28	32	32	24	35	31	10	11	5	1	4	–	–	–	1
Asthma	1	3	7	3	12	14	22	15	20	9	1	–	–	–	–	–
Lung Disease	5	4	4	3	8	8	4	8	2	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	2	–	–	2	–	1	–	–	–	–	–	–	–
Enteritis	4	2	3	4	10	3	4	2	3	2	–	–	–	–	–	–
Peritonitis	2	4	2	4	1	1	4	1	2	2	–	–	–	–	–	–
Ascites	2	–	–	2	–	1	–	–	–	2	1	–	–	–	–	–
Ulceration of Intestines	1	3	–	3	6	1	3	4	3	–	–	–	–	–	–	–
Hernia	–	–	2	–	2	1	2	2	3	3	–	–	–	–	–	–
Ileus	4	3	5	4	1	7	3	3	3	4	–	–	–	–	–	–
Intussusception	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	1	2	2	–	2	–	1	–	–	–	–	–	–	–
Stomach Disease	3	10	5	7	11	12	7	11	5	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	4	2	2	6	2	3	1	–	–	–	–	–	–	–
Jaundice	1	–	3	1	2	–	2	–	–	1	–	2	–	–	–	–
Liver Disease	9	14	11	13	11	30	14	13	6	1	1	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	2	2	1	1	1	–	–	1	–	–	–	–	–	–	–
Nephria	6	5	8	9	4	8	7	5	1	2	–	–	–	–	–	–
Addison's Disease	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	2	1	4	1	–	–	–	–	–	–
Diabetes	3	1	1	1	–	1	1	2	2	1	–	–	–	–	–	–
Stone	–	–	–	–	1	2	3	1	3	2	3	1	–	–	–	–
Cystitis	–	2	–	3	3	4	8	9	11	3	2	–	–	–	–	–
Stricture of Urethra	–	1	3	–	1	1	–	1	1	1	–	–	–	–	–	–
Kidney Disease	6	9	8	2	5	9	9	9	4	–	2	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	3	2	1	1	3	3	3	2	1	–	–	–	–	–	–
Joint Disease	1	2	2	3	1	–	–	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	4	4	2	6	2	2	1	4	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	3	1	3	1	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	1	1	2	1	1	–	1	2	–	–	–	–	–	–
Hanging, etc.	1	2	4	3	1	1	1	–	–	–	–	–	–	–	–	–
Suffocation	–	3	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Drowning	13	10	15	9	5	12	3	2	–	–	–	–	–	–	–	1
Fracture and Contusion	30	32	28	33	15	20	17	13	9	4	2	–	–	1	–	–
Gunshot Wounds	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	1	2	1	1	1	2	–	–	–	–	–	–	–	–	2
Not Specified	6	8	10	11	8	10	12	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16754	1465	631	1134	1648	775	467	343	759	386	572	635	696
SPECIFIED CAUSES	16505	1382	601	1115	1633	761	459	329	748	382	570	631	693
I. Zymotic Class	3528	158	149	333	662	372	261	180	362	111	106	90	109
II. Diseases of Uncertain Seat	721	15	6	4	4	6	5	4	13	9	10	10	23
III. Tubercular Class	3242	43	73	187	278	150	81	59	176	150	324	335	326
IV. Brain and Nervous System	1255	127	47	56	51	31	16	18	42	31	26	27	26
V. Organs of Circulation	803	4	1	2	3	1	3	2	17	19	24	31	35
VI. Respiratory Organs	2867	173	170	324	388	128	58	44	68	23	30	46	57
VII. Organs of Digestion	1139	112	63	138	171	44	10	9	22	17	12	30	45
VIII. Urinary Organs	172	–	2	1	3	4	5	3	9	1	5	15	13
IX. Organs of Generation	216	–	–	–	–	–	–	–	–	2	13	36	38
X. Organs of Locomotion	90	1	–	–	2	1	2	2	9	4	9	4	4
XI. Skin, etc.	19	5	1	1	3	–	–	–	1	–	–	2	–
XII. Malformation	31	28	1	–	–	–	1	–	–	1	–	–	–
XIII. Premature Debility	792	670	68	54	–	–	–	–	–	–	–	–	–
XIV. Atrophy	173	–	–	–	50	18	6	4	14	4	3	1	3
XV. Age	1124	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	36	5	3	–	–	–	2	1	1	–	1	–	1
XVII. Violent Deaths	297	41	17	15	18	6	9	3	14	10	7	4	13
I. Small Pox	33	3	2	3	8	2	3	–	7	2	–	2	1
Measles	414	2	9	68	192	72	26	15	27	1	–	–	–
Scarlatina	566	–	5	35	84	98	88	69	145	28	1	4	4
Diphtheria	103	2	–	7	15	16	12	12	17	8	2	2	3
Hooping Cough	593	38	55	110	200	83	51	20	35	1	–	–	–
Croup	197	7	–	24	55	43	33	23	11	1	–	–	–
Thrush	6	3	–	–	–	2	1	–	–	–	–	–	–
Diarrhœa	395	69	48	68	70	7	8	2	10	5	4	5	4
Dysentery	51	–	2	1	2	1	–	2	–	2	1	–	–
Cholera	40	–	7	3	6	1	–	1	7	1	–	–	1
Influenza	34	1	2	–	1	–	–	1	1	2	1	–	–
Purpura	8	–	–	–	–	1	–	1	2	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	1	–	1	2	–	–	–	–
Typhus	499	1	2	2	6	13	11	11	33	13	43	30	46
Enteric Fever	301	–	–	2	10	16	22	17	47	37	43	14	19
Relapsing Fever	7	–	–	–	–	–	–	–	–	2	1	–	–
Simple Continued Fever	23	–	–	–	–	4	–	3	2	–	5	1	1
Infantile Remittent	33	1	1	–	7	5	5	2	12	–	–	–	–
Metria	73	–	–	–	–	–	–	–	–	–	1	26	23
Rheumatic Fever	32	–	–	–	–	–	–	–	3	6	4	3	6
Erysipelas	47	12	5	4	1	1	1	–	–	1	–	–	1
Pyæmia	11	–	–	–	–	1	–	–	–	1	–	1	–
Syphilis	50	19	11	6	4	1	–	–	–	–	–	2	–
Noma	7	–	–	–	1	4	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	3	–	–	–	–	–	–	–	–	–	–	1
Dropsy	214	4	1	–	3	2	3	3	9	2	3	6	12
Abscess	54	7	4	4	–	2	–	1	2	5	5	1	2
Ulcer	7	–	–	–	–	1	1	–	–	–	1	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	25	1	1	–	–	–	1	–	–	–	–	1	–
Cancer	402	–	–	–	1	1	–	–	2	2	1	2	8
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	138	3	7	7	25	6	13	5	15	11	12	5	8
Tabes Mesenterica	234	16	8	33	57	31	19	15	29	9	3	1	2
Phthisis	2367	4	19	26	51	52	18	13	82	123	306	329	316
Hydrocephalus	503	20	39	121	145	61	31	26	50	7	3	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	606	632	635	615	626	616	770	714	753	571	400	190	80	21	3	11
SPECIFIED CAUSES	602	628	632	605	619	608	766	714	753	571	400	190	80	21	3	9
Zymotic Class	89	82	87	67	61	53	58	40	52	29	13	6	3	1	–	3
Uncertain Seat	18	35	59	73	84	87	79	73	51	29	17	3	4	–	–	–
Tubercular Class	264	229	209	111	101	62	48	19	9	6	1	–	–	–	–	1
Brain, etc.	35	39	33	62	56	75	100	126	99	80	42	8	2	–	–	–
Heart, etc.	52	43	50	64	64	56	92	89	77	42	25	6	–	–	–	1
Respiratory Organs	44	83	90	111	129	162	212	183	161	98	54	21	9	–	–	1
Digestive Organs	33	38	37	57	57	52	60	51	35	27	15	3	1	–	–	–
Urinary Organs	16	16	11	13	18	6	12	7	6	3	1	1	–	–	–	1
Generative Organs	34	43	17	9	9	5	3	2	2	2	–	–	–	–	–	1
Locomotive Organs	2	–	7	6	3	6	9	4	7	7	1	–	–	–	–	–
Skin	–	1	–	2	–	1	–	1	–	–	–	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	4	12	8	14	29	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	74	111	242	248	229	138	59	19	3	1
Sudden Deaths	–	2	2	2	4	1	8	1	1	1	–	–	–	–	–	–
Violent Deaths	12	13	18	20	19	13	11	7	11	8	2	4	2	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	3	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	4	4	3	9	7	13	11	21	7	4	3	3	1	–	–
Dysentery	2	3	1	3	1	8	7	4	6	1	3	1	–	–	–	–
Cholera	5	1	2	1	1	–	1	1	1	–	–	–	–	–	–	–
Influenza	–	1	2	2	1	1	4	2	5	2	4	1	–	–	–	–
Purpura	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	44	56	41	36	19	19	8	10	5	–	1	–	–	–	3
Enteric Fever	12	11	10	9	4	8	5	7	5	3	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	8	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	1	2	2	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	–	4	4	3	3	3	1	2	–	–	–	–	–
Pyæmia	4	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	3	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	5	–	2	–	–	–	–	–	–	–	–	–	–
Dropsy	6	9	12	16	20	18	28	23	12	11	10	1	–	–	–	–
Abscess	2	–	5	1	2	3	3	–	3	1	1	–	–	–	–	–
Ulcer	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	2	3	2	4	3	3	–	1	–	–	–
Cancer	9	23	39	50	61	58	44	47	32	14	3	2	3	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	3	7	4	–	3	2	1	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	2	2	4	–	2	1	–	–	–	–	–	–	–	–	–	–
Phthisis	259	220	201	111	96	59	47	19	9	5	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	84	2	7	9	7	2	4	4	16	10	4	5	2
Apoplexy	247	9	1	6	4	1	–	1	2	4	5	4	7
Paralysis	361	–	–	–	–	–	–	–	2	2	1	1	4
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	5	–	–	–	–	1	–	1	1	–	1	–	–
Epilepsy	58	–	–	–	–	1	–	–	–	4	5	4	7
Tetanus	4	1	1	–	–	–	–	–	–	–	–	1	–
Insanity	17	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	257	115	33	37	32	18	8	8	5	–	–	–	1
Brain Disease	218	–	5	4	8	8	4	4	16	11	10	11	5
V. Pericarditis	17	–	–	–	–	–	–	–	3	4	3	–	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	779	4	1	2	3	1	3	2	14	15	21	30	35
VI. Laryngitis	32	3	4	4	6	3	2	1	2	1	–	–	–
Bronchitis	2138	126	140	262	306	91	44	33	50	12	10	29	30
Pleurisy	26	2	–	–	–	–	–	1	–	1	1	–	3
Pneumonia	471	36	23	50	73	34	12	8	15	8	13	12	20
Asthma	113	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	87	6	3	8	3	–	–	1	1	1	6	4	4
VII. Teething	280	1	17	96	140	24	2	–	–	–	–	–	–
Quinsey	13	2	–	2	1	2	1	–	1	–	–	–	1
Gastritis	40	4	3	3	3	1	–	–	3	1	–	1	1
Enteritis	202	64	23	22	14	9	4	2	9	4	4	3	3
Peritonitis	71	3	2	1	–	4	–	–	1	5	1	10	13
Ascites	22	1	–	–	1	1	–	–	–	1	–	–	1
Ulceration of Intestines	35	1	–	1	–	–	–	–	1	1	–	3	3
Hernia	15	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	46	4	3	3	4	1	–	1	1	–	–	1	2
Intussusception	2	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	173	17	12	10	6	2	1	4	3	2	4	2	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	32	10	2	–	1	–	1	–	–	–	–	1	1
Liver Disease	167	4	1	–	1	–	–	2	3	2	3	8	14
Spleen Disease	12	–	–	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	15	–	1	–	–	–	2	1	2	–	1	1	1
Nephria	57	–	–	–	–	–	1	1	2	1	3	6	4
Addison's Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	8	–	–	–	–	1	–	–	1	–	–	2	–
Diabetes	12	–	–	–	–	–	–	–	–	–	–	2	3
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	72	–	1	1	3	3	1	1	3	–	1	4	5
IX. Paramenia	12	–	–	–	–	–	–	–	–	2	6	1	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	1	1	2
Childbirth	147	–	–	–	–	–	–	–	–	–	6	33	34
Organs of Generation	20	–	–	–	–	–	–	–	–	–	–	1	1
X. Arthritis	16	–	–	–	1	–	1	2	2	2	1	1	–
Rheumatism	44	–	–	–	–	–	–	–	1	–	1	2	2
Joint and Bone Disease	30	1	–	–	1	1	1	–	6	2	7	1	2
XI. Carbuncle	6	1	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	10	4	–	1	1	–	–	–	1	–	–	2	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	29	15	9	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	–	–	1	–	–	–	–	1	–	3	–	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	57	–	1	4	14	1	6	2	4	2	2	1	3
Hanging, etc.	9	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	47	21	7	4	–	–	1	–	2	1	–	–	–
Drowning	21	1	–	–	1	1	–	–	–	1	–	2	1
Fracture and Contusion	74	–	–	1	1	4	2	1	6	5	1	1	2
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	4	–	–	2	–	–	–	1	–	1	–	1
Not Specified	249	83	30	19	15	14	8	14	11	4	2	4	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	3	4	–	1	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	5	9	7	23	19	22	28	33	26	18	11	2	–	–	–	–
Paralysis	9	11	6	18	16	36	43	68	53	57	28	5	1	–	–	–
Delirium Tremens	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	6	–	2	4	3	5	5	8	2	1	–	1	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	3	–	4	3	1	2	–	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	12	12	12	14	10	21	15	17	3	3	–	1	–	–	–
Pericarditis	1	2	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Aneurism	1	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	50	41	48	64	61	55	91	88	77	41	25	6	–	–	–	1
Laryngitis	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	21	49	50	74	89	125	164	148	129	83	48	18	7	–	–	–
Pleurisy	–	2	3	2	2	–	1	3	2	1	–	1	1	–	–	–
Pneumonia	18	16	24	20	15	15	15	15	17	6	4	1	1	–	–	–
Asthma	1	9	6	13	18	11	20	15	10	6	2	1	–	–	–	–
Lung Disease	3	7	6	1	4	9	12	2	3	2	–	–	–	–	–	1
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	2	4	2	3	1	2	1	1	1	1	–	–	–	–	–
Enteritis	3	5	3	6	4	3	5	3	2	5	1	1	–	–	–	–
Peritonitis	5	3	2	3	3	–	5	7	–	2	1	–	–	–	–	–
Ascites	–	–	–	3	2	2	1	1	4	2	2	–	–	–	–	–
Ulceration of Intestines	6	2	1	2	5	3	2	2	1	–	1	–	–	–	–	–
Hernia	–	–	1	1	2	3	1	2	1	1	1	–	–	–	–	–
Ileus	2	2	5	–	4	3	3	3	2	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	9	6	8	14	12	14	11	14	7	8	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	5	1	4	3	1	3	2	3	1	–	–	–	–	–	–
Jaundice	–	–	1	1	1	2	2	3	1	2	2	1	–	–	–	–
Liver Disease	1	9	10	20	17	19	23	10	13	4	3	–	–	–	–	–
Spleen Disease	2	1	1	–	1	1	1	2	–	–	–	–	1	–	–	–
Nephritis	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	6	5	4	6	1	5	5	1	1	–	–	–	–	–	1
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	6	4	5	10	3	6	1	5	1	1	1	–	–	–	–
Paramenia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	5	4	6	8	3	2	1	1	1	–	–	–	–	–	–
Childbirth	30	32	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	5	2	1	1	2	1	1	1	1	–	–	–	–	–	1
Arthritis	1	–	3	–	1	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	–	–	2	3	2	6	8	4	7	5	1	–	–	–	–	–
Joint Disease	1	–	2	3	–	–	1	–	–	1	–	–	–	–	–	–
Carbuncle	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	2	3	4	8	1	1	–	–	1	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	1	–	5	–	4	2	–	1	1	–	–	–
Hanging, etc.	2	–	4	1	2	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	5	1	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	3	2	3	1	3	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	4	2	4	8	4	3	6	6	4	2	3	1	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	4	4	3	10	7	8	4	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	12578	1228	552	1115	1553	661	408	280	641	301	414	516	488
Specified Causes	12407	1185	534	1099	1532	653	405	277	633	297	412	514	485
I. Zymotic Class	2722	108	106	284	540	286	193	145	290	73	76	83	77
II. Diseases of Uncertain Seat	324	6	3	3	3	6	5	7	14	4	5	4	18
III. Tubercular Class	2491	33	73	198	258	127	71	54	157	122	230	265	217
IV. Brain and Nervous System	869	114	47	54	73	27	17	15	34	20	16	19	13
V. Organs of Circulation	481	1	–	1	2	–	2	1	11	14	16	21	19
VI. Respiratory Organs	2719	171	183	383	444	155	79	33	73	15	24	53	47
VII. Organs of Digestion	921	128	64	130	153	32	18	8	22	15	12	24	36
VIII. Urinary Organs	133	2	–	2	2	3	6	3	4	1	3	5	8
IX. Organs of Generation	79	–	–	–	–	–	–	–	–	1	6	15	17
X. Organs of Locomotion	61	1	–	–	–	2	1	2	6	8	7	4	4
XI. Skin, etc.	15	2	1	4	1	–	–	–	1	–	–	1	–
XII. Malformation	20	16	1	–	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	654	577	47	30	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	39	10	5	4	7	5	2	–	–
XV. Age	433	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	3	1	–	–	–	1	1	–	1	1	1	4
XVII. Violent Deaths	339	23	8	10	15	5	11	4	14	18	14	19	25
I. Small Pox	32	3	2	2	5	3	3	–	7	2	–	3	2
Measles	888	1	11	57	167	66	37	19	26	2	–	–	–
Scarlatina	484	2	2	36	85	85	70	52	119	23	1	4	3
Diphtheria	75	–	1	13	13	9	10	10	14	1	1	–	2
Hooping Cough	331	10	26	70	123	48	25	13	14	–	–	2	–
Croup	159	8	–	22	52	23	23	20	10	1	–	–	–
Thrush	4	1	–	–	–	2	1	–	–	–	–	–	–
Diarrhœa	309	54	51	63	65	7	5	1	13	2	3	5	3
Dysentery	23	1	–	3	–	–	–	–	1	–	–	–	1
Cholera	17	1	3	5	1	1	–	–	1	–	–	–	–
Influenza	19	–	–	1	2	1	–	–	1	2	1	–	–
Purpura	8	–	–	–	–	–	–	1	2	1	–	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	2	–	–	–	1	–	–	–	–
Typhus	497	1	–	1	5	12	10	9	24	10	41	47	45
Enteric Fever	202	–	–	5	12	20	7	15	38	23	23	6	6
Relapsing Fever	7	–	–	–	–	–	–	–	–	2	2	1	–
Simple Continued Fever	16	–	–	–	–	2	–	2	4	2	2	–	–
Infantile Remittent	26	1	1	–	5	5	2	1	11	–	–	–	–
Metria	26	–	–	–	–	–	–	–	–	–	–	9	9
Rheumatic Fever	16	–	–	–	–	–	–	–	4	1	2	1	3
Erysipelas	35	9	2	3	1	1	–	–	–	–	–	1	1
Pyæmia	7	–	–	–	–	–	–	–	–	–	–	2	1
Syphilis	34	16	7	3	1	–	–	1	–	–	–	1	–
Noma	4	–	–	–	1	1	–	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	102	–	–	–	1	4	3	6	12	–	3	1	8
Abscess	37	4	3	3	1	1	1	1	2	3	1	1	2
Ulcer	4	–	–	–	–	1	–	–	–	–	1	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	18	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	145	–	–	–	–	–	–	–	–	1	–	2	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	109	1	7	10	21	10	5	3	12	16	5	5	6
Tabes Mesenterica	290	8	8	29	48	29	21	10	24	12	1	2	1
Phthisis	1722	6	14	34	57	47	21	15	81	86	223	257	210
Hydrocephalus	460	18	44	125	132	41	24	26	40	8	1	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	429	450	471	475	500	430	488	401	325	234	125	59	27	5	1	1
Specified Causes	424	446	465	469	497	423	480	401	325	234	125	59	27	5	1	–
Zymotic Class	67	69	67	67	54	37	47	22	18	9	2	2	–	–	–	–
Uncertain Seat	6	19	23	39	37	35	33	22	18	11	2	–	1	–	–	–
Tubercular Class	162	143	132	81	76	37	30	13	7	5	–	–	–	–	–	–
Brain, etc.	25	31	23	42	47	37	67	58	41	33	13	3	–	–	–	–
Heart, etc.	32	37	48	44	54	49	52	31	24	8	10	4	–	–	–	–
Respiratory Organs	48	69	94	112	137	142	148	146	83	51	18	8	3	–	–	–
Digestive Organs	25	23	29	35	42	32	38	29	17	9	4	–	1	–	–	–
Urinary Organs	11	12	9	12	13	9	8	8	8	2	1	–	1	–	–	–
Generative Organs	12	12	4	2	5	2	1	2	–	–	–	–	–	–	–	–
Locomotive Organs	5	3	5	2	2	4	2	2	–	–	1	–	–	–	–	–
Skin	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	2	5	4	5	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	58	99	102	73	41	21	4	1	–
Sudden Deaths	–	4	3	2	5	1	8	2	2	1	–	–	–	–	–	–
Violent Deaths	28	22	23	27	19	22	11	7	8	3	1	1	–	1	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	3	5	3	4	4	3	9	1	2	1	–	–	–	–
Dysentery	1	–	–	–	2	3	6	1	–	3	–	1	–	–	–	–
Cholera	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	2	–	1	1	–	3	2	1	1	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	54	50	52	37	18	17	8	6	3	–	–	–	–	–	–
Enteric Fever	9	4	9	3	5	5	7	3	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	2	3	4	3	2	–	1	–	–	–	–	–	–
Pyæmia	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	3	2	4	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	5	2	9	11	4	10	11	6	3	2	–	–	–	–	–
Abscess	1	3	3	–	1	–	3	–	1	2	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	1	2	2	1	4	2	–	–	1	–	–	–
Cancer	2	7	16	24	22	27	16	10	7	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	3	–	1	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Phthisis	160	141	128	81	72	34	30	13	7	5	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	84	3	9	12	12	3	3	3	17	7	3	3	2
Apoplexy	151	6	1	9	7	2	2	1	1	4	3	5	3
Paralysis	174	–	–	–	–	–	–	1	1	2	–	2	2
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	31	–	–	–	–	–	–	–	–	–	2	3	2
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	235	103	28	26	46	14	11	3	3	–	–	–	1
Brain Disease	171	2	9	7	8	7	1	7	12	7	8	6	3
V. Pericarditis	9	–	–	–	–	–	1	–	1	2	2	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	466	1	–	1	2	–	1	1	10	12	14	20	19
VI. Laryngitis	30	3	1	2	9	2	2	–	2	1	–	–	–
Bronchitis	1966	114	148	296	332	112	60	22	52	8	15	29	24
Pleurisy	22	2	–	–	1	–	–	–	–	–	1	1	–
Pneumonia	520	43	29	75	94	38	16	10	15	5	6	17	20
Asthma	90	–	–	–	–	–	–	–	–	1	–	3	1
Lung Disease	91	9	5	10	8	3	1	1	4	–	2	3	2
VII. Teething	227	2	11	78	122	13	1	–	–	–	–	–	–
Quinsey	14	1	1	1	4	2	1	–	2	–	–	–	1
Gastritis	21	4	4	1	1	–	–	–	1	–	–	1	1
Enteritis	213	75	30	27	11	9	4	4	7	7	3	5	5
Peritonitis	39	3	2	1	1	1	–	–	1	3	–	8	5
Ascites	11	–	–	–	–	1	1	–	1	–	–	–	–
Ulceration of Intestines	25	1	1	2	1	1	–	–	–	–	3	–	2
Hernia	15	1	–	1	–	–	–	–	–	–	1	1	1
Ileus	37	9	2	3	2	1	–	1	2	–	–	–	1
Intussusception	4	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	4	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	136	23	10	14	9	2	4	2	4	1	3	3	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	17	4	–	–	2	1	1	–	–	–	1	–	1
Liver Disease	130	5	2	1	–	1	–	1	4	4	1	6	14
Spleen Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	14	–	–	2	–	1	3	1	1	–	–	–	–
Nephria	29	–	–	–	–	1	2	1	1	–	2	2	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	1	–	–	1	1
Diabetes	10	1	–	–	–	–	–	–	–	–	–	1	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	1	–	–	1	1	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	52	1	–	–	2	–	1	1	–	–	1	1	3
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	2	–	1
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	1	–	1
Childbirth	55	–	–	–	–	–	–	–	–	–	3	15	14
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	10	–	–	–	–	–	1	1	–	2	–	1	1
Rheumatism	23	–	–	–	–	–	–	–	1	2	2	–	1
Joint and Bone Disease	28	1	–	–	–	2	–	1	5	4	5	3	2
XI. Carbuncle	3	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	9	1	1	4	–	–	–	–	–	–	–	1	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	19	9	6	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	15	1	–	1	–	–	–	–	–	–	1	–	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	48	–	–	1	14	2	7	2	4	2	1	1	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	23	11	2	3	–	–	–	–	–	2	1	–	–
Drowning	57	–	–	–	–	–	–	1	3	3	3	4	9
Fracture and Contusion	133	1	–	1	1	2	4	1	7	9	7	11	9
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	10	1	–	–	–	–	–	–	–	2	–	1	1
Not Specified	171	43	18	16	21	8	3	3	8	4	2	2	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	5	10	3	15	13	14	12	14	10	5	5	1	–	–	–	–
Paralysis	5	3	4	5	14	13	35	31	23	25	6	2	–	–	–	–
Delirium Tremens	1	3	2	2	–	1	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	5	1	3	5	1	2	4	2	–	–	1	–	–	–	–	–
Tetanus	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	2	1	–	2	–	2	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	10	8	15	16	7	11	9	7	3	1	–	–	–	–	–
Pericarditis	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
Aneurism	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	30	36	47	43	54	47	52	31	24	8	10	3	–	–	–	–
Laryngitis	1	–	2	1	1	2	–	1	–	–	–	–	–	–	–	–
Bronchitis	20	41	63	76	97	95	112	116	67	39	17	8	3	–	–	–
Pleurisy	1	3	1	3	3	2	1	2	–	1	–	–	–	–	–	–
Pneumonia	19	19	19	22	16	23	17	10	5	2	–	–	–	–	–	–
Asthma	2	2	6	7	15	13	13	11	9	6	1	–	–	–	–	–
Lung Disease	5	4	3	3	5	7	5	6	2	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	2	1	1	–	2	–	–	1	–	–	–	–	–	–
Enteritis	2	1	3	2	6	3	2	1	3	3	–	–	–	–	–	–
Peritonitis	2	2	2	4	1	–	2	–	–	1	–	–	–	–	–	–
Ascites	2	–	–	2	1	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	6	1	3	1	1	–	–	–	–	–	–	–
Hernia	–	–	1	–	4	1	–	1	2	1	–	–	–	–	–	–
Ileus	5	3	2	–	2	1	1	2	–	–	–	–	–	–	–	–
Intussusception	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Stomach Disease	4	3	7	8	7	11	5	7	1	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	2	1	2	1	4	2	4	2	–	–	–	–	–	–	–
Jaundice	–	–	2	1	–	–	2	1	–	–	1	–	–	–	–	–
Liver Disease	4	9	8	14	12	11	15	9	6	1	2	–	–	–	–	–
Spleen Disease	1	–	1	–	–	–	2	1	–	–	–	–	1	–	–	–
Nephritis	1	2	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Nephria	4	2	4	2	2	2	1	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Cystitis	1	1	–	2	1	1	1	3	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	4	7	3	6	7	4	4	3	3	–	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	1	1	4	–	–	1	–	–	–	–	–	–	–	–
Childbirth	10	9	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Arthritis	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	2	1	4	2	1	–	–	1	–	–	–	–	–
Joint Disease	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	4	2	7	2	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	3	–	1	–	3	2	–	–	–	–	–	–
Hanging, etc.	1	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	4	3	7	2	1	–	–	–	–	–	–	–	–
Fracture and Contusion	11	12	9	11	8	11	4	5	5	1	1	1	–	1	–	–
Gunshot Wounds	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	5	4	6	6	3	7	8	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6312	692	323	622	804	349	219	133	318	164	173	236	194
SPECIFIED CAUSES	6223	673	310	613	793	346	218	132	315	161	172	235	193
I. Zymotic Class	1329	58	55	149	262	154	94	66	127	29	34	46	27
II. Diseases of Uncertain Seat	121	4	1	1	3	3	3	4	8	1	–	3	6
III. Tubercular Class	1182	15	45	111	133	61	31	31	95	75	86	114	86
IV. Brain and Nervous System	476	63	28	30	46	14	12	9	22	12	6	9	3
V. Organs of Circulation	246	–	–	–	–	–	2	1	4	6	7	5	9
VI. Respiratory Organs	1423	98	112	216	230	93	52	11	31	4	11	27	20
VII. Organs of Digestion	473	66	43	74	82	12	9	4	9	8	9	9	13
VIII. Urinary Organs	86	2	–	2	1	3	4	2	2	1	3	2	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	31	–	–	–	–	1	–	1	4	6	4	2	2
XI. Skin, etc.	10	–	1	4	1	–	–	–	1	–	–	–	–
XII. Malformation	12	10	–	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	384	343	21	20	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	23	2	4	2	–	2	–	–	–
XV. Age	128	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	22	–	–	–	–	–	–	–	–	1	–	1	4
XVII. Violent Deaths	254	14	4	6	10	3	7	1	12	16	12	17	19
I. Small Pox	16	2	2	1	3	1	1	–	2	1	–	2	1
Measles	209	–	8	27	79	46	23	11	13	1	–	–	–
Scarlatina	229	2	1	20	43	41	34	22	53	8	1	2	1
Diphtheria	41	–	1	11	8	5	4	4	7	–	–	–	–
Hooping Cough	147	3	9	33	52	25	14	5	4	–	–	2	–
Croup	84	6	–	13	29	11	9	10	6	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	147	25	25	32	32	6	2	–	5	–	–	1	1
Dysentery	10	1	–	2	–	–	–	–	–	–	–	–	1
Cholera	8	1	1	3	–	–	–	–	1	–	–	–	–
Influenza	8	–	–	1	1	1	–	–	–	1	–	–	–
Purpura	4	–	–	–	–	–	–	–	–	1	–	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	2	–	–	–	1	–	–	–	–
Typhus	256	1	–	–	3	4	4	4	11	6	22	30	18
Enteric Fever	90	–	–	3	6	10	2	7	16	9	9	4	2
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	1	1	–
Simple Continued Fever	7	–	–	–	–	1	–	1	2	2	–	–	–
Infantile Remittent	12	1	1	–	2	3	1	–	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	–	–	–	–	–	–	2	–	1	1	–
Erysipelas	20	5	2	1	1	–	–	–	–	–	–	1	1
Pyæmia	5	–	–	–	–	–	–	–	–	–	–	1	1
Syphilis	22	10	5	2	1	–	–	1	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	42	–	–	–	1	3	2	4	7	–	–	–	2
Abscess	18	2	1	1	1	–	1	–	1	1	–	1	2
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	62	–	5	5	11	8	2	2	8	11	–	4	3
Tabes Mesenterica	114	3	4	20	23	19	7	6	16	11	–	2	1
Phthisis	754	3	8	18	26	12	13	9	50	46	86	107	82
Hydrocephalus	252	9	28	68	73	22	9	14	21	7	–	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	209	216	236	244	256	217	228	193	130	89	40	19	5	1	1	1
SPECIFIED CAUSES	205	213	232	243	256	214	221	193	130	89	40	19	5	1	1	–
Zymotic Class	35	33	24	38	32	16	19	14	10	6	1	–	–	–	–	–
Uncertain Seat	3	9	6	10	14	12	16	5	5	4	–	–	–	–	–	–
Tubercular Class	58	50	65	43	35	20	15	7	3	3	–	–	–	–	–	–
Brain, etc.	15	19	13	23	26	23	34	30	18	13	7	1	–	–	–	–
Heart, etc.	16	21	25	26	32	32	28	16	8	3	2	3	–	–	–	–
Respiratory Organs	29	37	53	61	72	65	65	62	42	22	6	3	1	–	–	–
Digestive Organs	14	14	13	12	18	19	18	16	7	3	1	–	–	–	–	–
Urinary Organs	4	7	7	5	6	8	6	8	5	2	1	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	3	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Skin	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	3	3	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	25	27	31	22	12	3	–	1	–
Sudden Deaths	–	3	2	1	3	1	3	2	1	–	–	–	–	–	–	–
Violent Deaths	26	16	19	21	14	14	9	7	4	2	–	–	–	1	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	3	–	3	1	2	5	1	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	2	1	–	2	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	27	18	31	25	10	5	6	4	3	–	–	–	–	–	–
Enteric Fever	5	2	3	1	3	1	5	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	2	1	1	1	2	–	–	–	–	–	–	–	–
Pyæmia	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	3	–	3	7	1	3	3	2	–	–	–	–	–	–	–
Abscess	–	3	1	–	–	–	1	–	–	2	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	2	–	2	1	–	–	–	–	–	–
Cancer	1	1	4	6	5	9	8	2	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	57	50	63	43	34	19	15	7	3	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	56	2	7	7	8	3	3	1	12	4	1	1	2
Apoplexy	79	4	1	5	3	2	2	1	1	1	1	3	–
Paralysis	84	–	–	–	–	–	–	1	–	1	–	1	–
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	–	–	1	3	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	130	55	15	14	29	7	7	1	2	–	–	–	–
Brain Disease	94	2	5	4	6	2	–	5	7	6	3	1	1
V. Pericarditis	5	–	–	–	–	–	1	–	–	1	1	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	236	–	–	–	–	–	1	1	4	5	6	5	9
VI. Laryngitis	16	1	1	2	6	–	2	–	–	–	–	–	–
Bronchitis	998	66	91	164	165	70	38	7	20	1	7	11	10
Pleurisy	16	1	–	–	1	–	–	–	–	–	–	1	–
Pneumonia	297	24	17	46	53	20	11	4	7	2	4	12	8
Asthma	44	–	–	–	–	–	–	–	–	1	–	2	1
Lung Disease	52	6	3	4	5	3	1	–	4	–	–	1	1
VII. Teething	119	1	8	43	62	4	1	–	–	–	–	–	–
Quinsey	6	–	1	–	3	–	1	–	1	–	–	–	–
Gastritis	3	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	118	34	20	17	7	4	3	4	2	5	1	3	2
Peritonitis	16	3	1	1	1	–	–	–	1	–	–	1	1
Ascites	5	–	–	–	–	–	1	–	1	–	–	–	–
Ulceration of Intestines	19	1	1	1	1	1	–	–	–	–	3	–	1
Hernia	11	1	–	1	–	–	–	–	–	–	1	–	1
Ileus	20	8	1	–	1	–	–	–	1	–	–	–	1
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	68	12	8	9	6	1	3	–	1	–	2	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	5	1	–	–	1	1	–	–	–	–	1	–	–
Liver Disease	67	4	1	1	–	1	–	–	2	3	1	3	4
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	10	–	–	2	–	1	2	1	1	–	–	–	–
Nephria	22	–	–	–	–	1	2	–	1	–	2	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	5	1	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	14	–	–	–	–	1	–	–	–	1	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	27	1	–	–	1	–	–	1	–	–	1	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism	10	–	–	–	–	–	–	–	1	2	1	–	–
Joint and Bone Disease	18	–	–	–	–	1	–	1	3	3	3	2	1
XI. Carbuncle	2	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	6	–	1	4	–	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	12	6	3	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	7	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	27	–	–	–	9	2	3	–	3	1	–	1	1
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	6	1	2	–	–	–	–	–	2	1	–	–
Drowning	53	–	–	–	–	–	–	1	3	3	3	3	9
Fracture and Contusion	111	1	–	1	1	–	4	–	6	8	7	10	9
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	8	–	–	–	–	–	–	–	–	2	–	1	–
Not Specified	89	19	13	9	11	3	1	1	3	3	1	1	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	2	6	1	5	5	9	9	7	6	2	3	–	–	–	–	–
Paralysis	4	1	1	2	9	9	14	18	10	9	3	1	–	–	–	–
Delirium Tremens	1	3	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	3	2	1	1	3	–	–	–	1	–	–	–	–	–
Tetanus	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	5	13	9	3	4	4	2	2	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	20	24	25	32	31	28	16	8	3	2	2	–	–	–	–
Laryngitis	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	13	20	38	37	53	36	47	47	31	16	6	3	1	–	–	–
Pleurisy	1	3	–	2	3	2	1	1	–	–	–	–	–	–	–	–
Pneumonia	10	13	9	17	8	17	9	3	2	1	–	–	–	–	–	–
Asthma	1	1	4	2	5	6	7	4	7	3	–	–	–	–	–	–
Lung Disease	3	–	1	2	3	4	1	6	2	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	2	1	2	1	3	3	1	–	2	1	–	–	–	–	–	–
Peritonitis	–	1	1	2	–	–	2	–	–	1	–	–	–	–	–	–
Ascites	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	5	–	2	1	1	–	–	–	–	–	–	–
Hernia	–	–	1	–	2	–	–	1	2	1	–	–	–	–	–	–
Ileus	3	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	2	1	2	1	2	5	2	5	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	7	5	6	5	7	8	4	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Nephria	2	2	4	1	2	2	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Cystitis	–	1	–	2	1	1	1	3	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	2	3	2	2	2	3	3	3	–	–	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	1	4	2	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	4	5	4	3	5	2	1	–	–	–	–	–	–	–	–
Fracture and Contusion	10	9	9	9	5	8	4	5	3	1	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	4	3	4	1	–	3	7	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6266	536	229	493	749	312	189	147	323	137	241	280	294
SPECIFIED CAUSES	6184	512	224	486	739	307	187	145	318	136	240	279	292
I. Zymotic Class	1393	50	51	135	278	132	99	79	163	44	42	37	50
II. Diseases of Uncertain Seat	203	2	2	2	–	3	2	3	6	3	5	1	12
III. Tubercular Class	1309	18	28	87	125	66	40	23	62	47	144	151	131
IV. Brain and Nervous System	393	51	19	24	27	13	5	6	12	8	10	10	10
V. Organs of Circulation	235	1	–	1	2	–	–	–	7	8	9	16	10
VI. Respiratory Organs	1296	73	71	167	214	62	27	22	42	11	13	26	27
VII. Organs of Digestion	448	62	21	56	71	20	4	4	13	7	3	15	23
VIII. Urinary Organs	47	–	–	–	1	–	2	1	2	–	–	3	4
IX. Organs of Generation	79	–	–	–	–	–	–	–	–	1	6	15	17
X. Organs of Locomotion	30	1	–	–	–	1	1	1	2	2	3	2	2
XI. Skin, etc.	5	2	–	–	–	–	–	–	–	–	–	1	–
XII. Malformation	8	6	1	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	270	234	26	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	59	–	–	–	16	8	1	2	7	3	2	–	–
XV. Age	305	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	3	1	–	–	–	1	1	–	–	1	–	–
XVII. Violent Deaths	85	9	4	4	5	2	4	3	2	2	2	2	6
I. Small Pox	16	1	–	1	2	2	2	–	5	1	–	1	1
Measles	179	1	3	30	88	20	14	8	13	1	–	–	–
Scarlatina	255	–	1	16	42	44	36	30	66	15	–	2	2
Diphtheria	34	–	–	2	5	4	6	6	7	1	1	–	2
Hooping Cough	184	7	17	37	71	23	11	8	10	–	–	–	–
Croup	75	2	–	9	23	12	14	10	4	1	–	–	–
Thrush	3	–	–	–	–	2	1	–	–	–	–	–	–
Diarrhœa	162	29	26	31	33	1	3	1	8	2	3	4	2
Dysentery	13	–	–	1	–	–	–	–	–	1	–	–	–
Cholera	9	–	2	2	1	1	–	–	–	–	–	–	–
Influenza	11	–	–	–	1	–	–	–	1	1	1	–	–
Purpura	4	–	–	–	–	–	–	1	2	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	241	–	–	1	2	8	6	5	13	4	19	17	27
Enteric Fever	112	–	–	2	6	10	5	8	22	14	14	2	4
Relapsing Fever	4	–	–	–	–	–	–	–	–	2	1	–	–
Simple Continued Fever	9	–	–	–	–	1	–	1	2	–	2	–	–
Infantile Remittent	14	–	–	–	3	2	1	1	7	–	–	–	–
Metria	26	–	–	–	–	–	–	–	–	–	–	9	9
Rheumatic Fever	10	–	–	–	–	–	–	–	2	1	1	–	3
Erysipelas	15	4	–	2	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	12	6	2	1	–	–	–	–	–	–	–	1	–
Noma	3	–	–	–	1	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	60	–	–	–	–	1	1	2	5	–	3	1	6
Abscess	19	2	2	2	–	1	–	1	1	2	1	–	–
Ulcer	3	–	–	–	–	1	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	103	–	–	–	–	–	–	–	–	1	–	–	5
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	47	1	2	5	10	2	3	1	4	5	5	1	3
Tabes Mesenterica	86	5	4	9	25	10	14	4	8	1	1	–	–
Phthisis	968	8	6	16	31	35	8	6	31	40	137	150	128
Hydrocephalus	208	9	16	57	59	19	15	12	19	1	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	220	234	235	231	244	213	260	208	195	145	85	40	22	4	–	–
SPECIFIED CAUSES	219	233	233	226	241	209	259	208	195	145	85	40	22	4	–	–
Zymotic Class	32	36	43	29	22	21	28	8	8	3	1	2	–	–	–	–
Uncertain Seat	3	10	17	29	23	23	17	17	13	7	2	–	1	–	–	–
Tubercular Class	104	93	67	38	41	17	15	6	4	2	–	–	–	–	–	–
Brain, etc.	10	12	10	19	21	14	33	28	23	20	6	2	–	–	–	–
Heart, etc.	16	16	23	18	22	17	24	15	16	5	8	1	–	–	–	–
Respiratory Organs	19	32	41	51	65	77	83	84	41	29	12	5	2	–	–	–
Digestive Organs	11	9	16	23	24	13	20	13	10	6	3	–	1	–	–	–
Urinary Organs	7	5	2	7	7	1	2	–	3	–	–	–	–	–	–	–
Generative Organs	12	12	4	2	5	2	1	2	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	3	2	1	3	2	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	2	1	3	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	33	72	71	51	29	18	4	–	–
Sudden Deaths	–	1	1	1	2	–	5	–	1	1	–	–	–	–	–	–
Violent Deaths	2	6	4	6	5	8	2	–	4	1	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	2	3	1	3	1	4	–	1	1	–	–	–	–
Dysentery	1	–	–	–	1	3	4	–	–	1	–	1	–	–	–	–
Cholera	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	1	–	–	2	1	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	27	32	21	12	8	12	2	2	–	–	–	–	–	–	–
Enteric Fever	4	2	6	2	2	4	2	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	2	3	2	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	2	6	4	3	7	8	4	3	2	–	–	–	–	–
Abscess	1	–	2	–	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	1	1	–	1	2	1	–	–	1	–	–	–
Cancer	1	6	12	18	17	18	8	8	6	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Phthisis	103	91	65	38	38	15	15	6	4	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	28	1	2	5	4	–	–	2	5	3	2	2	–
Apoplexy	72	2	–	4	4	–	–	–	–	3	2	2	3
Paralysis	90	–	–	–	–	–	–	–	1	1	–	1	2
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	–	–	1	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	105	48	13	12	17	7	4	2	1	–	–	–	1
Brain Disease	77	–	4	3	2	5	1	2	5	1	5	5	2
V. Pericarditis	4	–	–	–	–	–	–	–	1	1	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	230	1	–	1	2	–	–	–	6	7	8	15	10
VI. Laryngitis	14	2	–	–	3	2	–	–	2	1	–	–	–
Bronchitis	968	48	57	132	167	42	22	15	32	7	8	18	14
Pleurisy	6	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	223	19	12	29	41	18	5	6	8	3	2	5	12
Asthma	46	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	39	3	2	6	3	–	–	1	–	–	2	2	1
VII. Teething	108	1	3	35	60	9	–	–	–	–	–	–	–
Quinsey	8	1	–	1	1	2	–	–	1	–	–	–	1
Gastritis	18	3	3	1	1	–	–	–	1	–	–	1	1
Enteritis	95	41	10	10	4	5	1	–	5	2	2	2	3
Peritonitis	23	–	1	–	–	1	–	–	–	3	–	7	4
Ascites	6	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	1	–	–	–	–	–	–	–	–	1
Hernia	4	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	17	1	1	3	1	1	–	1	1	–	–	–	–
Intussusception	1	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	68	11	2	5	3	1	1	2	3	1	1	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	3	–	–	1	–	1	–	–	–	–	–	1
Liver Disease	63	1	1	–	–	–	–	1	2	1	–	3	10
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	1	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	1	–	–	1	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	1	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	25	–	–	–	1	–	1	–	–	–	–	–	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	2	–	1
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	1	–	1
Childbirth	55	–	–	–	–	–	–	–	–	–	3	15	14
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	7	–	–	–	–	–	1	1	–	1	–	1	–
Rheumatism	13	–	–	–	–	–	–	–	–	–	1	–	1
Joint and Bone Disease	10	1	–	–	–	1	–	–	2	1	2	1	1
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	–	–	–	–	–	–	–	1	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	3	3	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	8	–	–	1	–	–	–	–	–	–	1	–	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	21	–	–	1	5	–	4	2	1	1	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	5	1	1	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	22	–	–	–	–	2	–	1	1	1	–	1	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	1
Not Specified	82	24	5	7	10	5	2	2	5	1	1	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1867.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	4	2	10	8	5	3	7	4	3	2	1	–	–	–	–
Paralysis	1	2	3	3	5	4	21	13	13	16	3	1	–	–	–	–
Delirium Tremens	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	3	–	1	1	2	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	3	2	7	4	7	5	5	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	16	16	23	18	22	16	24	15	16	5	8	1	–	–	–	–
Laryngitis	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	7	21	25	39	44	59	65	69	36	23	11	5	2	–	–	–
Pleurisy	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Pneumonia	9	6	10	5	8	6	8	7	3	1	–	–	–	–	–	–
Asthma	1	1	2	5	10	7	6	7	2	3	1	–	–	–	–	–
Lung Disease	2	4	2	1	2	3	4	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	2	1	1	–	1	–	–	1	–	–	–	–	–	–
Enteritis	–	–	1	1	3	–	1	1	1	2	–	–	–	–	–	–
Peritonitis	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	5	7	5	6	3	2	–	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	2	1	–	2	1	2	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	2	1	–	–	1	–	–	–	–	–
Liver Disease	–	2	3	8	7	4	7	5	6	1	1	–	–	–	–	–
Spleen Disease	1	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–
Nephritis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	4	1	4	5	1	1	–	3	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	1	1	4	–	–	1	–	–	–	–	–	–	–	–
Childbirth	10	9	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Arthritis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	2	1	3	2	1	–	–	1	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	1	–	1	–	2	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	–	2	3	3	–	–	2	–	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	2	5	3		1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1830	165	50	152	197	114	64	40	105	54	52	69	73
SPECIFIED CAUSES	1787	151	47	146	194	113	63	40	99	54	52	69	71
I. Zymotic Class	411	12	18	38	87	64	37	26	49	10	2	10	11
II. Diseases of Uncertain Seat	46	2	–	–	–	2	–	–	2	1	1	–	1
III. Tubercular Class	358	6	7	40	34	14	11	7	20	23	30	39	29
IV. Brain and Nervous System	189	12	1	5	3	5	5	–	7	8	6	5	9
V. Organs of Circulation	37	–	–	–	–	–	–	1	2	–	–	–	1
VI. Respiratory Organs	268	20	13	33	37	12	7	3	9	5	2	4	7
VII. Organs of Digestion	119	6	4	20	22	5	1	1	1	5	2	3	1
VIII. Urinary Organs	15	–	–	–	–	–	–	–	2	–	2	1	–
IX. Organs of Generation	17	–	–	–	–	–	–	–	–	–	1	2	2
X. Organs of Locomotion	11	–	–	–	2	–	–	–	–	–	3	2	2
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	100	88	3	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	33	–	–	–	7	4	2	–	4	–	1	1	–
XV. Age	128	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	51	3	1	1	2	7	–	2	2	2	2	2	8
I. Small Pox	5	1	–	–	2	–	–	–	1	–	–	–	1
Measles	41	–	2	6	17	10	2	2	2	–	–	–	–
Scarlatina	132	1	1	6	21	29	22	14	29	7	–	–	1
Diphtheria	12	–	1	–	4	5	–	–	1	–	–	1	–
Hooping Cough	50	2	3	12	11	8	9	2	3	–	–	–	–
Croup	21	–	–	3	7	6	2	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	56	6	5	8	17	1	–	1	–	–	1	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	1	–	3	–	–	–	2	–	–	–	–
Influenza	3	–	1	–	–	1	–	1	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	1	1	–	–	–	1	1	4	1	–	3	2
Enteric Fever	27	–	–	1	2	2	–	3	6	1	–	3	3
Relapsing Fever	1	–	–	–	–	–	1	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	2	–	–	–	–	–	1	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	7	1	1	1	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	–	2	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	1	–	–	1	1	–	–	1
Abscess	7	1	–	–	–	1	–	–	1	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	17	–	–	1	–	–	3	1	1	3	2	3	1
Tabes Mesenterica	34	3	1	8	7	4	–	2	6	3	–	–	–
Phthisis	233	–	3	5	7	2	3	1	9	16	28	35	28
Hydrocephalus	74	3	3	26	20	8	5	3	4	1	–	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	61	88	68	57	55	54	77	70	62	46	29	16	8	1	1	2
SPECIFIED CAUSES	60	87	67	55	54	54	76	70	62	46	29	16	8	1	1	2
Zymotic Class	4	11	4	1	5	4	4	7	4	2	–	1	–	–	–	–
Uncertain Seat	1	3	3	7	5	3	6	4	2	2	–	–	1	–	–	–
Tubercular Class	26	21	24	7	8	7	3	1	–	1	–	–	–	–	–	–
Brain, etc.	10	14	5	13	11	12	16	20	13	4	2	2	–	–	–	1
Heart, etc.	3	3	4	2	4	4	7	4	1	1	–	–	–	–	–	–
Respiratory Organs	5	20	11	8	10	7	16	15	9	12	2	1	–	–	–	–
Digestive Organs	3	6	4	10	6	8	5	1	4	1	–	–	–	–	–	–
Urinary Organs	1	2	2	1	–	2	1	1	–	–	–	–	–	–	–	–
Generative Organs	4	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	3	1	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	15	29	22	25	12	7	1	1	1
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	5	3	1	2	3	2	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	2	1	2	5	3	1	–	1	–	–	–	–
Dysentery	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	3	1	2	–	2	1	1	1	–	–	–	–	–	–
Enteric Fever	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Dropsy	1	–	–	1	2	1	2	2	–	–	–	–	–	–	–	–
Abscess	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	5	2	2	4	2	2	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	24	21	24	7	8	7	3	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	16	–	–	–	2	2	3	–	3	3	1	–	–
	Apoplexy	28	1	–	–	–	1	–	–	–	–	1	–	1
	Paralysis	58	–	–	–	–	–	–	–	2	1	1	–	1
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	12	–	–	–	–	–	–	–	–	1	1	1	3
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	21	11	1	5	1	1	1	–	1	–	–	–	–
	Brain Disease	51	–	–	–	–	1	1	–	1	3	2	4	4
V.	Pericarditis	2	–	–	–	–	–	–	–	2	–	–	–	–
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	34	–	–	–	–	–	–	1	–	–	–	–	1
VI.	Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Bronchitis	175	15	11	22	28	10	5	1	6	–	1	1	2
	Pleurisy	4	–	–	–	–	–	–	1	–	–	–	1	–
	Pneumonia	67	5	2	11	9	2	2	1	3	4	–	2	4
	Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	10	–	–	–	–	–	–	–	–	1	1	–	1
VII.	Teething	35	–	2	15	17	1	–	–	–	–	–	–	–
	Quinsey	4	–	–	1	1	–	1	–	–	1	–	–	–
	Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	19	2	–	4	2	2	–	1	1	1	2	–	–
	Peritonitis	9	–	1	–	–	–	–	–	–	1	–	1	–
	Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	2	2	–	–	–	–	–	–	–	–	–	–	–
	Ileus	6	–	1	–	2	–	–	–	–	1	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	9	–	–	–	–	2	–	–	–	–	–	1	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	1
	Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	18	2	–	–	–	–	–	–	–	–	–	1	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII.	Nephritis	4	–	–	–	–	–	–	–	1	–	–	–	–
	Nephria	4	–	–	–	–	–	–	–	–	–	1	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	1	–
IX.	Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
	Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
	Childbirth	12	–	–	–	–	–	–	–	–	–	–	2	1
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	3	–	–	–	1	–	–	–	–	–	1	–	1
	Rheumatism	3	–	–	–	–	–	–	–	–	–	1	1	–
	Joint and Bone Disease	5	–	–	–	1	–	–	–	–	–	1	1	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	1	–	–	–	–	–	–	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	9	–	–	–	1	6	–	–	1	1	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	3	2	–	1	–	–	–	–	–	–	–	–	–
	Drowning	14	1	–	–	–	–	–	–	1	–	2	1	2
	Fracture and Contusion	16	–	–	–	1	–	–	2	–	1	–	1	2
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	4	–	–	–	–	–	–	–	–	–	–	–	3
	Not Specified	43	14	3	6	3	1	1	–	6	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	2	–	1	2	–	6	7	2	1	–	1	–	–	–	–
Paralysis	2	3	1	5	6	9	5	9	7	3	2	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	3	5	2	2	4	4	4	–	–	–	–	–	–	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	3	3	2	4	4	7	4	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	9	6	7	9	5	9	9	8	8	1	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	8	3	1	–	–	1	3	–	2	1	–	–	–	–	–
Asthma	–	1	1	–	1	1	3	2	1	2	–	–	–	–	–	–
Lung Disease	–	2	1	–	–	1	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	1	2	1	1	5	1	1	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	3	–	–	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	2	2	–	–	2	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	912	84	21	88	110	63	34	19	48	26	22	32	32
SPECIFIED CAUSES	884	76	19	84	108	62	33	19	43	26	22	32	31
I. Zymotic Class	190	5	9	23	48	25	19	9	18	5	1	6	1
II. Diseases of Uncertain Seat	11	–	–	–	–	1	–	–	–	–	–	–	–
III. Tubercular Class	172	5	3	23	19	9	7	5	8	11	11	15	11
IV. Brain and Nervous System	115	7	–	2	3	4	4	–	5	4	1	4	4
V. Organs of Circulation	19	–	–	–	–	–	–	–	1	–	–	–	1
VI. Respiratory Organs	151	11	5	22	21	11	2	2	6	2	2	3	5
VII. Organs of Digestion	62	4	2	9	14	3	–	1	–	3	2	1	–
VIII. Urinary Organs	6	–	–	–	–	–	–	–	1	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	1	–	–	–	–	–	2	1	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	43	–	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	2	3	1	–	2	–	–	–	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	38	1	–	1	–	6	–	2	2	1	2	2	8
I. Small Pox	3	1	–	–	1	–	–	–	–	–	–	–	1
Measles	16	–	1	1	8	4	–	1	1	–	–	–	–
Scarlatina	62	1	–	2	15	11	13	4	13	3	–	–	–
Diphtheria	7	–	1	–	3	2	–	–	–	–	–	1	–
Hooping Cough	18	–	1	6	3	3	4	1	–	–	–	–	–
Croup	12	–	–	3	6	2	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	33	2	4	8	9	1	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	1	–	–	–	1	1	2	–	–	3	–
Enteric Fever	12	–	–	1	1	1	–	–	2	1	–	2	–
Relapsing Fever	1	–	–	–	–	–	1	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	6	1	–	1	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	–	–	–	–	2	1	–	2	2	2	1
Tabes Mesenterica	17	3	1	4	3	2	–	–	2	2	–	–	–
Phthisis	97	–	–	5	4	1	1	1	4	7	9	12	10
Hydrocephalus	46	2	2	14	12	6	4	3	2	–	–	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	44	30	23	36	26	29	41	32	23	8	6	3	–	1	1
SPECIFIED CAUSES	29	43	29	23	35	26	29	41	32	23	8	6	3	–	1	1
Zymotic Class	3	5	2	–	3	1	–	5	2	–	–	–	–	–	–	–
Uncertain Seat	–	1	1	2	2	1	1	1	–	1	–	–	–	–	–	–
Tubercular Class	12	10	6	4	7	4	–	1	–	1	–	–	–	–	–	–
Brain, etc.	5	10	5	7	9	4	11	13	7	3	–	2	–	–	–	1
Heart, etc.	2	2	2	–	1	3	4	2	1	–	–	–	–	–	–	–
Respiratory Organs	4	9	6	3	9	3	5	9	4	7	–	–	–	–	–	–
Digestive Organs	1	4	2	4	3	4	–	1	3	1	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	7	15	9	8	4	3	–	1	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	4	1	–	1	3	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	–	–	4	2	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Abscess	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	10	6	4	7	4	–	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	9	–	–	–	2	2	2	–	1	2	–	–	–
	Apoplexy	18	1	–	–	–	1	–	–	–	–	–	–	–
	Paralysis	33	–	–	–	–	–	–	–	2	–	–	–	–
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	1
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	11	6	–	2	1	–	1	–	1	–	–	–	–
	Brain Disease	37	–	–	–	–	1	1	–	1	1	1	4	3
V.	Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
	Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	18	–	–	–	–	–	–	–	–	–	–	–	1
VI.	Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Bronchitis	91	8	4	13	18	9	1	1	3	–	1	–	1
	Pleurisy	3	–	–	–	–	–	–	–	–	–	–	1	–
	Pneumonia	42	3	1	9	3	2	1	1	3	1	–	2	3
	Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	6	–	–	–	–	–	–	–	–	1	1	–	1
VII.	Teething	20	–	1	7	12	–	–	–	–	–	–	–	–
	Quinsey	2	–	–	–	1	–	–	–	–	1	–	–	–
	Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	11	2	–	2	1	1	–	1	–	–	2	–	–
	Peritonitis	5	–	1	–	–	–	–	–	–	1	–	1	–
	Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	3	–	–	–	–	–	–	–	–	1	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	5	–	–	–	–	2	–	–	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	11	1	–	–	–	–	–	–	–	–	–	–	–
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	2	–	–	–	1	–	–	–	–	–	–	–	1
	Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
	Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	1	1	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	1	–	–	–	–	–	–	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	6	–	–	–	–	5	–	–	1	–	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	2	1	–	1	–	–	–	–	–	–	–	–	–
	Drowning	11	–	–	–	–	–	–	–	1	–	2	1	2
	Fracture and Contusion	13	–	–	–	–	–	–	2	–	1	–	1	2
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	3
	Not Specified	28	8	2	4	2	1	1	–	5	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	–	–	2	–	4	4	2	–	–	1	–	–	–	–
Paralysis	1	2	1	4	4	2	4	6	3	3	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	5	3	3	2	2	3	3	2	–	–	–	–	–	–	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	2	–	1	3	4	2	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	4	2	3	8	2	1	5	3	3	–	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	4	2	–	–	–	1	2	–	2	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	2	1	1	2	–	–	–	–	–	–
Lung Disease	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	1	1	–	1	3	–	1	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	918	81	29	64	87	51	30	21	57	28	30	37	41
SPECIFIED CAUSES	903	75	28	62	86	51	30	21	56	28	30	37	40
I. Zymotic Class	221	7	9	15	39	39	18	17	31	5	1	4	10
II. Diseases of Uncertain Seat	35	2	–	–	–	1	–	–	2	1	1	–	1
III. Tubercular Class	186	1	4	17	15	5	4	2	12	12	19	24	18
IV. Brain and Nervous System	74	5	1	3	–	1	1	–	2	4	5	1	5
V. Organs of Circulation	18	–	–	–	–	–	–	1	1	–	–	–	–
VI. Respiratory Organs	117	9	8	11	16	1	5	1	3	3	–	1	2
VII. Organs of Digestion	57	2	2	11	8	2	1	–	1	2	–	2	1
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	1	1	–
IX. Organs of Generation	17	–	–	–	–	–	–	–	–	–	1	2	2
X. Organs of Locomotion	4	–	–	–	1	–	–	–	–	–	1	1	1
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	53	45	3	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	20	–	–	–	5	1	1	–	2	–	1	1	–
XV. Age	76	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	13	2	1	–	2	1	–	–	–	1	–	–	–
I. Small Pox	2	–	–	–	1	–	–	–	1	–	–	–	–
Measles	25	–	1	5	9	6	2	1	1	–	–	–	–
Scarlatina	70	–	1	4	6	18	9	10	16	4	–	–	1
Diphtheria	5	–	–	–	1	3	–	–	1	–	–	–	–
Hooping Cough	32	2	2	6	8	5	5	1	3	–	–	–	–
Croup	9	–	–	–	1	4	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	4	1	–	8	–	–	–	–	1	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	1	–	3	–	–	–	2	–	–	–	–
Influenza	2	–	1	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	1	–	–	–	–	–	–	2	1	–	–	2
Enteric Fever	15	–	–	–	1	1	–	3	4	–	–	1	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	2	–	–	–	–	–	1	1
nfantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	1	1	–	–	1
Abscess	5	1	–	–	–	1	–	–	1	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	1	–	–	1	–	1	1	–	1	–
Tabes Mesenterica	17	–	–	4	4	2	–	2	4	1	–	–	–
Phthisis	136	–	3	–	3	1	2	–	5	9	19	23	18
Hydrocephalus	28	1	1	12	8	2	1	–	2	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	44	38	34	19	28	48	29	30	23	21	10	5	1	–	1
SPECIFIED CAUSES	31	44	38	32	19	28	47	29	30	23	21	10	5	1	–	1
Zymotic Class	1	6	2	1	2	3	4	2	2	2	–	1	–	–	–	–
Uncertain Seat	1	2	2	5	3	2	5	3	2	1	–	–	1	–	–	–
Tubercular Class	14	11	18	3	1	3	3	–	–	–	–	–	–	–	–	–
Brain, etc.	5	4	–	6	2	8	5	7	6	1	2	–	–	–	–	–
Heart, etc.	1	1	2	2	3	1	3	2	–	1	–	–	–	–	–	–
Respiratory Organs	1	11	5	5	1	4	11	6	5	5	2	1	–	–	–	–
Digestive Organs	2	2	2	6	3	4	5	–	1	–	–	–	–	–	–	–
Urinary Organs	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	4	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	3	–	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	8	14	13	17	8	4	1	–	1
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	1	2	1	1	1	–	1	–	–	–	–
Dysentery	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	2	1	1	–	2	–	1	1	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	4	2	2	3	2	2	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	11	18	3	1	3	3	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	7	–	–	–	–	–	1	–	2	1	1	–	–
	Apoplexy	10	–	–	–	–	–	–	–	–	–	1	–	1
	Paralysis	25	–	–	–	–	–	–	–	–	1	1	–	1
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	6	–	–	–	–	–	–	–	–	–	1	1	2
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	10	5	1	3	–	1	–	–	–	–	–	–	–
	Brain Disease	14	–	–	–	–	–	–	–	–	2	1	–	1
V.	Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	16	–	–	–	–	–	–	1	–	–	–	–	–
VI.	Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Bronchitis	84	7	7	9	10	1	4	–	3	–	–	1	1
	Pleurisy	1	–	–	–	–	–	–	1	–	–	–	–	–
	Pneumonia	25	2	1	2	6	–	1	–	–	3	–	–	1
	Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Teething	15	–	1	8	5	1	–	–	–	–	–	–	–
	Quinsey	2	–	–	1	–	–	1	–	–	–	–	–	–
	Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	8	–	–	2	1	1	–	–	1	1	–	–	–
	Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	3	–	1	–	2	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	7	–	–	–	–	–	–	–	–	–	–	–	1
	Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	7	1	–	–	–	–	–	–	–	–	–	1	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII.	Nephritis	3	–	–	–	–	–	–	–	1	–	–	–	–
	Nephria	2	–	–	–	–	–	–	–	–	–	1	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
IX.	Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
	Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
	Childbirth	12	–	–	–	–	–	–	–	–	–	–	2	1
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
	Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
	Joint and Bone Disease	2	–	–	–	1	–	–	–	–	–	–	–	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	3	–	–	–	1	1	–	–	–	1	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
	Drowning	3	1	–	–	–	–	–	–	–	–	–	–	–
	Fracture and Contusion	3	–	–	–	1	–	–	–	–	–	–	–	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	15	6	1	2	1	–	–	–	1	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	–	2	3	–	1	–	–	–	–	–	–
Paralysis	1	1	–	1	2	7	1	3	4	–	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	1	–	2	–	–	1	1	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	1	2	3	1	3	2	–	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	5	4	4	1	3	8	4	5	5	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	4	1	1	–	–	–	1	–	–	1	–	–	–	–	–
Asthma	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4765	437	158	295	431	237	118	98	190	87	127	175	184
Specified Causes	4744	431	154	295	430	237	118	95	190	87	127	174	184
I. Zymotic Class	1010	63	39	98	198	126	72	52	90	28	32	35	19
II. Diseases of Uncertain Seat	184	2	1	–	3	–	1	–	3	3	2	3	8
III. Tubercular Class	771	21	12	37	76	45	19	21	47	27	48	68	81
IV. Brain and Nervous System	457	43	11	19	18	11	2	6	12	8	8	9	5
V. Organs of Circulation	307	–	–	–	–	–	1	1	–	2	7	10	11
VI. Respiratory Organs	771	48	44	93	83	31	15	8	11	3	3	14	18
VII. Organs of Digestion	284	26	12	20	17	9	1	2	3	3	7	6	14
VIII. Urinary Organs	138	1	1	1	3	2	1	3	4	2	4	6	8
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	6	5
X. Organs of Locomotion	38	–	–	–	1	1	1	1	5	3	4	1	2
XI. Skin, etc.	7	2	1	–	–	–	–	–	1	–	–	1	–
XII. Malformation	17	16	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	242	193	28	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	51	–	–	–	26	6	–	1	2	–	–	1	–
XV. Age	247	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	186	16	4	6	5	6	5	–	12	8	12	14	12
I. Small Pox	5	1	1	1	2	–	–	–	–	–	–	–	–
Measles	224	2	4	44	90	51	15	5	12	–	–	–	–
Scarlatina	144	1	1	3	23	20	23	18	43	6	3	1	1
Diphtheria	37	2	–	1	8	5	3	5	4	5	–	1	–
Hooping Cough	113	1	14	16	40	15	15	8	3	1	–	–	–
Croup	53	1	–	5	11	19	7	5	5	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	108	38	10	21	10	4	–	1	–	–	–	1	–
Dysentery	7	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	8	2	1	–	2	–	–	–	1	–	–	–	–
Influenza	5	1	1	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	113	–	–	–	3	2	3	7	7	2	9	9	4
Enteric Fever	101	–	–	–	2	5	5	1	15	10	20	11	6
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	4	–	–	–	–	–	–	1	–	1	–	–	–
Infantile Remittent	7	–	–	–	3	2	1	1	–	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	9	5
Rheumatic Fever	11	–	–	–	–	–	–	–	–	2	–	2	–
Erysipelas	17	6	1	1	–	–	–	–	–	1	–	–	1
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	24	6	6	6	3	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	2	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	27	–	–	–	1	–	1	–	2	1	–	1	2
Abscess	18	1	–	–	–	–	–	–	–	1	–	1	3
Ulcer	3	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	1	–	–	–	–	–	–	–	–	–	1
Cancer	121	–	–	–	2	–	–	–	1	1	1	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	57	1	2	3	8	3	6	1	8	9	1	3	4
Tabes Mesenterica	82	14	3	5	22	17	2	6	5	3	–	1	1
Phthisis	486	–	–	2	5	4	4	3	11	13	47	64	75
Hydrocephalus	146	6	7	27	41	21	7	11	23	2	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	164	191	201	187	186	214	223	245	237	184	126	50	16	1	–	3
SPECIFIED CAUSES	163	191	201	185	186	212	222	245	237	184	126	50	16	1	–	3
Zymotic Class	27	20	18	16	16	11	9	16	11	6	6	1	–	1	–	–
Uncertain Seat	4	8	22	14	21	27	17	23	11	3	4	2	2	–	–	–
Tubercular Class	63	40	53	41	23	24	13	7	3	2	–	–	–	–	–	–
Brain, etc.	8	16	22	23	17	38	29	50	35	40	22	4	1	–	–	–
Heart, etc.	18	34	15	29	30	25	32	33	28	19	5	6	–	–	–	1
Respiratory Organs	13	21	24	21	35	44	67	46	62	39	22	6	–	–	–	–
Digestive Organs	9	18	16	15	11	21	20	22	9	15	7	1	–	–	–	–
Urinary Organs	8	10	15	5	14	8	16	11	9	5	–	1	–	–	–	–
Generative Organs	5	6	3	3	2	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	1	1	3	2	3	3	–	–	2	4	–	–	–	–	–	–
Skin	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	5	3	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	30	61	46	60	29	12	–	–	–
Sudden Deaths	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	7	16	10	10	10	4	9	7	5	5	–	–	1	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	3	–	2	2	1	5	3	–	3	1	–	1	–	–
Dysentery	–	–	1	1	–	1	1	2	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	9	7	7	11	6	4	4	5	3	–	–	–	–	–	–
Enteric Fever	5	5	3	4	–	–	2	3	1	1	2	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	1	1	2	1	–	1	1	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	4	1	2	1	2	4	–	2	1	–	–	–	–	–
Abscess	–	1	1	2	3	2	–	–	2	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	2	1	–	2	1	1	–	–	–
Cancer	3	6	15	11	16	22	13	17	8	–	1	1	1	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	1	3	1	–	–	1	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	62	38	49	40	23	24	11	7	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	31	1	2	3	5	4	1	2	2	4	2	2	–
Apoplexy	96	2	1	2	1	1	–	–	2	1	1	–	2
Paralysis	127	–	–	–	–	–	1	–	–	1	–	–	–
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	29	–	–	–	–	1	–	–	–	–	3	3	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	9	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	77	40	7	12	9	4	–	3	2	–	–	–	–
Brain Disease	78	–	1	2	3	1	–	–	6	1	2	3	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	17	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	288	–	–	–	–	–	1	1	–	2	7	10	11
VI. Laryngitis	15	2	2	3	3	1	1	1	1	–	–	–	–
Bronchitis	535	31	31	74	60	20	11	3	5	1	–	3	9
Pleurisy	17	–	–	–	–	–	–	–	2	–	1	3	2
Pneumonia	137	13	8	16	18	10	3	4	3	–	1	5	3
Asthma	37	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	30	2	3	–	2	–	–	–	–	1	1	3	4
VII. Teething	22	–	–	10	11	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	36	8	3	6	3	1	1	1	1	–	1	–	–
Peritonitis	28	4	–	–	–	–	–	–	1	1	2	3	4
Ascites	3	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	17	1	–	–	–	1	–	–	–	–	–	1	–
Hernia	11	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	17	3	–	–	–	–	–	–	–	–	1	1	3
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	64	5	7	3	3	4	–	1	–	–	1	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	2	1	1	–	–	–	–	–	–	–	–	–
Liver Disease	63	3	1	–	–	1	–	–	1	1	1	1	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	6	–	–	–	–	–	1	1	1	–	1	–	–
Nephria	57	–	–	1	1	1	–	1	1	–	1	3	6
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	6	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	–	–	2	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	7	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	39	–	1	–	2	–	–	1	2	2	1	1	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	4	5
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	12	–	–	–	1	1	–	–	–	2	2	1	1
Rheumatism	13	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	13	–	–	–	–	–	1	1	4	1	2	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	2	1	–	–	–	–	–	1	–	–	1	–
XVII. Intemperance	11	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	6	3	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	–	1	–	–	–	–	2	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	2	3	2	4	–	3	–	–	1	2
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	15	6	1	2	–	–	1	–	1	1	–	–	–
Drowning	9	–	–	–	–	1	–	–	2	–	1	–	1
Fracture and Contusion	94	1	–	–	1	2	–	–	5	7	8	13	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	7	2	–	–	1	–	–	–	1	–	–	–	–
Not Specified	21	6	4	–	1	–	–	3	–	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	8	7	16	7	13	10	12	5	2	–	–	–	–
Paralysis	2	5	3	5	6	14	8	24	17	24	15	2	–	–	–	–
Delirium Tremens	2	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	7	2	1	2	1	4	1	1	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	1	1	1	3	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	7	6	6	1	3	12	8	7	3	2	–	1	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	3	5	1	2	4	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	15	28	14	27	26	24	31	33	28	18	5	6	–	–	–	1
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	8	14	13	13	21	32	47	38	46	32	18	5	–	–	–	–
Pleurisy	–	1	2	2	2	1	–	–	–	–	1	–	–	–	–	–
Pneumonia	3	4	4	5	5	6	9	4	7	3	2	1	–	–	–	–
Asthma	–	1	1	–	7	2	9	4	7	4	1	–	–	–	–	–
Lung Disease	2	1	4	–	–	3	2	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	2	–	–	1	1	1	1	–	3	1	–	–	–	–	–
Peritonitis	1	1	–	1	1	–	1	4	1	2	1	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	1	2	1	1	2	4	–	–	–	–	–	–	–	–
Hernia	–	–	2	1	–	1	–	2	1	2	1	–	–	–	–	–
Ileus	–	1	1	–	–	1	1	1	1	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	3	4	3	–	1	7	7	5	3	2	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Liver Disease	1	7	6	7	5	10	6	3	2	3	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	4	4	5	7	3	9	6	–	2	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	2	1	3	1	6	1	–	–	–	–	–	–
Stricture of Urethra	–	–	3	–	1	1	–	1	–	1	–	–	–	–	–	–
Kidney Disease	1	5	4	–	4	3	4	2	2	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	1	–	2	–	1	3	–	–	2	3	–	–	–	–	–	–
Joint Disease	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	2	2	1	–	–	1	–	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	9	5	7	7	1	5	5	5	3	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2338	259	83	153	217	128	62	54	105	42	70	95	98
SPECIFIED CAUSES	2329	257	82	153	216	128	62	54	105	42	70	94	98
I. Zymotic Class	515	39	20	48	110	63	37	34	51	10	15	13	8
II. Diseases of Uncertain Seat	61	1	–	–	2	–	–	–	1	1	2	1	3
III. Tubercular Class	393	13	7	22	32	23	10	9	23	12	23	40	48
IV. Brain and Nervous System	232	24	8	10	11	4	2	3	3	6	7	5	4
V. Organs of Circulation	148	–	–	–	–	–	–	1	–	2	3	5	5
VI. Respiratory Organs	366	26	24	52	40	20	8	3	7	1	2	11	10
VII. Organs of Digestion	137	18	7	10	11	7	–	2	3	2	5	2	5
VIII. Urinary Organs	89	1	–	1	2	1	1	1	3	2	2	2	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	23	–	–	–	–	1	1	1	5	2	2	1	2
XI. Skin, etc.	3	1	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	11	10	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	138	116	13	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	6	4	–	–	–	–	–	1	–
XV. Age	84	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	116	8	1	1	2	5	3	–	9	4	9	13	10
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	129	1	2	25	51	30	9	5	6	–	–	–	–
Scarlatina	79	1	–	1	11	11	12	10	26	3	3	–	–
Diphtheria	15	1	–	–	4	2	2	2	3	1	–	–	–
Hooping Cough	54	–	5	8	24	5	6	5	1	–	–	–	–
Croup	32	–	–	3	6	10	4	5	4	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	62	24	8	8	7	2	–	1	–	–	–	1	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	2	2	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	1	1	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	–	2	–	2	5	4	1	4	6	3
Enteric Fever	45	–	–	–	1	2	2	1	7	4	8	5	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	5	–	–	–	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	14	2	4	3	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	4	–	–	–	1	–	–	–	1	1	–	–	–
Abscess	7	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	37	–	–	–	1	–	–	–	–	–	1	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	31	1	–	3	2	2	4	–	4	6	1	2	3
Tabes Mesenterica	46	9	3	2	14	10	1	3	2	1	–	–	–
Phthisis	251	–	–	1	4	3	2	–	6	4	22	38	44
Hydrocephalus	65	3	4	16	12	8	3	6	11	1	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50-	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	79	96	89	95	85	106	104	105	87	57	47	17	2	–	–	3
SPECIFIED CAUSES	79	96	89	93	85	104	104	105	87	57	47	17	2	–	–	3
Zymotic Class	12	8	7	8	4	5	5	10	3	1	4	–	–	–	–	–
Uncertain Seat	1	3	6	4	4	10	6	7	5	1	1	1	1	–	–	–
Tubercular Class	33	22	13	24	12	15	7	5	–	–	–	–	–	–	–	–
Brain, etc.	5	6	13	16	11	18	12	20	16	16	8	4	–	–	–	–
Heart, etc.	11	20	8	13	16	12	16	17	9	7	–	2	–	–	–	1
Respiratory Organs	4	8	15	9	17	23	29	19	19	9	9	1	–	–	–	–
Digestive Organs	3	8	9	6	4	9	10	7	4	5	–	–	–	–	–	–
Urinary Organs	6	7	11	4	7	7	10	7	8	3	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	9	20	15	25	9	1	–	–	–
Sudden Deaths	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	13	6	6	7	3	4	4	3	–	–	–	–	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	2	–	1	1	1	3	1	–	1	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	2	4	2	4	3	3	2	–	–	–	–	–	–	–
Enteric Fever	3	2	2	1	–	–	1	2	–	–	2	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	1	–	1	2	1	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	1	–	1	1	1	–	–	–
Cancer	–	2	4	3	2	9	5	5	4	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	32	21	13	23	12	15	6	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	20	1	2	1	4	2	1	–	–	3	2	1	–
Apoplexy	50	–	1	1	1	–	–	–	1	1	1	–	2
Paralysis	58	–	–	–	–	–	1	–	–	1	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	–	2	2	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	44	23	4	6	5	2	–	3	1	–	–	–	–
Brain Disease	36	–	1	2	1	–	–	–	1	1	2	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	131	–	–	–	–	–	–	1	–	2	3	5	5
VI. Laryngitis	6	1	–	2	1	–	–	–	1	–	–	–	–
Bronchitis	240	18	16	41	29	15	6	–	3	–	–	2	3
Pleurisy	14	–	–	–	–	–	–	–	2	–	1	3	1
Pneumonia	71	6	5	9	8	5	2	3	1	–	1	4	3
Asthma	18	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	17	1	3	–	2	–	–	–	–	–	–	2	3
VII. Teething	11	–	–	5	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	20	7	2	3	2	–	–	1	1	–	1	–	–
Peritonitis	13	3	–	–	–	–	–	–	1	–	2	2	–
Ascites	2	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	6	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	5	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	9	3	–	–	–	–	–	–	–	–	1	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	28	2	3	1	3	4	–	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	4	1	1	1	–	–	–	–	–	–	–	–	–
Liver Disease	27	2	1	–	–	1	–	–	1	1	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	–	1	–	1	–	–	–	–
Nephria	32	–	–	1	1	1	–	1	1	–	–	–	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	7	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	1	–	–	–	1	2	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	1	–	–	–	1	2	1	1
Rheumatism	5	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	10	–	–	–	–	–	1	1	4	1	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	1	2	3	–	1	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	5	3	–	1	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	2	–	1	–	1
Fracture and Contusion	76	1	–	–	1	2	–	–	5	4	7	13	6
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	9	2	1	–	1	–	–	–	–	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	5	5	7	1	7	6	6	2	2	–	–	–	–
Paralysis	2	2	2	4	4	6	4	7	9	9	5	2	–	–	–	–
Delirium Tremens	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	5	1	–	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	4	2	4	–	2	6	4	1	1	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	5	1	2	3	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	8	14	7	11	13	11	15	17	9	7	–	2	–	–	–	1
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	4	8	5	10	14	19	15	17	7	6	1	–	–	–	–
Pleurisy	–	–	2	1	2	1	–	–	–	–	1	–	–	–	–	–
Pneumonia	1	3	3	2	3	4	6	1	–	–	1	–	–	–	–	–
Asthma	–	–	1	–	2	2	4	3	2	2	1	–	–	–	–	–
Lung Disease	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Peritonitis	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	2	–	–	2	3	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	3	4	1	2	4	2	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	3	4	2	3	5	3	–	1	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	2	1	3	1	6	1	–	–	–	–	–	–
Stricture of Urethra	–	–	3	–	1	1	–	1	–	1	–	–	–	–	–	–
Kidney Disease	–	5	2	–	2	2	2	2	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	9	5	6	6	1	3	2	3	–	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2427	178	75	142	214	109	56	44	85	45	57	80	86
SPECIFIED CAUSES	2415	174	72	142	214	109	56	41	85	45	57	80	86
I. Zymotic Class	495	24	19	50	88	63	35	18	39	18	17	22	11
II. Diseases of Uncertain Seat	123	1	1	–	1	–	1	–	2	2	–	2	5
III. Tubercular Class	378	8	5	15	44	22	9	12	24	15	25	28	33
IV. Brain and Nervous System	225	19	3	9	7	7	–	3	9	2	1	4	1
V. Organs of Circulation	159	–	–	–	–	–	1	–	–	–	4	5	6
VI. Respiratory Organs	405	22	20	41	43	11	7	5	4	2	1	3	8
VII. Organs of Digestion	147	8	5	10	6	2	1	–	–	1	2	4	9
VIII. Urinary Organs	49	–	1	–	1	1	–	2	1	–	2	4	5
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	6	5
X. Organs of Locomotion	15	–	–	–	1	–	–	–	–	1	2	–	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	1	–	–	1	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	104	77	15	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	39	–	–	–	20	2	–	1	2	–	–	–	–
XV. Age	163	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	70	8	3	5	3	1	2	–	3	4	3	1	2
I. Small Pox	4	–	1	1	2	–	–	–	–	–	–	–	–
Measles	95	1	2	19	39	21	6	–	6	–	–	–	–
Scarlatina	65	–	1	2	12	9	11	8	17	3	–	1	1
Diphtheria	22	1	–	1	4	3	1	3	1	4	–	1	–
Hooping Cough	59	1	9	8	16	10	9	3	2	1	–	–	–
Croup	21	1	–	2	5	9	3	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	46	14	2	13	3	2	–	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	1	–	2	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	57	–	–	–	1	2	1	2	3	1	5	3	1
Enteric Fever	56	–	–	–	1	3	3	–	8	6	12	6	4
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	5	–	–	–	2	1	1	1	–	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	9	5
Rheumatic Fever	9	–	–	–	–	–	–	–	–	2	–	2	–
Erysipelas	8	1	1	1	–	–	–	–	–	1	–	–	–
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	4	2	3	1	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	2	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	–	–	–	–	–	1	–	1	–	–	1	2
Abscess	11	1	–	–	–	–	–	–	–	1	–	1	2
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	84	–	–	–	1	–	–	–	1	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	–	2	–	6	1	2	1	4	3	–	1	1
Tabes Mesenterica	36	5	–	3	8	7	1	3	3	2	–	1	1
Phthisis	235	–	–	1	1	1	2	3	5	9	25	26	31
Hydrocephalus	81	3	3	11	29	13	4	5	12	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	85	95	112	92	101	108	119	140	150	127	79	33	14	1	–	–
SPECIFIED CAUSES	84	95	112	92	101	108	118	140	150	127	79	33	14	1	–	–
Zymotic Class	15	12	11	8	12	6	4	6	8	5	2	1	–	1	–	–
Uncertain Seat	3	5	16	10	17	17	11	16	6	2	3	1	1	–	–	–
Tubercular Class	30	18	40	17	11	9	6	2	3	2	–	–	–	–	–	–
Brain, etc.	3	10	9	7	6	20	17	30	19	24	14	–	1	–	–	–
Heart, etc.	7	14	7	16	14	13	16	16	19	12	5	4	–	–	–	–
Respiratory Organs	9	13	9	12	18	21	38	27	43	30	13	5	–	–	–	–
Digestive Organs	6	10	7	9	7	12	10	15	5	10	7	1	–	–	–	–
Urinary Organs	2	3	4	1	7	1	6	4	1	2	–	1	–	–	–	–
Generative Organs	5	6	3	3	2	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	2	–	2	1	–	–	2	4	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	5	2	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	21	41	31	35	20	11	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	3	4	4	3	1	5	3	2	5	–	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	1	1	–	2	2	–	2	1	–	1	–	–
Dysentery	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	5	5	3	9	2	1	1	3	3	–	–	–	–	–	–
Enteric Fever	2	3	1	3	–	–	1	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	4	1	2	1	2	4	–	2	1	–	–	–	–	–
Abscess	–	–	1	1	1	1	–	–	2	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	3	4	11	8	14	13	8	12	4	–	1	1	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	3	–	–	–	1	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	30	17	36	17	11	9	5	2	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	–	2	1	2	–	2	2	1	–	1	–
Apoplexy	46	2	–	1	–	1	–	–	1	–	–	–	–
Paralysis	69	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	17	–	–	–	–	1	–	–	–	1	1	1	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	33	17	3	6	4	2	–	–	1	–	–	–	–
Brain Disease	42	–	–	–	2	1	–	–	5	–	–	2	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	157	–	–	–	–	–	1	–	–	–	4	5	6
VI. Laryngitis	9	1	2	1	2	1	1	1	–	–	–	–	–
Bronchitis	295	13	15	33	31	5	5	3	2	1	–	1	6
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	66	7	3	7	10	5	1	1	2	–	–	1	–
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	13	1	–	–	–	–	–	–	–	1	1	1	1
VII. Teething	11	–	–	5	5	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	16	1	1	3	1	1	1	–	–	–	–	–	–
Peritonitis	15	1	–	–	–	–	–	–	–	1	–	1	4
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	11	1	–	–	–	–	–	–	–	–	–	1	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	–	–	–	–	–	–	–	1	2
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	36	3	4	2	–	–	–	–	–	–	1	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	36	1	–	–	–	–	–	–	–	–	1	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	1	–	–	1	–	–
Nephria	25	–	–	–	–	–	–	–	–	–	1	3	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	–	1	–	1	–	–	1	1	–	–	–	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	4	5
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	4	–	–	–	1	–	–	–	–	1	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	2	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	–	–	–	–	1	–	–	1	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	3	2	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	2	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	14	–	–	2	2	–	1	–	2	–	–	1	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	3	1	1	–	–	1	–	1	1	–	–	–
Drowning	3	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	18	–	–	–	–	–	–	–	–	3	1	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	2	–	–	1	–	–	–	–	–	–	–	–
Not Specified	12	4	3	–	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	3	2	9	6	6	4	6	3	–	–	–	–	–
Paralysis	–	3	1	1	2	8	4	17	8	15	10	–	–	–	–	–
Delirium Tremens	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	1	1	1	1	3	1	1	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	4	2	1	1	6	4	6	2	1	–	1	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	14	7	16	13	13	16	16	19	11	5	4	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	7	10	5	8	11	18	28	23	29	25	12	4	–	–	–	–
Pleurisy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	3	2	2	3	3	7	3	1	1	–	–	–	–
Asthma	–	1	–	–	5	–	5	1	5	2	–	–	–	–	–	–
Lung Disease	–	–	3	–	–	1	2	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	2	–	–	–	1	1	–	–	2	1	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	4	–	2	1	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	1	1	1	–	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	–	2	–	1	1	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	1	–	1	5	4	3	2	2	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	4	2	6	3	6	4	1	2	2	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	3	1	1	5	–	4	3	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	2	–	2	1	2	–	1	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	1	–	–	2	3	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	2	2	1	–	–	–	–	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	1	1	–	2	3	2	3	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2951	393	147	223	330	134	92	59	112	63	67	111	117
Specified Causes	2891	373	139	218	327	130	92	57	111	61	66	110	117
I. Zymotic Class	615	45	36	78	137	65	51	32	47	11	7	12	13
II. Diseases of Uncertain Seat	136	4	2	1	4	3	–	–	2	5	2	2	1
III. Tubercular Class	554	10	13	26	59	24	17	12	28	24	32	64	58
IV. Brain and Nervous System	226	46	12	10	4	5	4	6	10	5	3	3	5
V. Organs of Circulation	148	1	2	–	1	–	2	–	3	3	3	6	12
VI. Respiratory Organs	460	38	37	50	69	23	9	7	9	5	6	7	9
VII. Organs of Digestion	179	18	14	34	44	4	3	–	4	1	5	2	5
VIII. Urinary Organs	40	–	–	–	–	2	1	–	1	1	4	1	3
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	2	5	4
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	3	1	–	–
XI. Skin, etc.	3	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	10	9	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	224	192	17	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	4	2	2	–	2	–	–	–	–
XV. Age	152	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	2	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	88	9	4	2	4	2	3	–	3	3	1	8	7
I. Small Pox	16	2	1	2	3	–	2	–	3	–	–	1	1
Measles	6	–	–	1	4	–	–	1	–	–	–	–	–
Scarlatina	64	1	1	2	6	9	12	9	17	2	–	1	–
Diphtheria	18	–	–	–	2	2	3	3	3	1	2	–	–
Hooping Cough	258	18	17	53	95	36	15	11	13	–	–	–	–
Croup	47	4	2	5	12	11	9	–	4	–	–	–	–
Thrush	5	4	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	55	10	10	8	10	3	–	1	–	1	–	–	1
Dysentery	8	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	9	1	2	2	–	–	–	1	–	–	–	–	1
Influenza	13	1	1	–	–	–	2	1	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	45	–	–	–	–	3	1	1	–	1	4	5	4
Enteric Fever	33	–	–	–	3	–	6	1	6	4	–	2	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	1	2	–	1	1	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	6	–	–	–	–	–	–	–	–	1	1	–	3
Erysipelas	4	1	1	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	13	3	1	2	–	1	–	–	–	–	–	1	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	72	2	1	–	4	2	–	–	1	5	1	2	1
Abscess	7	1	1	1	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	49	–	–	–	–	1	–	–	1	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	1	1	3	3	1	1	–	5	–	3	–	1
Tabes Mesenterica	29	3	2	3	4	5	2	1	6	–	1	–	–
Phthisis	395	2	3	1	15	3	5	4	11	21	28	64	57
Hydrocephalus	108	4	7	19	37	15	9	7	6	3	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	106	92	112	118	115	115	123	91	96	49	46	29	8	–	1	2
SPECIFIED CAUSES	105	91	109	113	114	114	122	91	96	49	46	29	8	–	1	2
Zymotic Class	15	9	13	14	5	4	8	6	4	2	–	–	–	–	–	1
Uncertain Seat	2	2	7	14	20	16	21	7	13	3	4	–	1	–	–	–
Tubercular Class	38	39	35	23	21	20	7	4	–	–	–	–	–	–	–	–
Brain, etc.	10	6	7	5	10	16	17	15	13	7	6	1	–	–	–	–
Heart, etc.	13	7	11	15	12	14	18	13	6	4	1	–	–	–	–	1
Respiratory Organs	11	8	22	23	27	30	21	20	19	4	4	2	–	–	–	–
Digestive Organs	4	4	3	7	7	1	9	5	3	2	–	–	–	–	–	–
Urinary Organs	3	5	–	5	3	3	3	3	2	–	–	–	–	–	–	–
Generative Organs	4	4	2	1	1	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	13	33	25	31	26	7	–	1	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	5	7	8	5	6	5	1	3	1	1	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	2	1	–	1	3	1	1	–	–	–	–	–	–	1
Dysentery	–	2	1	1	–	–	–	1	2	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	–	3	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	3	5	6	4	1	1	1	–	–	–	–	–	–	–	–
Enteric Fever	3	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	3	7	11	9	10	3	3	1	2	–	–	–	–	–
Abscess	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–
Cancer	–	–	3	5	8	6	8	2	10	2	1	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	33	39	35	23	21	20	6	4	–	–	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	–	–	–	–	4	1	–	–	1
Apoplexy	36	–	1	–	–	–	–	1	–	–	–	1	–
Paralysis	58	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	2	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	85	46	10	9	4	5	3	5	3	–	–	–	–
Brain Disease	27	–	–	–	–	–	1	–	3	3	2	2	–
V. Pericarditis	3	–	–	–	–	–	–	–	–	1	1	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	139	1	2	–	1	–	2	–	3	2	2	6	11
VI. Laryngitis	3	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	336	33	33	44	63	22	6	5	4	1	2	4	7
Pleurisy	7	1	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	67	1	4	3	6	1	3	2	3	3	4	2	1
Asthma	27	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	20	3	–	2	–	–	–	–	2	–	–	1	1
VII. Teething	82	1	4	32	43	1	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	4	–	1	1	–	–	–	–	–	–	–	–	1
Enteritis	20	3	6	–	–	–	1	–	3	1	–	–	–
Peritonitis	15	2	–	–	–	2	–	–	1	–	1	–	2
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	23	3	1	1	1	1	–	–	–	–	2	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	7	1	–	–	–	–	–	–	–	1	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	2	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	–	1	–	–	–
Nephria	15	–	–	–	–	–	–	–	–	–	3	–	1
Addison's Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	2
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	1	–	–	1	–	1	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	20	–	–	–	–	–	–	–	–	–	1	5	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	1	3	1	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	3	1	1	–	–	–	–	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	1	2	–	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	1	–	–	–	1	–	–	4	2
Fracture and Contusion	35	–	–	–	–	–	2	–	1	3	1	4	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	1	–	–	1	–	–	–	1
Not Specified	60	20	8	5	3	4	–	2	1	2	1	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	1	4	6	7	6	–	2	3	–	–	–	–	–
Paralysis	5	2	2	3	2	5	7	9	11	5	3	1	–	–	–	–
Delirium Tremens	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	1	3	3	2	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	13	7	9	15	9	14	18	12	6	4	1	–	–	–	–	1
Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	2	11	11	17	20	11	14	12	4	3	1	–	–	–	–
Pleurisy	–	–	1	–	2	–	1	–	–	–	–	1	–	–	–	–
Pneumonia	3	2	7	6	3	4	2	–	6	–	1	–	–	–	–	–
Asthma	–	3	2	4	3	4	5	5	1	–	–	–	–	–	–	–
Lung Disease	1	1	1	1	2	2	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	1	1	–	3	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	1	2	4	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	3	–	4	1	–	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	1	2	–	–	–	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	4	3	3	4	2	1	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	5	1	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1416	221	80	115	176	60	47	28	55	26	31	46	49
SPECIFIED CAUSES	1375	208	73	112	174	59	47	27	54	25	30	46	49
I. Zymotic Class	288	19	19	34	71	28	22	16	21	2	5	6	6
II. Diseases of Uncertain Seat	45	–	–	–	2	2	–	–	1	5	1	1	–
III. Tubercular Class	262	5	7	17	35	15	11	5	13	8	16	28	22
IV. Brain and Nervous System	126	25	7	7	2	2	3	3	7	1	1	1	4
V. Organs of Circulation	65	–	1	–	–	–	1	–	–	2	–	1	3
VI. Respiratory Organs	205	22	13	30	39	8	5	3	5	2	2	2	3
VII. Organs of Digestion	89	14	8	16	24	1	1	–	2	–	2	–	3
VIII. Urinary Organs	23	–	–	–	–	1	–	–	–	1	2	–	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	2	–	–	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	6	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	131	113	12	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	1	–	1	–	–	–	–
XV. Age	60	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	2	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	59	3	4	–	–	2	3	–	3	2	1	7	5
I. Small Pox	9	1	1	1	–	–	2	–	2	–	–	–	1
Measles	4	–	–	1	2	–	–	1	–	–	–	–	–
Scarlatina	31	1	1	–	3	5	7	3	9	–	–	–	–
Diphtheria	8	–	–	–	1	–	1	2	2	–	1	–	–
Hooping Cough	108	3	7	22	47	16	3	5	5	–	–	–	–
Croup	24	2	2	3	9	3	3	–	2	–	–	–	–
Thrush	3	2	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	29	6	7	3	6	–	–	1	–	1	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	5	1	1	1	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	2	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	–	–	–	3	1	1	–	–	3	4	2
Enteric Fever	16	–	–	–	2	–	2	1	1	1	–	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	–	–	1	1	–	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	2	1	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	2	–	–	–	1	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	2	2	–	–	1	5	1	1	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	1	1	3	1	1	–	–	2	–	2	–	–
Tabes Mesenterica	20	2	2	1	2	4	2	–	4	–	1	–	–
Phthisis	167	1	1	1	9	2	3	2	4	6	13	28	22
Hydrocephalus	62	1	3	12	23	8	6	3	3	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	44	36	57	57	50	55	51	45	38	20	17	8	2	–	1	1
SPECIFIED CAUSES	43	35	54	53	49	54	51	45	38	20	17	8	2	–	1	1
Zymotic Class	7	4	7	8	3	2	2	2	2	1	–	–	–	–	–	1
Uncertain Seat	1	–	1	4	5	3	10	3	4	–	2	–	–	–	–	–
Tubercular Class	15	8	18	15	10	10	2	2	–	–	–	–	–	–	–	–
Brain, etc.	6	5	5	3	5	9	6	10	8	3	3	–	–	–	–	–
Heart, etc.	2	4	7	7	8	7	9	8	3	1	1	–	–	–	–	–
Respiratory Organs	5	2	9	8	11	12	7	9	7	1	–	–	–	–	–	–
Digestive Organs	1	3	3	1	4	–	3	1	–	2	–	–	–	–	–	–
Urinary Organs	1	2	–	3	1	2	3	3	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	6	13	11	11	8	2	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	7	4	4	1	5	1	1	–	1	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	1
Dysentery	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	1	3	2	1	1	1	–	–	–	–	–	–	–	–
Enteric Fever	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	1	4	–	5	1	–	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	–	3	3	1	4	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	8	18	15	10	10	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES. *(Continued.)*

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	1	–	–	–	–	3	–	–	–	1
Apoplexy	18	–	–	–	–	–	–	1	–	–	–	1	–
Paralysis	34	–	–	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	48	25	7	6	2	2	2	2	2	–	–	–	–
Brain Disease	14	–	–	–	–	–	1	–	2	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	59	–	1	–	–	–	1	–	–	1	–	1	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	150	19	11	26	36	8	2	2	3	–	1	1	2
Pleurisy	2	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	35	–	2	3	3	–	3	1	1	2	1	1	–
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	2	–	1	–	–	–	–	1	–	–	–	1
VII. Teething	40	1	2	14	23	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	3	–	1	1	–	–	–	–	–	–	–	–	1
Enteritis	11	3	3	–	–	–	–	–	2	–	–	–	–
Peritonitis	4	2	–	–	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	12	2	1	1	1	1	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	1	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	–	1	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	2	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	2
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	1	–	–	3	1
Fracture and Contusion	30	–	–	–	–	–	2	–	1	2	1	4	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	1	–	–	1	–	–	–	1
Not Specified	41	13	7	3	2	1	–	1	1	1	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	1	1	3	4	4	–	–	–	–	–	–	–	–
Paralysis	3	2	1	1	2	2	2	6	7	3	3	–	–	–	–	–
Delirium Tremens	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	2	3	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	4	6	7	6	7	9	7	3	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	–	5	3	7	8	1	7	4	1	–	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	3	4	2	2	2	–	2	–	–	–	–	–	–	–
Asthma	–	1	–	–	1	2	3	2	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	4	3	3	1	2	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	4	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1535	172	67	108	154	74	45	31	57	37	36	65	68
SPECIFIED CAUSES	1516	165	66	106	153	71	45	30	57	36	36	64	68
I. Zymotic Class	327	26	17	44	66	37	29	16	26	9	2	6	7
II. Diseases of Uncertain Seat	91	4	2	1	2	1	–	–	1	–	1	1	1
III. Tubercular Class	292	5	6	9	24	9	6	7	15	16	16	36	36
IV. Brain and Nervous System	100	21	5	3	2	3	1	3	3	4	2	2	1
V. Organs of Circulation	83	1	1	–	1	–	1	–	3	1	3	5	9
VI. Respiratory Organs	255	16	24	20	30	15	4	4	4	3	4	5	6
VII. Organs of Digestion	90	4	6	18	20	3	2	–	2	1	3	2	2
VIII. Urinary Organs	17	–	–	–	–	1	1	–	1	–	2	1	–
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	2	5	4
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	93	79	5	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	2	1	–	1	–	–	–	–
XV. Age	92	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	6	–	2	4	–	–	–	–	1	–	1	2
I. Small Pox	7	1	–	1	3	–	–	–	1	–	–	1	–
Measles	2	–	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	33	–	–	2	3	4	5	6	8	2	–	1	–
Diphtheria	10	–	–	–	1	2	2	1	1	1	1	–	–
Hooping Cough	150	15	10	31	48	20	12	6	8	–	–	–	–
Croup	23	2	–	2	3	8	6	–	2	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	4	3	5	4	3	–	–	–	–	–	–	1
Dysentery	5	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	4	–	1	1	–	–	–	1	–	–	–	–	1
Influenza	7	1	1	–	–	–	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	18	–	–	–	–	–	–	–	–	1	1	1	2
Enteric Fever	17	–	–	–	1	–	4	–	5	3	–	–	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	–	2
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	1	1	2	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	47	2	1	–	2	–	–	–	–	–	–	1	1
Abscess	4	1	1	1	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	35	–	–	–	–	1	–	–	1	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	2	–	1	–	3	–	1	–	1
Tabes Mesenterica	9	1	–	2	2	1	–	1	2	–	–	–	–
Phthisis	228	1	2	–	6	1	2	2	7	15	15	36	35
Hydrocephalus	46	3	4	7	14	7	3	4	3	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	62	56	55	61	65	60	72	46	58	29	29	21	6	–	–	1
SPECIFIED CAUSES	62	56	55	60	65	60	71	46	58	29	29	21	6	–	–	1
Zymotic Class	8	5	6	6	2	2	6	4	2	1	–	–	–	–	–	–
Uncertain Seat	1	2	6	10	15	13	11	4	9	3	2	–	1	–	–	–
Tubercular Class	23	31	17	8	11	10	5	2	–	–	–	–	–	–	–	–
Brain, etc.	4	1	2	2	5	7	11	5	5	4	3	1	–	–	–	–
Heart, etc.	11	3	4	8	4	7	9	5	3	3	–	–	–	–	–	1
Respiratory Organs	6	6	13	15	16	18	14	11	12	3	4	2	–	–	–	–
Digestive Organs	3	1	–	6	3	1	6	4	3	–	–	–	–	–	–	–
Urinary Organs	2	3	–	2	2	1	–	–	1	–	–	–	–	–	–	–
Generative Organs	4	4	2	1	1	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	7	20	14	20	18	5	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	–	–	4	1	5	–	–	2	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	4	3	2	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	3	6	7	9	5	2	3	1	1	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cancer	–	–	2	4	8	3	5	1	6	2	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	31	17	8	11	10	5	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	–	–	–	–	–	–	–	1	1	–	–	–
Apoplexy	18	–	1	–	–	–	–	–	–	–	–	–	–
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	37	21	3	3	2	3	1	3	1	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	1	3	1	2	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	80	1	1	–	1	–	1	–	3	1	2	5	9
VI. Laryngitis	3	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	186	14	22	18	27	14	4	3	1	1	1	3	5
Pleurisy	5	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	32	1	2	–	3	1	–	1	2	1	3	1	1
Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	–	1	–	–	–	–	1	–	–	1	–
VII. Teething	42	–	2	18	20	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	–	3	–	–	–	1	–	1	1	–	–	–
Peritonitis	11	–	–	–	–	2	–	–	1	–	–	–	2
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	–	–	–	–	–	–	–	2	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	1	–	–	–	–	–	–	–	–	1	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	1	–	–	1	–	1	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	20	–	–	–	–	–	–	–	–	–	1	5	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	1	1	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	4	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	3	–	–	–	–	–	–	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	2	–	2	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	1	–	–	–	–	–	–	1	1
Fracture and Contusion	5	–	–	–	–	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	7	1	2	1	3	–	1	–	1	–	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1867.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	3	3	3	2	–	2	3	–	–	–	–	–
Paralysis	2	–	1	2	–	3	5	3	4	2	–	1	–	–	–	–
Delirium Tremens.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	11	3	3	8	3	7	9	5	3	3	–	–	–	–	–	1
Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	2	6	8	10	12	10	7	8	3	3	1	–	–	–	–
Pleurisy	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
Pneumonia	1	1	4	2	1	2	–	–	4	–	1	–	–	–	–	–
Asthma	–	2	2	4	2	2	2	3	–	–	–	–	–	–	–	–
Lung Disease	1	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	1	–	3	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	2	2	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1824	188	73	98	117	53	34	25	67	46	85	60	81
SPECIFIED CAUSES	1809	185	73	98	114	53	34	23	67	46	85	59	81
I. Zymotic Class	274	23	17	24	29	14	11	9	21	8	20	7	5
II. Diseases of Uncertain Seat	86	2	1	–	–	–	1	1	2	1	1	1	1
III. Tubercular Class	403	8	8	22	33	22	13	6	23	25	42	34	54
IV. Brain and Nervous System	180	17	6	7	2	3	4	–	6	5	2	1	6
V. Organs of Circulation	99	–	–	–	1	–	–	2	1	3	2	2	3
VI. Respiratory Organs	245	19	16	21	20	6	2	5	8	1	6	2	5
VII. Organs of Digestion	136	7	11	19	25	8	–	–	–	1	6	5	1
VIII. Urinary Organs	40	–	–	–	–	–	1	–	1	1	2	3	2
XI. Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of *Locomotion*	9	–	–	–	–	–	–	–	2	–	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	107	94	10	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	4	–	1	–	1	–	–	–	–
XV. Age	137	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	59	10	4	1	–	–	1	–	2	1	2	3	3
I. Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	14	–	–	2	2	3	1	1	1	–	2	–	–
Diphtheria	7	–	–	1	1	–	1	–	1	2	–	–	–
Hooping Cough	42	2	2	6	12	7	4	4	5	–	–	–	–
Croup	15	–	–	3	4	2	3	2	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	7	10	10	6	–	1	–	–	1	–	–	–
Dysentery	11	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	8	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	–	–	1	1	1	1	8	1	7	2	2
Enteric Fever	35	–	–	–	–	–	–	–	3	1	9	4	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	5	–	–	–	1	1	–	1	2	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	13	5	–	–	–	–	–	–	–	2	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	13	7	–	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	1	1	1	1	–	–	–
Abscess	9	1	1	–	–	–	–	–	1	–	1	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	59	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	1	1	1	1	1	1	1	1	1	4	1	3
Tabes Mesenterica	25	1	–	2	6	3	6	2	2	2	–	–	–
Phthisis	283	–	2	3	7	6	–	1	13	21	38	33	51
Hydrocephalus	74	6	5	16	19	12	6	2	7	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	67	69	65	60	80	88	106	94	77	72	36	9	7	1	3
SPECIFIED CAUSES	63	67	69	65	59	78	88	106	94	77	72	36	9	7	1	–
Zymotic Class	7	9	3	7	6	7	6	13	15	5	4	3	1	–	–	–
Uncertain Seat	2	6	5	8	11	10	11	8	6	5	3	–	–	–	–	–
Tubercular Class	21	20	22	15	11	9	8	6	1	–	–	–	–	–	–	–
Brain, etc.	8	6	5	9	8	11	10	19	16	13	10	5	–	1	–	–
Heart, etc.	8	3	5	3	5	6	16	13	12	7	4	3	–	–	–	–
Respiratory Organs	2	10	9	7	11	18	20	16	16	6	11	6	2	–	–	–
Digestive Organs	3	5	9	7	4	6	6	5	4	2	1	1	–	–	–	–
Urinary Organs	5	1	2	–	–	3	5	6	3	2	2	1	–	–	–	–
Generative Organs	1	–	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	4	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	16	18	35	37	17	6	5	1	–
Sudden Deaths	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	5	3	8	–	3	3	3	1	1	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	1	–	3	1	5	8	3	–	–	1	–	–	–
Dysentery	–	–	–	–	–	1	1	4	–	1	1	2	–	–	–	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	2	–	–	–	2	–	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	1	3	–	2	1	2	1	–	–	–	–	–	–
Enteric Fever	1	2	–	4	1	2	–	3	3	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	–	2	–	2	–	–	–	–	–
Abscess	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	2	5	4	6	8	8	8	7	4	5	1	–	–	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	19	21	15	9	9	8	6	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	–	–	1	–	–	–	–	2	–	–	1	1
Apoplexy	42	2	–	–	–	–	–	–	1	–	–	–	–
Paralysis	49	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	1	–	–	3
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	31	15	6	4	1	3	2	–	–	–	–	–	–
Brain Disease	34	–	–	2	1	–	2	–	3	4	1	–	1
V. Pericarditis	5	–	–	–	–	–	–	1	1	1	1	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	89	–	–	–	1	–	–	1	–	2	1	2	3
VI. Laryngitis	5	2	–	1	1	–	–	–	1	–	–	–	–
Bronchitis	174	14	12	16	18	4	2	5	4	–	1	1	1
Pleurisy	5	–	–	–	–	–	–	–	–	–	–	–	2
Pneumonia	42	3	4	4	1	2	–	–	3	1	2	1	2
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	–	–	–	–	–	3	–	–
VII. Teething	48	–	5	14	23	6	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	3	1	1	–	–	–	–	–	–	4	–	–
Peritonitis	5	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	3	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	1	–	–	–	–	–	1	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	2	1	–	–	1	–	–	–	–	1	2	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	–	4	2	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	16	1	–	–	–	–	–	–	–	–	1	1	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	21	–	–	–	–	–	–	–	1	1	1	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	2	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	4	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	4	1	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	24	–	–	–	–	–	1	–	2	1	1	1	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	–	–	–	–	–	–	–	1	1	–
Not Specified	15	3	–	–	3	–	–	2	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	4	2	6	1	6	3	6	4	3	–	1	–	–
Paralysis	2	1	1	3	2	2	6	7	9	7	6	1	–	–	–	–
Delirium Tremens	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	1	1	3	2	3	2	3	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	6	1	5	3	5	6	15	12	12	7	4	3	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	2	5	7	13	13	15	13	6	11	5	2	–	–	–
Pleurisy	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	4	1	2	4	3	–	2	–	–	1	–	–	–	–
Asthma	–	4	1	1	–	1	3	1	1	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	4	–	2	3	1	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	2	–	1	1	1	1	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–
Liver Disease	2	–	1	3	1	–	3	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	2	–	–	–	3	3	1	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Childbirth	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	2	2	4	–	3	1	2	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	890	104	38	52	64	23	18	16	41	27	41	33	34
SPECIFIED CAUSES	881	102	38	52	61	23	18	14	41	27	41	33	34
I. Zymotic Class	144	11	9	16	17	7	5	6	12	7	8	4	3
II. Diseases of Uncertain Seat	28	–	1	–	–	–	1	–	2	1	–	1	–
III. Tubercular Class	196	7	6	14	22	8	7	4	15	12	23	18	20
IV. Brain and Nervous System	88	9	2	7	1	–	2	–	3	3	1	–	3
V. Organs of Circulation	45	–	–	–	1	–	–	1	–	1	–	1	1
VI. Respiratory Organs	124	10	10	7	8	3	2	3	6	1	1	–	2
VII. Organs of Digestion	62	4	4	8	9	5	–	–	–	–	3	5	1
VIII. Urinary Organs	28	–	–	–	–	–	–	–	–	1	2	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	60	54	6	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	3	–	1	–	–	–	–	–	–
XV. Age	45	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	43	6	–	–	–	–	–	–	2	1	1	3	3
I. Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	9	–	–	2	2	2	–	1	–	–	1	–	–
Diphtheria	4	–	–	1	1	–	–	–	–	2	–	–	–
Hooping Cough	22	–	–	5	6	3	3	3	2	–	–	–	–
Croup	10	–	–	2	4	1	2	1	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	6	6	4	3	–	–	–	–	1	–	–	–
Dysentery	8	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	–	–	–	–	–	7	1	3	1	1
Enteric Fever	20	–	–	–	–	–	–	–	2	1	4	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	–	1	–	1	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	6	1	1	–	–	–	–	–	–	2	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	1	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	1	–	1	1	–	–	–
Abscess	4	–	1	–	–	–	–	–	1	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	1	1	1	1	–	–	1	1	1	2	1	1
Tabes Mesenterica	20	1	–	2	6	1	4	2	2	2	–	–	–
Phthisis	122	–	2	3	5	2	–	–	6	8	21	17	19
Hydrocephalus	42	5	3	8	10	5	3	1	6	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	29	27	29	23	44	48	47	30	39	27	19	3	2	–	1
SPECIFIED CAUSES	31	29	27	29	23	43	48	47	30	39	27	19	3	2	–	–
Zymotic Class	1	5	–	6	5	3	3	7	1	2	3	3	–	–	–	–
Uncertain Seat	–	2	1	3	3	3	5	1	1	2	1	–	–	–	–	–
Tubercular Class	10	5	5	7	3	6	3	1	–	–	–	–	–	–	–	–
Brain, etc.	5	2	3	1	3	6	6	7	8	10	2	3	–	1	–	–
Heart, etc.	3	2	1	–	2	5	7	5	5	4	3	3	–	–	–	–
Respiratory Organs	1	5	5	2	6	10	15	10	7	3	4	2	1	–	–	–
Digestive Organs	3	1	5	3	–	3	2	2	1	1	1	1	–	–	–	–
Urinary Organs	3	–	2	–	–	3	4	5	2	1	2	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	5	4	15	11	6	2	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	5	3	7	–	2	2	3	–	1	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	3	–	1	1	2	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	1	3	–	2	–	–	1	–	–	–	–	–	–
Enteric Fever	1	1	–	3	1	1	–	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	1	2	1	3	3	–	1	2	1	–	–	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	5	4	7	3	6	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	1	–	–	–	–	1	–	–	–	–
Apoplexy	23	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	9	2	4	–	–	1	–	–	–	–	–	–
Brain Disease	17	–	–	2	1	–	1	–	2	3	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	41	–	–	–	1	–	–	–	–	1	–	1	1
VI. Laryngitis	4	2	–	–	1	–	–	–	1	–	–	–	–
Bronchitis	81	6	6	5	6	1	2	3	2	–	1	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	29	2	4	2	1	2	–	–	3	1	–	–	1
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	19	–	2	6	8	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	1	–	1	–	–	–	–	–	–	2	–	–
Peritonitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	1	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	1	1	–	–	1	–	–	–	–	1	2	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	1	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	10	1	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	14	–	–	–	–	–	–	–	–	1	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	22	–	–	–	–	–	–	–	2	1	1	1	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	9	2	–	–	3	–	–	2	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	–	1	3	1	3	1	5	2	3	–	1	–	–
Paralysis	2	–	1	–	1	1	3	3	3	5	–	–	–	–	–	–
Delirium Tremens	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	2	5	7	4	5	4	3	3	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	2	3	7	10	9	5	3	4	1	1	–	–	–
Pleurisy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	3	–	1	3	3	–	1	–	–	1	–	–	–	–
Asthma	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	3	–	–	2	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	1	–	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	2	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	2	–	–	–	2	3	1	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	2	2	4	–	2	1	2	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	934	84	35	46	53	30	16	9	26	19	44	27	47
SPECIFIED CAUSES	928	83	35	46	53	30	16	9	26	19	44	26	47
I. Zymotic Class	130	12	8	8	12	7	6	3	9	1	12	3	2
II. Diseases of Uncertain Seat	58	2	–	–	–	–	–	1	–	–	1	–	1
III. Tubercular Class	207	1	2	8	11	14	6	2	8	13	19	16	34
IV. Brain and Nervous System	92	8	4	–	1	3	2	–	3	2	1	1	3
V. Organs of Circulation	54	–	–	–	–	–	–	1	1	2	2	1	2
VI. Respiratory Organs	121	9	6	14	12	3	–	2	2	–	5	2	3
VII. Organs of Digestion	74	3	7	11	16	3	–	–	–	1	3	–	–
VIII. Urinary Organs	12	–	–	–	–	–	1	–	1	–	–	2	1
IX. Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	40	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	92	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	16	4	4	1	–	–	1	–	–	–	1	–	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	–	1	1	–	1	–	1	–	–
Diphtheria	3	–	–	–	–	–	1	–	1	–	–	–	–
Hooping Cough	20	2	2	1	6	4	1	1	3	–	–	–	–
Croup	5	–	–	1	–	1	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	36	1	4	6	3	–	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	1	1	1	1	1	–	4	1	1
Enteric Fever	15	–	–	–	–	–	–	–	1	–	5	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	7	4	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	5	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	1	–	–	–	–	–
Abscess	5	1	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	44	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	1	1	–	–	–	2	–	2
Tabes Mesenterica	5	–	–	–	–	2	2	–	–	–	–	–	–
Phthisis	161	–	–	–	2	4	–	1	7	13	17	16	32
Hydrocephalus	32	1	2	8	9	7	3	1	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	32	38	42	36	37	36	40	59	64	38	45	17	6	5	1	2
SPECIFIED CAUSES	32	38	42	36	36	35	40	59	64	38	45	17	6	5	1	–
Zymotic Class	6	4	3	1	1	4	3	6	14	3	1	–	1	–	–	–
Uncertain Seat	2	4	4	5	8	7	6	7	5	3	2	–	–	–	–	–
Tubercular Class	11	15	17	8	8	3	5	5	1	–	–	–	–	–	–	–
Brain, etc.	3	4	2	8	5	5	4	12	8	3	8	2	–	–	–	–
Heart, etc.	5	1	4	3	3	1	9	8	7	3	1	–	–	–	–	–
Respiratory Organs	1	5	4	5	5	8	5	6	9	3	7	4	1	–	–	–
Digestive Organs	–	4	4	4	4	3	4	3	3	1	–	–	–	–	–	–
Urinary Organs	2	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Generative Organs	1	–	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	11	14	20	26	11	4	4	1	–
Sudden Deaths	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	–	–	2	1	3	8	3	–	–	1	–	–	–
Dysentery	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Enteric Fever	–	1	–	1	–	1	–	1	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–
Abscess	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	4	3	4	7	5	5	7	3	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	14	17	8	6	3	5	5	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	1	–	–	1	1
Apoplexy	19	2	–	–	–	–	–	–	1	–	–	–	–
Paralysis	28	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	6	4	–	1	3	1	–	–	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	1	1	1	–	–
V. Pericarditis	4	–	–	–	–	–	–	–	1	1	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	48	–	–	–	–	–	–	1	–	1	1	1	2
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	93	8	6	11	12	3	–	2	2	–	–	1	1
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	13	1	–	2	–	–	–	–	–	–	2	1	1
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	3	–	–
VII. Teething	29	–	3	8	15	3	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	2	1	–	–	–	–	–	–	–	2	–	–
Peritonitis	3	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	3	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	–	3	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	3	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	1	–	–
Not Specified	6	1	–	–	–	–	–	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1867.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	4	1	3	–	3	2	1	2	–	–	–	–	–
Paralysis	–	1	–	3	1	1	3	4	6	2	6	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	1	1	2	1	1	2	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	–	4	3	3	1	8	8	7	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	3	4	6	3	6	8	3	7	4	1	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Asthma	–	4	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	2	1	1	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	1	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Childbirth	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1335	115	56	98	125	68	43	26	67	37	45	43	43
Specified Causes	1300	103	49	94	125	64	41	26	65	37	44	43	43
I. Zymotic Class	311	11	11	31	54	37	25	15	29	11	4	3	7
II. Diseases of Uncertain Seat	49	–	1	2	–	–	–	–	2	–	–	2	4
III. Tubercular Class	222	–	9	11	15	7	7	2	16	15	36	25	17
IV. Brain and Nervous System	123	5	7	6	5	2	4	–	5	4	1	5	2
V. Organs of Circulation	42	–	–	–	–	–	–	–	–	3	1	–	3
VI. Respiratory Organs	182	12	11	16	20	8	3	3	2	1	2	2	5
VII Organs of Digestion	111	11	7	15	21	7	1	4	3	1	–	2	1
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	2	2
X. Organs of Locomotion	14	–	–	–	–	–	–	1	4	1	–	–	1
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	73	61	1	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	7	–	–	–	1	–	–	–	1
XV. Age	104	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	1	1	–	–	–	–	–
XVII Violent Deaths	31	2	–	2	3	3	–	–	3	1	–	2	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	27	–	1	3	11	6	2	–	3	1	–	–	–
Scarlatina	50	–	–	2	7	6	12	8	13	2	–	–	–
Diphtheria	5	–	–	–	1	1	–	1	2	–	–	–	–
Hooping Cough	78	3	6	20	24	14	5	2	4	–	–	–	–
Croup	14	1	–	1	2	4	1	2	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	28	5	2	5	7	–	1	–	–	1	–	–	1
Dysentery	4	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	74	–	1	–	–	1	1	2	–	4	3	2	5
Enteric Fever	12	–	–	–	1	1	1	–	2	1	1	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	–	–	2	2	–	2	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	4	2	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	–	2	–	–	1	3
Abscess	4	–	1	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	–	–	1	–	–	1	2	1	1	1
Tabes Mesenterica	18	–	1	4	2	2	4	1	2	–	1	–	–
Phthisis	159	–	–	1	1	1	2	1	8	12	34	24	16
Hydrocephalus	35	–	7	6	12	3	1	–	5	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	39	47	46	53	44	48	58	54	70	62	16	18	5	2	1	6
Specified Causes	39	47	45	52	44	48	57	54	70	62	16	18	5	2	1	6
Zymotic Class	8	7	8	11	14	6	4	7	2	2	–	–	–	–	–	4
Uncertain Seat	3	3	4	3	4	6	5	2	2	4	2	–	–	–	–	–
Tubercular Class	13	16	12	5	10	2	1	1	–	1	–	–	–	–	–	1
Brain, etc.	2	2	3	6	1	6	13	16	17	7	3	1	–	–	–	–
Heart, etc.	2	3	2	4	4	4	5	5	4	2	–	–	–	–	–	–
Respiratory Organs	8	3	6	10	5	11	13	13	19	8	–	1	–	–	–	–
Digestive Organs	–	7	2	5	3	7	6	–	6	1	–	1	–	–	–	–
Urinary Organs	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–	1
Generative Organs	2	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	–	–	3	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	9	20	35	11	15	5	2	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	3	6	3	1	–	–	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	5	7	11	10	6	2	4	–	–	–	–	–	–	–	4
Enteric Fever	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	2	3	1	2	2	1	1	1	1	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	1	1	2	2	4	4	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	13	12	5	10	2	1	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	1	–	1	–	–	–	1	3	–	–	–
Apoplexy	35	1	–	3	1	1	–	–	1	–	1	–	1
Paralysis	45	–	–	–	–	–	–	–	1	–	–	1	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	2	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	20	4	6	3	3	1	2	–	1	–	–	–	–
Brain Disease	9	–	–	–	–	–	2	–	1	–	–	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	42	–	–	–	–	–	–	–	–	3	1	–	3
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	137	9	11	15	15	5	1	3	1	–	–	1	1
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	40	2	–	1	5	2	2	–	1	1	2	1	3
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	34	–	1	12	18	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	34	7	4	3	2	3	1	2	2	–	–	2	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	2	–	1	1	–	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	19	1	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	2	2
X. Arthritis	3	–	–	–	–	–	–	1	1	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	1	–	–	–	1
Joint and Bone Disease	3	–	–	–	–	–	–	–	2	1	–	–	–
XI. Carbuncle	1	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	7	–	–	–	3	2	–	–	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	5	1	–	–	–	–	–	–	–	–	–	1	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	9	–	–	2	–	1	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	1	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	35	12	7	4	–	4	2	–	2	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	2	1	–	–	6	2	10	2	1	–	–	–	–	–
Paralysis	1	1	–	3	1	5	5	12	7	5	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	3	2	4	4	4	5	5	4	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	2	5	7	3	9	10	12	16	6	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	4	1	1	3	1	2	3	1	2	2	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	2	1	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Liver Disease	–	2	2	2	1	5	1	–	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	3	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1433	155	61	108	133	73	45	31	62	33	38	63	55
Specified Causes	1370	132	52	102	129	71	43	27	62	32	36	62	53
I. Zymotic Class	269	9	12	20	45	32	18	11	26	5	4	14	7
II. Diseases of Uncertain Seat	33	3	–	–	–	1	–	–	–	–	–	1	–
III. Tubercular Class	263	2	5	15	12	15	10	5	13	14	17	23	26
IV. Brain and Nervous System	118	10	3	12	11	4	3	3	8	4	1	2	1
V. Organs of Circulation	95	–	–	–	–	–	–	1	2	1	1	2	5
VI. Respiratory Organs	231	18	18	34	29	12	7	3	6	–	2	4	5
VII. Organs of Digestion	108	16	8	16	27	4	1	1	2	–	3	–	3
VIII. Urinary Organs	7	–	–	–	1	–	–	–	–	2	–	–	–
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	1	1	1
X. Organs of Locomotion	8	–	–	–	1	–	–	–	–	2	–	1	–
XI. Skin, etc.	4	–	–	–	2	–	–	–	–	1	–	–	–
XII. Malformation	8	6	–	–	–	1	–	–	–	1	–	–	–
XIII. Premature Debility	66	58	3	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	2	3	2	–	–	–	–	–
XV. Age	59	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	79	10	3	–	–	–	1	1	5	2	7	14	5
I. Small Pox	4	1	2	–	1	–	–	–	–	–	–	–	–
Measles	22	–	–	1	11	7	3	–	–	–	–	–	–
Scarlatina	46	–	–	2	6	11	10	5	11	1	–	–	–
Diphtheria	13	–	–	2	5	3	–	–	1	1	–	1	–
Hooping Cough	25	–	2	4	8	6	2	1	2	–	–	–	–
Croup	19	1	–	5	9	1	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	6	2	2	3	–	–	–	–	1	–	–	–
Dysentery	6	–	–	–	–	1	–	1	–	–	–	–	1
Cholera	8	–	1	–	–	–	–	–	4	1	–	–	–
Influenza	1	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	75	–	2	2	2	1	–	1	4	1	2	10	6
Enteric Fever	10	–	–	–	–	–	2	2	1	–	1	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	–	2	–	–	1	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	3	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	4	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	2	2	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	1	–	–	3	1	–	1	1	–	–
Tabes Mesenterica	19	1	–	2	4	5	4	–	2	–	–	–	–
Phthisis	206	–	1	5	2	4	3	2	8	13	16	23	26
Hydrocephalus	28	–	4	7	6	6	–	2	3	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	55	56	62	57	56	59	63	58	50	22	23	10	3	2	–	–
SPECIFIED CAUSES	54	55	62	55	54	59	62	58	50	22	23	10	3	2	–	–
Zymotic Class	9	11	12	6	8	5	3	6	4	1	1	–	–	–	–	–
Uncertain Seat	2	2	5	2	4	2	2	6	–	2	1	–	–	–	–	–
Tubercular Class	21	22	16	16	10	9	5	4	1	1	1	–	–	–	–	–
Brain, etc.	1	3	5	5	4	7	11	8	9	1	2	–	–	–	–	–
Heart, etc.	3	4	3	7	9	19	10	13	8	3	3	1	–	–	–	–
Respiratory Organs	3	5	10	11	9	11	15	9	12	3	2	2	1	–	–	–
Digestive Organs	6	–	4	4	4	3	4	1	–	1	–	–	–	–	–	–
Urinary Organs	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	3	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	8	13	9	13	7	2	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	5	4	4	2	5	1	2	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	–	2	2	2	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	6	9	5	6	4	1	4	1	1	–	–	–	–	–	–
Enteric Fever	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	1	3	2	1	1	–	4	–	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	21	22	15	16	9	9	4	4	1	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	1	1	1	2	–	1	1	4	1	–	–	–
Apoplexy	26	2	–	–	–	–	–	–	–	–	1	–	1
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	20	5	1	5	3	3	1	1	1	–	–	–	–
Brain Disease	32	1	1	6	6	1	1	1	3	2	–	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	1
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	92	–	–	–	–	–	–	1	2	–	1	2	4
VI. Laryngitis	5	–	1	1	–	–	1	–	–	–	–	–	–
Bronchitis	172	14	17	28	24	10	3	2	1	–	2	1	–
Pleurisy	3	–	–	–	–	–	1	–	–	–	–	–	1
Pneumonia	41	4	–	4	5	2	2	1	5	–	–	2	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	1	–	–	–	–	–	–	–	1	2
VII. Teething	46	3	6	12	20	4	1	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	1	–	–	1	–	–	–	–	–	1	–	–
Enteritis	24	9	1	3	6	–	–	1	–	–	–	–	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	2	–	1
Ascites	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	1	1	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	2	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	1	–	–	–	–	2	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	1	–	–	–	–	1	–	–	–
Skin Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	6	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	–	–	3	–	–	6	2
Fracture and Contusion	40	–	–	–	–	–	1	–	2	2	5	7	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	1	–	–	1	1	–
Not Specified	63	23	9	6	4	2	2	4	–	1	2	1	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1867.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	2	1	3	5	5	4	1	–	–	–	–	–	–
Paralysis	–	–	3	2	2	1	3	2	4	–	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	1	–	1	2	1	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	4	3	6	9	19	10	13	8	3	3	1	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	5	8	6	9	11	9	11	3	2	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	2	–	4	1	2	1	3	–	1	–	–	–	–	–	–	–
Asthma	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	1	2	2	3	2	4	1	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	2	2	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1064	120	46	73	121	56	31	22	69	19	24	21	38
Specified Causes	1052	112	45	73	121	55	31	22	69	19	24	21	38
I. Zymotic Class	267	8	12	16	57	26	18	16	45	6	6	7	8
II. Diseases of Uncertain Seat	49	2	–	–	4	2	–	–	1	2	–	1	–
III. Tubercular Class	159	11	6	18	23	8	5	3	10	4	9	7	14
IV. Brain and Nervous System	105	6	4	9	6	1	–	2	1	1	1	–	1
V. Organs of Circulation	58	3	–	–	–	–	–	–	1	1	2	1	2
VI. Respiratory Organs	167	16	10	19	22	13	6	1	3	1	2	1	3
VII. Organs of Digestion	63	13	4	9	7	1	–	–	–	1	2	–	5
VIII. Urinary Organs	23	–	–	–	–	–	1	–	6	–	–	1	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	2	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	55	49	5	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	2	2	1	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	4	4	1	–	2	–	–	1	1	2	3	4
I. Small Pox	1	–	–	–	–	–	1	–	–	–	–	–	–
Measles	59	–	4	8	34	9	1	2	1	–	–	–	–
Scarlatina	58	–	2	1	7	4	8	5	29	2	–	–	–
Diphtheria	5	–	–	–	–	–	–	1	2	–	–	–	–
Hooping Cough	24	–	2	4	10	4	2	1	1	–	–	–	–
Croup	19	1	–	1	5	6	2	3	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	4	3	1	–	1	–	1	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	4	–	–	1	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	–	–	–	1	2	–	2	1	3	6	6
Enteric Fever	24	–	–	–	–	–	2	2	6	3	2	1	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	–	–	1	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	1	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	4	3	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	1	–	–	4	1	–	–	–	–	–	1	–
Abscess	4	–	–	–	–	–	–	–	–	2	–	–	–
Ulcer	1	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	22	–	–	–	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	4	2	1	3	–	1	–	2	1	–	–	–
Tabes Mesenterica	30	6	1	5	8	5	1	1	2	–	1	–	–
Phthisis	78	–	–	–	1	1	1	–	3	3	8	7	14
Hydrocephalus	36	1	3	12	11	2	2	2	3	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	36	49	30	39	37	29	42	54	45	27	21	10	3	2	–	–
Specified Causes	36	48	30	39	37	28	42	54	45	27	21	10	3	2	–	–
Zymotic Class	4	9	5	7	7	2	3	1	2	–	1	1	–	–	–	–
Uncertain Seat	–	2	–	3	4	6	9	6	6	–	1	–	–	–	–	–
Tubercular Class	15	7	4	8	3	2	1	1	–	–	–	–	–	–	–	–
Brain, etc.	4	9	3	5	7	3	8	14	9	9	2	–	–	–	–	–
Heart, etc.	3	7	6	5	4	3	3	6	8	1	2	–	–	–	–	–
Respiratory Organs	2	5	5	3	5	6	10	12	8	6	6	–	2	–	–	–
Digestive Organs	3	2	–	4	2	3	–	6	–	1	–	–	–	–	–	–
Urinary Organs	2	2	1	1	2	–	2	1	1	1	–	2	–	–	–	–
Generative Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	–	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	6	8	8	9	7	1	2	–	–
Sudden Deaths	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Violent Deaths	1	2	6	1	–	1	1	–	2	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	6	2	5	5	1	2	1	–	–	–	1	–	–	–	–
Enteric Fever	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	3	3	3	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	2	–	1	4	3	6	3	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	7	4	8	3	1	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—BOTH SEXES *(Continued.)*

	DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	10	1	2	2	1	1	–	–	–	1	–	–	–
	Apoplexy	20	–	–	–	–	–	–	–	–	–	1	–	–
	Paralysis	36	–	–	–	–	–	–	–	–	–	–	–	–
	Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	16	4	1	6	4	–	–	1	–	–	–	–	–
	Brain Disease	16	1	1	1	1	–	–	1	1	–	–	–	–
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	58	3	–	–	–	–	–	–	1	1	2	1	2
VI.	Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Bronchitis	117	10	2	14	16	10	6	1	1	–	–	–	1
	Pleurisy	5	1	1	1	–	–	–	–	–	–	–	1	–
	Pneumonia	34	3	6	3	6	2	–	–	2	–	2	–	2
	Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	7	2	1	1	–	1	–	–	–	1	–	–	–
VII.	Teething	13	–	1	7	5	–	–	–	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
	Enteritis	12	4	1	2	–	1	–	–	–	–	–	–	–
	Peritonitis	6	–	–	–	–	–	–	–	–	–	–	–	2
	Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
	Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	8	3	–	–	1	–	–	–	–	–	1	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	8	3	1	–	–	–	–	–	–	–	1	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	6	–	1	–	–	–	–	–	–	1	–	–	1
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII.	Nephritis	4	–	–	–	–	–	–	–	2	–	–	–	–
	Nephria	7	–	–	–	–	–	1	–	4	–	–	1	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	1
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	2	–	–	–	–	–	–	–	–	1	–	–	–
	Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	2	–	–	–	–	–	–	–	1	1	–	–	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	3	–	–	1	–	1	–	–	–	–	–	–	–
	Hanging, etc.	3	–	–	–	–	–	–	–	–	–	1	–	–
	Suffocation	7	2	4	–	–	–	–	–	–	–	–	–	–
	Drowning	4	–	–	–	–	–	–	–	–	–	–	1	–
	Fracture and Contusion	16	–	–	–	–	1	–	–	1	1	1	2	4
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	12	8	1	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	2	1	–	5	3	3	2	1	–	–	–	–	–
Paralysis	1	4	–	2	2	2	1	10	6	7	1	–	–	–	–	–
Delirium Tremens	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	3	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	7	6	5	4	3	3	6	8	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	4	1	2	4	4	9	11	7	6	5	–	1	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	3	1	–	1	–	1	–	–	–	–	1	–	–	–
Asthma	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	2	–	1	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	–	–	–	–	2	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	569	52	17	22	47	19	4	9	13	10	21	19	25
SPECIFIED CAUSES	559	47	15	22	47	18	4	9	13	10	21	19	25
I. Zymotic Class	68	5	2	2	26	5	3	3	1	2	4	–	3
II. Diseases of Uncertain Seat	19	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	110	2	–	4	5	3	1	4	5	3	9	10	13
IV. Brain and Nervous System	67	2	1	2	1	1	–	–	2	1	1	–	3
V. Organs of Circulation	36	–	–	–	–	–	–	–	–	–	1	–	1
VI. Respiratory Organs	81	8	6	6	9	5	–	2	2	–	4	4	1
VII. Organs of Digestion	34	1	3	3	3	2	–	–	2	–	1	1	1
VIII. Urinary Organs	8	–	–	–	–	–	–	–	–	1	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	1	–	–	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	35	28	3	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	3	2	–	–	–	1	–	–	1
XV. Age	63	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	–	–	–	–	–	–	–	–	1	1	4	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	17	–	–	1	12	3	–	1	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	2	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	10	2	–	–	7	1	–	–	–	–	–	–	–
Croup	6	–	–	–	3	1	1	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	3	2	1	3	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	–	–	–	–	1	1	2	–	1
Enteric Fever	5	–	–	–	–	–	–	–	–	1	1	–	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	1	–	–	–	–	–	–	–	1	–	1	–
Tabes Mesenterica	5	–	–	1	2	–	–	–	–	–	–	–	1
Phthisis	83	–	–	–	1	–	1	–	2	1	9	9	12
Hydrocephalus	17	1	–	3	2	3	–	4	3	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	20	23	22	11	20	36	38	25	39	30	31	13	3	–	–	–
SPECIFIED CAUSES	19	23	22	10	20	36	38	25	39	30	31	13	3	–	–	–
Zymotic Class	2	1	1	–	1	1	2	–	1	1	2	–	–	–	–	–
Uncertain Seat	–	–	2	2	2	2	2	4	4	1	–	–	–	–	–	–
Tubercular Class	11	16	6	–	7	6	3	1	–	1	–	–	–	–	–	–
Brain, etc.	1	1	2	4	2	9	9	6	8	5	5	1	–	–	–	–
Heart, etc.	1	–	3	3	1	8	7	5	4	1	1	–	–	–	–	–
Respiratory Organs	–	–	3	–	3	2	6	5	6	4	2	2	1	–	–	–
Digestive Organs	2	2	–	–	2	5	–	1	3	2	–	–	–	–	–	–
Urinary Organs	1	1	–	1	–	–	1	–	2	1	–	–	–	–	–	–
Generative Organs	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	3	11	13	21	8	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	1	–	1	1	1	–	–	–	–	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	2	1	1	1	2	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	14	5	–	7	6	3	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	1	1	–	–	–
Apoplexy	17	–	–	1	–	1	–	–	–	–	–	–	1
Paralysis	28	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	4	1	1	–	1	–	–	–	1	–	–	–	–
Brain Disease	13	–	–	1	–	–	–	–	–	–	–	–	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	–	–	–	1	–	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	62	8	6	6	9	5	–	1	1	–	1	2	–
Pleurisy	3	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	13	–	–	–	–	–	–	–	1	–	3	2	1
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	1	3	3	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	1	–	–	–	–	–	1	–	–	–	–
Peritonitis	3	1	1	–	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	–	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	1	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	1	–	3	–
Fracture and Contusion	7	–	–	–	–	–	–	–	–	–	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	10	5	2	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1867.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	4	4	1	2	1	–	–	–	–	–
Paralysis	–	1	–	2	1	5	4	2	5	3	4	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	1	–	3	1	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	3	3	1	7	7	5	4	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	1	3	4	5	4	2	2	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	–	1	2	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1867.

			DEATHS in 1867.											
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1867		31°·8	41°·4	36°·2	45°·3	47°·5	54°·3	54°·8	57°·4	53°·4	46°·4	41°·6	38°·8	45°·7
		Population 1867.													
	SCOTLAND . .	3,170,769	7365	5876	6736	6242	6010	5223	5443	4952	4730	5242	5212	6037	69,068
	INSULAR DISTRICTS .	157,139	299	220	269	248	208	206	199	176	159	196	172	228	2,580
	MAINLAND DISTRICTS	1,794,358	3515	2932	3370	3088	2804	2534	2555	2425	2179	2523	2460	2805	33,190
	TOWN DISTRICTS .	1,219,272	3551	2724	3097	2906	2998	2483	2687	2351	2392	2522	2580	3004	33,295
	DIVISIONS.														
1	Northern . .	132,540	210	140	217	176	172	156	148	140	109	141	121	141	1,871
2	North-Western .	162,079	307	267	285	263	220	205	202	166	186	175	195	224	2,695
3	North-Eastern .	378,289	639	578	632	587	524	494	503	491	447	431	510	575	6,411
4	East-Midland .	528,733	1107	953	1172	1006	967	880	958	797	766	864	752	977	11,199
5	West-Midland .	243,169	504	445	477	422	418	375	395	373	339	381	388	451	4,968
6	South-Western .	1,087,731	3202	2362	2670	2554	2418	2016	2103	1982	1972	2139	2225	2490	28,133
7	South-Eastern .	425,049	1001	786	922	868	947	761	817	704	667	789	736	829	9,827
8	Southern . . .	213,179	395	345	361	366	344	336	317	299	244	322	285	350	3,964
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	32,039	61	34	49	54	44	35	31	23	22	38	35	36	462
2	Orkney . . .	32,982	61	33	65	43	38	43	37	38	29	33	21	42	483
3	Caithness . . .	43,705	54	40	60	52	49	60	49	48	41	40	35	44	572
4	Sutherland . .	23,814	34	33	43	27	41	18	31	31	17	30	30	19	354
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,578	135	120	137	132	110	103	97	76	89	74	106	104	1,283
6	Inverness . . .	80,501	172	147	148	131	110	102	105	90	97	101	89	120	1,412
	III. NORTH-EASTERN.														
7	Nairn . . .	8,515	12	11	29	21	11	16	14	16	8	7	10	16	171
8	Elgin (or Moray) .	46,518	84	61	67	66	58	65	54	43	45	48	51	70	712
9	Banff . . .	58,933	95	92	98	87	71	74	76	51	60	75	89	103	971
10	Aberdeen . . .	229,519	395	365	385	357	361	295	323	328	296	267	325	346	4,043
11	Kincardine . .	34,804	53	49	53	56	23	44	36	53	38	34	35	40	514
	IV. EAST-MIDLAND.														
12	Forfar . . .	214,949	519	426	543	464	480	410	463	366	355	399	327	413	5,165
13	Perth . . .	130,592	237	210	238	213	210	195	188	158	174	176	172	237	2,408
14	Fife	155,789	295	259	326	278	220	228	262	221	203	236	222	279	3,029
15	Kinross . . .	8,175	12	14	19	16	17	13	7	9	10	12	10	9	148
16	Clackmannan . .	19,228	44	44	46	35	40	34	38	43	24	41	21	39	449
	V. WEST-MIDLAND.														
17	Stirling . . .	90,844	209	183	204	168	169	153	151	146	127	117	111	168	1,906
18	Dumbarton . .	58,673	116	86	104	98	116	88	87	104	87	139	156	151	1,332
19	Argyll . . .	77,497	141	144	132	127	103	102	118	91	100	104	95	100	1,357
20	Bute	16,155	38	32	37	29	30	32	39	32	25	21	26	32	373
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	175,497	580	420	403	426	367	328	363	328	370	361	380	374	4,700
22	Ayr	204,739	509	388	436	375	397	302	333	339	328	337	317	385	4,446
23	Lanark . . .	707,495	2113	1554	1831	1753	1654	1386	1407	1315	1274	1441	1528	1731	18,987
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	44,332	104	93	82	78	73	51	56	60	50	63	61	69	840
25	Edinburgh . .	283,218	731	566	638	626	744	580	636	509	493	589	570	641	7,323
26	Haddington . .	38,414	68	54	70	66	51	54	47	56	45	50	34	43	638
27	Berwick . . .	36,687	61	39	78	56	45	43	51	47	42	45	32	48	587
28	Peebles . . .	11,606	15	21	16	15	10	11	10	20	18	20	12	7	175
29	Selkirk . . .	10,792	22	13	38	27	24	22	17	12	19	22	27	21	264
	VIII. SOUTHERN.														
30	Roxburgh . . .	55,278	88	66	83	93	75	84	84	76	78	83	89	84	983
31	Dumfries . . .	74,504	154	151	138	140	120	124	104	110	91	124	97	121	1,474
32	Kirkcudbright .	42,107	62	74	64	69	89	64	80	48	28	46	45	73	742
33	Wigtown . . .	41,290	91	54	76	64	60	64	49	65	47	69	54	72	765

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wauchockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23) these being numbered consecutively from 1 to 901.**

Abbey, . . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, . 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Anerum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 865
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, . 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286
East Kilbride, 643

* The actual number of Districts is 1016—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Garguunock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, . 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . . 99
Lochalsh, . 74
Lochbroom, 75
Lochearron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, . 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, . 223
Montrose, 312
Mowmusk, 224
Mouzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670
Rafford, . 140
Raasay, . 114
Rathen, . 225
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians; 488
St Peters . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skéne, . 288
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tullialan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811

FOURTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

[ABSTRACTS OF 1868.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1870.

[C.—235.] [Price 1s. 6d.—under 17 oz.]

REPORT.

TO THE

RIGHT HON^BLE. H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *December* 31, 1870.

SIR,

AT the close of the year 1868 I submitted to you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that I transmitted my Fourth Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative Tables.

The restricted trade of the year 1868 had apparently the effect of diminishing the number of Marriages during the year, so that they fell 763 in number below those of the previous year. The Births, however, were high above those of 1867; while the Deaths were at the same rate as during that year.

The facts ascertained for the year 1868 corroborate those of former years, that the numbers of Births, Deaths, and Marriages are strictly proportioned to the density of the population, so that the greater number of Births and of Marriages in the more unhealthy districts compensates for the greater mortality which prevails there.

Being desirous of ascertaining whether our population in Scotland entered into the married state at an earlier or a later period of life than in other countries, I caused some Tables to be

prepared which would throw light on that subject; and to these I desire to direct your attention, as they seem to show that a very much higher proportion of the Anglo-Saxon races marry under 25 years of age than any other nation of which we have reliable statistics.

As the Zymotic Diseases always constitute a very large proportion of the mortality, I directed some Tables to be prepared with the view of showing the ages of the persons who fall victims to them. The facts elicited merit attention, for they prove that, while these diseases are especially fatal to the young, the proportion of adults dying therefrom is very much lower than from the ordinary diseases.

So far as it has gone, the Vaccination Act may be pronounced to be a success, the mortality of Small-pox having been reduced during the year to 15 deaths—the lowest ever known in Scotland. Some interesting facts are stated in the Report regarding the prevalent mortality in Small-pox before the discovery of Vaccination, and after its adoption in Scotland in 1800; showing the great saving to human life through Vaccination, and that the extinction of the Small-pox has not apparently increased the fatality of the other epidemic diseases to which children are liable.

The state of elementary education among the people, as indicated by the number of those who were able to sign their names in writing in the Marriage Registers, appears satisfactory, seeing that 90·19 per cent. of the men, and 80·99 per cent. of the women who married in 1868 were able to sign their names in writing.

To facilitate sanitary inquiries, I have given for the first time in our Abstracts, Tables giving the full particulars as to the Ages and the Diseases of the persons who died in the Small Towns of Scotland. Heretofore these towns were included in the Rural Districts. The full particulars as to Age and Disease are therefore now given for every town in Scotland which contains above 3000 inhabitants.

I have the honour to be,

SIR,

Your faithful Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Tables of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1868 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Table of Population, estimated from excess of Births over Deaths, deducting Emigrants, with the Annual Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages,	x
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the fourteen years 1855 to 1868,	xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1868,	xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1868,	xii
Series of Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland, when it is divided into Four Groups of Districts, according to Density of Population,	xv-xvi

Births.

Births in 1868, and their Proportion to the Population, with relative Tables,	xiii
Tables showing particulars relative to the Births during each of the years 1856 to 1868 inclusive,	xii
Influence of Density of Population on the Births,	xiv
Curious Facts as to length of time elapsing from Date of Marriage to Birth of first Child,	xvii

Marriages.

Number of Marriages in 1868, and their Proportion to the Population,	xvii
Influence of Density of Population on the Marriages,	xvii
Proportion of Legitimate Children to the Marriages in Scotland and England,	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1868, and from 1855 to 1868, with relative Tables,	xix
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xx
Proportion of Men and of Women who married at each Quinquennial Period of Life in different Countries of Europe and America, compared with those of Scotland, with relative Tables,	xxii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxiii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiv

Page

DEATHS.

Number of Deaths in Scotland in 1868, and their Proportion to the Population, . . xxviii
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the years 1855 to 1868, with relative Tables, ... xxviii
Influence of Density of Population on the Death-rate, ... xxix
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1858–1868, ... xxvii
Series of Tables of the Deaths at different Ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during the year 1868, . xxx–xxxvi
Mortality of Female lower than that of the Male at about every period of life, . . xxxi
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxxv
Causes of Death in 1868, with relative Tables, ... xli
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xliii
Small-pox Deaths in Scotland for fourteen years, ... xlv
Mortality of Small-pox in Edinburgh since 1740 to the present day, showing the Influence of Vaccination on that Disease, ... xlv
Mortality of Vaccination in 1868, ... xlvi
Particulars relative to Vaccination in Scotland, with relative Tables, . . . xlvi
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xlviii
The Nineteen most fatal Diseases in England and Scotland in 1868, ... liv

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1868.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... liv
Table showing the Meteorology of Scotland during each month of the year 1868, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . liv
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1868, ... lvi
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1868, . . lvii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1868, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, ... lviii

APPENDIX TABLES.

Series of Tables giving a Summary of the Births, Deaths, and Marriages during each of the ten years 1858–1867, in the Principal Towns, the Large Towns, the Small Towns, and the Rural Districts of Scotland, and the Proportion of each of these to the Mean Population, so as to show the influence of Density of Population on the Proportion of Births, Deaths, and Marriages, ... lx

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1868, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1868, also of the Illegitimate Births, in every Registration District, 2–22
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1868, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

Page

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1868; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1868; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1868, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1868, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Deaths at different Ages in both Sexes in each of the Small Towns of Scotland, . . . 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1868, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1868, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Summary Table of the Causes of Death in both Sexes in each of the Small Towns of Scotland, whose respective Populations numbered from 3000 to 10,000 persons, . . . 72–79
Do. Males, ... 80–87
Do. Females, ... 88–95
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167

Page

Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 204–207
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 208–211
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 212–215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 216–219
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1868, in each of the Divisions and Counties of Scotland; together with the estimated Population of each Division and County to the middle of 1868, ... 220

Constitution of the Compound Districts, ... 221
Index to Districts, ... 222

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1868, to which this Report refers, cannot otherwise be specified than as one of average commercial and manufacturing prosperity. The overstocking of the markets from over-production in 1867, the bad harvest of 1867 and the consequent high prices of food, together with the general fall in price both of the raw textile materials, and of the manufactured goods, with the consequent lowering of the wages of the working classes, increased by the additional taxation for carrying on the war in Abyssinia, caused the year 1868 to open with rather gloomy prospects.

As the year 1868 advanced, trade, though restricted, became more steady; and the speedy termination of the Abyssinian Expedition, the suppression of the Fenian conspiracy, together with the splendid harvest, the redundancy of floating capital in London and Paris, and the unparalleled accumulation of the precious metals in the Banks of England and France,

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1868, and their Proportion to the Population; also the Illegitimate Births, and the Excess of Births over Deaths.

YEAR.	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	76,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751
1867	3,170,769	114,044	11,148	69,068	22,618	44,976	3·593	2·177	0·710
1868	3,188,125	115,514	11,354	69,416	21,855	46,098	3·623	2·177	0·685

allowed both the home and foreign trade steadily to improve, and the year to close with bright prospects.

The restricted trade, however, during the greater portion of the year, had the effect of discouraging marriages, so that they fell 763 in number below those of the previous year, and 1833 below those of the prosperous commercial year 1866.

The very open winter 1867–1868, followed by a summer of extreme heat and great drought, and that again by a winter of intense cold, caused

---

TABLE II.—POPULATION of SCOTLAND, estimated to the middle of each year from the excess of Births over Deaths, deducting Emigrants, and the Per-centage of Births, Deaths, and Marriages to that Population; also the Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages.

YEAR.	Estimated Population.	Yearly Increase of Population.	EMIGRANTS.	Per-centage to Population.			Annual Increase or Decrease.		
				Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1861	3,066,633	35,694	8,974	3·484	2·032	0·681	+1380	−5829	−329
1862	3,102,327	24,769	15,105	3·451	2·166	0·665	+60	+4854	−299
1863	3,127,096	20,880	16,980	3·496	2·286	0·711	+2272	+4286	+1637
1864	3,147,976	22,523	15,394	3·568	2·364	0·721	+2992	+2935	+491
1865	3,170,499	28,902	13,277	3·566	2·235	0·744	+737	−3525	+886
1866	3,199,401	29,504	12,815	3·552	2·230	0·740	+597	+457	+77
1867	3,228,905	31,578	13,398	3·532	2·138	0·700	+375	−2280	−1070
1868	3,260,483	30,559	15,439	3·543	2·129	0·670	+1470	+348	−763

TABLE III.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population of each estimated to the middle of the Year 1868.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1868.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	70,980	85,584	156,564
Mainland—Rural . }	828,852	882,865	1,711,717	848,998	913,578	1,762,576	863,600	935,843	1,799,443
Town* . . }	469,867	540,671	1,010,538	527,441	611,544	1,138,985	569,186	662,932	1,232,118
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,503,766	1,684,359	3,188,125

* The Town Districts in this Table only include Towns which have above 10,000 Inhabitants.

TABLE IV.—POPULATION of SCOTLAND when divided into Three Groups of Town and One Group of Rural Districts.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1868.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns* }	362,791	422,350	785,141	407,839	477,116	884,955	440,500	516,824	957,324
Large Towns	107,076	118,321	225,397	119,602	134,428	254,030	128,686	146,108	274,794
Small Towns	222,308	244,272	466,580	239,074	265,223	504,297	251,225	280,412	531,637
Rural Districts	683,304	728,320	1,411,624	683,333	735,679	1,419,012	683,355	741,015	1,424,370
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,503,766	1,684,359	3,188,125

* The Eight Principal Towns have each above 25,000 Inhabitants. The Large Towns have each from 10,000 to 25,000 Inhabitants. The Small Towns have each from 3,000 to 10,000 Inhabitants. The Rural Districts constitute the remainder of Scotland.

the mortality of 1868 to be as high as that of the previous year. The births, however, were 1470 in number above those of 1867.

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855–68.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4220	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5886	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	34315	54372	815	11127	11746
1867	4301	60080	49663	229	6180	4739	2583	33190	33295	829	10763	11026
1868	4302	60987	50225	260	6355	4739	2511	32184	34721	707	10458	10690

TABLE VI.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1868; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0·610	0·856
1861	2·801	3·297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0·607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0·976
1866	2·696	3·375	4·064	6·2	10·8	9·9	1·687	1·916	2·851	0·516	0·621	0·974
1867	2·735	3·348	4·073	5·3	10·2	9·5	1·635	1·849	2·739	0·527	0 599	0·904
1868	2·748	3·389	4 076	6·0	10·4	9·4	1·603	1·798	2·818	0·451	0·581	0·867

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1868, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Estimated Population, 1868.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	443,643	18607	4·194	1818	9·7	13832	3·117	3814	0·895
Edinburgh .	176,817	6610	3·755	650	9·7	4781	2·704	1765	0·998
Dundee . .	100,096	4576	4·571	534	11·6	2917	2·914	860	0·859
Aberdeen .	75,292	2916	3·872	368	12·6	2029	2·694	691	0·917
Paisley . .	47,427	1756	3·702	151	8·6	1221	2·574	394	0·830
Greenock .	48,570	2396	4·727	143	5·9	1658	3·413	433	0·891
Leith . .	38,791	1760	4·537	110	6·2	973	2·511	410	1·057
Perth . .	27,123	841	3·100	77	9·1	626	2·308	222	0·818

POPULATION.

In former Reports it was explained that the imperfections of the emigration returns prevented the number of the population of Scotland being approximatively estimated by taking as the annual increase the excess

TABLE VIII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1868, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population, estimated to the middle of the Year 1868.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent.	No.	Per-cent.	No.	Per-cent.	No.	Per-cent.
SCOTLAND		3,188,125	115514	3·623	11354	9·8	69416	2·177	21855	0·685
INSULAR DISTRICTS		156,564	4302	2·748	260	6·0	2511	1·603	707	0·451
MAINLAND-RURAL DISTS.		1,799,443	60987	3·389	6355	10·4	32184	1·788	10458	0·581
TOWN DISTRICTS		1,232,118	50225	4·076	4739	9·4	34721	2·818	10690	0·867
	DIVISIONS.									
I.	NORTHERN	132,879	3256	2·450	214	6·5	1811	1·363	553	0·416
II.	NORTH-WESTERN	161,239	4576	2·838	283	6·1	2564	1·590	707	0·432
III.	NORTH-EASTERN	380,130	12919	3·398	1981	15·3	6634	1·745	2436	0·641
IV.	EAST-MIDLAND	529,519	18610	3·514	1964	10·1	11023	2·081	3508	0·662
V.	WEST-MIDLAND	243,275	8166	3·356	626	7·6	5027	2·066	1369	0·562
VI.	SOUTH-WESTERN	1,100,447	45030	4·092	3857	8·5	28653	2·603	8566	0·778
VII.	SOUTH-EASTERN	427,623	16310	3·814	1434	8·7	9639	2·254	3526	0·824
VIII.	SOUTHERN	213,013	6647	3·120	995	14·9	4065	1·908	1190	0·558
	COUNTIES.									
1	Shetland	32,098	775	2·414	37	4·7	433	1·348	149	0·464
2	Orkney	33,076	816	2·467	39	4·7	430	1·300	154	0·465
3	Caithness	43,946	1166	2·653	101	8·6	617	1·400	170	0·387
4	Sutherland	23,759	499	2·100	37	7·4	331	1·393	80	0·336
5	Ross and Cromarty	81,442	2180	2·677	102	4·7	1123	1·378	365	0·448
6	Inverness	79,797	2396	3·003	181	7·5	1441	1·805	342	0·428
7	Nairn	8,542	241	2·821	24	10·0	123	1·410	48	0·562
8	Elgin	46,886	1415	3·018	199	14·0	705	1·503	244	0·520
9	Banff	59,399	1895	3·190	328	17·3	1008	1·697	300	0·505
10	Aberdeen	230,507	8231	3·570	1256	15·2	4271	1·852	1614	0·700
11	Kincardine	34,796	1137	3·267	174	15·3	527	1·514	230	0·661
12	Forfar	216,261	8596	3·974	1011	11·7	5156	2·384	1588	0·734
13	Perth	130,175	3747	2·878	411	10·9	2419	1·858	760	0·583
14	Fife	155,912	5338	3·424	446	8·3	2811	1·803	996	0·638
15	Kinross	8,086	208	2·572	25	12·0	127	1·570	37	0·457
16	Clackmannan	19,085	721	3·778	71	9·8	510	2·672	127	0·665
17	Stirling	91,277	3471	3·802	278	8·0	1962	2·149	593	0·649
18	Dumbarton	59,392	2190	3·687	162	7·4	1290	2·172	364	0·613
19	Argyll	76,479	2107	2·755	156	7·4	1371	1·792	334	0·436
20	Bute	16,127	398	2·468	30	7·5	404	2·505	78	0·483
21	Renfrew	176,577	7227	4·092	534	7·4	4798	2·717	1412	0·799
22	Ayr	205,647	7635	3·712	719	9·4	3796	1·846	1429	0·695
23	Lanark	718,223	30168	4·200	2604	8·6	20059	2·792	5725	0·797
24	Linlithgow	45,178	1812	4·010	141	7·7	775	1·715	285	0·630
25	Edinburgh	284,678	11205	3·936	981	8·7	7259	2·550	2676	0·940
26	Haddington	38,540	1233	3·199	106	8·6	647	1·683	241	0·625
27	Berwick	36,719	1208	3·289	140	11·6	522	1·421	181	0·492
28	Peebles	11,655	380	3·260	25	6·5	175	1·501	62	0·532
29	Selkirk	10,853	472	4·349	41	8·6	261	2·405	81	0·746
30	Roxburgh	55,527	1775	3·196	202	11·3	965	1·738	321	0·578
31	Dumfries	74,280	2374	3·196	368	15·5	1423	1·915	460	0·619
32	Kirkcudbright	42,045	1332	3·168	234	17·5	862	2·050	214	0·509
33	Wigtown	41,161	1166	2·832	191	16·3	815	1·980	195	0·473

of births over deaths, deducting emigrants. It is therefore assumed that the population is increasing during the present decade at the same ratio in which it increased during the decade 1851–1861. By this mode of estimation, the population of Scotland at the middle of 1868, would amount to 3,188,125 persons; of whom 156,564 would inhabit the Insular Districts, 1,799,443 the Mainland-Rural Districts, and 1,232,118 the Town Districts.

To show, however, how the population would look if estimated from the excess of births over deaths, deducting the ascertained emigrants, Table II. is added, which, in addition to giving the annual number of the population since 1861, according to that mode of estimation, shows the annual number of emigrants, the per-centage of births, deaths, and marriages to that estimated population, and the annual increase or decrease of births, deaths, and marriages over those of each previous year. By this latter mode of estimation the population of Scotland at the middle of 1868 would amount to 3,260,483 persons, which is assuredly a great over-estimate.

BIRTHS.

115514 Births were registered in Scotland during the year 1867, being at the high rate of 362 births in every ten thousand persons of the estimated population, or 3·62 per cent. This is the highest number and proportion of births in Scotland since the Registration Act came into operation, and is 1470 more births than were registered during the previous year.

Of these 115514 births, 4302 were registered in the Insular Districts, 60987 in the Mainland-Rural Districts, and 50225 in the Town Districts, —indicating a proportion in every ten thousand persons of 275 births in the Insular, 389 births in the Mainland-Rural, and 407 births in the Town Districts. As the relative proportion of births in these districts is much the same from year to year, it seems to prove that the births, like the deaths, are influenced by density of population, the proportion being highest where

TABLE IX.—BIRTHS in SCOTLAND, 1855–1868; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52286	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13*	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78

* Of these, one was a Quadruple Birth.

the population is most dense and the deaths are in greatest numbers, and lowest where the population is most widely scattered and the deaths are fewest.

This fact is still more strikingly illustrated by dividing the districts of Scotland into four groups, according to the size of the towns in each group of Districts. This is done in Tables IV., XII., and XIII. for the year 1868, and in Tables XIV. and XV. for the ten years 1858–1867. It will be seen that the correspondence between these two sets of Tables is extremely striking, clearly showing that births, deaths, and marriages are under a similar law of subjection to density of population, and are equally affected by it, as shall be more particularly mentioned afterwards when speaking of the deaths. As to the births, it will be seen from Table XIII. that during 1868, for every thousand persons in each of these four groups of districts, there occurred in the proportion of 41·25 births in the Principal Towns, 39·05 births in the Large Towns, 36·79 births in the Small Towns, but only 32·17 births in the Rural Districts. As these proportions for each group of districts closely correspond with those for the ten previous years, they seem clearly to demonstrate that it is a law of nature that the proportion of births is as strictly dependent on the density of the population, as it has been proved the deaths are.

In consequence of mistakes which are continually being made even by statists in official positions, when endeavouring to compare the vital statistics of the towns of Scotland with those of England, it is necessary to offer a few remarks. Statistics which, like the above, show the distinct influence of density of population on the three great events of life, viz., birth, death, and marriage, can only be correctly shown for those countries where the whole births, the whole marriages, and the whole deaths which occur

---

TABLE X.—BIRTHS, 1868. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1868; together with the Number of Twin and Triplet Births.

DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2218	2084	4302	2089	1953	4042	129	131	260	51	1
Mainland-Rural	31319	29668	60987	28040	26592	54632	3279	3076	6355	780	8
Town	25685	24540	50225	23246	22240	45486	2439	2300	4739	612	6
SCOTLAND . . .	59222	56292	115514	53375	50785	104160	5847	5507	11354	1443	15

TABLE XI.—PROPORTION OF BIRTHS, 1868. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland, its Insular, Mainland-Rural, and Town Districts in 1868.

DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·748	6·0	106·4	106·9	98·4	83	4249
Mainland-Rural	3·389	10·4	105·5	105·4	106·6	77	7524
Town	4·076	9·4	104·6	104·5	106·0	81	8266
SCOTLAND . . .	3·623	9·8	105·2	105·1	106·1	79	7602

among the people are entered on the Registers. So extremely few of these events escape registration in Scotland, that it may be said that all the births, marriages, and deaths which occur among the people are entered on the Registers. Hence, when abstracted and classified in groups according to the size of the towns, and compared with the population, it is seen that the proportion of births, of deaths, and of marriages is highest in the Principal Towns, and that this proportion regularly falls through the Large Towns, and the Small Towns, till it attains its lowest proportion in the Rural Districts.

Nothing of all this can be proved from the imperfect statistics of England, because the registration of her births and deaths is defective, and does not include all the events which occur among the population. In consequence of this, even though her towns were thrown into groups according to their density of population, they would fail to bring out results similar to those proved with regard to Scotland. From not attending to this, the most invidious comparisons are constantly being drawn, both in official reports and in public newspapers, as to the assumed greater mortality which prevails in the Scottish towns; while all the time it is the imperfect registration of the births and deaths in the English towns which is the cause of the assumed discrepancy. All such comparisons should, therefore, in future be avoided, as they only teach error, raise unnecessary presumption on the part of the English public, and propagate needless and false alarm among the inhabitants of the towns of Scotland.

The influence of density of population on the proportion of births is even markedly seen in the eight divisions into which the counties of Scotland are divided. Thus, in the North-Western Division, where there are only 23 persons to a square mile, the births in 1868 were in the proportion of 28·38 to every thousand persons; in the Southern Division, with 66 persons to a square mile, there were 31·20 births to every thousand

TABLE XII.—1868. Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland in 1868.

Four Groups of Districts.	Births.				Deaths.			Marriages.
	Males.	Females.	Total.	Illegitimate.	Males.	Females.	Total.	
Principal Towns . .	20243	19249	39492	3851	14154	13883	28037	8589
Large Towns . . .	5442	5291	10733	888	3359	3325	6684	2101
Small Towns . . .	10105	9458	19563	1836	5640	5752	11392	3469
Rural Districts . . .	23432	22294	45726	4779	11509	11794	23303	7696
Scotland	59222	56292	115514	11354	34662	34754	69416	21855

TABLE XIII.—1868. Proportion of Births, Deaths, and Marriages in each of the Four Groups of Town and Rural Districts of Scotland in 1868.

Four Groups of Districts.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	Births.			Deaths.			Marriages.		One Birth to every	One Death to every	One Marriage to every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns .	3·595	3·724	4·125	3·213	2·686	2·928	0·897	9·7	24	34	110
Large Towns . .	4·228	3·621	3·905	2·610	2·275	2·432	0·764	8·2	25	41	130
Small Towns . .	4·022	3·373	3·679	2·245	2·051	2·142	0·652	9·3	27	46	153
Rural Districts .	3·428	3·008	3·217	1·684	1·584	1·636	0·540	10·4	31	61	185
Scotland . . .	3·625	3·342	3·623	2·305	2·063	2·177	0·685	9·8	27	46	145

persons; in the North-Eastern Division, with 97 persons to a square mile, there were 33·98 births to every thousand persons; in the East-Midland Division, with 120 persons to a square mile, there were 35·14 births to every thousand persons; in the South-Eastern Division, with 219 persons to a square mile, there were 38·14 births to every thousand persons; while in the most densely peopled South-Western Division, with 441 persons to a square mile, there were no fewer than 40·92 births to every thousand persons.

Of the 115514 births, 104160 were legitimate, and 11354 illegitimate, thus showing that 9·8 per cent. of the births were illegitimate. This rate is much about the same as has been observed in the returns of former years; and, though high, it is not believed to be in excess of the rate which prevails in England, if due allowance be made for the greater number of births which are supposed to escape registration in that country, and which, between 1851 and 1861, were estimated by the Census Commissioners to amount to 36950 annually. When compared with the rate which prevails in the Continental States of which we have full statistical data, it is moderate.

Of the children born during the year, 59222 were boys, and 56292 girls, showing that 105·2 boys were born for every 100 girls. It is a somewhat remarkable fact, that Scotland, unlike every other country of which we have the full statistics, exhibits the peculiarity of having the proportion of boys in the illegitimate births higher than that of the legitimate. Thus, during 1868, while only 105·1 boys were born to every 100 girls in the legitimate births, 106·1 boys were born to 100 girls in the illegitimate.

During the year, 1443 twin births, and 15 triplet births occurred, indicating that one in every 79 mothers bare twins, and that one in every 7602 mothers bare triplets.

TABLE XIV.—1858–1867. Ten Years' Summary of the Births, Deaths, and Marriages in each of the Four Groups of Town and Rural Districts of Scotland.

Four Groups of Districts. 1858–1867.	Births—Ten Years.				Deaths—Ten Years.			Marriages Ten Years.
	Males.	Females.	Total.	Illegitimate.	Males.	Females.	Total.	
Principal Towns . .	182673	173270	355943	33927	128745	129617	258362	82700
Large Towns . . .	50941	48278	99219	8357	32061	32806	64867	20561
Small Towns . . .	96313	90849	187162	17480	55174	55774	110948	35369
Rural Districts. . .	231364	219035	450399	45574	121488	124498	245986	79820
Scotland	561291	531432	1092723	105338	337468	342695	680163	218490

TABLE XV.—1858–1867. Annual Proportion of Births, Deaths, and Marriages to the mean Population in each of the Four Groups of Town and Rural Districts of Scotland during the Ten Years 1858–1867.

Four Groups of Districts. 1858-1867.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	Births.			Deaths.			Marriages.		One Birth in every	One Death in every	One Marriage in every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns.	4·394	3·560	3·944	3·089	2·663	2·863	0·916	9·3	25	35	109
Large Towns .	4·182	3·517	3·830	2·632	2·390	2·504	0·793	8·4	26	39	126
Small Towns . .	3·979	3·379	3·663	2·279	2·074	2·171	0·692	9·3	27	46	144
Rural Districts .	3·385	2·972	3·164	1·777	1·689	1·732	0·562	10·1	31	58	178
Scotland . . .	3·836	3·261	3·533	2·306	2·108	2·199	0·706	9·6	28	45	141

Some of the Registrars have appended notes to their birth entries, which are of much interest in a medico-legal point of view, mentioning the long period which, in certain instances, elapsed between the date of the marriage and the birth of the first child. The value of these notes would have been increased had the age of the mother been given in all the cases, and in especial when she had passed the 50th year of life. Thus, one woman had been 27 years married before she bare her first child; two had been married 28 years; one had been married 29 years; one, 30½ years; one, 32 years; one, 33½ years; and one did not bear her first child till 37 years after the date of her marriage.

A female child was taken from its mother's womb twenty minutes after her death, and lived.

MARRIAGES.

21855 Marriages were registered in Scotland during the year 1868, being in the proportion of 68 marriages in every ten thousand persons of the estimated population. The number of marriages during 1868 was therefore 763, or 3·37 per cent., below those of the previous year, and 1833, or 8·33 per cent., below those of the year 1866.

As usual, the proportion of marriages was much higher in the Town than in the Rural Districts. Thus, for every ten thousand persons in each of the three groups of districts into which Scotland is divided, there were only 45 marriages in the Insular, 58 marriages in the Mainland-Rural, but 86 marriages in the Town Districts. (Tables V., VI., and VIII.)

When the districts of Scotland, however, are arranged in four groups, according to the density of population in each, it is seen that the proportion of marriages, as happens with both births and deaths, is proportioned to the density of the population, being most numerous where the greatest masses of human beings are congregated together, and fewest where the population is most scattered. Thus, for every ten thousand persons in each of the four groups, during 1868 (Tables XII. and XIII.), there occurred 89 marriages in the Principal Towns, 76 marriages in the Large Towns, 65 marriages in the Small Towns, but only 54 marriages in the Rural Districts.

Allowing for the fact, that in 1868 the number and proportion of

---

TABLE XVI.—MARRIAGES, 1868. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland
Regular Marriages.	Established Church	307	5609	3820	9736	43·42	53·63	35·74	44·55
	Free Church	287	2365	2363	5015	40·60	22·62	22·10	22·95
	United Presbyterian Church	55	1445	1744	3244	7·78	13·82	16·32	14·85
	Roman Catholic Church	19	510	1343	1872	2·69	4·88	12·56	8·57
	Episcopalian Church	–	122	345	467	–	1·16	3·23	2·13
	Other Denominations	35	386	982	1403	4·95	3·69	9·18	6·42
	Denomination not stated	3	19	36	58	0·42	0·18	0 33	0·26
	Irregular Marriages	1	2	57	60	0·14	0·02	0·53	0·27
	Total Marriages	707	10458	10690	21855	100·00	100·00	100·00	100·00

marriages fell below the average, if the above proportions be compared with those of the ten previous years (Tables XIV. and XV.), it will be seen that it is the ordinary law that the proportion of marriages in each of these groups of districts corresponds with the density of the population. Thus, during the ten years 1858–1867, for every ten thousand persons in each of the four groups, there occurred 91 marriages annually in the Principal Towns, 79 marriages in the Large Towns, 69 marriages in the Small Towns, but only 56 marriages in the Rural Districts.

The proportion of legitimate children born to each marriage during the year 1868 was much larger in Scotland than in England. Thus, to the 21855 marriages in Scotland during 1868 there were born 104160 legitimate children, giving a proportion of 4·76 children for every marriage, or 476 children for every 100 marriages. In England, during the same year, there were 176962 marriages, and 740520 legitimate children; being in the

TABLE XVII.—MARRIAGES, 1855–1868. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1868.

YEARS.	TOTAL MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·751	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·710	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·685	9736	5015	3244	1872	467	1403	58	60

TABLE XVIII.—Proportion of MARRIAGES, 1855–1868. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1868.

YEARS.	PER-CENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27

proportion of 4·18 children to every marriage, or 418 children to every 100 marriages.

Of the 21855 marriages, 9736 were contracted according to the rites of the Established Church, 5015 according to those of the Free Church, 3244 according to those of the United Presbyterians, 1872 according to those of the Romish Church, 467 according to those of the Episcopal Church, and 1403 according to the varying rites of the smaller denominations; in 58 cases the religious denomination was omitted to be stated; and in 60 instances the marriage was irregular, that is to say, was contracted without a religious ceremony, and without previous publication of the banns of marriage. (Table XVI.)

These facts indicate that 44·55 per cent. of the marriages were contracted according to the rites of the Established Church of Scotland, 22·95 per cent. according to those of the Free Church, 14·85 according to those of the United Presbyterian Church, 8·57 per cent. according to those of the Romish Church, 2·13 per cent. according to the rites of the Episcopal Church, and 6·42 per cent. according to the rites of the smaller religious denominations; while in 0·26 per cent. the religious denomination had been omitted to be stated; and in 0·27 per cent. (that is, 27 in every ten thousand marriages) the marriage was irregular.

Of the 21855 men who married, the ages of 21837 were ascertained, and of these, 1459, or 6·68 per cent., were minors, or were under 21 years of age. Of the 21855 women who married, the ages of 21823 were ascertained, and of these, 4463, or 20·45 per cent. were under 21 years of age. (Tables XXIII. and XXIV.)

It would be interesting to compare the proportion of minors who respectively marry in England and Scotland; but, unfortunately, the ages of the parties marrying in England are so imperfectly given as to render an accurate comparison impossible. Thus, of the 176962 marriages in England in 1868, the precise age of the parties was only specified in 118634 instances, and of that number, 11326 men, or 9·54 per cent. of the men, and 30132

TABLE XIX.—MARRIAGES, 1868. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	9	–	–	–	4	–	5
16—17	1	72	–	–	1	43	–	29
17—18	19	312	–	4	8	142	11	166
18—19	123	843	3	11	64	415	56	417
19—20	453	1434	3	18	203	653	247	763
20—21	863	1793	8	41	453	856	402	896
21—25	7209	7976	127	257	3467	3813	3615	3906
25—30	6801	5486	276	209	3215	2699	3310	2578
30—35	2804	1978	135	87	1327	989	1342	902
35—40	1410	991	66	41	702	428	642	522
40—45	896	511	37	22	423	229	436	260
45—50	529	269	19	7	239	111	271	151
50—55	342	105	11	4	172	44	159	57
55—60	192	32	10	2	78	9	104	21
60—65	99	11	4	–	40	5	55	6
65—70	68	–	4	–	38	–	26	–
70—75	21	1	3	–	11	–	7	1
75—80	7	–	–	–	5	–	2	–
80—85	–	–	–	–	–	–	–	–
85—90	–	–	–	–	–	–	–	–
Not stated	18	32	1	4	12	18	5	10
ALL AGES	21855	21855	707	707	10458	10458	10690	10690

women, or 25·39 per cent. of the women, were minors, or were under 21 years of age. If these numbers may be taken as showing the true proportion of minor marriages in England, they would indicate that a larger proportion of minors marries in England than in Scotland.

Since these Reports were commenced, we have been in the habit of giving a Table showing the proportion of men and of women who married annually under and above 25 years of age. We then considered, and the experience of years has proved that our ideas were correct, that the proportion in which men married under 25 years of age was the most correct test which could be applied for the purpose of ascertaining approximatively the comparative facility of procuring a livelihood in the various Divisions and Counties of Scotland. Tables XXIII. and XXIV. again bear evidence as to the general truth of this proposition. In the highland, unimproving North-Western Division only 17·55 per cent. of the men, and 46·53 per cent. of the women who married were under 25 years of age. In the active, partly agricultural, partly manufacturing North-Eastern Division, 34·27 per cent. of the men, and 54·84 per cent. of the women who married were under 25 years of age. But in the active and prosperous mining and

TABLE XX.—MARRIAGES, 1868. Per-centage of Men and Women at different Ages who contracted Marriage in 1868.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·73	0·85	2·64	2·94	12·22	4·67	12·02	12·91
20—25	36·94	19·10	37·48	37·57	44·70	42·15	44·65	44·92
25—30	31·12	39·04	30·74	30·96	25·11	29·56	25·81	24·11
30—35	12·83	19·10	12·69	12·55	9·05	12·31	9·46	8·44
35—40	6·45	9·34	6·71	6·00	4·53	5·80	4·09	4·88
40—45	4·10	5·23	4·05	4·08	2·33	3·11	2·19	2·43
45—50	2·42	2·68	2·29	2·53	1·23	0·99	1·06	1·41
50 and above	3·33	4·52	3·29	3·32	0·68	0·85	0·55	0·80
Not stated	0·08	0·14	0·11	0·05	0·15	0·56	0·17	0·10
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XXI.—MARRIAGES, 1855–1867. Number and Proportion of Men and Women, at each quinquennial period of life, who contracted marriage in Scotland during the Thirteen Years 1855–1867.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Per-centage at each Age.	Number who married at each Age.	Per-centage at each Age.
15—20 years	8152	2·92	35147	12·59
20—25	107192	38·40	127970	45·84
25—30	82241	29·46	67227	24·08
30—35	34970	12·54	24284	8·70
35—40	18635	6·67	12404	4·45
40—45	11259	4·03	6321	2·27
45—50	7079	2·53	3031	1·08
50 and above	9145	3·27	1855	0·66
Age not stated	496	0·18	930	0·33
ALL AGES	279169	100·00	279169	100·00

manufacturing South-Western Division, where no one need be idle who is willing to work, 43·56 per cent. of the men, and 60·70 per cent. of the women who married were under 25 years of age.

The same difference was strikingly illustrated in the case of Edinburgh and Glasgow. In Edinburgh, where no manufactures of any extent are carried on, only 35·57 per cent. of the men, and 54·51 per cent. of the women who married were under 25 years of age; while in the prosperous, commercial and manufacturing city of Glasgow, 42·21 per cent. of the men, and 60·06 per cent. of the women who married were under 25 years of age.

In last Report it was pointed out that when the statistics of births, deaths, and marriages for any country were carefully and fully collected, so that all the events which occurred among the population were entered on the Registers, it was found that they were under certain laws as fixed as those which regulate the motions of the heavenly bodies; and that even their very particulars recurred with a regularity truly surprising. The first and most important of these laws was pointed out to be the connection between density of population and the proportion of births, deaths, and marriages; and, with regard to marriages, the law that, notwithstanding of the excessive difference between the proportion of marriages in Town and Rural Districts, the relative proportion of persons at different ages who married remained almost the same.

TABLE XXII.—Proportions in every 100 MEN and WOMEN who married at each quinquennial period of life in different countries. Five years' average.

AGE.	Holland.	Sweden.	Belgium.	Norway.	Austria.	France.	Scotland.	England.	State of Massachusetts.	State of New York.
MEN.										
Under 20	1·66	0·04	*2·45	0·91	28·40	2·61	2.92	2·98	1·89	3·25
20—25	19·76	21·79	18·72	23·04		26·45	38·40	47·97	37·57	38·52
25—30	34·98	36·21	33·24	41·91	35·19	33·55	29·46	25·58	31·09	31·23
30—35	19·16	20·95	19·81	22·94	23·17	17·36	12·54	9·52	12·44	11·81
35—40	10·14	9·28	11·30	8·16		8·87	6·67	4·89	6·61	5·73
40—45	6·21	5·21	6·40	2·73	8·40	6·78	4·03	3·30	3·71	3·31
45—50	3·64	2·85	3·52	0·83			2·53	2·12	2·60	2·28
50 and above	4·45	3·67	4·46	0·48	4·84	4·38	3·27	3·64	4·09	3·87
Not stated	–	–	–	–	–	–	0·18	†	–	–
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00
WOMEN.										
Under 20	7·59	4·88	*12·02	6·11	21·82	20·18	12·59	14·06	21·13	28·67
20—25	28·99	32·78	29·15	38·52	30·31	37·83	45·84	49·27	44·65	44·22
25—30	32·14	31·18	27·70	33·52	25·95	21·38	24·08	19·59	19·42	15·72
30—35	14·86	16·43	14·46	14·55	14·96	9·92	8·70	7·28	6·78	5·16
35—40	7·62	7·65	7·88	5·02		4·93	4·45	3·91	3·60	2·59
40—45	4·59	4·05	4·53	1·63	5·50	3·95	2·27	2·59	2·10	1·55
45—50	2·38	1·89	2·30	0·50			1·08	1·59	0·99	0·85
50 and above	1·83	1·14	1·96	0·15	1·46	1·81	0·66	1·71	1·33	1·24
Not stated	–	–	–	–	–	–	0·33	†	–	–
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

* These are the proportions under 21 years of age,—the Belgian ages under 21 not being separately specified.
† In England 33 per cent. of the Marriages do not specify the ages of the parties. The proportions here given are deducted from those alone in which the ages of the parties were specified.

This was again strikingly illustrated during the year 1868. (Table XX.) In the Town Districts of Scotland there was the high proportion of 86 marriages in every ten thousand persons of the population; but in the Mainland-Rural Districts only the low proportion of 58 marriages in an equal population. Notwithstanding of this great diversity, it will be seen by consulting Table XX. that the proportions of men and women who married at each quinquennial period of life were almost exactly the same in these two districts. Thus, of the men who married in the Mainland-Rural Districts, 37·48 per cent. were between 20 and 25 years of age; the proportion was 37·57 in the Town Districts. In the Mainland-Rural Districts, 30·74 per cent. of the men were between 25 and 30 years; the proportion was 30·96 per cent. in the Town Districts. In the Mainland-Rural Districts, 12·69 per cent. of the men who married were between 30 and 35 years of age; the proportion was 12·55 per cent. in the Town Districts; and so forth. The proportion of the women in these two districts was equally close. Thus, in the Mainland-Rural Districts, 12·02 per cent. of the women who married were under 20 years of age; the proportion was 12·91 per cent. in the Town Districts. In the Mainland-Rural Districts, 44·65 per cent. of the women who married were between 20 and 25 years of age; the proportion was 44·92 per cent. in the Rural Districts; and so on.

The reason why the proportion in the Insular Districts does not correspond, is mainly owing to the fact that these districts are decreasing in population; that the numbers are too small to yield anything but exceptional results; and that a large proportion of the male population, unable to obtain a livelihood at home, are migratory, or engaged as seamen in the home coasting trade and fisheries.

It is interesting to compare our own Marriage statistics with those of other countries. Table XXII. has therefore been added, showing the relative proportions in which men and women at different ages contract

---

TABLE XXIII.—MARRIAGES in SCOTLAND, 1868. Number of Men and Women under and above 25 years of age; also the Numbers under 21 years, who contracted Marriage in Scotland, its Groups of Districts and Divisions, in 1868; also the Number of Marriages between Persons in different Conjugal Conditions.

1868.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND . . .	8668	12439	13169	9384	1459	4463	18609	484	1966	671
INSULAR DISTRICTS .	141	331	565	372	14	74	597	9	72	18
MAINLAND-RURAL do.	4196	5926	6250	4514	729	2113	9074	176	875	225
TOWN DISTRICTS . .	4331	6182	6554	4498	716	2276	8938	299	1019	428
1. Northern Division	137	245	415	306	20	65	485	5	51	9
2. North-Western do.	126	326	581	381	11	75	610	8	58	10
3. North-Eastern do.	835	1325	1601	1109	147	489	2128	51	199	48
4. East-Midland do.	1487	1957	2019	1546	235	625	3029	60	309	90
5. West-Midland do.	482	769	883	595	89	268	1169	22	121	38
6. South-Western do.	3729	5193	4831	3362	637	2023	7160	240	779	366
7. South-Eastern do.	1394	1963	2128	1558	226	689	3003	82	338	84
8. Southern do.	478	661	711	527	94	229	1025	16	111	26
EDINBURGH . . .	628	944	1137	820	89	321	1480	43	184	57
GLASGOW	1610	2290	2204	1524	287	850	3168	115	368	159

marriages in Holland, Sweden, Belgium, Norway, Austria, France, Scotland, England, and the States of Massachusetts and New York. These countries are arranged in the order of smallest proportion of marriages among the females under 25 years of age; for the system of military conscription in France and Austria, in particular, seriously interferes with early marriage in the men, throwing it to a later period of life. It is worthy of note, however, that whether arranged according to the proportion of the marriages of the men or of the women, they would stand in nearly the same relative positions, the marked exceptions being England, Massachusetts, and New York.

Of the men who married in Holland, Sweden, and Belgium, it is seen that the proportions under 25 years of age were nearly alike, viz. 21·42 per cent. in Holland, 21·83 per cent in Sweden, and 21·17 per cent. in Belgium. In Norway, which might have been expected to have been the same as Sweden, the proportion was higher, seeing that 23·93 per cent. of the men who married were under 25 years of age. France and Austria, two countries lying in the same parallels of latitude, and having nearly similar laws as to military conscription, have a still higher proportion, but proportions closely approximating, seeing that of the men who married, 28·40 per cent. were under 25 years of age in Austria, and 29·06 per cent. in France. It is worthy of notice that not only at this, but at each several age, the proportion of men who married at each age was closely alike in France and Austria.

Among the Anglo-Saxon race, represented in our Table by Scotland, England, and the States of Massachusetts and New York in America, the proportion of men who married when under 25 years of age was very much higher than in the Continental States of Europe. Thus, of the men who married in Massachusetts, 39·46 per cent. were under 25 years of age; in Scotland, 41·32 per cent.; in New York State, 41·77 per cent.; while in

---

TABLE XXIV.—PROPORTION of MARRIAGES in SCOTLAND in 1868. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different Conjugal Conditions.

1868.	Per-centage who Married				Per-centage under 21 years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.							
	Men.	Women	Men.	Women	Men.	Women	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
SCOTLAND . . .	39·69	57·00	60·31	43·00	6·68	20·45	85·64	2·22	9·05	3·09
INSULAR DISTRICTS .	19·97	47·08	80·03	52·92	1·98	10·52	85·78	1·30	10·34	2·58
MAINLAND-RURAL do.	40·17	56·76	59·83	43·24	6·98	20·24	87·68	1·76	8·45	2·17
TOWN DISTRICTS . .	40·53	57·88	59·47	42·12	6·70	21·31	83·66	2·80	9·54	4·00
1. Northern Division	24·82	44·46	75·18	55·54	3·62	11·81	88·18	0·91	9·27	1·64
2. North-Western do.	17·55	46·53	82·45	53·47	1·55	10·61	88·92	1·17	8·46	1·45
3. North-Eastern do.	34·27	54·84	65·73	45·16	6·07	20·09	87·71	2·10	8·21	1·98
4. East-Midland do.	42·41	55·89	57·59	44·11	6·70	17·84	86·84	1·72	8·85	2·59
5. West-Midland do.	35·31	56·38	64·71	43·62	6·52	19·65	86·59	1·63	8·96	2·82
6. South-Western do.	43·56	60·70	56·44	39·30	7·44	23·65	83·79	2·81	9·12	4·28
7. South-Eastern do.	39·58	55·75	60·42	44·25	6·41	19·57	85·63	2·34	9·63	2·40
8. Southern do.	40·21	55·64	59·79	44·36	7·90	19·28	87·02	1·35	9·42	2·21
EDINBURGH . .	35·57	53·51	64·43	46·49	5·04	18·20	83·90	2·43	10·44	3·23
GLASGOW . . .	42·21	60·06	57·79	39·94	7·52	22·29	83·15	3·02	9·66	4·17

England 50·95 per cent. of the men who married were under 25 years of age.

It is singular to find that Scotland, with its low proportion of 70 marriages annually in every ten thousand persons, should have the same proportion of men marrying under 25 years of age as Massachusetts, with its high proportion of 106 marriages in every ten thousand persons, and as New York, whose exact proportion is unknown, but supposed to be equal to that of Massachusetts. It is, however, still more singular that in England, which has 82 marriages annually to every ten thousand persons (a proportion which closely corresponds with that in France, Austria, Belgium, Holland, and Norway), the proportion of men under 25 years of age who married annually was nearly 30 per cent. higher than in Holland, Sweden, and Belgium; 27 per cent. higher than in Norway; nearly 22 per cent. higher than in France and Austria; 11 per cent. higher than in Massachusetts; and 9 per cent. higher than in New York State and Scotland. This striking fact of the earlier age of marriage of the men of the Anglo-Saxon race, seems not to have been previously noticed by writers on vital statistics; and even they have always assumed it as a proved fact, that the young men of the United States married at an earlier age than those of England, whereas the contrary is now proved to be the case, if the English and the American statistics are to be trusted.

As women are not liable to military conscription, nor to be drafted into the navy or to merchant shipping, it might have been expected that the proportions in which they married at the several quinquennial periods of life would have been much more uniform than those of the men, in the several countries of Europe and America. The above Table (XXII.), however, proves that the proportions at different ages in which women marry in the several countries vary as much as do those of the men; for while in Holland, which is at the bottom of the scale, only 36·58 per cent. of the women who married annually were under 25 years of age; in New York, which is at the head of the scale, 72·89 per cent. were under that age. In fact, that Table proves that, within certain limits, the proportions of women marrying at each period of life, bear a certain relation to the proportion of men who marry at the same ages.

TABLE XXV.—MARRIAGES in SCOTLAND, 1855–1868. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671

It was shown above, that of the men who married annually, the lowest proportion under 25 years of age occurred in the kingdoms of Holland, Sweden, and Belgium. These were the countries which furnished also the lowest proportion of marriages among women at that age. Thus, of the women who married annually, 36·58 per cent. were under 25 years of age in Holland, 37·66 per cent. in Sweden, and 47·17 per cent. in Belgium. After these countries (just as with the men) came Norway, in which 44·63 per cent. of the women who married annually were under 25 years of age.

Austria and France follow next in order, just as they did with the marriages of the men; and the proportion of the marriages of the women under 25 years of age was high above that of the women at the same ages in Holland, Sweden, Belgium, and Norway. Thus, of the women who married annually in Austria, 52·13 per cent. were under 25 years of age, while 58·01 per cent. were under that age, in France.

In the countries, however, inhabited by the Anglo-Saxon race, the proportion of women under 25 years of age who married annually, was higher than in all the above kingdoms of Europe. Thus, in Scotland, 58·43 per cent. of the women who married annually were under 25 years of age. In England the proportion was still higher, viz., 63·33 per cent.; in Massachusetts higher still, viz., 65·78 per cent.; while in New York State, of the women who married annually, the very high proportion of 72·89 per cent. were under 25 years of age.

But that Table seems to throw light on another question relative to our race, viz., the influence of climate, and in particular of heat, in forwarding the age at which the female arrives at maturity, and the influence of cold in retarding that period. If we arranged the countries named in the above Table in the order of mean temperature, beginning with the coldest, they would arrange themselves in the order of Norway, Sweden, Holland, Belgium, Scotland, England, and, as nearly the same mean temperatures, France, Austria, Massachusetts, and New York. If we regard the comparative early maturity of the female in each of these countries to be represented by the proportion of marriages under 20 years of age, then the females would arrive at maturity in these countries in the exact order as indicated by mean temperature, the maturity of the female being most

TABLE XXVI.—MARRIAGES in SCOTLAND, 1855–1868. Proportions.

YEARS.	Per-centage who Married under 21 years.		Per-centage who Married				Per-centage who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09

retarded in the cold northern country of Sweden, and most forwarded in the warmer countries of France, Austria, Massachusetts, and New York. Thus, in the coldest of these countries, viz., Sweden (for its winters are not

TABLE XXVII.—Per-centage of Persons signing the Marriage Register in Writing or by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1868.

		Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Widowers in every 100 Men who married.	Widows in every 100 Women who married.
SCOTLAND		90·19	80·99	9·81	19·01	6·68	20·45	12·13	5·31
INSULAR DISTRICTS		74·82	59·26	25·18	40·74	1·98	10·52	12·93	3·88
MAINLAND-RURAL DISTRICTS		92·63	86·54	7·37	13·46	6·98	20·24	10·62	3·87
TOWN DISTRICTS		88·82	77·00	11·18	23·00	6·70	21·31	13·54	6·80
	DIVISIONS.								
I.	NORTHERN	93·85	85·35	6·15	14·65	3·62	11·81	10·91	2·54
II.	NORTH-WESTERN	67·75	51·07	32·25	48·93	1·55	10·61	9·91	2·62
III.	NORTH-EASTERN	97·58	93·02	2·42	6·98	6·07	20·09	10·18	4·08
IV.	EAST-MIDLAND	95·52	87·23	4·48	12·77	6·70	17·84	11·44	4·30
V.	WEST-MIDLAND	87·07	79·98	12·93	20·02	6·52	19·65	11·77	4·44
VI.	SOUTH-WESTERN	85·75	71·99	14·25	28·01	7·44	23·65	13·40	7·09
VII.	SOUTH-EASTERN	93·81	88·88	6·19	11·12	6·41	19·57	12·03	4·73
VIII.	SOUTHERN	95·79	94·45	4·21	5·55	7·90	19·28	11·63	3·56
	COUNTIES.								
1	Shetland	89·26	69·12	10·74	30·88	2·70	11·49	12·16	1·35
2	Orkney	98·70	96·10	1·30	3·90	5·18	14·28	12·98	0·00
3	Caithness	93·53	92·35	6·47	7·65	3·53	11·76	9·46	2·95
4	Sutherland	93·75	80·00	6·25	20·00	2·50	7·50	7·59	1·26
5	Ross and Cromarty	60·54	43·56	39·46	56·44	0·82	9·04	11·75	3·15
6	Inverness	75·45	59·06	24·55	40·94	2·33	11·11	8·00	2·08
7	Nairn	87·50	77·08	12·50	22·92	4·16	20·83	12·50	4·16
8	Elgin	95·08	89·75	4·92	10·25	4·50	18·44	10·00	4·58
9	Banff	97·33	93·00	2·67	7·00	3·33	17·00	8·09	1·67
10	Aberdeen	98·31	93·87	1·69	6·13	6·81	20·50	10·07	4·41
11	Kincardine	97·39	93·48	2·61	6·56	6·08	22·17	13·47	4·34
12	Forfar	94·07	79·49	5·93	20·51	7·62	19·84	12·65	5·60
13	Perth	96·44	93·68	3·56	6·32	3·42	15·65	9·41	3·05
14	Fife	97·19	93·67	2·81	6·33	7·83	16·11	10·89	3·56
15	Kinross	100·00	100·00	0·00	0·00	5·40	18·91	10·81	2·70
16	Clackmannan	93·70	91·33	6·30	8·67	6·35	19·04	11·81	1·57
17	Stirling	86·00	82·12	14·00	17·88	8·79	24·56	10·25	4·10
18	Dumbarton	84·06	72·53	15·94	27·47	8·79	20·60	13·29	4·43
19	Argyll	90·12	82·63	9·88	17·37	1·20	13·03	11·01	5·20
20	Bute	96·15	87·18	3·85	12·82	1·28	6·41	19·48	3·89
21	Renfrew	83·85	70·89	16·15	29·11	4·39	21·00	13·12	6·91
22	Ayr	88·31	76·84	11·69	23·16	10·15	25·91	13·31	7·77
23	Lanark	85·59	75·10	14·41	24·90	7·51	23·72	13·48	6·96
24	Linlithgow	86·66	77·89	13·34	22·11	14·38	30·87	8·02	4·74
25	Edinburgh	94·39	89·95	5·61	10·05	5·94	19·00	12·77	5·28
26	Haddington	89·62	85·06	10·38	14·94	4·56	16·59	13·33	2·91
27	Berwick	97·79	98·89	2·21	1·11	4·42	13·25	8·33	1·66
28	Peebles	98·38	100·00	1·62	0·00	6·45	24·19	11·29	0·00
29	Selkirk	100·00	100·00	0·00	0·00	3·70	17·28	6·17	2·47
30	Roxburgh	97·82	97·19	2·18	2·81	6·23	20·87	10·03	3·13
31	Dumfries	96·30	95·43	3·70	4·57	10·02	18·51	11·26	2·65
32	Kirkcudbright	96·26	92·52	3·74	7·48	5·60	17·76	10·42	5·21
33	Wigtown	90·77	89·74	9·23	10·26	8·20	20·00	16·41	4·61
*	EDINBURGH	94·73	90·42	5·27	9·58	5·04	18·20	13·66	5·67
*	GLASGOW	83·98	68·11	16·02	31·89	7·52	22·29	15·93	7·12

tempered, like those of Norway, by the south-west winds which play over it during the months of November, December, and January), only 4·88 per cent. of the women who married were under 20 years of age. In Norway, a slightly warmer country, 6·11 per cent. of the women who married were under 20 years of age. In the still milder country of Holland, 7·59 per cent. of the women who married were under 20 years of age. In Belgium, which is still more temperate, about 8 per cent. of the women who married were under 20 years; for, unfortunately, the statistical tables only indicate in a slump sum the total numbers marrying under 21 years. In Scotland, the next mildest climate, 12·59 per cent. of the women who married were under 20 years of age; while in England, whose mean temperature is still milder, 14·06 per cent. of the women who married were under 20 years of age. The mean temperature of France, Austria, Massachusetts, and New York is considerably above that of England; and the proportion of women under 20 years who marry annually, is accordingly considerably higher. Thus, of the women who married in France, 20·18 per cent. were under 20 years of age; in Austria, 21·82 per cent.; in Massachusetts, 21·13 per cent., and in New York 28·67 per cent. It is thus seen that the facts which that Table brings to light strongly corroborate the opinion which has been entertained, that cold retards and heat developes the early maturity of the female; and, taken in connection with facts which have been gathered from other sources, may be regarded as establishing this as a proved fact in vital statistics.

Of the 21855 marriages in Scotland, the conjugal or civil condition of the parties previous to their marriage was ascertained in 21730 cases. Of these 21730 marriages, 18609 were between bachelors and spinsters; 484 were between bachelors and widows; 1966 between widowers and spinsters; and 671 between widowers and widows. (Tables XXV., XXVI.) These numbers indicate that 85·64 per cent. of the marriages were between bachelors and spinsters; 2·22 per cent. between bachelors and widows; 9·05 per cent. between widowers and spinsters; and 3·09 per cent. between widowers and widows.

The last two columns of Table XXVII. show the proportions of widowers and widows who re-married in 1868 in Scotland, its Divisions and Counties. By that Table it appears that 12·13 per cent. of the men who married during that year were widowers; while 5·31 per cent. of the women who married were widows.

By consulting the last four columns of Table XXVI. it will be seen that the relative proportion of marriages between persons in different conjugal conditions, varies very little from year to year; so that, during the last fourteen years, the proportion in which bachelors marry spinsters or widows, or widowers marry spinsters or widows, repeats itself with a regularity as unfailing as that of the ages at which the parties marry. All this is evidently in obedience to fixed laws imprinted on our species, as unvarying as those which regulate the motions of the planets around us.

During 1868 the state of elementary education among the people, in so far as such is indicated by the ability to write their names in the Marriage Registers, was a slight improvement on former years. (Tables XXV., XXVI., and XXVII.) Thus, of the 21855 men who married during the year, 19712, being 90·19 per cent., signed their names in writing; while 2143, or 9·81 per cent., not being able to write, signed by mark. Of the 21855 women who married during the year, 17701, being 80·99 per cent., signed their names in writing; while 4154, being 19·01 per cent., not being able to write, signed by mark. (Table XXVII.)

In England, during the same year, 79·9 per cent. of the men, and 72·2 per cent. of the women signed their names in writing in the Marriage Registers; while 20·1 per cent. of the men, and 27·8 per cent. of the women, not being able to write, signed by mark. By this test, therefore, elementary education is much more advanced among the people of Scotland than among those of England.

DEATHS.

69416 Deaths were registered in Scotland during the year 1868, being at the rate of 21·77 deaths in every thousand of the estimated population. This was the same proportion as that of the previous year, and the merest fraction below the mean of the ten previous years.

In England, during the same year, the deaths were in the proportion of 22·20 deaths in every thousand persons of the estimated population; a proportion higher than that of Scotland, but also a fraction below its own mean of the ten previous years.

When Scotland was divided into three groups, it was found that the smallest proportion of deaths occurred in the Insular, and the highest pro-

TABLE XXVIII.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1868, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372
1867	34363	34705	69068	1233	1350	2583	16589	16601	33190	16541	16754	33295
1868	34662	34754	69416	1156	1355	2511	15993	16191	32184	17513	17208	34721

TABLE XXIX.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1868, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1 828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851
1867	2·296	2·072	2·177	1·728	1·573	1·643	1·925	1·778	1·849	2·936	2·554	2·730
1868	2·305	2·063	2·177	1·628	1·583	1·603	1·852	1·730	1·788	3·077	2·596	2·818

portion in the Town Districts. Thus, in every thousand persons in each district, it was found that during 1868 there occurred in the proportion of 16·03 deaths in the Insular, 17·88 deaths in the Mainland-Rural, but 28·18 deaths in the Town Districts.

It throws much more light, however, on the causes which increase the mortality of our race, if we divide Scotland into four groups of districts according to the sizes of the towns in each. When this is done, it is found that, apparently irrespective of every other influence, the proportion of deaths in each group exactly follows the increasing density of the population. Having every reason to believe that few events escape registration, reliance may be placed in the general accuracy of the facts stated, and the consequent truth of the conclusions deduced; and this is further evidenced by finding that in each of these groups of districts the births, deaths, and marriages are seen to be all subject to that same law of density of population.

When Tables XII. and XIII. are consulted, it will be seen that in every thousand persons in each of the four groups of districts, there occurred 29·28 deaths in the Principal Towns; 24·32 deaths in the Large Towns; 21·42 deaths in the Small Towns; but only 16·36 deaths in the Rural Districts. In every case the death-rate corresponded to the density of population; and that this is not a casual case occurring during one year, but is the regular law of death in Scotland, the facts brought to light by Tables XIV. and XV. fully prove.

By these Tables it will be seen that, taking the deaths which occurred in each of these four groups of districts during a period of ten years, viz. 1858–1867, in every thousand persons in each of these groups of districts, there occurred annually 28·63 deaths in the Principal Towns; 25·04 deaths in the Large Towns; 21·71 deaths in the Small Towns; but only 17·32 deaths in the Rural Districts. Density of population, therefore, increases the Deaths; and the proportion of increase is proportioned to the increased density.

TABLE XXX.—TOWN DEATHS, 1858–1868. Number of Deaths Annually in each of the Eight Principal Towns of Scotland.

TOWNS.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.
Glasgow . . .	11472	10832	12436	10936	11565	13329	13674	13914	12829	12578	13832
Edinburgh . . .	4190	3703	4240	4168	4760	4593	4678	4858	4813	4765	4781
Dundee	2335	2269	2903	2499	2599	2714	3105	3000	3130	2952	2917
Aberdeen . . .	1619	1676	2193	1780	1923	1750	2139	1981	2324	1824	2029
Paisley	1276	1185	1378	1207	1253	1218	1521	1410	1345	1335	1221
Greenock . . .	1088	1423	1255	1113	1370	1876	1929	1675	1488	1433	1658
Leith	790	699	987	766	872	913	928	948	924	1064	973
Perth	665	560	664	665	618	652	871	729	613	569	626

TABLE XXXI.—TOWN DEATHS, 1858–1868. Annual Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1858–1868.

TOWNS.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	Mean Annual Mortality.	1868.
Glasgow .	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	2·98	2·87	3·032	3·117
Edinburgh	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·75	2·70	2·591	2·704
Dundee .	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	3·20	2·98	2·916	2·914
Aberdeen	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	3·11	2·42	2·584	2·694
Paisley .	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·81	2·761	2·574
Greenock	2·50	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·10	2·99	3·232	3·413
Leith .	2 26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·43	2·77	2·418	2·511
Perth . .	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·28	2·10	2·537	2·308

Facts like these can only be shown correctly in large masses, as is well known to every writer on vital statistics; and, accordingly, when the component parts of any of these districts are examined, local causes will be found interposing, which somewhat modify the influence of the law just referred to. Thus, a more insalubrious and damper site, a greater amount of over-crowding of the inhabitants, a virulent epidemic, or a strike with its privations and miseries, will often cause a small town to exhibit a higher death-rate than a much larger one. Greenock has for years been a notable example of this; for though it has a population only about one-ninth of that of Glasgow, its death-rate has been higher.

The death-rate in each of the Eight Principal Towns of Scotland was very various during 1868. Thus, for every thousand persons in each town, there occurred in the proportion of 23·08 deaths in Perth; 25·11 deaths in Leith; 25·74 in Paisley; 26·94 in Aberdeen; 27·04 in Edinburgh; 29·14 in Dundee; 31·17 in Glasgow; and 34·13 in Greenock.

Of the 69416 persons who died during the year, 34662 were males, and 34754 females; from which it appears that for every thousand of each sex there died in the proportion of 23·05 males, but only 20·63 females; so that the female mortality was considerably below that of the males. The male mortality in Scotland is constantly higher than that of the female, for if we take the average of the previous thirteen years, it is seen that 22·6 males died annually in every thousand males, but only 20·6 females in every thousand of that sex. This, with the constant greater emigration of the males, accounts for the increasing proportion of females in the population of Scotland. Thus, at the census of 1851, there were 110 females for every 100 males; but at the census of 1861, there were 111·2 females for every 100 males; and we shall probably find in 1871 that the proportion of females is still higher.

TABLE XXXII.—DEATHS at different AGES, and Proportion at each Age to the Total Deaths in all SCOTLAND and its Three Groups of Districts, during the Ten Years 1855–1864; also the proportions during the Year 1868.

AGES.	TEN YEARS 1855–1864.								PER CENTAGE AT EACH AGE TO TOTAL DEATH. YEAR 1868.			
	SCOTLAND.		INSULAR.		MAINLAND-RURAL.		TOWN.					
	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
Under 5	250143	38·42	6817	26·14	105656	33·03	137670	45·09	37·97	20·75	32·82	43·99
5–10	33557	5·16	875	3·36	16553	5·17	16129	5·27	4·95	2·95	4·63	5 39
10–15	16454	2·53	552	2·12	9152	2·86	6740	2·26	2·63	2·47	2·79	2 51
15–20	21496	3·31	861	3·30	11262	3·52	9373	3 07	3·23	3·15	3·44	3·02
20–30	46753	7·12	2033	7·79	22691	7·09	22029	7·20	7·18	7·56	7·01	7·30
30–40	39879	6·12	1449	5·56	17977	5·62	20453	6·70	6·26	5·22	5·71	6·85
40–50	38767	5·96	1362	5·22	17279	5·42	20126	6·59	6·17	5·62	5·53	6·80
50–60	42438	6·52	1736	6·65	20608	6·44	20094	6·58	6·89	7·01	6·78	7·00
60–70	54591	8·38	2601	9·98	29625	9·25	22365	7·32	8·95	12·06	10·17	7·59
70–80	60755	9·33	3662	14·04	37558	11·74	19535	6·40	9·13	16·52	11·73	6·19
80–90	38394	5·91	3076	11·80	26128	8·16	9190	3·01	5·55	12·43	7·94	2·85
90–100	6556	1·00	805	3·08	4490	1·40	1271	0·41	0·95	3·31	1·29	0·45
100 & above	354	0·06	75	0·29	209	0·06	70	0·02	0·05	0·43	0·06	0·02
Not stated	1158	0·18	176	0·67	750	0·24	232	0·08	0·09	0·52	0·10	0·04
TOTAL .	651295	100·00	26080	100·00	319938	100·00	305277	100·00	100·00	100·00	100·00	100·00

A reference to Table XXXIII. will show that at every year of life, excepting during the fourth year, and between 10 and 15 years of age, males were cut off at a higher rate than females. Even during the first year of life this greater mortality of the male was manifested; for of every thousand of each sex at that age, 157 boys died, but only 130 girls. Of all

TABLE XXXIII.—SCOTLAND, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION 1868.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females	Males.	Females.
Under 1 Year	47,865	46,437	7527	6073	15·725	13·077
— 2	43,695	42,586	3158	2971	7·227	6·974
— 3	44,032	42,922	1549	1472	3·517	3·429
— 4	42,544	41,856	1036	1048	2·411	2·503
— 5	41,844	40,550	779	742	1·861	1·830
Total under 5 Years	219,980	214,351	14049	12306	6·386	5·741
5—10	190,947	186,554	1757	1674	0·920	0·897
10—15	170,982	164,321	878	952	0·513	0·578
15—20	155,986	164,113	1130	1107	0·724	0·674
20—30	238,782	298,063	2475	2508	1·036	0·841
30—40	176,502	216,795	2088	2261	1·183	1·043
40—50	141,908	169,014	2205	2078	1·553	1·229
50—60	103,221	124,442	2438	2347	2·361	1·886
60—70	67,450	89,822	3044	3166	4·513	3·536
70—80	29,388	42,566	2804	3536	9·541	8·307
80—90	7,974	13,038	1517	2338	19·024	17·932
90—100	617	1,222	228	430	36·953	35·188
100 and above	29	58	11	27	37·931	46·551
Not stated	–	–	38	24	–	–
ALL AGES	1,503,766	1,684,359	34662	34754	2·305	2·063
BOTH SEXES	3,188,125		69416		2·177	

TABLE XXXIV.—INSULAR DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,928	1,845	168	144	8·713	7·804
— 2	1,861	1,831	47	41	2·525	2·238
— 3	1,963	1,965	27	27	1·375	1·372
— 4	1,919	1,858	20	19	1·042	1·022
— 5	2,001	1,903	18	10	0·899	0·525
Total under 5 Years	9,672	9,402	280	241	2·895	2·563
5—10	9,169	9,019	39	35	0·425	0·388
10—15	8,410	8,247	27	35	0·321	0·424
15—20	7,279	8,119	38	41	0·522	0·505
20—30	9,900	14,134	109	81	1·101	0·573
30—40	7,381	10,740	64	67	0·867	0·624
40—50	6,193	8,572	60	81	0·968	0·945
50—60	5,392	6,886	82	94	1·520	1·365
60—70	4,486	5,940	129	174	2·876	2·912
70—80	2,234	3,076	166	249	7·430	8·095
80—90	779	1,278	122	190	15·661	14·866
90—100	82	152	26	57	31·707	37·500
100 and above	3	19	3	8	100·000	42·105
Not stated	–	–	11	2	–	–
ALL AGES	70,980	85,584	1156	1355	1·628	1·583
BOTH SEXES	156,564		2511		1·603	

under 5 years of age in every thousand of each sex, 63·86 boys died, but only 57·41 girls. From 20 to 30 years of age, 10·36 men died, but only 8·41 women. From 40 to 50 years of age, 15·63 men died in every thousand, but only 12·29 women. Even between 60 and 70 years of age, in every

---

TABLE XXXV.—MAINLAND-RURAL DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,469	25,746	3217	2643	12·153	10·265
— 2	25,045	24,355	1139	1065	4·547	4·372
— 3	25,320	24,683	546	548	2·156	2·220
— 4	24,836	24,160	406	408	1·634	1·688
— 5	24,530	23,727	281	308	1·145	1·298
Total under 5 Years	126,200	122,671	5589	4972	4·429	4·053
5—10	113,153	109,537	754	735	0·666	0·671
10—15	102,239	97,044	438	461	0·428	0·475
15—20	90,359	89,507	571	537	0·632	0·599
20—30	127,072	151,808	1148	1109	0·903	0·730
30—40	95,376	113,699	893	945	0·936	0·831
40—50	79,590	91,703	909	871	1·142	0·949
50—60	61,232	70,157	1117	1062	1·822	1·513
60—70	42,386	53,039	1617	1655	3·803	3·120
70—80	19,869	27,050	1711	2064	8·611	7·630
80—90	5,666	8,785	1074	1480	18·955	16·846
90—100	435	811	149	268	34·253	33·045
100 and above	23	32	7	14	30·435	43·750
Not stated	–	–	16	18	–	–
ALL AGES	863,600	935,843	15993	16191	1·852	1·730
BOTH SEXES	1,799,443		32184		1·788	

TABLE XXXVI.—TOWN DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,468	18,846	4142	3286	21·275	17·436
— 2	16,789	16,400	1972	1865	11·745	11·372
— 3	16,749	16,274	976	897	5·827	5·512
— 4	15,789	15,838	610	621	3·863	3·921
— 5	15,313	14,920	480	424	3·134	2·835
Total under 5 Years	84,108	82,278	8180	7093	9·725	8·499
5—10	68,625	67,998	964	904	1·404	1·329
10—15	60,333	59,030	413	456	0·684	0·772
15—20	58,348	66,487	521	529	0·893	0·795
20—30	101,810	132,121	1218	1318	1·098	0·998
30—40	73,745	92,356	1131	1249	1·533	1·352
40—50	56,125	68,739	1236	1126	2·202	1·637
50—60	36,597	47,399	1239	1191	3·385	2·513
60—70	20,578	30,843	1298	1337	6·307	4·361
70—80	7,285	12,440	927	1223	12·724	9·831
80—90	1,529	2,975	321	668	20·994	22·453
90—100	100	259	53	105	53·000	40·544
100 and above	3	7	1	5	33·333	71·428
Not stated	–	–	11	4	–	–
ALL AGES	569,186	662,932	17513	17208	3·077	2·596
BOTH SEXES	1,232,118		34721		2·818	

thousand of each sex, there died 45·15 males, but only 35·36 females; and at the extreme ages between 80 and 90 years, 190·24 males died, but only 179·32 females.

To compensate for this greater waste of male life at all ages, we have

TABLE XXXVII.—GLASGOW, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,678	7,275	1740	1387	22·662	19·066
— 2	6,267	6,165	945	873	15·078	14·160
— 3	6,048	6,002	479	439	7·919	7·314
— 4	5,658	5,737	294	291	5·196	5·072
— 5	5,462	5,295	235	207	4·302	3·909
Total under 5 Years	31,113	30,474	3693	3197	11·869	10·490
5—10	23,764	23,590	415	419	1·746	1·776
10—15	20,806	20,460	177	192	0·850	0·938
15—20	21,925	24,477	202	199	0·921	0·813
20—30	40,600	50,532	486	518	1·197	1·025
30—40	28,416	34,009	415	528	1·460	1·552
40—50	20,736	24,095	505	422	2·435	1·751
50—60	12,195	15,310	445	442	3·649	2·885
60—70	6,173	9,140	406	408	6·577	4·464
70—80	1,693	3,112	221	291	13·053	9·351
80—90	315	626	60	147	19·047	23·482
90—100	20	59	12	26	60·000	44·067
100 and above	–	3	–	3	–	100·000
Not stated	–	–	2	1	–	–
ALL AGES	207,756	235,887	7039	6793	3·388	2·879
BOTH SEXES	443,643		13,832		3·117	

TABLE XXXVIII.—EDINBURGH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,309	2,421	480	390	20·788	16·108
— 2	2,075	2,079	194	200	9·349	9·620
— 3	2,046	1,985	106	105	5·180	5·289
— 4	1,917	1,973	58	72	3·025	3·649
— 5	2,004	1,828	80	50	3·992	2·734
Total under 5 Years	10,351	10,286	918	817	8·868	7·942
5—10	9,004	8,855	143	102	1·588	1·152
10—15	8,252	8,051	54	67	0·654	0·832
15—20	8,299	10,115	73	57	0·879	0·563
20—30	15,024	20,166	209	179	1·391	0·887
30—40	10,194	13,871	197	149	1·932	1·074
40—50	7,733	10,752	205	170	2·651	1·581
50—60	5,317	7,860	186	184	3·499	2·341
60—70	3,206	5,297	216	254	6·737	4·795
70—80	1,246	2,168	157	233	12·600	10·747
80—90	230	484	52	124	22·608	25·619
90—100	14	41	13	22	92·857	53·658
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	78,870	97,947	2423	2359	3·072	2·407
BOTH SEXES	176,817		4781		2·704	

seen that year after year there are born 105 boys for every 100 girls; but the mortality among the boys is so much higher in early life, that by the time the eighteenth year is attained the numbers of the sexes are equalized, so that if all were to remain in this country, and to marry at that age, there would be exactly one man to every woman. These facts would seem to

TABLE XXXIX.—DUNDEE, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,599	1,516	411	349	25·703	22·427
— 2	1,246	1,294	156	172	12·520	13·222
— 3	1,402	1,280	69	58	4·921	4·531
— 4	1,217	1,234	46	31	3·779	2·512
— 5	1,176	1,235	30	19	2·551	1·538
Total under 5 Years	6,641	6,559	712	620	10·721	9·452
5—10	5,517	5,635	51	51	0·924	0·905
10—15	4,780	4,862	26	32	0·543	0·658
15—20	4,348	5,964	29	40	0·667	0·670
20—30	7,255	12,367	82	114	1·130	0·921
30—40	5,421	8,096	97	136	1·789	1·679
40—50	4,147	5,834	92	123	2·218	2·108
50—60	3,085	4,038	125	112	4·051	2·773
60—70	1,522	2,375	117	122	7·687	5·137
70—80	502	834	68	101	13·545	12·110
80—90	86	196	16	35	18·604	17·857
90—100	12	19	3	11	25·000	57·894
100 and above	1	–	1	–	100·000	–
Not stated	–	–	1	–	–	–
ALL AGES	43,317	56,779	1420	1497	3·208	2·636
BOTH SEXES	100,096		2917		2·914	

TABLE XL.—ABERDEEN, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,053	1,006	235	205	22·317	19·089
— 2	947	890	92	77	9·715	8·651
— 3	967	942	49	47	5·067	4·989
— 4	920	905	26	35	2·824	3·867
— 5	899	847	16	20	1·779	2·361
Total under 5 Years	4,786	4,590	418	384	8·734	8·366
5—10	4,319	4,135	42	36	0·972	0·870
10—15	3,907	3,990	22	23	0·563	0·576
15—20	3,381	3,872	38	33	1·121	0·852
20—30	5,026	7,544	58	81	1·154	1·073
30—40	3,742	5,728	63	63	1·683	1·099
40—50	3,229	4,576	56	61	1·734	1·333
50—60	2,483	3,580	72	82	2·900	2·290
60—70	1,467	2,537	91	104	6·203	4·099
70—80	626	1,224	78	102	12·460	8·333
80—90	157	351	32	69	20·375	19·658
90—100	11	31	7	11	63·636	35·483
100 and above	–	1	–	1	–	100·000
Not stated	–	–	2	–	–	–
ALL AGES	33,134	42,158	979	1050	2·955	2·490
BOTH SEXES	75,292		2029		2·694	

prove that monogamy and not polygamy was intended by nature to be the condition of man's social existence.

It has often been asserted, and is still believed by many to be a fact, that although children die in the Towns at a much more rapid rate than they do in the Rural Districts, a town residence does not shorten the lives of

TABLE XLI.—PAISLEY, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	127	95	16·179	12·171
— 2	680	659	48	33	7·058	5·007
— 3	724	642	40	28	5·524	4·361
— 4	652	643	25	27	3·834	4·261
— 5	621	581	11	14	1·771	2·409
Total under 5 Years	3,462	3,305	251	197	7·250	5·963
5—10	2,759	2,872	38	38	1·377	1·323
10—15	2,438	2,409	14	18	0·574	0·747
15—20	2,130	2,598	27	33	1·268	1·274
20—30	3,497	4,690	35	58	1·000	1·236
30—40	2,630	3,293	33	39	1·254	1·184
40—50	2,134	2,520	43	46	2·015	1·826
50—60	1,472	1,857	35	56	2·377	3·015
60—70	925	1,272	56	41	6·054	3·223
70—80	373	559	42	71	11·260	12·701
80—90	81	129	11	33	13·580	25·581
90—100	11	10	3	3	27·272	30·000
100 and above	1	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	21,913	25,514	588	633	2·679	2·481
BOTH SEXES	47,427		1221		2·574	

TABLE XLII.—GREENOCK, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	868	778	209	160	24·078	20·565
— 2	671	667	125	121	18·629	18·140
— 3	729	675	48	52	6·584	7·703
— 4	693	686	39	51	5·627	7·434
— 5	634	644	28	17	4·416	2·639
Total under 5 Years	3,595	3,450	449	401	12·490	11·622
5—10	2,855	2,761	46	43	1·611	1·557
10—15	2,332	2,209	20	20	0·857	0·905
15—20	2,336	2,215	28	18	0·198	0·812
20—30	4,581	4,679	71	50	1·549	1·068
30—40	3,362	3,620	63	48	1·873	1·326
40—50	2,409	2,570	57	41	2·366	1·595
50—60	1,391	1,598	60	42	4·313	2·628
60—70	739	1,070	42	46	5·683	4·289
70—80	254	383	29	36	11·417	9·399
80—90	42	102	17	28	40·476	27·451
90—100	5	11	–	2	–	18·181
100 and above	–	1	–	–	–	–
Not stated	–	–	–	1	–	–
ALL AGES	23,901	24,669	882	776	3·690	3·105
BOTH SEXES	48,570		1658		3·413	

adults and aged persons. The Tables of the relative mortality of males and females at the different ages, in the Insular, the Mainland-Rural, and Town Districts, which have been published in these Reports since 1855, ought to have convinced every one of the fallacy of this assertion. At all ages, and at every separate age, persons living in the towns are cut off in much

TABLE XLIII.—LEITH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	623	569	123	107	19·743	18·804
— 2	599	508	52	37	8·681	7·283
— 3	528	524	21	26	3·977	4·961
— 4	529	516	20	22	3·780	4·263
— 5	517	474	15	17	2·901	3·586
Total under 5 Years	2,796	2,591	231	209	8·262	8·066
5—10	2,215	2,176	48	37	2·167	1·240
10—15	1,993	1,794	16	13	0·802	0·724
15—20	1,755	1,817	12	4	0·683	0·220
20—30	4,009	3,530	33	30	0·824	0·849
30—40	2,746	2,771	26	28	0·946	1·010
40—50	1,834	2,087	30	27	1·635	1·293
50—60	1,076	1,372	35	26	3·253	1·895
60—70	593	919	34	36	5·733	3·917
70—80	215	375	31	34	14·419	9·066
80—90	37	86	10	19	27·027	22·093
90—100	2	2	2	2	100·000	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	19,271	19,520	508	465	2·636	2·382
BOTH SEXES	38,791		973		2·511	

TABLE XLIV.—PERTH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	367	357	55	42	14·986	11·765
— 2	350	341	28	32	8·000	9·383
— 3	336	325	8	18	2·381	5·538
— 4	365	326	5	5	1·369	1·533
— 5	305	307	5	3	1·639	0·977
Total under 5 Years	1,732	1,656	101	100	5·831	6·038
5—10	1,410	1,458	17	15	1·205	1·028
10—15	1,332	1,316	3	4	0·225	0·304
15—20	1,314	1,392	7	8	0·532	0·575
20—30	2,072	2,605	23	28	1·110	1·074
30—40	1,615	2,024	17	15	1·053	0·741
40—50	1,223	1,553	29	20	2·371	1·287
50—60	869	1,193	32	22	3·682	1·835
60—70	579	957	37	38	6·390	3·970
70—80	247	402	38	33	15·384	8·208
80—90	67	101	10	26	14·925	25·742
90—100	1	5	1	2	100·000	40·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,461	14,662	315	311	2·528	2·121
BOTH SEXES	27,123		626		2·308	

higher proportions than if their residence was in the country. The Tables for 1868 are almost identical with those of former years, so that they may be quoted as settling this point.

TABLE XLV.—DEATHS, 1868. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1868, allowing for Causes not specified.

DISEASES.	Proportion of DEATHS to every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND—RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2177	2305	2063	1603	1628	1583	1788	1852	1730	2818	3077	2596
1. Zymotic Class . . .	499	519	478	234	244	226	367	366	367	715	777	662
2. Uncertain Seat . .	73	63	92	71	74	68	73	57	86	84	67	99
3. Tubercular Class .	378	388	366	246	257	238	294	302	286	512	533	495
4. Nervous System .	179	202	158	97	95	99	149	162	137	233	277	196
5. Organs of Circulation	108	118	98	56	64	49	98	104	93	127	146	110
6. Respiratory Organs	310	345	278	139	148	132	215	240	192	465	524	415
7. Organs of Digestion	158	170	147	105	124	89	143	158	133	188	205	172
8. Urinary Organs . .	33	49	20	20	38	7	29	43	16	42	58	28
9. Generative Organs .	17	–	33	17	1	30	14	–	27	22	–	41
10. Locomotive Organs .	15	16	14	21	17	25	12	12	11	19	22	15
11. Skin, etc.	3	3	2	4	5	3	2	3	2	3	3	3
12. Malformation . . .	6	8	4	3	5	1	5	7	5	7	9	5
13. Premature Debility .	106	126	89	23	27	19	85	98	73	147	182	119
14. Atrophy	18	17	20	6	5	7	13	11	15	27	25	28
15. Age	195	154	231	497	405	572	217	173	256	134	102	160
16. Sudden Deaths . .	6	7	5	5	5	4	5	6	4	8	9	7
17. Violent Deaths . .	73	120	32	59	114	14	67	110	27	86	138	41
Small-pox	–	–	1	–	–	–	–	–	1	1	–	1
Measles	37	42	34	19	25	15	16	19	14	69	76	63
Scarlatina	103	111	95	10	12	9	73	78	74	154	171	140
Diphtheria	25	24	34	5	5	4	26	26	26	24	26	23
Hooping-cough . .	82	81	82	60	64	57	45	43	45	136	138	134
Croup	31	34	28	27	29	26	26	27	25	38	46	31
DIARRHŒA . .	66	69	63	26	27	24	50	49	46	97	105	90
Dysentery	8	8	9	3	5	1	8	7	9	10	10	40
Cholera	7	7	6	1	–	1	6	6	6	9	9	8
Influenza	5	4	4	2	15	9	5	5	6	3	3	2
ALL FEVERS, viz.	106	112	101	53	48	57	89	86	91	139	157	122
Typhus . .	52	58	45	36	37	36	32	35	30	79	93	66
Enteric . .	46	46	47	15	10	18	48	44	52	47	53	43
Relapsing . .	1	1	1	–	–	–	2	1	2	2	1	2
Continued . .	3	2	4	2	1	3	4	3	4	4	2	4
Infantile . .	4	5	4	–	–	–	3	3	3	7	8	7
Metria	5	–	9	1	–	1	4	–	8	6	–	10
Erysipelas	8	9	7	3	–	6	7	8	7	10	13	8
Dropsy	21	18	23	29	32	27	19	16	22	23	20	25
Cancer	43	30	55	33	29	36	42	31	53	46	30	60
Scrofula	22	27	19	10	9	12	18	21	15	30	39	24
Tabes Mesenterica .	29	34	25	12	15	9	23	24	22	40	51	31
PHTHISIS . . .	268	259	273	204	212	196	212	209	214	355	343	367
Hydrocephalus . .	57	66	48	19	20	19	40	48	33	85	100	73
Apoplexy	39	42	36	19	17	22	33	35	30	50	55	46
Paralysis	54	55	52	40	37	42	52	49	54	59	67	53
Epilepsy	7	8	6	8	3	11	7	8	6	7	9	5
Convulsions . . .	28	33	23	6	9	4	16	18	14	48	58	38
BRONCHITIS . .	205	214	196	63	61	64	132	136	129	325	348	305
Pneumonia . . .	69	86	53	32	37	27	52	65	40	97	121	76
Teething	30	34	27	9	10	7	22	23	20	46	53	38
Enteritis	25	30	21	10	9	11	24	27	21	30	36	24
All Liver Diseases .	35	39	32	33	46	23	31	47	28	41	45	38
CHILDBIRTH . .	11	–	22	9	–	16	9	–	17	15	–	28
Burns and Scalds .	7	9	6	7	12	3	7	8	6	8	10	6
Drowning	17	30	4	29	64	1	18	33	6	13	24	4
Fracture & Contusion	30	54	10	12	20	5	27	47	9	37	66	12

Compare, then, the death-rate of the males in the Mainland-Rural and the Town Districts, taking the proportions in one thousand persons living in each of these districts at the different ages. Of boys under one year of

TABLE XLVI.—DEATHS, 1868. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes in 1868.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2282	2250	2315	1460	1495	1431	2053	1982	2122	2538	2526	2549
2. Uncertain Seat	353	267	437	441	450	434	406	312	498	301	219	384
3. Tubercular Class	1729	1682	1774	1535	1578	1500	1642	1634	1649	1817	1730	1906
4. Nervous System	822	878	766	607	586	624	834	875	792	824	896	753
5. Organs of Circulation	492	513	472	350	396	313	550	562	540	451	477	424
6. Respiratory Organs	1422	1498	1347	867	909	833	1202	1302	1105	1651	1701	1600
7. Organs of Digestion	726	739	713	654	768	564	798	815	780	666	671	664
8. Urinary Organs	154	211	98	128	230	43	161	232	92	149	190	106
9. Generative Organs	80	–	158	109	10	191	78	–	156	79	–	153
10. Locomotive Organs	67	70	65	133	104	156	65	65	65	66	71	60
11. Skin, etc.	12	14	10	24	31	17	13	18	9	10	11	10
12. Malformation	28	33	22	19	31	9	31	37	27	24	31	18
13. Premature Debility	489	549	430	142	167	121	476	533	420	522	584	461
14. Atrophy	84	71	97	38	31	43	74	61	88	95	82	109
15. Age	894	672	1115	3100	2487	3608	1216	943	1481	474	335	617
16. Sudden Deaths	28	32	24	28	31	26	26	33	20	29	31	27
17. Violent Deaths	338	521	157	365	700	87	375	596	156	304	445	159
Small-pox	2	1	3	–	–	–	2	1	3	2	2	3
Measles	173	180	165	123	157	96	94	104	85	245	247	242
Scarlatina	472	482	462	66	70	61	414	423	407	548	557	540
Diphtheria	113	107	118	28	31	26	148	134	156	86	82	90
Hooping-cough	374	352	397	379	387	347	250	235	265	484	451	517
Croup	141	148	134	170	177	165	146	145	146	135	150	121
DIARRHŒA	303	302	305	161	167	156	266	265	267	345	341	350
Dysentery	40	34	44	19	31	9	44	37	51	36	32	40
Cholera	30	31	30	5	–	9	33	33	33	30	31	29
Influenza	21	20	21	76	94	61	29	27	33	10	11	9
ALL FEVERS, viz.	488	485	490	331	303	356	495	467	523	491	512	469
Typhus	235	252	220	227	230	226	184	189	179	281	306	254
Enteric	211	197	224	90	63	113	270	240	298	167	169	165
Relapsing	7	6	8	–	–	–	9	8	10	5	4	7
Continued	15	10	19	14	10	17	18	15	22	12	7	17
Infantile	20	20	19	–	–	–	14	15	14	26	26	26
Metria	21	–	42	5	–	9	22	–	45	20	–	41
Erysipelas	39	42	35	19	–	35	42	43	42	37	43	30
Dropsy	97	79	114	185	198	173	109	89	127	81	64	98
Cancer	199	132	267	204	177	225	238	166	308	165	98	232
Scrofula	103	116	90	66	52	78	101	113	90	108	123	92
Tabes Mesenterica	136	149	122	76	94	61	130	130	129	144	168	121
PHTHISIS	1225	1126	1326	1270	1306	1240	1184	1130	1237	1259	1113	1412
Hydrocephalus	262	290	234	123	125	121	225	200	192	303	325	280
Apoplexy	180	183	175	123	104	139	184	194	175	177	178	177
Paralysis	248	242	255	251	230	269	290	269	310	212	220	204
Epilepsy	32	35	28	5	21	70	39	44	35	24	29	20
Convulsions	129	144	113	4	52	26	89	99	79	170	190	148
BRONCHITIS	942	930	953	393	376	407	744	736	746	1153	1130	1177
Pneumonia	315	372	259	200	230	173	292	355	230	344	395	291
Teething	141	149	133	52	63	43	124	128	120	161	171	150
Enteritis	117	130	105	61	52	70	136	149	123	105	112	91
All Liver Diseases	163	170	155	208	282	147	176	255	165	147	149	146
CHILDBIRTH	53	–	106	57	–	104	52	–	102	54	–	109
Burns and Scalds	33	38	28	43	70	17	38	41	35	28	33	22
Drowning	77	133	22	185	397	9	105	178	33	46	79	13
Fracture & Contusion	138	232	48	76	125	35	153	257	50	132	217	46

age the death-rate was 212·75 per thousand living in the Towns, but only 121·53 in the Rural Districts. Of all the boys under 5 years, 97·25 per thousand died in the Towns, but only 44·29 in the Rural Districts. Of boys from 10 to 15 years, 6·84 per thousand died in the Towns, but only 4·28 in the Rural Districts. Of males from 15 to 20 years, 8·93 per thousand died in the Towns, but only 6·32 in the country. From 20 to 30 years, 10·98 per thousand died in the Towns, but 9·03 in the Rural Districts. From 30 to 40 years, 15·33 per thousand died in the Towns, but only 9·36 in the Rural Districts. From 40 to 50 years, 22·02 per thousand died in the Towns, but only 11·42 in the Rural Districts. From 50 to 60 years of age, 33·85 per thousand men died in the Towns, but only 18·22 in the Rural Districts. From 60 to 70 years, the death-rate was 63·07 per thousand males in the Towns, but only 38·03 in the Rural Districts. From 70 to 80 years, it was 127·24 deaths per thousand men in the Towns, but only 86·11 in the Rural Districts.

We thus find that, even to extreme old age, the death-rate in the Towns at every age of life was very much higher than it was in the Rural Districts.

But the proportion of deaths at the different ages may be looked at

TABLE XLVII.—TOWN DEATHS, 1868. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1868 (allowing for Causes not specified).

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
TOTAL DEATHS	3·117	2·704	2·914	2·694	2·574	3·413	2·511	2·308
I. Zymotic Class . . .	0·857	0·623	0·715	0·585	0·681	1·097	0·647	0·483
III. Tubercular Class . .	0·587	0·459	0·524	0·497	0·494	0·536	0·365	0·371
IV. Brain, etc., Diseases . .	0·217	0·284	0·232	0·268	0·225	0·271	0·220	0·204
V. Heart, etc., Diseases .	0·100	0·176	0·129	0·137	0·082	0·166	0·124	0·182
VI. Respiratory Organs, Dis.	0·605	0·372	0·480	0·376	0·345	0·474	0·385	0·297
VII. Organs of Digestion, Dis.	0·205	0·163	0·185	0·177	0·175	0·211	0·170	0·133
XIII. Premature Debility . .	0·162	0·137	0·204	0·117	0·110	0·164	0·152	0·115
XV. Old Age	0·086	0·136	0·150	0·194	0·184	0·115	0·095	0·197
XVII. Violent Deaths . . .	0·088	0·095	0·080	0·079	0·060	0·118	0·126	0·081
Small-pox	0·001	0·000	0·001	0·001	0·000	0·004	0·000	0·003
Measles	0·079	0·019	0·179	0·158	0·013	0·073	0·002	0·029
Scarlatina	0·209	0·194	0·040	0·064	0·241	0·187	0·339	0·070
Diphtheria	0·024	0·034	0·024	0·008	0·021	0·031	0·015	0·007
Hooping-cough	0·211	0·067	0·049	0·094	0·049	0·311	0·059	0·122
Croup	0·034	0·043	0·037	0·014	0·047	0·075	0·033	0·033
Diarrhœa	0·102	0·092	0·120	0·077	0·082	0·164	0·070	0·070
Dysentery	0·007	0·016	0·019	0·020	0·013	0·004	0·010	0·007
Cholera	0·006	0·013	0·020	0·005	0·008	0·002	0·008	0·003
Fevers, viz.	0·150	0·101	0·177	0·086	0·162	0·193	0·088	0·093
Typhus	0·084	0·066	0·133	0·035	0·074	0·147	0·028	0·067
Enteric	0·052	0·032	0·031	0·045	0·065	0·040	0·042	0·011
Relapsing	0·001	0·000	0·000	0·000	0·006	0·004	0·000	0·000
Continued	0·004	0·001	0·004	0·001	0·006	0·000	0·016	0·015
Infantile	0·009	0·002	0·009	0·005	0·011	0·002	0·002	0·000
Dropsy	0·023	0·012	0·042	0·017	0·043	0·033	0·018	0·022
Cancer	0·040	0·073	0·036	0·072	0·043	0·028	0·036	0·059
Phthisis	0·411	0·302	0·368	0·335	0·325	0·391	0·196	0·260
Apoplexy	0·039	0·074	0·053	0·056	0·060	0·064	0·025	0·078
Paralysis	0·048	0·072	0·056	0·063	0·089	0·046	0·075	0·059
Convulsions	0·055	0·045	0·068	0·073	0·008	0·049	0·049	0·022
Bronchitis	0·438	0·253	0·333	0·239	0·260	0·320	0·251	0·204
Pneumonia	0·128	0·073	0·103	0·083	0·063	0·111	0·101	0·059
Teething	0·054	0·015	0·090	0·043	0·049	0·075	0·042	0·033

from another and even more instructive point of view,—viz. endeavour to ascertain what proportion of the deaths occur at, above, or below certain ages. The deaths which occur at each age maintain a certain ratio to each other; but this ratio is apparently subordinate to the healthiness of the district in which the deaths occur, in other words, is subordinate to the general death-rate, and to the density of the population. Thus, as a general rule, it is found that in unhealthy districts, or where the death-rate is high, a much larger proportion of those who are cut off annually die at the earlier ages of life, than in a district where the death-rate is moderate or low.

Table XXXII. is constructed with the view of showing how the different groups of districts in Scotland affect the proportion of deaths under certain ages, when these are compared with the total annual deaths; and for this purpose the Table gives both the numbers and proportions at the several ages for the whole ten-yearly period 1855–1864, and the proportions for 1868. It will be seen that the proportions dying at each age so closely correspond between the year 1868 and the ten years 1855–1864, that, in referring to the Table, either might have been quoted. But as large numbers are always most trustworthy, we prefer quoting the ten yearly results.

By that Table it appears, that of the 651295 persons who died in Scotland during the ten years 1855–1864, one-half were under 20¼ years of

---

TABLE XLVIII.—TOWN DEATHS, 1868. Per-centage of Deaths from different Diseases to the Specified Causes of Death in each of the Eight Principal Towns of Scotland in 1868.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	27·49	23·03	24·56	21·73	26·47	32·13	25·80	20·93
III. Tubercular Class	18·85	16·98	17·99	18·44	19·22	15·71	14·76	16·10
IV. Brain, etc., Diseases	6·95	10 51	7·96	9·97	8·77	7·95	8·77	8·85
V. Heart, etc., Diseases	3·23	6·53	4·45	5·08	3·20	4·88	4·95	7·89
VI. Respiratory Organs, Dis.	19·43	13·77	16·49	13·95	13·40	13·88	15·37	12·88
VII. Organs of Digestion, Dis.	6·75	6·03	6·36	6·58	6·83	6·19	6·81	5·79
XIII. Premature Debility	5·19	5·06	7·03	4·33	4·30	4·82	6·09	4·99
XV. Old Age	2·75	5·04	5·15	7·22	7·16	3·39	3·82	8·53
XVII. Violent Deaths	2·84	3·53	2·75	2·93	2·36	3·52	5·05	3·54
Small-pox	0·02	0·00	0·03	0·05	0·00	0·13	0·00	0·16
Measles	2·54	0·71	6·15	5·88	0·50	2·15	0·10	1·28
Scarlatina	6·71	7·19	1·39	2·39	9 35	5·47	13·52	3·06
Diphtheria	0·77	1·28	0·83	0·29	0·84	0·91	0·62	0·32
Hooping-cough	6·77	2·48	1·70	3·48	1·94	9·12	2·37	5·31
Croup	1·09	1·61	1·29	0·54	1·85	2·21	1·34	1·44
Diarrhœa	3·29	3·42	4·14	2·88	3·20	4·82	2·78	3·06
Dysentery	0·22	0·59	0·66	0·74	0·50	0·13	0·41	0·32
Cholera	0·19	0·48	0·69	0 20	0·33	0·52	0·31	0·16
Fevers, viz.	4·81	3·74	6·09	3·19	6·32	5·67	3·50	4·02
Typhus	2·68	2·44	4·60	1·30	2·86	4·30	1·13	2·90
Enteric	1·67	1·18	1·04	1·64	2·52	1·17	1·65	0·48
Relapsing	0·04	0·02	0·00	0·00	0·26	0·13	0·00	0·00
Continued	0·12	0·04	0·14	0·05	0·26	0·00	0·62	0·64
Infantile	0·30	0·06	0·31	0·20	0·42	0·07	0·10	0·00
Dropsy	0·75	0·44	1·46	0·64	1·68	0 97	0·72	0·96
Cancer	1·28	2·71	1·21	2·69	1·68	0·84	1·44	2·57
Phthisis	13·19	11·17	12·66	12·46	12·64	11·47	7·84	11·11
Apoplexy	1·25	2·75	1·84	2·09	2·36	1·89	1·03	3·38
Paralysis	1·55	2·67	1·94	2·34	3·45	1·37	2·99	2·57
Convulsions	1·79	1·45	2·36	2·74	0·33	1·43	1·96	0·96
Bronchitis	14·05	9·35	11·44	8·87	10·12	9·39	10·06	8·85
Pneumonia	4·10	2·71	3·55	3·09	2·44	3·26	4·42	2·57
Teething	1·73	0·56	3·13	1·59	1·94	2·21	1·65	1·44

age, the other half above that age. In the Town Districts, where the general death-rate was high, this period was very much shortened; while in the Insular Districts, where the death-rate was low, this period was correspondingly lengthened. Thus, of all the persons who died in the Insular Districts during these ten years, one-half were below 40 years of age, the other half above that age. In the Mainland-Rural Districts, one-half of all who died were below 25 years of age, the other half above that age. But in the Town Districts, the one-half of all who died were under 10 years of age, the other half above that age.

In reading these figures we are very apt to overlook their importance, or to confound them with the calculations as to the mean age at death, or with the mean duration of life. But the above figures mean something more startling than either of these; for as these numbers and proportions recur year after year with unceasing regularity, they show us that, in a generation, half of the inhabitants of Scotland died, and will die, under 20¼ years of age; while half of the inhabitants of all the towns of Scotland with populations above ten thousand persons died, and will probably continue to die, under ten years of age.

Let us see, however, in what proportion children under 10 years of age are cut off by death in the three groups of districts in Scotland. In the Insular Districts, 29·5 per cent. of all the persons who died during the ten years 1855–1864, were under ten years of age. In the Mainland-Rural Districts, 38·2 per cent. were under 10 years; while in the Town Districts, 50·2 per cent. of all who died were under 10 years of age.

If we pursue the inquiry to the first five years of life, it will be seen that in the Insular Districts, 26 per cent. of the deaths occurred among children under 5 years of age; 33 per cent. in the Mainland-Rural Districts; and 45 per cent. in the Town Districts; while in all Scotland, 38·4 per cent. of all who died were under 5 years of age.

All this is reversed when we come to consider the deaths above threescore and ten years. The healthiest districts then exhibit the highest proportion of deaths at extreme old age; while the Town Districts, where the mortality had been so high in early life, have but few left to die at extreme ages. Accordingly, in the Insular Districts, of all who died during the above-named ten years, 14 per cent. were between 70 and 80 years of age. This proportion was 11·7 per cent. in the Mainland-Rural, but only 6·4 per cent. in the Town Districts. Again, in the Insular Districts, 11·8 per cent. of all who died were between 80 and 90 years of age; while the proportion was 8·1 per cent. in the Mainland-Rural, but only 3 per cent. in the Town Districts.

Causes of Death.

Of the 69416 Deaths registered in Scotland during the year 1868, the cause of death was accurately accorded in 66463 instances. In the remaining 2953 cases, being 4·25 per cent. of the whole, the causes of death were stated in such indefinite terms that no use could be made of them; while in a few instances the disease of which the person died was not named at all.

When two years succeed one another in which the proportion of deaths to the population remains unaltered, as was the case in 1867 and 1868, it is extremely interesting to ascertain whether the diseases which produced death proved equally fatal during each of these years. In comparing these two years together, it appears that in 1868 the deaths from the Zymotic class of diseases increased by 1914, or 14·4 per cent. above those of 1867;

and that this increase was limited to Scarlatina, Diphtheria, Hooping-cough, and Diarrhœa. There was a slight increase also during 1868, of the deaths from Childbirth and Rheumatism. To counterbalance this increase, the deaths from certain classes of disease in 1868 fell below those of 1867. Thus, in the deaths from Old Age, there was a decrease to the extent of 8·7 per cent.; in the deaths from Inflammatory Affections of the Respiratory Organs, a decrease to the extent of 6 per cent.; and in the deaths from Heart Diseases, a decrease to the extent of 3·2 per cent. Almost all the other diseases had a death-rate nearly equal in the two years.

The Zymotic or epidemic and contagious class of diseases cut off 15170 persons in Scotland during the year 1868, of whom 7439 were males and 7731 females. These diseases thus constituted 22·82 per cent. of the deaths, or cut off at the rate of 499 persons out of every hundred thousand of the population. As the deaths from these diseases, on a ten years' average, constituted 24·26 per cent. of the deaths, the year 1868 must be considered as a non-epidemic year, even though its epidemic deaths were 14·4 per cent. above those of the previous year. The fact that in one year the epidemic deaths may show an increase of 14·4 per cent. without affecting the general mortality, is well worthy of attention, especially when taken in connection with the equally startling fact which occurred in the year 1866, when the general mortality of the year rose above that of the previous year, though its epidemic mortality decreased to the extent of 8·3 per cent. These two facts, the exact converse of one another—occurring too in a period of three years, during one of which the epidemic mortality increased 14·4 per cent., and yet did not increase the general mortality; while during the other the epidemic mortality decreased to the extent of 8·3 per cent., and yet the general mortality increased above that of the previous year,—of themselves prove how ignorant we yet are as to the causes of the prevalence of epidemics, or as to the causes of the increase or decrease of the general mortality from all diseases.

In studying the deaths from any particular class of diseases, one of the most important points of inquiry is the age at which the chief mortality occurs. This point seems to have been greatly overlooked; and with the view of throwing some light on the subject in reference to the deaths from the diseases which are classified under the title of Zymotics, a couple of Tables (XLIX. and L.) have been drawn up, to which special attention is desired to be directed. To obtain data for comparison, however, it is necessary to know the proportions at which persons at different ages die from all the diseases which afflict our race; and then we are able with advantage to compare these with the proportions at each age in which the zymotic diseases prove fatal.

The last line of Table XLIX. shows that in 1868 (which was a year of mean mortality in all respects), 38 per cent. of the total deaths which occurred were under 5 years of age; 4·9 per cent. were between 5 and 10 years; 2·7 per cent. were between 10 and 15 years; 29·7 per cent. were between 15 and 60 years; while 24·7 per cent. were 60 years and upwards. This shows that a very large majority of the deaths from all diseases, indeed close on two-thirds, occurred above 5 years of age. Or, to look at it in another light, it showed that 45·6 per cent. of all who died were under 15 years of age, while 54·4 per cent. were above that age.

But this is the deaths from all diseases, including the zymotic. But fairly to compare the deaths from the ordinary diseases, with the deaths from the zymotics, we must exclude the latter from our calculations, and then we have the results shown in the second lowest line of Table XLIX. It will there be seen that 31·7 per cent. of the deaths from all diseases,

excepting the zymotic, were under 5 years of age; 3 per cent. were between 5 and 10 years; 2·4 per cent. were between 10 and 15 years; 33·3 per cent. were between 15 and 60 years; while 29·6 per cent. were above 60 years of age. In other words, while only 37·1 per cent. of the deaths were under 15 years of age, 62·9 per cent. of the deaths were above that age.

The deaths from the zymotic diseases showed very different proportions at the several ages, for 60·5 per cent. of the deaths from the zymotic diseases were those of children under 5 years of age; 11·7 per cent. of the deaths were between 5 and 10 years; 3·7 per cent. were between 10 and 15 years; while only 16·9 per cent. of the deaths were from 15 to 60 years of age; and 7·2 per cent. above 60 years of age. In other words, no less than 75·9 per cent. of the deaths from the zymotic diseases occurred among children under 15 years of age, while only 24·1 per cent. of the deaths occurred in persons above 15 years.

It is thus seen that, instead of adults being prone to be cut off by

TABLE XLIX.—PROPORTION OF DEATHS at different Ages from the Zymotic and Total Deaths. SCOTLAND 1868.

	NUMBER OF DEATHS.						PER-CENTAGE AT EACH AGE.				
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60
Small-pox . . .	12	1	1	1	–	15	80·0	6·6	6·8	6·6	–
Measles . . .	1064	59	11	14	1	1149	92·6	5·1	1·0	1·2	0·1
Scarlatina . . .	1961	911	173	95	1	3141	62·5	29·0	5·5	3·0	–
Diphtheria . . .	516	142	33	45	13	749	68·9	19·0	4·4	6·0	1·7
Hooping-cough .	2352	131	6	1	–	2490	94·5	5·2	0·3	–	–
Croup	846	92	–	1	–	939	90·1	9·8	–	0·1	–
Diarrhœa . . .	1367	35	10	207	398	2017	67·7	1·8	0·4	10·3	19·7
Dysentery . . .	62	3	3	87	108	263	23·6	1·2	1·1	33·1	41·0
Cholera	92	9	4	63	36	204	45·1	4·4	2·0	30·9	17·6
Typhus	159	112	118	987	185	1561	10·2	7·2	7 5	63·2	11·9
Enteric	258	203	147	639	157	1404	18·4	14·4	10·5	45·5	11·2
Relapsing . . .	5	1	5	25	9	45	11·1	2·2	11·2	55·5	20·0
Simple Continued	16	18	14	40	12	100	16·0	18·0	14·0	40·0	12·0
Infantile Fever .	106	25	1	–	–	132	80·3	18·9	0·8	–	–
All Fevers . . .	544	359	285	1691	363	3242	16·8	11·1	8 8	53·1	11·2
Syphilis	153	1	1	28	2	185	82·7	0·5	0·5	15·2	1·1
Erysipelas . . .	122	8	7	56	65	258	47·3	3·1	2·7	21·7	25·2
All Zymotics . .	9173	1774	562	2566	1095	15170	60·5	11·7	3·7	16 9	7·2
All Diseases, excluding Zymotics	17182	1657	1268	18071	16068	54246	31·7	3·0	2·4	33·3	29·6
Total Deaths . .	26355	3431	1830	20637	17163	69416	38·0	4·9	2·7	29·7	24·7

TABLE L.—Proportion of ZYMOTIC in the Total Deaths at different Ages in SCOTLAND, 1868.

AGES.	Total Deaths.	Zymotic Deaths.	Per-centage of Zymotic Deaths.	Per-centage of Deaths from other Diseases.
0— 5	26,355	9,173	34·8	65·2
5—10	3,431	1,774	51·7	48·3
10—15	1,830	562	30·7	69·3
15—60	20,637	2,566	12·5	87·5
Above 60	17,163	1,095	6·3	93·7
0— 15	31,616	11,509	36·4	63·6
15—105	37,800	3,661	9·6	90·4

zymotic diseases, they are infinitely less liable than children; and that, in fact, the chief mortality of the zymotic (that is, the epidemic and contagious) diseases falls on children and not on the adult population; and that the chief mortality of adults arises from the ordinary diseases and not from those called zymotic.

This fact is shown in a very striking manner in Table L., in which the zymotic deaths at each age are compared with the deaths from all diseases, and the proportions are given of persons dying at each age from the zymotic diseases, and from all other diseases. It is there seen that of the persons who died under 5 years of age, 34·8 per cent. died from zymotic diseases, and the remaining 65·2 per cent. from all other diseases. Of the deaths from 5 to 10 years of age, 51·7 per cent. died from zymotic diseases, while only 48·3 per cent. died from all other diseases. Of the deaths from 10 to 15 years of age, 30·7 per cent. died from zymotic diseases, and 69·3 per cent. from all other diseases. Of the deaths from 15 to 60 years of age —the adult, working, active period of life,—only 12·5 per cent. died from zymotic diseases, but the very high proportion of 87·5 per cent. from all other diseases. While of the deaths above 60 years of age, only 6·3 per cent. died from the zymotic diseases, but 93·7 per cent. from all other diseases.

The same fact is still more strikingly shown by dividing the deaths according to age into two classes alone; viz. those *below* and those *above* 15 years of age. It is then seen that of the total deaths *below* 15 years of age, 36·4 per cent. fell victims to the zymotic diseases; but of the deaths *above* 15 years of age, only 9·6 per cent.

These facts should convince every one that zymotics are the especial scourge of the young; and that in ordinary years they constitute but a small proportion of the adult mortality in this country.

There is another feature, however, of the zymotic diseases which merits notice, and that is, that it is not the same epidemic which takes the lead in each locality; but one epidemic here, and another there takes the lead, throwing the others into abeyance; so that, what between the increase of the one and decrease of the other, the general zymotic mortality of the locality is not much affected.

Thus, if we look at the Eight Principal Towns, it will be seen that Measles raged so in Dundee and Aberdeen, and that it constituted 6·15 per cent. of the deaths in the former and 5·88 per cent. in the latter; it was so in abeyance in Leith that it only constituted one-tenth of a per-centage of the deaths there, and half a per-centage of the deaths in Paisley. Scarlet Fever, on the other hand, so raged in Leith that 13·5 per cent. of the deaths were caused by it, 9·3 per cent. in Paisley, and 7·1 per cent. in Edinburgh; while it only caused 1·4 per cent. of the deaths in Dundee, and 2·4 per cent. in Aberdeen. Hooping-cough, again, caused 9·1 per cent. of the deaths in Greenock, 6·7 per cent. in Glasgow, and 5·3 per cent. in Perth; while it only caused 1·7 per cent. of the deaths in Dundee, and 1·9 per cent. in Paisley. Fever itself caused 6·3 per cent. of the deaths in Paisley, and 6·1 per cent. in Dundee; but only 3·1 per cent. of the deaths in Aberdeen, and 3·5 per cent. in Leith.

Of the various diseases belonging to the epidemic class, Small-pox in importance stands first; yet during the year 1868, only 15 deaths were caused by that disease in Scotland.

Never since the Registration of Deaths commenced in Scotland has the mortality from Small-pox been so low as during 1868; and it may be added, that never since the prophylactic powers of the vaccine virus were

extended to Scotland in 1800, have so few deaths from Small-pox occurred there. That this may fairly be attributed to the successful working of the Vaccination Act in Scotland, cannot be doubted; and its marked success is the strongest argument which could be adduced in favour of enforcing the provisions of the Vaccination Acts more stringently in England and in Ireland. It cannot be expected that the Small-pox mortality shall remain at the above low rate year after year, however perfectly the Vaccination Act may be carried out. From the Scottish Act allowing all to delay the vaccination of the child for six months, and from a considerable portion of Scotland, and almost all its numerous Islands, being only accessible to the vaccinators during a few months in summer, a large proportion of the children under one year of age—the very age at which they are most liable to take Small-pox—are exposed to the ravages of the disease. Still the above fact proves the value of vaccination in preventing the ravages of Small-pox. It must be remembered that in England, during the same year, 2052 deaths from Small-pox were registered; and it is highly desirable to check its ravages by means of vaccination, seeing it is not only a very fatal malady to those attacked, but also because in a large proportion of those who recover, it leaves its pernicious effects in destroying the countenance in some, producing blindness and deafness in others, and in increasing or exciting the tendency to scrofulous affections.

We have not the means of showing the effect of the introduction of vaccination into Scotland on the mortality of Small-pox, because Scotland did not possess a national system of registration of deaths till 1855. But it may be interesting to show the ascertained facts regarding Edinburgh, the capital of Scotland, as it may be safely assumed that the disease exhibited the same mortality in the other parts of the country.

In Edinburgh, from 1740 to 1750, the deaths from Small-pox constituted 14 per cent. of the total deaths. From 1750 to 1760, Small-pox caused 9 per cent. of the deaths; 11 per cent. of the deaths from 1760 to 1770; 12 per cent. of the deaths from 1770 to 1780; 14 per cent. of the deaths from 1780 to 1790; and 12 per cent. of the deaths from 1790 to 1800, when vaccination was introduced, and pretty generally adopted.

Immediately on the introduction and adoption of vaccination the number of deaths from Small-pox in Edinburgh fell, never to rise again to its old fatality. Thus, from 1800 to 1810, only $3\frac{1}{2}$ per cent. of the deaths were from Small-pox; and the proportion sunk lower so long as the vaccination of the children born was nearly general. Thus, from 1810 to 1820, only 1·5 per cent. of the total deaths were caused by Small-pox; while from 1820 to 1830 the deaths were at the low rate of 1·2 per cent. of the total deaths. About that period the low Irish began to settle in great numbers

---

TABLE LI.—SMALL-POX DEATHS in SCOTLAND.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1862	426
1856	1306	1863	1646
1857	845	1864	1741
1858	332	1865	383
1859	682	1866	200
1860	1495	1867	100
1861	766	1868	15

in Edinburgh, and very generally neglected to have their children vaccinated. From that period the Small-pox deaths somewhat increased. Thus, from 1830 to 1840 the Small-pox deaths constituted 1·9 per cent. of the mortality in Edinburgh, and from 1840 to 1850 the proportion had increased to 2 per cent.

The above may represent the state of Scotland with reference to the mortality from Small-pox up to the period when the Registration Act came into operation. Since that period we have the ascertained facts for all Scotland, and from them we learn that for the ten years 1855–1864, the deaths from Small-pox constituted 1·7 per cent. of the total mortality in Scotland. Since that period the Vaccination Act has been in full operation, and for the five years 1865–1869 its beneficial effects have been manifested in this, that during these years only two-tenths of a per-centage of the deaths have been caused by Small-pox.

Much needless prejudice still exists, in England especially, with regard to vaccination, as they believe it endangers the life of the child. As we have the means of showing the exact danger to life from the operation of vaccination in Scotland, let us see the amount of that danger. In 1868 there were vaccinated in Scotland 106181 children, and of that number two were recorded to have died from the consequences thereof—that is, one death in 53190 cases. Now the constitutions of some children are such that the slightest scratch or abrasion of the skin is followed by inflammation and death. Need it be wondered at that two deaths should occur from that cause among the 106181 children whose arms had been scratched to insert the vaccine virus? The astonishment is not that there were deaths, but that the deaths were so few. Had these children been all inoculated with Small-pox, many hundreds would have died, and the disease would have spread among the rest of the population. Even had the vaccinations been no more perfect than between 1855 and 1864, the probability is that 500 deaths from Small-pox would have occurred among these children, whereas only 15 deaths from Small-pox were registered during that year in Scotland, and two of these were attributed to the effects of vaccination.

From the Tables which are appended, showing the state of vaccination in Scotland (Tables LII. and LIII.), it will be seen that upwards of 96 per cent. of the surviving children who were born in 1868 were successfully vaccinated; that 0·86 per cent. had their vaccination postponed; that 0·48 per cent. had been found to be insusceptible of vaccination, from constitutional insusceptibility, or from having been previously vaccinated, or from

TABLE LII.—VACCINATION of Children whose Births were Registered in SCOTLAND during the Five Years, 1864–1868, and proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.			
1864	Number .	95047	662	667	154	440	9180	2701	108851
1865	Number .	99648	719	474	34	207	9366	2622	113670
1866	Number .	100108	579	332	30	227	9433	2658	113667
1867	Number .	101139	670	233	16	151	9355	2480	114044
1868	Number .	102140	914	277	7	230	9440	2506	115514
1864	Per-centage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Per-centage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Per-centage	88·355	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Per-centage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Per-centage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000

having had Small-pox; while 2·46 per cent. had escaped notice altogether, from belonging to the wandering classes who have no fixed abode, or had removed to other districts unknown to the Registrar.

Of the individual zymotic diseases, the most fatal in 1868 was Fever, which caused 3242 deaths, and thus constituted 4·88 per cent. of the mortality. Of these 3242 deaths, 1561 were attributed to Typhus, 1404 to Enteric Fever, 45 to Relapsing Fever, 100 to Simple Continued Fever, and 132 to Infantile Fever. As Infantile Fever is undoubtedly Enteric Fever in the child, this makes the deaths from Enteric Fever to amount to 1536, almost as many as those attributed to Typhus. Since attention has of late years been directed to the prevalence and fatality of the different forms of Fever, a Table has been given in these Reports showing their relative prevalence in the Town and Rural Districts of Scotland. From the Table appended for 1868, it will be seen that, as formerly, Typhus is the special disease of the Towns, while Enteric Fever is the leading form in the Rural Districts. Thus, Typhus caused 57·16 per cent. of the Fever deaths in the Town Districts, but only 37·10 per cent. of the Fever deaths in the Rural Districts. But on the other hand, Enteric Fever caused 54·41 per cent. of the deaths from Fever in the Rural Districts, but only 34·07 per cent. of the Fever deaths in the Town Districts.

One circumstance, however, relative to the Fever deaths merits especial attention, and that is, that though the general Town mortality is one-third greater than that of the Rural Districts, the relative proportion of deaths by Fever, when compared with the total deaths in each, is rather higher in the Rural than in the Town Districts. Thus, of every 100 deaths in the Town Districts, 4·91 were from Fever, but in the Rural Districts the proportion was 4·95 Fever deaths.

We still require to know a great deal more about Fever before we could venture to theorize about its origin or causes. One important element to be taken into consideration, is the period of the year at which it exhibits its increase and its decline. We cannot show this for all Scotland; but as the Eight Principal Towns contain nearly a third of the population of Scotland, the periods at which Fever was found to be most fatal in them may be safely held to be the same as those over the country generally. Table LV. is drawn up with the view of showing the monthly deaths from Fever in the Eight Principal Towns of Scotland during a five-yearly period—1865–1869,—specifying also the deaths from Typhus and those from Enteric Fever. It will be seen from that Table, that in Scotland Fever was most fatal during the

TABLE LIII.—VACCINATIONS in SCOTLAND, 1864–1868, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	Total Living.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number .	95047	662	667	154	440	2701	99671
1865	Number .	99648	719	474	34	207	2622	103704
1866	Number .	100408	579	332	30	227	2658	104234
1867	Number .	101139	670	233	16	151	2480	104689
1868	Number .	102140	914	277	7	230	2506	106074
1864	Per-centage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Per-centage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Per-centage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Per-centage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Per-centage	96·292	0·861	0·261	0·007	0·216	2·363	100·000

month of March; and that Typhus, its most prevalent form in the Towns, was also most fatal during that month. The next most fatal month was January, then February, May, April, and November, in the order named. These, then, are the six months during which Fever was most fatal to the inhabitants of Scotland. The smallest mortality from Fever occurred in September, then followed in order August, October, July, June, and December.

From these ascertained facts, then, we see that Fever, like all the ordinary diseases which cut off our race, was most fatal during the three coldest months of the year, viz., January, February, and March, the truly wintry months in this country; and was least fatal during those genial months when all other diseases are least fatal in Scotland, viz. during the months of August, September, and October.

Scarlatina was the next most fatal of the zymotic diseases, causing 3141 deaths, being an increase of 883, or 39 per cent. above the deaths from that disease during the previous year. The deaths from Scarlatina thus constituted 4·72 per cent. of the mortality, or cut off in the proportion of 103 persons in every hundred thousand. During the ten-yearly period, 1855–1864, Scarlatina caused 4·30 per cent. of the deaths, or 92 deaths in every hundred thousand persons, so that the Scarlatina mortality was above the average during 1868.

Diphtheria caused 749 deaths, being an increase of 139 deaths, or 22·7 per cent. above the deaths of the previous year, but greatly below the deaths caused by it during the years 1862, 1863, 1864, and 1865. It is a singular fact connected with this disease, that ever since it was recognised as a distinct disease in Scotland it has been much more prevalent and fatal

TABLE LIV.—DEATHS from FEVER in 1868.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus	555	37·10	958	57·16
Enteric	814	54·41	571	34·07
Relapsing	28	1·87	17	1·02
Simple Continued	56	3·74	41	2·44
Infantile	43	2·88	89	5·31
ALL FEVERS	1496	100·00	1676	100·00

TABLE LV.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Five Years 1865–1869; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January	867	639	201	July	671	502	135
February	822	599	179	August	570	399	142
March	888	666	178	September	561	387	147
April	789	599	150	October	640	416	192
May	803	583	181	November	783	538	200
June	731	552	149	December	772	537	197

in the Rural than in the Town Districts. The year 1868 was no exception to this rule, for it caused 26 deaths in every hundred thousand persons in the Rural Districts, but only 24 deaths in a like population in the Town Districts; or, to view it from another position, it constituted 1·48 per cent. of the deaths in the Rural Districts, but only 0·86 per cent. in the Town Districts.

Hooping-cough was another of the diseases very much more fatal during 1868 than during the previous year. The deaths of 2490 persons were attributed to Hooping-cough, being an increase of 762 deaths, or 44 per cent. above those of the previous year. The deaths from that disease thus constituted 3·74 per cent. of the general mortality, or caused 82 deaths in every hundred thousand persons. The ten years' average 1855–1864 shows that Hooping-cough in general constitutes 3·39 per cent. of the deaths, or 72 deaths in every hundred thousand persons; so that the mortality in 1868 was above the average.

Diarrhœa was the only other of the zymotic diseases in which the mortality of 1868 was high above that of 1867. It caused 2017 deaths, or 3·03 per cent. of the mortality, being 536 deaths, or 36 per cent. above the deaths of the previous year.

Measles only caused 1149 deaths, or 1·73 per cent. of the mortality. It is almost invariably remarked that when Scarlatina increases, and becomes the leading epidemic of children, Measles decreases; and the year 1868 is another example of the truth of this remark. Taking the ten years' average, 2 per cent. of the deaths are usually caused by Measles.

It is a fact worth noticing, that since Small-pox has been checked by vaccination, the mortality of Measles has diminished with it; so that during the present century not nearly the same proportion of children in Scotland fall victims to it as during the past century. To show this singular fact we must again instance the statistics of Edinburgh, which are very striking on this point. Thus, from 1740 to 1750 the deaths from Measles constituted 5·6 per cent. of total mortality in Edinburgh. The mortality from Measles was 6·1 per cent. of the deaths, from 1750 to 1760. It was 2·3 per cent. from 1760 to 1770; it was 11·8 per cent. from 1770 to 1780. This, then, shows the general fatality of Measles during the last century, before the introduction of vaccination. During the present century we have only correct Tables of the diseases in Edinburgh drawn for the years 1839 to 1841, and 1846 to 1848 inclusive, till the present system of registration came into operation. During the first of these periods the deaths from Measles constituted 2·9 per cent. of the total mortality, and during the latter period 2·6 per cent. For the ten years 1855–1864, the deaths from Measles constituted less than 2 per cent. (1·9) of the deaths in Edinburgh. It is not meant to be averred that there is a necessary connection between Measles and Small-Pox; but it is certainly a very striking fact, that since the general introduction of vaccination, the deaths from Measles have diminished in nearly as great a ratio as the deaths from Small-pox, as the above statistics of the disease in Edinburgh prove it to have done. Measles is as prevalent as before the introduction of vaccination; but its fatality seems to have been to a great extent taken from it.

Of the other diseases put under the zymotic class, Croup caused 939 deaths, Dysentery 263, Cholera 204, Influenza 140, Metria 140, Erysipelas 258, Thrush 25, Purpura 30, Ague 1, Worms 18, Rheumatic Fever 122, Pyæmia 29, Noma 13, and Syphilis 185, of which 153 were congenital.

The diseases of Uncertain Seat caused 2344 deaths, or 3·53 per cent. of the total mortality. Cancer was the most fatal of the diseases under this

class, causing 1327 deaths, of which 436 were males, and 891 females. The mortality of Cancer is therefore high, constituting as it does nearly 2 per cent. (1·99) of the deaths.

The tubercular diseases caused 11487 deaths, of which 5562 were males, and 5925 females. This class of diseases thus constituted 17·29 per cent. of the deaths, and indicated an annual proportion of 388 male, and 366 female deaths in every hundred thousand persons of each sex; showing that in Scotland males die from these diseases at a higher rate than females, yet in very much the same higher proportion as males die from all diseases. As compared with the population, this class of diseases was very much more fatal in the Towns than in the Rural Districts. Thus, of every hundred thousand persons in each group of districts, 246 died from tubercular diseases in the Insular, 294 in the Mainland-Rural, and 512 in the Town Districts. And when compared with the total deaths, it appears that tubercular diseases constituted 16·42 per cent. of the deaths in the Mainland-Rural, but 18·17 per cent. in the Town Districts.

Phthisis or Consumption is the individual disease which is most fatal to the inhabitants of Scotland, and cut off 8154 persons during the year, of whom 3734 were males and 4430 females. This indicates a proportion of 259 male deaths, and 273 female deaths in every hundred thousand persons of each sex; so that, as in former years, a higher proportion of females than of males fell victims to that disease. The mortality from this disease, like that of all diseases, was about a third lower in the Rural than in the Town Districts, as compared with the population in each; but as compared with the total deaths, the proportion of deaths from Consumption did not greatly differ in town and country. That means, that in a generation when all had died it would be found that nearly the same number had died from Consumption in the country as in the Town Districts; but that the average age of those who died in the country from that disease was about 12 years greater than the age of those who had died in the Towns. Consumption caused a very different proportion of deaths in the Eight Principal Towns. Thus, in every ten thousand persons in each town, it caused 19 deaths in Leith, 26 in Perth, 30 in Edinburgh, 32 in Paisley, 33 in Aberdeen, 36 in Dundee, 39 in Greenock, and 41 in Glasgow.

Of the other diseases belonging to the tubercular class, Scrofula caused 688 deaths, Tabes Mesenterica 902, and Hydrocephalus 1743. This last disease is most fatal to males, and caused 959 male, but only 784 female deaths during the year.

Diseases of the Brain caused 5460 deaths, and thus constituted 8·22 per cent. of the deaths, or cut off at the rate of 179 out of every hundred thousand persons during the year. Brain diseases were more fatal to males than to females, seeing that in every hundred thousand persons of each sex, 202 males, but only 158 females died from these diseases. That this greater liability of the males to die from brain diseases can scarcely be attributed to the greater amount of brain work which men perform, must be apparent from the fact that the greater tendency to brain disease in the male is shown at the very earliest age of life; for Hydrocephalus—a disease of childhood—cuts off the males in the same higher relative proportion which the ordinary brain diseases do in after life.

Diseases of the Heart and Blood-vessels caused 3274 deaths, of which 1696 were male and 1578 female. These diseases thus constituted 4·92 per cent. of the deaths, and cut off in the proportion of 108 in every hundred thousand persons. The mortality from these diseases was 109, or 3·2 per cent. below that of the previous year.

Inflammatory affections of the Respiratory Organs caused 9450 deaths, of which 4953 were male and 4497 female, being in the proportion of 345 male, and 278 female deaths in every hundred thousand of each sex. This class of diseases, then, in the proportional mortality of the sexes, is just the opposite of that of Phthisis, which had the female mortality much higher than that of the male. It is worthy of note that the proportional mortality from these diseases was more than twice as great in the Town as it was in the Mainland-Rural Districts, seeing that in every hundred thousand persons they caused 215 deaths in the Mainland-Rural, but 465 deaths in the Town Districts.

Of the Eight Principal Towns, Glasgow had much the highest proportion of deaths from the inflammatory affections of the respiratory organs, Perth the lowest. Thus, in every ten thousand persons in each town, 29·7 died from these diseases in Perth, 34·5 in Paisley, 37·2 in Edinburgh, 37·6 in Aberdeen, 38·5 in Leith, 47·4 in Greenock, 48 in Dundee, but 60·5 in Glasgow.

As above stated, the deaths from this class of disease fell 6 per cent. below those of the previous year.

Of the individual diseases belonging to this class, Bronchitis was the most fatal, causing 6261 deaths, or 9·42 per cent. of the total mortality. Pneumonia caused 2098 deaths, Asthma 415, Laryngitis 142, Pleurisy 206, and Diseases of the Lungs (not otherwise specified) 328 deaths.

Diseases of the Organs of Digestion caused 4822 deaths, and thus constituted 7·26 per cent. of the mortality, or 158 deaths in every hundred thousand persons. They also proved most fatal to the male, seeing that in every hundred thousand of each sex 170 males, but only 147 females died from these affections.

Of the diseases belonging to this class, Teething caused 937 deaths, Quinsey 56, Gastritis 159, Enteritis 783, Peritonitis 325, Ascites 71, Ulceration of Intestines 185, Hernia 99, Ileus 292, Intussusception 30, Stricture of Intestines 31, Indefinite Disease of Stomach 751, Hepatitis 146, Jaundice 176, other Diseases of Liver 759, and Diseases of Spleen 22 deaths.

Kidney and Urinary Diseases caused 1024 deaths, being 1·54 per cent. of the mortality. These diseases are twice as fatal to the male as to the female, seeing that 698 males, but only 326 females died from these affections. Of the individual diseases, Nephritis caused 79 deaths, Nephria 300, Ischuria 41, Diabetes 91, Stone 48, Cystitis 174, Stricture of Urethra 21, Kidney Disease, not otherwise specified, 266, and Addison's Disease 4 deaths.

Diseases of the Generative Organs caused 531 deaths, two of which were males. Of these 354 were ascribed to one or other of the accidents attending Childbirth; and if to these be added the 140 deaths from Metria or Childbed Fever, it gives us 494 deaths from Childbirth during the year 1868, out of the 114,041 women who gave birth to children, indicating the low proportion of one death during childbearing in every 231 mothers.

Diseases of the Organs of Locomotion caused 450 deaths, of which 107 were attributed to Arthritis, 177 to Rheumatism, and 166 to Joint and Bone Diseases.

Skin Diseases caused 82 deaths, of which 17 were attributed to Carbuncle, 8 to Phlegmon, and 57 to Skin Diseases.

Malformation caused 183 deaths, Premature Debility 3251 deaths, and Atrophy 559 deaths; 5944 deaths were attributed to Old Age without marked disease; while 185 deaths were Sudden, the exact cause not having been ascertained.

2247 deaths were ascribed to Violent Causes, being 3·38 per cent. of the deaths, or 73 deaths in every hundred thousand persons. Of these deaths 929 were ascribed to Fractures and Contusions, 515 to Drowning, 220 to Burns and Scalds, 82 to Intemperance, 6 to Privation, 87 to Want of Breast Milk, 2 to Neglect, 33 to Cold, 53 to Poison, 58 to Hanging, 128 to Suffocation—81 of which were due to Overlying, 19 to Gunshot Wounds, 22 to Cuts and Stabs, and 93 to Other Violent Causes, the particulars of which were not recorded.

On analyzing the deaths from burning during the five years 1863–67, it appears that 748 males and 720 females died from Burns and Scalds during these years. But this excess of male deaths from these causes was limited to the period of infancy, that is, the first five years of life, during which the sexes are dressed in much the same material. The more stirring and venturesome nature of the boy caused 457 boys, but only 356 girls under 5 years of age to lose their lives by burning during these five years. After the fifth year, the boys begin to be dressed in less inflammable materials, and the girls more in those inflammable materials which constitute their dress in after life. Accordingly, between 5 and 10 years only 75 boys, but 97 girls lost their lives by burning. After that period of life, notwithstanding the more dangerous occupations in which many men are engaged, only 216 men, but 267 women lost their lives by burning; the more generally inflammable materials of which the dresses of women are composed rendering them so much more liable to be set on fire.

Of the violent deaths, 123 were registered as suicides. Of these suicides the form of death was ascribed to hanging in 55 cases, in 23 to drowning, in 13 to cut-throat, in 8 to gunshot wounds, in 12 to poison of various kinds—5 deaths being ascribed to laudanum or opium, 2 to prussic-acid, 1 to strichnine, 1 to foreshot, 2 to hydrochloric acid, while in one the poison was not named. One death was ascribed to voluntary starvation, while in 11 the form of death was not stated.

Sometimes facts are put on record by the registrars which are well worthy of being made known. Thus, there died in Glasgow a wine merchant only 27 years of age, of such extreme obesity that he weighed 27 stones, though only 5 feet 4 inches in height. The circumference of his chest was 75 inches, and that of his thigh 37 inches. He was thus 1 stone 6 lbs. heavier than the fattest man at the celebrated 'Fat Man's Ball,' New York, who weighed 358 lbs., or 25 stone 8 lbs.

The Registrar of Killin mentions a curious physiological fact, viz. that an old bachelor who died at the age of 91 years, 'five or six years ago cut six new teeth which he said were quite serviceable, and as sharp as lancets.'

Table LVI. shows the nineteen most fatal diseases in Scotland and England during the year 1868, arranged according to the order of their fatality, and giving the proportion in which they prove fatal to the population. That Table shows that the several diseases in each of these countries have different death-rates, though inhabited by the same general races of men, and supposed to be under the same meteorological conditions. But when narrowly examined, that Table reflects, through the deaths, a good deal of the different meteorological conditions under which are England and Scotland; indeed, their broad differences are quite traceable in the varying proportion of deaths from certain diseases. Thus, Diarrhœa is now thoroughly proved to be so far under climatic agencies, that its chief mortality occurs during the warmer months, and its prevalence and mortality are almost always proportioned to the rise of temperature. In both countries Diarrhœa was more than usually prevalent during 1868; but the temperature of the

autumnal months was very much higher in England than in Scotland, and this higher temperature is pointedly indicated in the deaths from Diarrhœa; for, while Scotland only had 66 deaths from that disease in every hundred thousand persons, England had no fewer than 138 deaths in a like population.

Again, those sudden changes from mild weather to extreme cold, and *vice versa*, are much more common in Scotland than in England during the colder months of the year. It is these sudden changes which induce Bronchitis and other inflammatory affections of the respiratory organs. This peculiarity of the climate of Scotland is also very noticeable in the deaths. Thus, if we take the two most fatal of the diseases of the respiratory organs, viz. Bronchitis and Pneumonia, we find that in England only 247 persons died from these diseases in every hundred thousand persons, while in Scotland the deaths amounted to 274 in a like population.

Even the customs or domestic habits of the peoples of each of the countries are reflected in the deaths. Thus, the English are in the habit of stuffing their babies with spoon meat almost from birth; while the Scotch, excepting in cases where the mother is delicate or the child is out nursing, wisely give nothing excepting the mother's milk till the child begins to cut its teeth. The English practice occasioned the death, by Convulsions, of 23,198 children under one year of age during the year 1868, out of 786,858 births; in other words, caused one death from Convulsions in every 34 of the children born during the year in England. In Scotland, during the same year, only 312 infants under one year of age fell victims to Convulsions, out of 115,514 children born during the year; in other words, one death from Convulsions in every 370 born during the year. What a saving of infantile life would occur were the English to adopt the rational Scottish system!

Another instance may be noted. It is a known fact that malt liquor has a greater tendency to produce deranged biliary action than diluted alcohol in its pure state. Beer in all its forms is the national drink in

---

TABLE LVI.—The Nineteen most fatal Diseases in Scotland and England in 1868, arranged in the order and proportion of their fatality.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	268	Phthisis	239
Bronchitis	205	Atrophy, Debility, Premature Birth	193
Old Age	195	Bronchitis	155
Atrophy, Debility, Premature Birth	124	Diarrhœa	138
Heart	108	Old Age	121
Fever	106	Convulsions	120
Scarlatina	103	Heart Diseases	105
Hooping-cough	81	Scarlatina	102
Pneumonia	69	Pneumonia	92
Diarrhœa	66	Fever	91
Hydrocephalus	57	Measles	54
Paralysis	54	Paralysis	50
Cancer	43	Apoplexy	49
Apoplexy	39	Hooping-cough	43
Measles	37	Cancer	41
All Liver Diseases	35	All Liver Diseases	39
Croup	31	Hydrocephalus	33
Teething	30	Tabes Mesenterica	32
Fractures and Contusions	30	Fractures and Contusions	30

England, whisky in Scotland; and the effect of these drinks seems to be reflected in the proportion of deaths from Liver Diseases in the two countries, for while Scotland had only the proportion of 35 deaths from all Liver Diseases in every hundred thousand of her population, the proportion in England was 39 deaths in a like population; and these proportions are pretty constant in both countries year after year.

These facts are pointed out with the view of showing that even a Table of Deaths can throw light on the habits of a nation, and on the meteorological conditions of the climate to whose influence its inhabitants are exposed.

Weather, and its Influence on the Health.

Whatever causes may be assigned as the originators of the various diseases which afflict the inhabitants of Scotland, this at least has been fully ascertained, that the weather is the great regulator of the mortality. In this country excess of heat and excess of cold seem to act equally injuriously on the health of the population, but with this marked difference, that the heat induces and increases the mortality of one class of diseases alone, viz., the bowel complaints, while the cold increases the fatality of all diseases.

The weather during 1868 illustrated both these effects, though it was peculiar, and exhibited striking differences from the average of former years;

Table LVII.—Meteorology of Scotland for the Year 1868, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1868; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1868.

1868.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Highest Temp. in shade	56°·0	60°·0	63°·0	69°·0	74°·2	84°·0	88°·5	91°·0	86°·5	66°·0	62°·5	59° 5	91°·0
Lowest Temp. in do.	12°·0	15°·0	18°·8	22°·3	22°·0	32°·5	35°·0	38°·0	29°·0	23°·0	17°·8	16°·0	12°·0
Mean Day Temp.	41°·9	46°·6	48°·8	52°·4	58°·9	63°·8	69°·5	65°·5	59°·5	51°·3	43°·9	45°·0	53°·9
Mean Night Temp.	33°·0	36°·7	36°·8	39°·6	44°·0	47°·5	51°·3	51°·5	46°·9	38°·5	34°·6	36°·2	41°·4
Daily Range	8°·9	9°·9	12°·0	12°·8	14°·9	16°·3	18°·2	14°·0	12°·6	12°·8	9°·3	8°·8	12°·5
Mean Temperature	37°·5	41°·6	42°·8	46°·0	51°·4	55°·6	60°·4	58°·5	53°·2	44°·8	39°·2	40°·6	47°·6
Highest Temperature in sun	84°·7	95°·4	115°·7	129°·4	125°·7	135°·4	143°·4	135°·1	130°·8	125°·8	91°·3	75°·4	143°·4
Lowest on grass at night	6°·0	14°·0	15°·0	17°·0	15°·0	27°·0	25°·0	12°·0	22°·0	12°·0	10°·0	10°·0	6°·0
Wet-bulb Temperature	36°·1	39°·3	40°·4	43°·3	48°·3	51°·7	56°·2	55°·2	50°·7	42°·7	37°·3	39°·2	45°·0
Dew-point Temperature	34°·3	37°·1	37°·9	40°·6	45°·3	48°·2	53°·0	52°·6	48°·6	40°·7	35°·2	37°·5	42°·6
Humidity of Air	89	86	85	84	80	77	78	83	86	87	87	90	84
Elastic force of Vapour (inches)	·199	·221	·229	·254	·303	·339	·403	·398	·343	·254	·206	·226	·281
Number of Rainy Days	17	18	17	13	15	11	6	16	13	17	13	19	175
Amount of Rain (inch.)	5·53	4·75	4·22	3·31	2·51	1·14	0·70	5·18	3·34	3·71	2·62	6·02	43·03
Amount of Cloud	7·1	6·7	6·6	7·2	6·4	5·8	5·5	6·6	6·9	5·9	6·8	6·8	6·5
Hours of Sunshine	53	89	130	141	211	264	275	183	124	123	67	58	1718
Mean Barometer (in.)	29·742	29·799	29·749	29·852	29·882	30·034	30·058	29·808	29·903	29·772	29·955	29·812	29·822
Easterly Winds (number of days)	10	...	1	7	6	3	8	8	14	3	10	9	79
Westerly Winds (do.)	14	25	23	16	16	21	14	16	9	20	11	13	198
Births	9566	9132	9999	10228	10428	10327	9845	9328	9181	9600	8548	9332	115514
Deaths	6305	5687	6950	5753	5689	5516	5639	5855	5165	5437	5709	6611	69416
Marriages	2654	1385	1248	1331	999	3331	2078	1351	1275	1424	2183	2596	21855
Daily Births	309	315	323	341	337	345	318	301	306	310	285	301	316
Daily Deaths	204	192	195	192	183	184	182	189	172	175	191	213	189

and coincident with this the monthly mortality differed less than during almost any year of which we have records, and deviated far from the average, as may be seen in Table LVIII.

The peculiarities of the year as to weather may be shortly stated.

During the first quarter—our winter months—no truly wintry weather occurred, frost and snow being almost unknown over all the lower-lying portions of the country. The mean temperature of the first quarter of the year during the ten previous years was 37°·9 Fahr., and that temperature was accompanied by a mean mortality of 2·49 deaths in every hundred persons. But during the first quarter of 1868 the mean temperature was 40°·6, or 2°·7 higher than the average temperature, and the mean mortality was only 2·26 deaths in every hundred persons. In other words, the milder winter weather of 1868 saved the lives of 1833 persons in Scotland during the first quarter of the year.

During the second quarter of the year the mean temperature is wonderfully uniform in Scotland from year to year, the difference between one year and another being chiefly caused by the keenness and strength of the northerly and easterly winds. In average seasons these blow with cutting severity, and with the above mean temperature produce a death-rate of 2·22 deaths per hundred persons. During the second quarter of 1868, however, the average temperature was 51°, and instead of suffering severely from the biting northerly and easterly winds, balmy westerly and south-westerly breezes were the prevalent aërial currents; and the consequence of this more genial spring was seen on the mortality, inasmuch as only 2·12 deaths occurred in every hundred of the population. In other words, the less severe spring weather of 1868 saved the lives of 796 persons in Scotland during the second quarter.

The third quarter of the year was characterized by an unusual high temperature and drought. This quarter, on the average of years, has a mean temperature of 55°·3, and a mean death-rate of 1·90 deaths in every hundred of the population. In Scotland, the third quarter is generally the healthiest, because the heat is rarely oppressive, and the mean temperature of the warmest month rarely reaches 60° Fahr. In tropical and continental countries, however, where the summer heat is excessive, the third quarter is the most fatal of the year, because the heat induces all kinds of bowel complaints and miasmatous fevers. Even Scotland feels the increase of

---

TABLE LVIII.—Monthly Mortality in Scotland in 1868, compared with that of the Ten Years 1855–1864.

MONTHS.	1868.			1855-64.
	Absolute Monthly Deaths.	Deaths when Months equalized to 31 Days.	Monthly Proportion to 12,000 per annum.	Monthly Proportion.
January	6305	6305	1073	1134
February	5687	6079	1034	1193
March	6050	6050	1029	1145
April	5753	5945	1011	1083
May	5689	5689	968	1010
June	5516	5700	970	956
July	5639	5639	959	895
August	5855	5855	996	856
September	5165	5337	908	843
October	5437	5437	925	858
November	5709	5899	1003	954
December	6611	6611	1124	1073
YEAR	69,416	70,546	12,000	12,000

heat, and marks it on her deaths. Accordingly, whenever the mean temperature in Scotland rises above 55°, bowel complaints become prevalent, and increase in prevalence and fatality just in proportion to the rise of mean temperature above that point. During the third quarter of 1868 the mean temperature was 57°·4, that of July having been 60°·4, that of August 58°·5; and the deaths over the country so increased under that unusual heat that the death-rate rose to 2·09 deaths in every hundred of the population. In other words, the unusual heat of the third quarter so increased the deaths that 1514 more persons died in Scotland than would have died had the usual cooler temperature prevailed.

During the fourth, or autumnal quarter, the temperature falls, and with the fall of temperature the deaths from almost all diseases increase. The fourth quarter of 1868 had a temperature below the mean, but its hurtful effect was rendered more powerful from the circumstance that the heat which had preceded it was greater than usual. Instead of the mortality, therefore, being at the rate of 2·14 deaths in every hundred persons, it was in the proportion of 2·22 deaths in a like population, and thus caused 673 more persons to lose their lives than would have died had the weather been the average of the ten previous years.

These striking facts prove how closely our health and lives are dependent on the kind of weather which prevails.

To show still more strongly the exceptional character of the year 1868, let us compare the monthly mortality with that of the ten years 1855–1864, as shown in Table LVIII. If we take these ten years as a fair sample of the average mortality of the months in Scotland, all being reduced to proportion, then the most fatal month is February, after which comes March, then January. The fourth most fatal month is April, and the fifth December. But in 1868 December was by far the most fatal month, then followed January, February, and March in the order named, then April, then November.

TABLE LIX.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1868.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 4	481	34·3	47·0	22·5	0·254	27	July 4	494	61·6	86·0	42·0	0·000
2	11	554	36·8	48·0	26·0	0·481	28	11	484	59·6	81·8	44·9	0·070
3	18	553	43·0	55·5	30·8	2·333	29	18	491	61·7	85·7	47·9	0·152
4	25	561	35·7	55·1	18·0	1·892	30	25	585	61·1	82·6	43·0	0·236
5	February 1	544	43·2	55·0	30·6	2·388	31	August 1	582	62·5	81·0	45·6	0·034
6	8	526	39·9	50·0	29·0	1·837	32	8	618	65·5	87·7	51·3	0·552
7	15	504	43·4	54·9	25·6	0·735	33	15	545	59·3	72·0	47·6	3·181
8	22	501	42·0	52·0	30·0	1·272	34	22	533	58·5	76·0	44·1	1·177
9	29	568	47·0	59·0	32·0	0·763	35	29	469	55·2	69·2	45·6	0·815
10	March 7	542	42·1	53·0	29·7	1·359	36	September 5	506	58·4	75·7	41·0	0·403
11	14	543	44·0	60·0	31·0	1·002	37	12	431	56·1	84·3	37·0	0·260
12	21	539	45·5	58·5	32·1	0·725	38	19	496	50·0	61·7	32·4	0·602
13	28	529	42·5	60·0	27·4	0·742	39	26	495	53·4	69·5	38·0	1·396
14	April 4	532	49·3	62·0	35·0	0·000	40	October 3	524	49·9	64·8	31·0	1·334
15	11	490	42·5	57·0	28·0	0·558	41	10	480	49·2	61·2	35·1	0·572
16	18	552	48·1	68·0	30·1	0·238	42	17	538	47·3	61·0	34·0	0·753
17	25	522	48·1	60·0	37·7	1·649	43	24	503	41·4	57·0	28·0	0·929
18	May 2	522	48·5	65·2	32·9	0·786	44	31	560	45·2	60·2	31·8	1·014
19	9	523	48·7	68·2	29.5	0·280	45	November 7	492	41·5	61·0	23·0	1·649
20	16	560	52·5	67·0	30·0	0·431	46	14	588	37·7	53·0	25·0	0·334
21	23	502	53·4	71·0	34·3	0·955	47	21	627	38·2	51·9	25·0	0·109
22	30	521	55·3	72·7	43·0	0·581	48	28	609	40·6	53·0	30·1	0·388
23	June 6	507	55·0	70·3	41·1	0·212	49	December 5	644	43·5	55·0	31·0	1·332
24	13	505	54·8	75·2	38·0	0·081	50	12	575	42·6	57·0	25·0	1·553
25	20	485	57·0	79·6	39·2	0·247	51	19	583	42·9	57·1	29·0	1·606
26	27	518	58·4	74·8	45·6	0·371	52	26	596	40·0	57·0	30·6	1·590

In ordinary seasons the Table shows that September is the most healthy month, then August, and then October. But in 1868, though September was also the healthiest month, October was the second healthiest, and July the third, while May and June also were both healthier than August, so that, during that year, five months were healthier than August.

Table LIX. shows the connection between weekly temperature and the weekly deaths in the Eight Principal Towns of Scotland, and still more strikingly illustrates the close dependence of the mortality on the kind of weather which prevails. In reading that Table of the weekly deaths, it is to be remembered that if the extreme heat or extreme cold occurred at the end of the week, the deaths caused by that heat or cold would be entered on the Registers of the subsequent week; but if the heat or cold occurred at the beginning of the week, the mortality caused thereby would be entered on the Registers during the same week.

The warmest week in Scotland in 1858, was the 32d week, that ending 8th August, when the highest temperature was 87°·7 in the shade, and the mean temperature was 65°·5. The deaths for the second and third weeks of July had been 484 and 491 weekly in the Eight Towns, but in the week specified they rose to 618, being a number very much higher than during any previous week of 1868.

On the week ending 29th August, the mean temperature had declined to 55°·2, and the deaths had diminished to 469. But during the next week, that ending 5th September, the mean temperature had risen to 58°·4, and with it the weekly deaths rose to 506.

The effect of cold was equally remarked. November was the coldest of the closing months of the year. During the week ending 7th November, the mean temperature was 41°·5, and the weekly deaths 492. During the next week the mean temperature fell to 37°·7, and with the descent of temperature the deaths rose to 588. The cold continuing, the next, or third week of November, was still more fatal to the population, and produced 627 deaths. But during the three closing weeks of the year, when

TABLE LX.—Showing the connection between Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1868.

1868.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	38°·9	42°·9	44°·2	46°·8	52°·6	56°·8	61°·0	59°·8	54°·1	45°·6	39°·6	41°·1
Highest Temperature	56°·0	59°·2	62°·2	67°·3	72°·7	79°·6	86°·2	87°·7	84°·3	65°·0	61°·8	57°·0
Lowest Temperature	18°·0	25°·6	28°·0	28°·9	29°·5	38°·0	43°·7	44°·0	32°·4	28°·0	23°·0	21°·0
Rainfall in inches	6·73	4·53	3·98	3·29	2·27	1·00	0·54	5·33	3·26	3·57	2·80	6·59
Easterly Winds (days)	8	1	–	6	6	5	10	8	14	3	11	9
Westerly Winds (days)	15	24	23	14	16	20	15	16	9	23	12	13
Total Deaths	2423	2170	2409	2248	2248	2232	2358	2404	2065	2293	2474	2702
Daily Deaths	78	75	78	75	72	75	76	77	69	74	82	87
Zymotic Diseases	499	469	526	483	520	537	666	781	630	726	642	685
Small-pox	–	–	2	2	–	–	1	1	1	–	3	1
Measles	32	69	70	89	116	122	87	55	37	34	28	37
Scarlatina	108	87	77	62	75	78	72	100	185	325	272	263
Diphtheria	27	22	22	13	10	12	11	8	11	16	25	27
Hooping-Cough	99	87	155	145	131	165	135	121	92	95	83	101
Croup	48	30	30	20	20	17	14	22	37	48	34	47
All Fevers	131	113	110	90	101	86	82	77	86	98	107	138
Diarrhœa	25	22	36	25	28	29	201	311	131	71	40	25
Dysentery	3	6	3	7	8	4	10	29	12	4	6	6
Cholera	1	1	–	2	–	–	24	32	10	5	1	2
Consumption	284	268	341	312	325	320	301	287	228	235	232	269
Diseases Respiratory Organs	522	381	392	414	348	358	240	271	230	364	511	580
Heart, etc., Diseases	121	95	101	103	98	103	71	64	97	85	110	115
Brain, etc., Diseases	173	178	223	193	174	162	212	194	167	177	191	210
Debility and Premat. Birth	134	119	119	103	129	116	145	140	110	110	119	117
Age	118	100	101	97	107	91	84	84	85	71	108	132

the mean temperature continued to range from 40° to 42°9, the weekly deaths were 575, 583, and 596.

Table LX. shows the influence of weather on the monthly mortality of different diseases in the Eight Principal Towns of Scotland. As above remarked, the year 1868 was especially remarkable for the great heat in summer months, or third quarter; and it is interesting to notice the effect of this heat on the monthly deaths, from the bowel complaints Diarrhœa, Dysentery, and Cholera, in the Eight Towns. These diseases are not suddenly fatal, but linger on for a week or two after the heat which had given rise to them is past; some of the mortality is therefore thrown into the cooler months. The heat began to rise in June, but its influence was not seen on the bowel complaints, for only 33 deaths from them occurred in the Towns during that month. The mean temperature in the Towns was 61° in July, and the deaths from the bowel complaints rose to 235. The temperature was nearly as high in August, and the bowel complaints furnished 372 deaths. September was much cooler, and the deaths from these diseases fell to 153; and as the temperature lowered, they sunk to 80 deaths in October, to 47 deaths in November, and to 33 deaths in December.

The converse of all this was seen in the inflammatory affections of the respiratory organs. These diseases increase in frequency and fatality with the general depression of temperature. Accordingly, while the genial month of September only showed 230 deaths from these diseases in the Eight Towns, October produced 364 deaths, November 511 deaths, and December 580 deaths.

Consumption, again, is a disease which proves most fatal during those months when the cold, biting, arid, easterly winds are the prevalent aërial currents. In Scotland these winds begin to blow in March and continue till nearly the close of June; but as they were less keen than usual during 1868, so their pernicious effects on Consumption were not so strikingly manifested as in former years; still they were quite marked. Thus, in the month of February, before these winds began to blow, only 268 deaths from Consumption occurred; but March, with its keen easterly winds, yielded 341 deaths from that disease, and the deaths continued above 300 monthly till the end of June, falling rapidly after that to 228 in September.

In the Appendix is given a series of Tables having reference to the

TABLE LXI.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Fourteen Years 1855-1868.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6

Eight Principal Towns of Scotland, showing the influence of season on the mortality at four periods of life, both for the year 1868 and for the ten-yearly period 1858-1867. The facts there brought to light merit a careful study, as they not only corroborate what has been advanced in the above Report, but also give further evidence of the peculiarities of the year 1868, and show how strongly these peculiarities of the weather during each month of the year are marked on the mortality at the different periods of life.

We have failed to trace in Scotland any connection between the price of provisions and the mortality; but as this subject was commented on at some length in our last Report, Table LXI., which shows the prices of wheat and potatoes in connection with the deaths in Scotland for the fourteen years 1855-68, is allowed to tell its own tale.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *December* 7, 1870.

TABLE I.—PRINCIPAL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	32563	16828	15735	2779	23445	11770	11675	6865
1859	...	...	...	33027	16885	16142	2818	22352	11075	11277	7554
1860	...	...	...	32958	17035	15923	2874	26066	12814	13252	7688
1861	...	...	...	34351	17444	16907	3211	23149	11464	11685	7753
1862	...	...	...	34436	17649	16787	3457	24960	12270	12690	7724
1863	...	...	...	35888	18537	17351	3550	27045	13624	13421	8544
1864	...	...	...	37058	18930	18128	3660	28845	14504	14341	8897
1865	...	...	...	38109	19591	18518	3731	28515	14263	14252	9347
1866	...	...	...	38541	19741	18800	3977	27466	13742	13724	9458
1867	...	...	...	39012	20033	18979	3870	26519	13219	13300	8870
Ten Years.	902423	415722	486701	355943	182673	173270	33927	258362	128745	129617	82700

TABLE II.—LARGE TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	9282	4728	4554	757	6163	3034	3129	1824
1859	...	...	...	9545	4927	4618	756	5775	2946	2829	1918
1860	...	...	...	9223	4733	4490	743	6042	2972	3070	1983
1861	...	...	...	9695	4983	4712	808	5831	2869	2962	1940
1862	...	...	...	9618	4994	4624	864	6566	3286	3280	1837
1863	...	...	...	9895	5086	4809	909	6780	3358	3422	2086
1864	...	...	...	10263	5222	5041	871	7132	3544	3588	2234
1865	...	...	...	10594	5491	5103	891	6896	3352	3544	2304
1866	...	...	...	10453	5363	5090	889	6906	3378	3528	2279
1867	...	...	...	10651	5414	5237	869	6776	3322	3454	2156
Ten Years.	259042	121795	137247	99219	50941	48278	8357	64867	32061	32806	20561

TABLE III.—SMALL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	17678	9194	8484	1574	10076	5046	5030	3133
1859	...	...	...	18533	9538	8995	1705	10045	4975	5070	3643
1860	...	...	...	18239	9385	8854	1611	11070	5480	5590	3443
1861	...	...	...	18453	9352	9101	1611	10366	5150	5216	3365
1862	...	...	...	18376	9551	8825	1663	10933	5368	5565	3289
1863	...	...	...	18707	9626	9081	1793	11542	5862	5680	3521
1864	...	...	...	19389	9952	9437	1898	12294	6132	6162	3750
1865	...	...	...	19283	9963	9320	1873	11256	5598	5658	3779
1866	...	...	...	19326	9912	9414	1907	11809	5777	6032	3839
1867	...	...	...	19178	9840	9338	1845	11557	5786	5771	3607
Ten Years.	510897	242007	268890	187162	96313	90849	17480	110948	55174	55774	35369

TABLE IV.—TOTAL TOWN DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1858–1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	59523	30750	28773	5110	39684	19850	19834	11822
1859	...	...	...	61105	31350	29755	5279	38172	18996	19176	13115
1860	...	...	...	60420	31153	29267	5228	43178	21266	21912	13114
1861	...	...	...	62499	31779	30720	5630	39346	19483	19863	13058
1862	...	...	...	62430	32194	30236	5984	42459	20924	21535	12850
1863	...	...	...	64490	33249	31241	6252	45367	22844	22523	14151
1864	...	...	...	66710	34104	32606	6429	48271	24180	24091	14881
1865	...	...	...	67986	35045	32941	6495	46667	23213	23454	15430
1866	...	...	...	68320	35016	33304	6773	46181	22897	23284	15576
1867	...	...	...	68841	35287	33554	6584	44852	22327	22525	14633
Ten Years.	1672362	779524	892838	642324	329927	312397	59764	434177	215980	218197	138630

TABLE V.—RURAL DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1858–1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	44495	22944	21551	4244	23855	11802	12053	7833
1859	...	...	...	45438	23278	22160	4436	23542	11592	11950	8086
1860	...	...	...	45209	23256	21953	4508	24992	12344	12648	8111
1861	...	...	...	44510	22827	21683	4299	22995	11407	11588	7838
1862	...	...	...	44639	23063	21576	4392	24736	12255	12481	7747
1863	...	...	...	44851	22977	21874	4696	26114	12787	13327	8083
1864	...	...	...	45623	23270	22353	4768	26145	12830	13315	7844
1865	...	...	...	45084	23175	21909	4767	24224	11977	12247	8181
1866	...	...	...	45347	23344	22003	4900	25167	12458	12709	8112
1867	...	...	...	45203	23230	21973	4564	24216	12036	12180	7985
Ten Years.	1420305	683338	736967	450399	231364	219035	45574	245986	121488	124498	79820

TABLE VI.—SCOTLAND. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MARRIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	104018	53694	50324	9354	63539	31652	31887	19655
1859	...	...	...	106543	54628	51915	9715	61714	30588	31126	21201
1860	...	...	...	105629	54409	51220	9736	68170	33610	34560	21225
1861	...	...	...	107009	54606	52403	9929	62341	30890	31451	20896
1862	...	...	...	107069	55257	51812	10376	67195	33179	34016	20597
1863	...	...	...	109341	56226	53115	10948	71481	35631	35850	22234
1864	...	...	...	112333	57374	54959	11197	74416	37010	37406	22725
1865	...	...	...	113070	58220	54850	11262	70891	35190	35701	23611
1866	...	...	...	113667	58360	55307	11673	71348	35355	35993	23688
1867	...	...	...	114044	58517	55527	11148	69068	34363	34705	22618
Ten Years.	3092667	1462862	1629805	1092723	561291	531432	105338	680163	337468	342695	218450

TABLE VII.—Annual Per-centage of Births, Deaths, and Marriages to Population in the several Town and Rural Districts of Scotland during the Ten Years 1858–1867; and the Proportion of Illegitimate to Total Births.

	Births.				Deaths.			Marriages.
	Total.	Males.	Fem.	Illegit. to Total Births.	Total.	Males.	Fem.	
Principal Towns	3·944	4·394	3·560	9·3	2·863	3·089	2·663	0·916
Large Towns	3·830	4·182	3·517	8·4	2·504	2·632	2·390	0·793
Small Towns	3·663	3·979	3·379	9·3	2·171	2·279	2·074	0·692
Total Town Districts	3·841	4·245	3·499	9·3	2·596	2·770	2·444	0·829
Rural Districts	3·164	3·385	2·972	10·1	1·732	1·777	1·689	0·562
SCOTLAND	3·533	3·836	3·261	9·6	2·199	2·306	2·108	0·706

TABLE VIII.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1858–1867.

Months.	Absolute Number of Deaths—Ten Years.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11156	2351	7582	4723	25812	43·22	9·11	29·37	18·30	100·00
February	10114	2209	6536	4033	22892	44·18	9·65	28·55	17·62	100·00
March	10501	2351	7282	4175	24309	43·20	9·67	29·95	17·18	100·00
April	9803	2199	6545	3748	22295	43·97	9 86	29·36	16·81	100·00
May	9330	2364	6479	3366	21539	43 32	10·97	30·08	15·63	100·00
June	8512	2148	5883	3210	19753	43·09	10·88	29·78	16·25	100·00
July	9246	2136	5634	3014	20030	46·16	10·66	28·13	15·05	100·00
August	8666	1995	5201	2812	18674	46·41	10·68	27·85	15·06	100·00
September	8249	1914	4793	2525	17481	47·19	10·95	27·42	14·44	100 00
October	9265	2229	5294	2783	19571	47·34	11·39	27·05	14·22	100·00
November	10261	2217	6034	3635	22147	46·33	10·01	27·25	16·41	100·00
December	10744	2256	6665	4040	23705	45 32	9·52	28·12	17·04	100·00
TEN YEARS	115,847	26,369	73,928	42,064	258,208	44·86	10·21	28·63	16·30	100·00

TABLE IX.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1858–1867.

Months.	Relative Number of Deaths, Ten Years.					Monthly Deaths, proportioned to 1000 per Month or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11156	2351	7582	4723	25812	1176
February	11191	2443	7229	4462	25325	1154
March	10501	2351	7282	4175	24309	1108
April	10130	2272	6763	3873	23038	1050
May	9330	2364	6479	3366	21539	982
June	8795	2220	6079	3317	20411	930
July	9246	2136	5634	3014	20030	913
August	8666	1995	5201	2812	18674	851
September	8524	1978	4953	2609	18064	823
October	9265	2229	5294	2783	19571	890
November	10603	2291	6235	3756	22885	1043
December	10744	2256	6665	4040	23705	1080
TEN YEARS	118,151	26,886	75,396	42,930	263,363	12,000

TABLE X.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1868.

MONTHS.	Absolute Number of Deaths in 1868.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	1007	252	735	429	2423	41·56	10·40	30·33	17·71	100·00
February	943	241	628	356	2170	43·46	11·10	28·94	16·50	100·00
March	1044	270	710	385	2409	43·34	11·21	29·47	15·98	100·00
April	1002	237	627	382	2248	44·58	10·54	27·89	16·99	100·00
May	1016	258	617	357	2248	45·19	11·48	27·45	15·88	100·00
June	1033	231	639	329	2232	46·28	10·35	28·63	14·74	100·00
July	1195	236	606	321	2358	50·68	10·01	25·70	13·61	100·00
August	1194	232	632	346	2404	49·67	9·65	26·29	14·39	100·00
September	981	228	540	316	2065	47·50	11·05	26·15	15·30	100·00
October	1070	295	604	329	2298	46·56	12·84	26·29	14·31	100·00
November	1070	283	678	443	2474	43·25	11·44	27·40	17·91	100·00
December	1173	273	797	459	2702	43·41	10·10	29·50	16·99	100·00
YEAR	12,728	3036	7813	4454	28,031	45·40	10·83	27·88	15·89	100·00

TABLE XI.—Months equalized to 31 days, and Deaths at each age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Year 1868.

MONTHS.	Relative Number of Deaths, 1868.					Monthly Deaths, proportioned to 1000 per Month or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	1007	252	735	429	2423	1021
February	1009	257	672	382	2320	977
March	1044	270	710	385	2409	1015
April	1035	245	648	395	2323	979
May	1016	258	617	357	2248	947
June	1067	239	660	340	2306	972
July	1195	236	606	321	2358	993
August	1194	232	632	346	2404	1013
September	1014	236	558	326	2134	899
October	1070	295	604	329	2298	968
November	1106	292	700	458	2556	1077
December	1173	273	797	459	2702	1139
YEAR	12,930	3085	7939	4527	28,481	12,000

Births, Deaths, and Marriages registered in Scotland during the Year 1868.

1868.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	59222	56292	115514	5847	5507	11354	34662	34754	69416	21855	46098	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,085	130,422	1676	1580	3256	102	112	214	849	962	1811	553	1445	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2334	2242	4576	140	143	283	1229	1335	2564	707	2012	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6668	6251	12919	1009	972	1981	3314	3320	6634	2436	6285	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	9565	9045	18610	1009	955	1964	5377	5616	11023	3508	7587	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4225	3941	8166	337	289	626	2537	2490	5027	1369	3139	2,693,176
6 SOUTH-WESTERN, . .	881,092	1,008,253	23043	21987	45030	1991	1866	3857	14568	14085	28653	8566	16377	1,462,397
7 SOUTH-EASTERN, . .	383,217	408,962	8388	7922	16310	758	676	1434	4868	4771	9639	3526	6671	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3323	3324	6647	501	494	995	1920	2145	4065	1190	2582	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	408	367	775	16	21	37	196	237	433	149	342	} 598,726
2 Orkney, . . .	31,455	32,395	417	399	816	13	26	39	177	253	430	154	386	
3 Caithness, . . .	39,782	42,200	597	569	1166	53	48	101	327	290	617	170	549	455,708
4 Sutherland, . . .	24,720	24,157	254	245	499	20	17	37	149	182	331	80	168	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1084	1096	2180	52	50	102	523	600	1123	365	1057	2,016,375
6 Inverness, . . .	91,954	84,902	1250	1146	2396	88	93	181	706	735	1441	342	955	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	119	122	241	14	10	24	64	59	123	48	118	137,500
8 Elgin (or Moray), . .	40,532	44,218	744	671	1415	105	94	199	358	347	705	244	710	340,000
9 Banff, ...	51,353	56,020	959	936	1895	151	177	328	491	517	1008	300	887	439,219
10 Aberdeen, . . .	213,591	223,474	4272	3959	8231	653	603	1256	2143	2128	4271	1614	3960	1,260,625
11 Kincardine, . . .	34,814	34,724	574	563	1137	86	88	174	258	269	527	230	610	252,250
IV EAST-MIDLAND.														
12 Forfar, ...	193,627	206,750	4378	4218	8596	508	503	1011	2498	2658	5156	1588	3440	568,750
13 Perth, ...	137,369	133,198	1946	1801	3747	221	190	411	1188	1231	2419	760	1328	1,814,063
14 Fife,*	153,789	155,021	2743	2595	5338	219	227	446	1392	1419	2811	996	2527	328,427
15 Kinross,* . . .	9,626	8,731	110	98	208	14	11	25	62	65	127	37	81	49,812
16 Clackmannan, . .	21,555	20,122	388	333	721	47	24	71	237	273	510	127	211	29,440
V. WEST-MIDLAND.														
17 Stirling, . . .	83,802	88,138	1812	1659	3471	148	130	278	969	993	1962	593	1509	295,875
18 Dumbarton, . . .	46,995	54,179	1143	1047	2190	91	71	162	687	603	1290	364	900	204,800
19 Argyll, ...	94,042	83,859	1067	1040	2107	82	74	156	701	670	1371	334	736	2,083,126
20 Bute, ...	16,608	16,331	203	195	398	16	14	30	180	224	404	78	−6	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3683	3544	7227	283	251	534	2405	2393	4798	1412	2429	158,268
22 Ayr,*	189,973	199,063	3919	3716	7635	366	353	719	1935	1861	3796	1429	3839	735,262
23 Lanark,* . . .	533,169	640,444	15441	14727	30168	1342	1262	2604	10228	9831	20059	5725	10109	568,867
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	934	878	1812	69	72	141	379	396	775	285	1037	81,113
25 Edinburgh,* . . .	259,493	274,093	5782	5423	11205	530	451	981	3678	3581	7259	2676	3946	234,925
26 Haddington,* . .	36,363	37,626	667	566	1233	54	52	106	321	326	647	241	586	179,142
27 Berwick,* . . .	36,165	36,488	568	640	1208	68	72	140	265	256	522	181	686	302,951
28 Peebles,* . . .	10,804	11,300	192	188	380	16	9	25	100	75	175	62	205	227,869
29 Selkirk,* . . .	9,802	10,410	245	227	472	21	20	41	124	137	261	81	211	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	898	877	1775	94	108	202	460	505	965	321	810	428,494
31 Dumfries,* . . .	78,149	75,904	1164	1210	2374	182	186	368	669	754	1423	460	951	702,953
32 Kirkcudbright,* . .	43,371	42,745	680	652	1332	121	113	234	398	464	862	214	470	610,343
33 Wigtown,* . . .	43,139	41,845	581	585	1166	104	87	191	393	422	815	195	351	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	15	11	26	1	–	1	6	4	10	8
	(2) Burra and Quarff,	906	890	15	12	27	–	1	1	2	3	5	6
2	Delting, . . .	2124	1975	22	27	49	2	2	4	12	11	23	4
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	*c.* 2005	2113	21	27	48	1	1	2	14	13	27	8
	(2) Sandwick and Cunningsburgh, . .	*c.* 2220	2337	36	30	66	2	–	2	10	19	29	15
	(3) Fair Isle, . .	280	380	4	7	11	–	–	–	6	3	9	–
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	4	4	8	–	–	–	2	4	6	1
	(2) North Yell, . .	998	932	18	6	24	1	1	2	9	9	18	4
5	Lerwick (incl. Town), .	3390	3631	50	54	104	1	4	5	40	35	75	44
6	Mid and South Yell, .	1741	1784	24	21	45	–	–	–	11	12	23	7
7	Nesting, etc.—												
	(1) Nesting, . . .	*c.* 806	855	11	8	19	1	1	2	3	5	8	3
	(2) Lunnasting, . .	*c.* 830	880	11	8	19	1	–	1	4	6	10	1
	(3) Whalsay and Skerries	784	848	20	13	33	–	–	–	4	6	10	7
8	Northmavine, . .	2534	2585	30	29	59	–	1	1	17	15	32	6
9	Sandsting and Aithsting,	2603	2670	28	29	57	1	2	3	19	20	39	11
10	Tingwall, etc.—												
	(1) Tingwall, . .	*c.* 1654	1554	15	15	30	–	3	3	7	11	18	7
	(2) Whiteness & Weisdale	*c.* 1220	1143	16	7	23	2	–	2	4	5	9	4
11	Unst, ...	2977	3060	38	34	72	3	3	6	13	30	43	6
12	Walls, etc.—(1) Walls, .	*c.* 1280	1365	15	15	30	–	1	1	10	12	22	5
	(2) Sandness, .	*c.* 563	606	11	5	16	–	1	1	3	8	11	2
	(3) Papa-Stour, .	359	366	3	5	8	–	–	–	–	4	4	–
	(4) Foula, . .	240	233	1	–	1	–	–	–	–	2	2	–
	Total,	31078	31670	408	367	775	16	21	37	196	237	433	149
	2. Orkney.												
13	Birsay, ...	1749	1774	21	13	34	1	1	2	9	10	19	7
14	Deerness, . . .	786	813	13	18	31	–	1	1	4	4	8	2
15	Eday and Pharay, . .	1016	979	20	9	29	1	–	1	5	8	13	6
16	Evie and Kendall, . .	1446	1408	18	12	30	2	1	3	4	17	21	5
17	Firth and Stennes, . .	1327	1493	20	17	37	2	–	2	5	9	14	7
18	Harray, ...	750	819	9	8	17	–	1	1	3	8	11	6
19	Holm and Paplay, . .	749	834	10	16	26	–	–	–	9	7	16	6
20	Hoy and Græmsay, .	615	556	6	6	12	–	–	–	5	6	11	4
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	57	44	101	2	2	4	37	49	86	19
22	North Ronaldshay, .	526	532	13	9	22	1	1	2	6	4	10	2
23	Orphir, . . .	1157	1133	9	17	26	1	1	2	4	10	14	9
24	Rousay and Egilsay, .	1215	1152	12	17	29	–	1	1	4	6	10	8
25	St Andrews, . . .	926	868	6	10	16	–	3	3	2	1	3	4
26	Sanday, ...	2004	2145	31	24	55	–	1	1	11	17	28	7
27	Sandwick, . . .	1107	1225	14	16	30	1	1	2	3	11	14	6
28	Shapinshay, . . .	899	973	11	13	24	–	–	–	7	7	14	7
29	South Ronaldshay and Burray, . . .	3086	3282	54	41	95	–	4	4	26	26	52	18
30	Stromness, . . .	2770	2540	18	35	53	–	2	2	9	24	33	9
31	Stronsay, . . .	1211	1228	22	17	39	–	1	1	3	5	8	6
32	Walls, etc.—(1) Walls, .	1278	1254	12	16	28	–	–	–	8	7	15	4
	(2) Flotta, .	389	420		1	6	2	–	2	1	1	2	1
33	Westray, etc.—(1) Westray	2088	2153	30	35	65	–	5	5	11	15	26	7
	(2) Papa-Westray,	371	392	6	5	11	–	–	–	1	1	2	4
	Total,	31455	32395	417	399	816	13	26	39	177	253	430	154

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	23	16	39	5	–	5	10	9	19	–
35	Canisbay,	2437	2730	39	41	80	4	3	7	17	16	33	12
36	Dunnet,	1868	1861	26	25	51	–	2	2	18	9	27	11
37	Halkirk,	2918	2864	30	31	61	2	–	2	15	16	31	5
38	Latheron,	8224	8571	92	93	185	7	8	15	53	45	98	28
39	Olrig,	1873	2059	37	16	53	2	2	4	14	15	29	1
40	Reay,	2506	2476	29	30	59	4	5	9	18	19	37	13
41	Thurso (incl. Town),	5096	5561	93	80	173	12	7	19	48	49	97	25
42	Watten,	1351	1491	18	23	41	3	–	3	12	10	22	6
43	WICK (incl. Burgh),	11851	12841	210	214	424	14	21	35	122	102	224	69
	Total,	39782	42200	597	569	1166	53	48	101	327	290	617	170
	4. Sutherland.												
44	Assynt—(1) Kirkton,	c. 510	553	4	4	8	1	–	1	2	4	6	2
	(2) Stoer,	c. 2479	2625	29	18	47	1	1	2	17	14	31	10
45	Clyne,	1933	1886	15	14	29	1	3	4	10	12	22	1
46	Creich—(1) Bonar,	c. 2134	1982	24	13	37	3	1	4	9	16	25	4
	(2) Rosehall,	c. 580	539	10	4	14	3	–	3	4	5	9	3
47	DORNOCH (incl. Burgh),	2981	2885	37	31	68	1	2	3	22	19	41	17
48	Durness,	1152	1109	14	12	26	5	3	8	3	10	13	4
49	Eddrachillis—(1) Scourie,	c. 700	727	4	5	9	–	–	–	5	5	10	1
	(2) Kinlochbervie,	c. 876	914	9	11	20	–	1	1	8	6	14	4
50	Farr—(1) Kirkton,	c. 1313	1251	10	12	22	–	–	–	8	11	19	7
	(2) Strathy,	c. 890	852	5	13	18	1	1	2	7	5	12	4
51	Golspie,	1529	1615	21	25	46	1	–	1	10	15	25	4
52	Kildonan,	2288	2132	24	24	48	2	1	3	14	8	22	4
53	Lairg,	1162	961	11	15	26	1	1	2	9	15	24	5
54	Loth,	640	610	3	5	8	–	–	–	4	2	6	3
55	Rogart,	1535	1439	18	17	35	–	1	1	3	25	28	5
56	Tongue,	2018	2077	16	22	38	–	2	2	14	10	24	2
	Total,	24720	24157	254	245	499	20	17	37	149	182	331	80
	II. NORTH-WESTERN.												
	5. Ross and Cromarty. *Mainland.*												
57	Alness,	1240	1178	12	14	26	1	1	2	4	15	19	1
58	Applecross—												
	(1) Applecross,	c. 1130	1064	8	16	24	–	2	2	1	6	7	5
	(2) Shieldaig,	c. 1579	1480	15	16	31	1	2	3	8	14	22	8
59	Avoch,	2029	1788	25	41	66	1	–	1	10	11	21	12
60	Contin,	1562	1509	13	19	32	1	–	1	10	11	21	1
61	CROMARTY (incl. Burgh)	2727	2300	38	23	61	–	1	1	16	19	35	9
62	DINGWALL (incl. Burgh)	2364	2412	38	27	65	4	3	7	22	26	48	9
63	Edderton,	890	836	13	16	29	–	3	3	7	6	13	3
64	Fearn,	2122	2083	33	31	64	3	–	3	13	21	34	5
65	Fodderty,	2342	2247	28	22	50	1	–	1	12	14	26	3
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	19	10	29	1	–	1	10	12	22	8
	(2) Southern District,	c. 3340	3522	30	34	64	–	2	2	24	17	41	15
67	Glenshiel,	573	485	6	4	10	1	–	1	2	1	3	–
68	Killearnan,	1794	1494	14	16	30	1	–	1	4	15	19	11
69	Kilmuir-Easter,	1437	1295	19	11	30	1	1	2	4	10	14	3
70	Kiltearn,	1538	1634	16	14	30	–	–	–	13	3	16	5
71	Kincardine—												
	(1) Kincardine,	185	c 1380	19	20	39	2	1	3	8	8	16	4
	(2) Strathyokel,		c. 366	6	8	14	1	1	2	5	5	10	–
72	Kintail,	1009	890	11	6	17	1	1	2	7	8	15	3
73	Knockbain,	3005	2485	16	21	37	3	3	6	20	14	34	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
74	Lochalsh,	2299	2413	23	18	41	–	*	–	16	14	30	8
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	43	28	71	–	2	2	25	21	46	22
	(2) Coigach,	*c.* 1273	1285	23	11	34	–	–	–	5	5	10	–
76	Lochcarron,	1612	1592	12	17	29	–	1	1	8	13	21	6
77	Logie-Easter,	965	932	7	12	19	2	–	2	10	10	20	4
78	Nigg,	1457	1253	23	7	30	3	–	3	9	6	15	6
79	Resolis,	1551	1568	8	20	28	2	1	3	5	8	13	6
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	14	18	32	–	2	2	9	7	16	4
81	Rosskeen,	3699	3766	46	58	104	3	5	8	16	30	46	19
82	TAIN (incl. Burgh),	3574	3294	47	45	92	5	6	11	22	21	43	14
83	Tarbat,	2151	2269	26	31	57	1	–	1	16	18	34	9
84	Urquhart & Logie-Wester,	3153	3147	22	36	58	1	2	3	17	21	38	15
85	Urray,	2621	2355	25	31	56	2	1	3	19	21	40	10
	Insular.												
*a*86	Barvas,	4189	4609	82	88	170	–	1	1	25	31	56	28
*b*86	Carloway,	*c.* 2120	2204	48	42	90	1	–	1	9	16	25	19
87	Lochs,	*c.* 3109	3568	68	72	140	3	1	4	21	24	45	28
88	STORNOWAY (incl. Town),	8057	8668	151	157	308	6	6	12	76	91	167	48
89	Uig,	*c.* 2236	2007	37	36	73	–	1	1	15	7	22	7
	Total,	83781	82427	1084	1096	2180	52	50	102	523	600	1123	365
	6. INVERNESS. *Mainland.*												
90	Alvie,	914	833	12	13	25	2	4	6	6	2	8	1
91	Ardersier,	1337	1239	27	29	56	–	–	–	17	20	37	18
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	11	16	27	–	3	3	4	7	11	1
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	6	7	13	–	1	1	8	3	11	1
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990	*c.* 1647	17	14	31	1	7	8	6	9	15	6
			c. 2295	40	39	79	4	8	12	23	31	54	23
94	Croy and Dalcross,	1777	1873	19	24	43	1	–	1	12	14	26	6
95	Daviot and Dunlichty,	1857	1741	24	17	41	5	1	6	10	7	17	2
96	Dores,	1650	1506	16	19	35	–	2	2	10	10	20	1
97	Glenelg—(1) Glenelg,	*c.* 1070	800	9	9	18	1	2	3	5	4	9	2
	(2) Knoydart,	*c.* 770	574	7	6	13	1	2	3	4	4	8	1
	(3) North Morar,	*c.* 630	469	7	6	13	–	–	–	4	2	6	1
98	INVERNESS (incl. Burgh),	16496	16162	297	273	570	16	16	32	228	192	420	98
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	10	10	20	1	–	1	4	3	7	1
	(2) Lochaber,	*c.* 1873	1651	14	11	25	1	2	3	6	11	17	2
100	Kilmorack,	3007	2852	27	30	57	1	1	2	21	16	37	9
101	Kiltarlity,	2965	2839	34	22	56	7	1	8	16	20	36	8
102	Kingussie and Insh,	2201	2033	29	23	52	4	3	7	17	15	32	6
103	Kirkhill,	1730	1757	23	13	36	–	1	1	5	13	18	5
104	Laggan,	1223	986	9	7	16	1	–	1	1	4	5	3
105	Moy and Dalarossic,	1018	1026	10	13	23	–	2	2	3	5	8	–
106	Petty,	1784	1671	23	20	43	–	–	–	13	22	35	7
107	Urquhart, etc.—												
	(1) Urquhart,	*c.* 2585	2294	24	39	63	–	4	4	9	19	28	6
	(2) Glenmoriston,	*c.* 695	617	9	2	11	1	–	1	5	4	9	2
	Insular.												
108	Barra,	1873	1853	39	26	65	3	–	3	13	18	31	4
109	Bracadale,	1597	1335	13	16	29	1	–	1	6	12	18	2
110	Duirinish,	5330	4775	61	63	124	8	8	16	27	36	63	12
111	Harris—(1) Harris,	3663	3769	58	55	113	1	4	5	26	29	55	15
	(2) Bernera,	477	336	8	6	14	–	–	–	2	2	4	3
	(3) St Kilda,	110	78	4	–	4	–	–	–	5	–	5	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
112	Kilmuir—(1) Kilmuir,	*c.* 1743	1561	27	27	54	–	5	5	11	16	27	11
	(2) Stenscholl,	*c.* 1464	1311	15	27	42	–	–	–	5	8	13	8
113	North Uist,	3918	3959	75	57	132	8	6	14	38	39	77	20
114	Portree—(1) Portree,	2805	2579	36	29	65	3	1	4	20	15	35	8
	(2) Raasay,	752	580	12	9	21	–	–	–	4	3	7	4
115	Sleat,	2531	2330	30	21	51	2	1	3	18	21	39	9
116	Small Isles,	916	567	10	6	16	–	–	–	2	5	7	1
117	Snizort—(1) North,	*c.* 3071	2613	15	12	27	4	1	5	7	7	14	–
	(2) South,			24	21	45	2	1	3	14	16	30	5
118	South Uist—												
	(1) Benbecula,	1762	1544	22	31	53	3	–	3	8	10	18	6
	(2) Howmore,	*c.* 2040	1763	21	27	48	3	2	5	20	24	44	10
	(3) Boisdale,	*c.* 2371	2051	30	22	52	1	4	5	24	15	39	6
119	Strath,	3243	2664	46	29	75	2	–	2	19	22	41	5
	—— Total,	91954	84902	1250	1146	2396	88	93	181	706	735	1441	342
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	13	13	26	1	1	2	9	6	15	6
121	Auldearn,	1480	1328	20	20	40	2	2	4	9	9	18	8
122	Cawdor,	1202	1203	15	13	28	2	–	2	5	6	11	8
123	NAIRN (incl. Burgh),	4116	4486	71	76	147	9	7	16	41	38	79	26
	Total,	8076	8347	119	122	241	14	10	24	64	59	123	48
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	26	16	42	5	6	11	13	15	28	11
125	Alves,	919	1010	19	19	38	2	1	3	5	3	8	2
126	Bellie,	2017	1967	25	19	44	2	2	4	10	17	27	10
127	Birnie,	427	411	2	9	11	–	1	1	1	5	6	2
128	Boharm,	1368	1412	24	11	35	2	2	4	4	10	14	8
129	Dallas,	1226	1102	19	13	32	6	2	8	12	6	18	6
130	Drainy,	1856	3028	81	76	157	6	9	15	37	23	60	15
131	Duffus,	2983	3308	80	60	140	7	7	14	27	23	50	20
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	17	17	34	1	1	2	9	6	15	3
	(2) Rothiemurchus,	*c.* 295	319	8	13	21	2	–	2	6	8	14	5
133	Dyke,	1369	1247	21	11	32	2	–	2	14	9	23	6
134	Edinkillie,	1343	1303	21	17	38	3	3	6	11	5	16	3
135	ELGIN (incl. Burgh),	8231	9866	156	135	291	19	19	38	82	87	169	54
136	New Spynie,	445	518	13	11	24	3	2	5	9	11	20	3
137	FORRES (incl. Burgh),	4069	4112	63	71	134	10	13	23	46	53	99	26
138	Kinloss,	1370	1315	30	13	43	5	1	6	4	8	12	5
139	Knockando,	1771	1736	21	29	50	5	5	10	14	10	24	9
140	Rafford,	1020	1055	10	18	28	1	–	1	5	5	10	7
141	Rothes,	2022	2407	39	39	78	8	7	15	17	18	35	13
142	St Andrews-Lhanbryde,	1208	1344	21	20	41	3	3	6	16	3	19	14
143	Speymouth,	685	689	12	7	19	4	2	6	3	3	6	4
144	Urquhart,	2544	2532	36	47	83	9	8	17	13	19	32	18
	Total,	40532	44218	744	671	1415	105	94	199	358	347	705	244
	9. Banff.												
145	Aberlour,	1447	1665	24	18	42	1	5	6	12	11	23	9
146	Alvah,	1402	1467	24	17	41	3	5	8	7	11	18	4
147	BANFF (incl. Burgh),	6953	7740	122	131	253	19	31	50	95	116	211	36
148	Botriphnie,	713	867	17	7	24	4	–	4	2	7	9	8
149	Boyndie,	1564	1711	36	32	68	3	3	6	14	15	29	12
150	CULLEN (pt. of Burgh),	1697	1821	37	40	77	4	3	7	24	17	41	11
151	Deskford,	917	1031	15	14	29	1	5	6	7	9	16	5
152	Enzie,	*c.* 1872	2072	35	42	77	6	6	12	25	14	39	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
153	Fordyce,	3807	4145	74	69	143	12	13	25	33	40	73	20
154	Forglen,	695	783	18	17	35	2	1	3	6	4	10	5
a155	Gamrie,	2758	3019	61	57	118	9	12	21	16	15	31	22
b155	Glenrinnes,	?	c. 472	3	5	8	1	1	2	6	3	9	3
156	Grange,	1851	1909	21	25	46	3	4	7	9	9	18	11
157	Inveravon—(1) Inveravon,	c. 894	868	11	16	27	2	1	3	6	9	15	1
	(2) Auchbreck,	c. 1820	1771	18	19	37	5	7	12	16	9	25	6
158	Inverkeithny,	835	880	20	19	39	–	4	4	13	4	17	4
159	Keith,	4986	5943	94	94	188	23	23	46	55	60	115	20
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	c. 568	551	4	4	8	–	1	1	6	5	11	1
	(2) Tomintoul,	c. 990	960	13	19	32	2	4	6	7	7	14	7
161	Marnoch,	2994	3289	65	57	122	13	13	26	22	37	59	18
162	Mortlach,	2804	3095	41	35	76	15	9	24	13	20	33	13
163	Ordiquhill,	644	764	14	14	28	–	3	3	7	2	9	6
164	Rathven (incl. Buckie, Town),	c. 4664	4922	109	113	222	14	11	25	57	57	114	35
165	Rothiemay,	1413	1414	29	14	43	5	4	9	8	13	21	5
166	St Fergus,	1597	1608	33	28	61	4	6	10	14	11	25	11
167	Seafield (pt. of CULLEN, Burgh),	c. 1468	1725	21	30	51	–	2	2	11	12	23	14
	Total,	51353	56020	959	936	1895	151	177	328	491	517	1008	300
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	875	882	1757	104	134	238	617	617	1234	331
	(2) Old Machar (Burgh),	30503	31938	602	557	1159	74	56	130	362	433	795	360
	(3) Do. (Landward),	1254	1298	18	24	42	2	4	6	9	9	18	11
169	Aberdour,	1707	1837	32	53	85	8	9	17	21	22	43	9
170	Aboyne,	1108	1160	23	14	37	5	2	7	4	7	11	3
171	Alford,	1143	1264	32	22	54	8	5	13	10	11	21	9
172	Auchindoir,	1369	1593	18	24	42	6	5	11	7	11	18	8
173	Auchterless,	1837	2010	33	43	76	7	6	13	13	6	19	18
174	Belhelvie,	1692	1807	36	30	66	3	2	5	12	12	24	7
175	Birse,	1533	1284	14	18	32	1	2	3	7	5	12	6
176	Bourtie,	529	547	13	7	20	–	1	1	1	–	1	2
177	Cabrach,	750	794	7	4	11	–	1	1	4	7	11	5
178	Cairney,	1565	1490	23	15	38	8	1	9	15	13	28	5
179	Chapel of Garioch,	2102	2023	22	32	54	2	3	5	9	15	24	5
180	Clatt,	543	511	4	6	10	–	–	–	2	2	4	3
181	Cluny,	1149	1254	24	22	46	3	2	5	14	10	24	11
182	Coull,	734	792	22	13	35	6	2	8	2	6	8	12
183	Crathie and Braemar,	1788	1574	22	29	51	4	3	7	10	13	23	3
184	Crimond,	893	892	14	18	32	4	3	7	6	3	9	4
185	Cruden,	2479	2743	50	51	101	6	11	17	19	25	44	21
186	Culsamond,	1042	1165	14	17	31	4	4	8	4	12	16	6
187	Daviot,	601	614	7	11	18	–	–	–	2	5	7	6
188	Drumblade,	949	926	11	12	23	1	2	3	5	5	10	5
189	Drumoak,	948	996	17	14	31	1	1	2	9	7	16	4
190	Dyce,	470	585	15	17	32	3	–	3	4	9	13	6
191	Echt,	1206	1287	20	20	40	3	7	10	4	6	10	12
192	Ellon,	c. 2750	3239	57	57	114	12	9	21	18	19	37	29
193	Fintray,	1080	1003	14	20	34	1	–	1	14	9	23	6
194	Forgue,	2626	2686	43	59	102	10	14	24	15	9	24	12
195	Foveran,	1638	1891	44	28	72	8	3	11	20	18	38	4
196	Fraserburgh (incl. Twn.),	4447	4511	141	102	243	11	12	23	56	48	104	42
197	Fyvie,	c. 2927	c. 3264	66	48	114	12	9	21	22	27	49	18
198	Gartly,	990	1029	14	6	20	2	3	5	5	5	10	8
199	Glass,	972	1049	14	20	34	5	5	10	10	7	17	6
200	Glenbucket,	542	552	10	8	18	1	2	3	4	8	12	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1984	1668	41	30	71	8	3	11	27	11	38	6
202	Huntly (incl. Town),	4061	4329	80	65	145	16	15	31	31	33	64	24
203	Insch,	1519	1565	23	16	39	7	7	14	26	17	43	13
204	INVERURIE (including part of Burgh),	*c.* 2649	2668	52	55	107	9	7	16	28	20	48	26
205	Keig,	772	811	11	15	26	5	4	9	9	11	20	3
206	Keithhall,	920	933	14	13	27	6	–	6	7	4	11	8
207	Kemnay,	680	832	18	23	41	1	2	3	6	1	7	8
208	Kildrummy,	643	590	12	13	25	–	2	2	10	1	11	4
209	Kincardine O'Neil,	2098	2186	36	23	59	7	3	10	12	13	25	9
210	King-Edward,	2749	2843	67	48	115	15	11	26	18	21	39	21
211	Kinnellar,	590	691	10	8	18	4	1	5	6	2	8	4
212	Kinnethmont,	1108	1187	15	9	24	5	2	7	9	5	14	4
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	43	36	79	5	5	10	20	17	37	9
214	Leochel-Cushnie,	1068	1173	24	15	39	–	2	2	12	6	18	7
215	Leslie,	559	577	8	9	17	1	–	1	7	4	11	2
216	Logie-Buchan,	724	762	20	11	31	1	3	4	3	5	8	5
217	Logie-Coldstone,	889	932	16	17	33	1	6	7	6	5	11	6
218	Longside,	2952	3008	71	71	142	8	12	20	29	20	49	22
219	Lonmay,	1964	2142	40	29	69	11	9	20	15	11	26	18
220	Lumphanan,	1088	1251	24	15	39	6	4	10	12	17	29	7
221	Methlic,	1997	2157	36	29	65	7	8	15	12	15	27	10
*a*222	Midmar,	1166	1091	25	17	42	5	–	5	6	2	8	7
*b*222	Millbrex,	*c.* 1215	*c.* 1295	24	18	42	5	5	10	9	9	18	7
223	Monquhitter,	*c.* 2080	*c.* 2365	48	38	86	8	10	18	15	16	31	15
224	Monymusk,	940	988	18	12	30	1	3	4	7	8	15	9
225	New Deer,	*c.* 3383	3736	68	61	129	19	10	29	28	28	56	24
226	Newhills,	3325	3463	64	64	128	6	6	12	27	34	61	29
*a*227	New Machar,	*c.* 1338	1556	29	22	51	4	3	7	15	8	23	6
*b*227	New Pitsligo,	*c.* 2425	2609	62	56	118	13	12	25	23	29	52	19
228	Old Deer,	*c.* 4025	4392	76	61	137	14	9	23	25	32	57	33
229	Old Meldrum,	2002	2343	39	46	85	9	11	20	15	11	26	9
230	Oyne,	919	1127	19	12	31	5	2	7	10	10	20	7
231	Peterculter,	1481	1540	24	14	38	3	1	4	13	10	23	11
232	PETERHEAD (incl. Burgh),	9429	9796	252	219	471	35	20	55	115	87	202	73
233	Pitsligo,	1801	1890	41	41	82	2	3	5	15	10	25	7
234	Premnay,	793	916	25	18	43	8	3	11	14	10	24	9
235	Rathen,	2368	2554	54	48	102	6	2	8	17	21	38	18
236	Rayne,	1550	1514	22	20	42	1	5	6	9	9	18	8
*a*237	Rhynie,	1017	1061	10	26	36	1	4	5	5	7	12	7
*b*237	Savoch,	*c.* 1852	2061	35	23	58	14	6	20	10	9	19	8
238	Skene,	1862	1831	26	30	56	3	2	5	7	7	14	12
239	Slains,	1232	1266	22	15	37	5	3	8	4	3	7	4
240	Strathdon,	*c.* 1931	*c.* 1859	21	26	47	5	6	11	12	10	22	2
241	Strichen,	*c.* 2223	2409	35	41	76	5	13	18	11	21	32	11
242	Tarland,	*c.* 797	*c.* 846	18	16	34	2	3	5	13	5	18	3
243	Tarves,	*c.* 2339	2377	32	25	57	4	5	9	8	6	14	14
244	Tough,	891	874	11	10	21	2	2	4	4	3	7	6
245	Towie,	758	839	11	13	24	1	3	4	9	3	12	6
246	Tullynessle and Forbes,	930	957	15	12	27	2	4	6	6	7	13	6
247	Turriff,	3584	3693	73	65	138	11	10	21	35	34	69	20
248	Tyrie,	*c.* 775	833	11	15	26	2	3	5	9	6	15	5
249	Udny,	*c.* 1473	1623	30	22	52	4	5	9	6	13	19	4
	Total,	213461	223344	4272	3959	8231	653	603	1256	2143	2128	4271	1614

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot,	1002	932	15	16	31	–	2	2	4	1	5	6
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN),	c. 1168	1102	14	18	32	2	–	2	10	11	21	4
	(2) Portlethen,	c. 1780	1687	27	26	53	5	5	10	12	9	21	15
252	Banchory-Ternan,	2462	2947	52	39	91	9	6	15	17	24	41	17
253	Benholm,	1641	1574	23	28	51	3	3	6	7	20	27	11
254	BERVIE (incl. Burgh),	1459	1561	43	45	88	2	8	10	16	21	37	13
255	Dunnottar (incl. part of Stonehaven, Town),	1949	1828	36	30	66	5	1	6	13	16	29	14
256	Durris,	962	1109	13	24	37	1	3	4	6	8	14	7
257	Fettercairn,	1741	1700	15	25	40	5	6	11	7	13	20	7
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of Stonehaven, Town),	c. 3730	3575	62	55	117	10	10	20	40	30	70	23
	(2) Cookney,	c. 1990	1952	33	35	68	4	5	9	16	6	22	16
259	Fordoun,	2386	2297	35	27	62	7	4	11	17	16	33	13
260	Garvock,	457	458	10	7	17	2	–	2	6	2	8	3
261	Glenbervie,	1239	1219	16	11	27	4	–	4	8	10	18	6
262	Kinneff and Catterline,	1069	1054	22	20	42	2	1	3	4	7	11	8
263	Laurencekirk,	2125	2110	33	32	65	5	7	12	8	23	31	14
264	Maryculter,	1055	1055	11	15	26	1	6	7	4	7	11	5
265	Marykirk,	2232	2068	31	31	62	5	7	12	9	18	27	12
266	Nigg,	1841	2074	46	35	81	7	5	12	29	15	44	21
267	St Cyrus,	1579	1552	27	34	61	6	8	14	19	8	27	10
268	Strachan,	947	870	10	10	20	1	1	2	6	4	10	5
	Total,	34944	34854	574	563	1137	86	88	174	258	269	527	230
	IV. EAST-MIDLAND. 12. Forfar.												
269	Aberlemno,	1116	1054	12	20	32	1	1	2	11	6	17	6
270	Airlie,	856	845	14	16	30	–	–	–	5	7	12	2
271	Arbirlot,	990	960	18	17	35	2	3	5	3	3	6	4
272	ARBROATH (incl. Bur.),	17238	17831	329	351	680	25	36	61	196	225	421	128
273	Auchterhouse,	686	706	12	9	21	–	–	–	4	4	8	3
274	Barry,	2175	2465	49	44	93	2	4	6	20	43	63	23
275	BRECHIN (incl. Burgh),	8210	8810	167	138	305	32	26	58	100	104	204	55
276	Carmylie,	1240	1286	27	15	42	5	3	8	8	8	16	6
277	Careston,	207	225	9	1	10	1	1	2	–	2	2	–
278	Cortachy and Clova,	722	653	7	12	19	–	–	–	7	4	11	5
279	Coupar-Angus,	2685	2642	32	39	71	5	3	8	26	35	61	14
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	35	39	74	2	3	5	15	13	28	12
281	Dun,	522	552	12	9	21	1	–	1	3	5	8	1
282	DUNDEE—												
	(1) St Peter,		c.19000	460	430	890	49	50	99	206	253	459	138
	(2) St Mary,		c.19000	417	431	848	69	68	137	322	362	684	185
	(3) St Clement,	c.80027	c.19000	498	509	1007	60	72	132	340	303	643	206
	(4) St And. (in. Land.),		c.19000	741	687	1428	70	45	115	441	434	875	240
	(5) Lochee,		c.15664	199	204	403	26	25	51	111	145	256	91
283	Dunnichen,	1884	1932	26	23	49	3	8	11	17	22	39	9
284	Eassie and Nevay,	706	748	11	11	22	3	1	4	4	4	8	1
285	Edzell,	1084	1025	18	15	33	6	3	9	14	7	21	7
286	Farnell,	650	703	9	8	17	2	1	3	2	1	3	1
287	Fearn,	392	439	5	4	9	1	–	1	6	2	8	–
288	FORFAR (incl. Burgh),	11009	10838	252	185	437	38	37	75	123	112	235	89
289	Glammis,	2152	1980	33	38	71	4	4	8	13	10	23	13
290	Glenisla,	1050	1008	17	16	33	2	1	3	7	10	17	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	7	3	10	–	–	–	1	1	2	4
292	Inverarity,	948	961	20	16	36	1	1	2	7	6	13	5
293	Inverkeillor,	1871	1792	29	22	51	2	2	4	5	4	9	6
294	Kettins,	995	962	15	11	26	–	1	1	6	4	10	4
295	Kingoldrum,	429	473	15	6	21	–	–	–	2	4	6	–
296	Kinnell,	826	816	4	7	11	1	–	1	5	5	10	9
297	Kinnettles,	460	447	8	8	16	1	1	2	4	4	8	5
298	Kirkden,	1763	1862	32	23	55	3	2	5	15	19	34	8
299	Kirriemuir (incl. Town),	7617	7359	91	135	226	28	35	63	62	64	126	45
300	Lethnott and Navar,	408	446	5	2	7	1	–	1	3	2	5	1
301	Liff, Benvie, and Invergowrie,	1467	1430	17	22	39	2	–	2	16	13	29	6
302	Lintrathen,	926	898	17	9	26	4	1	5	3	2	5	8
303	Lochlee,	615	495	5	3	8	1	–	1	8	4	12	2
304	Logie-Pert,	1609	1483	11	16	27	1	6	7	3	7	10	12
305	Lunan,	279	259	7	3	10	1	–	1	2	1	3	2
306	Lundie,	450	442	6	4	10	–	–	–	4	3	7	1
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1299	1392	36	35	71	2	1	3	15	15	30	11
		735	789	18	14	32	3	–	3	6	6	12	1
308	Marytown,	366	417	8	3	11	2	–	2	–	3	3	4
309	Menmuir,	693	796	13	11	24	1	2	3	1	–	1	6
310	Monifieth (including part of Broughty Ferry),	4267	5052	144	133	277	9	8	17	64	56	120	36
311	Monikie,	1317	1460	22	25	47	–	2	2	14	13	27	7
312	MONTROSE (incl. part of Burgh),	16037	15668	269	270	539	17	24	41	184	226	410	98
313	Murroes,	643	763	13	17	30	–	1	1	3	7	10	4
314	Newtyle,	1141	1139	20	18	38	3	5	8	11	8	19	5
315	Oathlaw,	424	309	12	8	20	–	–	–	1	2	3	–
316	Panbride,	1372	1299	21	23	44	1	2	3	10	14	24	9
317	Rescobie,	711	747	16	10	26	–	2	2	2	6	8	5
318	Ruthven,	503	265	2	3	5	–	–	–	–	2	2	3
319	St Vigeans,	2591	2553	42	39	81	6	5	11	14	16	30	21
320	Stracathro,	505	546	11	11	22	3	2	5	4	3	7	4
321	Tannadice,	1517	1438	24	18	42	4	2	6	11	8	19	8
322	Tealing,	844	883	9	19	28	2	3	5	8	6	14	8
	Total,	193627	206750	4378	4218	8596	508	503	1011	2498	2658	5156	1588
	13. Perth.												
323	Aberdalgie,	343	295	5	4	9	–	–	–	3	3	6	2
324	Aberfeldy,	c. 2702	2402	24	32	56	5	2	7	21	17	38	13
325	Aberfoyle,	514	565	8	2	10	–	–	–	5	4	9	–
326	Abernethy,	2026	1960	27	17	44	3	2	5	19	17	36	8
327	Abernyte,	275	310	4	5	9	–	1	1	4	2	6	1
328	Alyth (incl. Town),	c. 2946	3198	53	46	99	6	6	12	36	57	93	19
329	Auchterarder (including Town),	4160	4208	56	47	103	9	7	16	29	32	61	19
330	Auchtergaven,	3232	2562	27	32	59	3	3	6	23	27	50	18
331	Balquhidder,	c. 974	c. 846	13	12	25	1	2	3	8	9	17	4
332	Bendochy,	c. 552	549	12	7	19	1	2	3	6	1	7	1
333	Blackford,	c. 2012	2084	38	29	67	5	5	10	21	17	38	8
334	Blair-Athol,	c. 1951	1553	25	22	47	1	2	3	14	16	30	5
335	Blairgowrie (incl. Town),	c. 4081	4423	79	77	156	11	6	17	48	46	94	33
336	Callander,	1716	1676	23	26	49	1	4	5	21	18	39	13
337	Caputh,	c. 1920	1728	22	14	36	2	1	3	11	14	25	9
338	Cargill,	1629	1647	14	25	39	1	2	3	10	9	19	11
339	Clunie,	723	699	5	13	18	–	1	1	2	7	9	6
340	Collace,	581	534	4	8	12	1	1	2	4	5	9	5
341	Comrie,	c. 2363	c. 2126	29	21	50	3	5	8	17	12	29	8
342	Crieff (incl. Town),	4504	4490	76	72	148	14	7	21	34	35	69	29

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS (incl. Burgh),	1487	1423	25	25	50	2	2	4	6	13	19	12
344	Dowally,	c. 531	486	5	10	15	–	–	–	5	5	10	1
345	Dron,	394	376	5	4	9	–	–	–	3	2	5	1
346	Dull,	c. 855	753	6	6	12	1	1	2	10	7	17	1
347	Dunbarney,	1066	1035	9	10	19	1	1	2	9	13	22	2
348	Dunblane,	c. 3213	3096	61	51	112	10	6	16	27	30	57	16
349	Dunkeld,	c. 1199	1086	14	14	28	–	–	–	8	16	24	3
350	Dunning,	2206	2084	30	28	58	1	5	6	15	15	30	11
351	Errol,	2796	2759	59	41	100	8	4	12	24	28	52	11
352	Findo-Gask,	405	399	4	3	7	–	1	1	–	3	3	–
353	Forgandenny,	828	739	5	10	15	1	–	1	6	3	9	4
354	Forteviot,	638	595	11	10	21	1	–	1	2	2	4	4
a355	Fortingall,	c. 1409	1244	13	12	25	5	2	7	10	7	17	1
b355	Foss,	c. 432	381	3	5	8	–	–	–	3	–	3	1
356	Fowlis-Easter,	300	317	2	7	9	–	–	–	2	2	4	–
357	Fowlis-Wester,	1321	1276	13	15	28	1	3	4	13	7	20	7
358	Glendevon,	128	138	2	–	2	–	–	–	–	1	1	1
359	Inchture,	745	659	11	11	22	2	–	2	7	5	12	2
360	Kenmore,	c. 1718	1515	20	14	34	3	2	5	9	9	18	11
361	Killin,	c. 1817	1681	11	21	32	2	2	4	12	12	24	6
362	Kilmadock,	3659	3312	33	32	65	5	2	7	27	32	59	9
363	Kilspindie,	684	665	8	12	20	–	2	2	3	6	9	4
364	Kincardine,	1993	1778	9	21	30	2	1	3	11	16	27	14
365	Kinclaven,	881	758	10	9	19	2	1	3	6	3	9	6
366	Kinfauns,	650	659	12	10	22	2	1	3	4	3	7	6
367	Kinloch-Rannoch,	c. 1303	1147	14	15	29	2	3	5	7	4	11	2
368	Kinnaird,	370	318	4	8	12	–	2	2	2	2	4	2
369	Kinnoull,	771	796	16	6	22	2	–	2	7	6	13	4
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	13	8	21	1	1	2	6	8	14	1
	(2) Glenshee,	c. 349	334	3	4	7	–	–	–	1	2	3	1
371	Lecropt,	442	538	11	7	18	–	–	–	7	3	10	8
372	Lethendy and Kinloch—												
	(1) Lethendy,	c. 544	c.210	1	2	3	–	1	1	1	2	3	–
	(2) Kinloch,		c.320	2	3	5	–	–	–	–	2	2	–
373	Little Dunkeld,	c. 2140	2089	34	34	68	4	1	5	24	19	43	13
374	Logie (including part of STIRLING),	2551	3483	56	48	104	5	9	14	41	27	68	23
375	Logiealmond,	c. 959	815	13	5	18	2	–	2	9	4	13	–
376	Logierait,	c. 2109	1902	26	23	49	8	2	10	14	23	37	2
377	Longforgan,	1787	1823	31	30	61	3	2	5	14	15	29	10
378	Madderty,	593	536	6	7	13	–	1	1	–	5	5	4
379	Meigle,	978	1122	16	21	37	2	2	4	2	5	7	9
380	Methven,	c. 2394	2290	39	22	61	3	4	7	15	21	36	17
381	Moneydie,	321	252	5	3	8	–	1	1	4	3	7	1
382	Monzie,	c. 569	461	3	5	8	–	–	–	2	3	5	–
383	Monzievaird,	790	782	6	12	18	1	1	2	8	4	12	2
384	Moulin,	c. 1772	1605	21	15	36	2	3	5	16	11	27	6
385	Muckhart,	685	615	6	7	13	1	–	1	8	1	9	3
a386	Muthill,	c. 2972	2008	38	47	85	6	11	17	24	28	52	17
b386	Persie,	c. 814	839	14	9	23	3	1	4	9	4	13	3
387	PERTH (incl. Burgh),	24670	26094	443	398	841	42	35	77	315	311	626	222
388	Port of Menteith,	1419	1375	17	14	31	3	3	6	4	9	13	2
389	Rattray,	c. 2308	2234	33	26	59	5	2	7	15	24	39	9
390	Redgorton,	c. 1955	1596	19	14	33	1	2	3	9	19	28	8
391	Rhynd,	338	297	4	6	10	–	–	–	2	–	2	–
392	St Madoes,	288	280	3	6	9	–	–	–	2	3	5	–
393	St Martins,	983	904	11	7	18	1	1	2	4	12	16	–
a394	Scone,	2332	2153	29	30	59	2	2	4	21	14	35	19
b394	Strathfillan,	c. 435	411	10	3	13	–	–	–	2	2	4	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
394	Tenandry,	c. 681	595	3	3	6	–	–	–	4	2	6	1
395	Tibbermore,	1469	1182	16	14	30	1	–	1	3	8	11	6
396	Trinity-Gask,	597	488	8	6	14	–	–	–	2	5	7	1
397	Tulliallan (including Kincardine),	3043	2410	42	39	81	5	4	9	23	31	54	16
398	Weem,	c. 230	215	5	2	7	–	1	1	3	1	4	–
	Total,	137369	133198	1946	1801	3747	221	190	411	1188	1231	2419	760
	14. Fife.												
399	Abbotshall,	688	808	8	19	17	–	2	2	3	6	9	3
400	Abdie,	c. 1353	1257	16	21	37	1	2	3	6	4	10	4
401	Aberdour,	1945	1874	31	27	58	1	3	4	13	13	26	15
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	19	28	47	–	1	1	8	9	17	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	8	14	22	2	–	2	2	3	5	–
404	Arngask,	689	705	10	9	19	1	–	1	5	6	11	5
405	Auchterderran,	3210	3457	91	91	182	9	13	22	36	43	79	29
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	51	44	95	7	5	12	31	28	59	20
407	Auchtertool,	517	609	9	7	16	1	2	3	8	7	15	2
408	Ballingry,	568	736	27	14	41	3	4	7	8	9	17	3
409	Balmerino,	945	815	10	8	18	1	1	2	4	2	6	6
410	Beath,	1252	2390	76	71	147	5	2	7	39	24	63	15
411	BURNTISLAND (incl. Burgh),	3158	3670	60	70	130	5	6	11	45	34	79	17
412	Cameron,	1207	1362	20	14	34	4	–	4	3	4	7	7
413	Carnbee,	1129	1157	23	14	37	3	–	3	1	5	6	4
414	Carnock,	3191	2925	31	47	78	1	3	4	20	18	38	9
415	Ceres,	2833	2723	47	34	81	3	4	7	19	26	45	14
416	Collessie,	1520	1530	22	21	43	2	2	4	9	13	22	8
417	CRAIL (incl. Burgh),	1903	1931	36	24	60	3	2	5	17	13	30	12
418	Creich,	386	377	7	7	14	–	–	–	2	6	8	1
419	Cults,	915	800	14	13	27	3	2	5	7	5	12	6
420	CUPAR (incl. Burgh),	7427	6750	101	105	206	6	21	27	60	87	147	41
421	Dairsie,	708	638	12	8	20	–	–	–	2	4	6	4
422	Dalgetty,	1513	1569	29	28	57	2	3	5	17	14	31	10
423	Dunbog,	c. 409	414	10	5	15	1	1	2	1	–	1	1
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	227	241	468	21	15	36	148	143	291	134
	(2) Landward,	c. 7602	7609	173	143	316	20	3	23	64	79	143	32
425	Dunino,	289	370	6	4	10	–	–	–	1	–	1	4
426	DYSART (incl. Burgh),	8739	8842	177	156	333	12	11	23	103	103	206	56
427	Elie,	843	826	14	5	19	–	–	–	7	7	14	1
428	FALKLAND (incl. Burgh)	3102	2937	33	47	80	5	3	8	19	31	50	16
429	Ferry-Port-on-Craig,	2238	2013	50	36	86	5	5	10	37	19	56	16
430	Flisk,	c. 157	230	1	3	4	–	–	–	–	–	–	–
431	Forgan,	1125	1326	23	20	43	–	2	2	16	6	22	7
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	48	52	100	2	9	11	28	26	54	12
433	Kemback,	956	896	15	14	29	1	1	2	8	9	17	7
434	Kennoway,	2257	2012	23	21	44	5	2	7	16	18	34	3
435	Kettle,	2601	2474	47	43	90	3	2	5	14	23	37	16
436	Kilconquhar (including EARLSFERRY),	2489	2431	29	39	68	–	7	7	24	16	40	16
437	Kilmany,	662	656	7	8	15	–	–	–	8	3	11	5
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	60	50	110	3	2	5	31	24	55	10
439	KINGHORN (incl. Burgh)	2455	2349	40	34	74	3	2	5	23	20	43	17

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
440	Kinglassie,	1186	1266	30	26	56	1	2	3	5	7	12	9
441	Kingsbarns,	893	937	15	14	29	–	1	1	6	9	15	7
442	KIRKCALDY (including Burgh),	10636	11117	231	223	454	19	17	36	113	114	227	94
443	Largo,	2800	2626	42	35	77	5	5	10	24	20	44	12
444	Leslie (incl. Town),	3800	4332	65	59	124	8	13	21	43	35	78	32
445	Leuchars,	1991	1903	28	20	48	4	2	6	10	17	27	10
446	Logie,	467	410	5	6	11	1	–	1	2	3	5	3
447	Markinch,	5843	5375	86	84	170	5	8	13	58	42	100	42
448	Monimail,	1102	1054	19	17	36	1	2	3	5	8	13	9
449	Moonzie,	198	179	2	–	2	–	–	–	–	–	–	1
450	NEWBURGH (including Burgh),	2986	2693	51	49	100	4	5	9	23	18	41	11
451	Newburn,	375	374	9	6	15	1	1	2	6	3	9	3
452	PITTENWEEM (incl. Burgh),	1473	1710	26	24	50	1	4	5	8	16	24	6
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	107	105	212	6	9	15	53	68	121	40
454	St Monance (or Abercrombie),	1241	1498	31	34	65	3	1	4	13	11	24	8
455	Saline,	1792	1610	25	20	45	5	2	7	10	9	19	7
456	Scoonie (incl. Leven),	3115	3257	46	49	95	3	2	5	29	43	72	20
457	Strathmiglo,	2509	2261	46	32	78	4	2	6	8	13	21	31
458	Torryburn,	1341	1229	10	19	29	–	1	1	4	9	13	9
459	Wemyss,	5647	6008	128	124	252	4	7	11	59	64	123	48
	Total,	153789	155021	2743	2595	5338	219	227	446	1392	1419	2811	996
	15. Kinross.												
460	Cleish,	659	649	9	9	18	–	1	1	3	5	8	3
461	Fossoway and Tullibole,	1621	1584	19	15	34	5	1	6	15	11	26	7
462	Kinross (incl. Town),	3227	2649	31	26	57	1	4	5	23	18	41	10
463	Orwell,	2569	2399	35	30	65	6	3	9	14	21	35	10
464	Portmoak,	1550	1450	16	18	34	2	2	4	7	10	17	7
	Total,	9626	8731	110	98	208	14	11	25	62	65	127	37
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	197	147	344	20	7	27	137	140	277	62
466	Clackmannan,	5802	4425	93	96	189	14	10	24	46	47	93	26
467	Dollar,	1574	1776	24	25	49	4	–	4	12	27	39	11
468	Tillicoultry (including Town),	4686	5054	74	65	139	9	7	16	42	59	101	28
	— Total,	21555	20122	388	333	721	47	24	71	237	273	510	127
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	25	21	46	3	2	5	18	12	30	7
470	Alva (incl. Town),	3204	3283	82	83	165	10	8	18	26	40	66	19
471	Baldernock,	801	718	11	7	18	1	–	1	11	6	17	4
472	Balfron,	1900	1517	31	17	48	3	1	4	18	17	35	9
473	Bothkennar,	1179	1722	65	51	116	2	3	5	25	16	41	16
474	Buchanan,	632	705	7	10	17	–	1	1	7	1	8	–
475	Campsie (including Lennoxtown),	6918	6483	106	108	214	4	5	9	81	82	163	39
476	Denny (incl. Town),	4754	4988	101	91	192	11	11	22	52	52	104	31
477	Drymen,	1481	1619	13	13	26	–	2	2	10	7	17	5
478	Dunipace,	1472	1731	29	33	62	2	1	3	10	16	26	9
479	FALKIRK—(1) Burgh,	8752	9030	208	168	376	12	5	17	123	137	260	47
	(2) Landward,	7686	7996	185	141	326	13	10	23	82	78	160	64

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	14	7	21	2	3	5	6	6	12	4
481	Gargunnock,	754	728	9	8	17	–	2	2	2	5	7	2
482	Killearn,	1176	1171	17	10	27	1	2	3	7	6	13	11
483	Kilsyth (incl. Town),	5346	6112	147	150	297	17	19	36	65	65	130	51
484	Kippen,	1892	1722	22	22	44	3	3	6	10	16	26	7
485	Larbert,	4606	4999	110	76	186	7	6	13	42	48	90	34
486	Muiravonside,	2647	2660	56	51	107	2	2	4	21	17	38	14
487	Polmont,	3764	4111	80	79	159	6	6	12	50	41	91	25
488	St Ninians (includ. Bannockburn, Town),	7630	6648	132	115	247	9	4	13	71	83	154	40
489	Slamannan,	1655	2916	107	88	195	10	1	11	36	32	68	29
490	STIRLING (incl. Burgh),	12401	14012	233	288	521	30	31	61	185	201	386	118
491	Strathblane,	1010	1388	22	22	44	–	2	2	11	9	20	8
	Total,	83802	88138	1812	1659	3471	148	130	278	969	993	1962	593
	18. Dumbarton.												
492	Arrochar,	562	629	3	4	7	–	1	1	8	5	13	1
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	190	150	340	9	10	19	111	95	206	88
494	Cardross (incl. Renton),	3402	4168	80	89	169	11	9	20	46	39	85	20
495	Cumbernauld,	3778	3513	84	66	150	8	5	13	35	33	68	20
496	DUMBARTON (incl Burgh)	5445	8268	249	227	476	19	12	31	162	156	318	80
497	Kilmaronock,	1033	1085	14	14	28	1	3	4	5	11	16	4
498	Kirkintilloch (incl. Town)	8426	8179	160	170	330	18	18	36	120	91	211	38
499	Luss,	907	831	9	8	17	–	–	–	6	5	11	4
500	New, or East, Kilpatrick,	4286	4910	105	112	217	8	7	15	57	55	112	32
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	106	87	193	8	4	12	53	49	102	24
502	Roseneath,	1044	1626	23	21	44	1	–	1	15	11	26	5
503	Row (incl. Helensburgh),	4372	6334	120	99	219	8	2	10	69	53	122	48
	Total,	46995	54179	1143	1047	2190	91	71	162	687	603	1290	364
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	14	14	28	1	2	3	9	13	22	10
505	Ardnamurchan—												
	(1) Aharacle,	*c.* 1791	1544	17	17	34	1	2	3	3	5	8	6
	(2) Arisaig,	*c.* 1555	1343	13	20	33	1	1	2	9	13	22	2
	(3) Sunart (or Strontian)	*c.* 875	759	3	10	13	–	–	–	3	5	8	2
	(4) Western District,	*c.* 1225	1054	17	7	24	1	–	1	11	12	23	3
506	Ballachulish and Corran of Ardgour,	*c.* 1125	919	10	7	17	–	–	–	5	12	17	3
507	CAMPBELTOWN (incl. Burgh),	9381	8149	136	126	262	9	8	17	88	88	176	38
508	Craignish,	756	618	7	7	14	–	–	–	5	4	9	2
509	Cumlodden,	1095	1033	16	20	36	–	–	–	4	3	7	2
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	83	90	173	4	3	7	58	60	118	32
511	Glassary,	*c.* 1860	1769	22	35	57	2	3	5	7	10	17	4
512	Glenorchy and Inishail,	1450	1307	13	2	15	1	–	1	9	11	20	6
513	INVERARAY (including Burgh),	1755	1650	16	14	30	–	2	2	16	13	29	6
514	Inverchaolain,	474	424	10	6	16	–	–	–	6	1	7	1
515	Kilbrandon & Kilchattan,	*c.* 2571	2053	23	29	52	2	2	4	29	14	43	9
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	*c.* 930	742	3	4	7	–	–	–	6	7	13	1
	(2) Kilberry,	689	583	7	7	14	–	–	–	3	1	4	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	4	3	7	1	2	3	3	1	4	1
	(2) Dalavich,	282	230	4	6	10	1	1	2	3	1	4	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	40	27	67	1	–	1	12	11	23	13
519	Killean and Kilchenzie,	2219	1890	19	23	42	1	–	1	8	11	19	9
520	Kilmalie,	c. 4110	3353	26	43	69	2	7	9	21	29	50	10
521	Kilmartin,	1144	949	13	9	22	1	–	1	12	10	22	4
522	Kilmodan,	500	433	4	3	7	1	–	1	4	2	6	2
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	41	38	79	5	4	9	42	30	72	29
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	3	6	9	–	1	1	3	1	4	–
	(2) Kilmelford,	265	486	10	8	18	–	–	–	3	2	5	–
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	10	5	15	1	–	1	10	7	17	5
	(2) Appin,	c. 940	825	8	7	15	–	–	–	6	3	9	3
	(3) Glencoe & Ballachulish,	c. 1510	1324	21	15	36	–	–	–	11	16	27	4
	(4) Duror,	c. 480	423	2	8	10	–	–	–	2	1	3	3
526	Lochgilphead,	c. 3263	3312	66	60	126	4	3	7	42	35	77	18
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	5	6	11	–	1	1	1	1	2	1
	(2) Kilmorich,	388	284	3	6	9	–	–	–	5	2	7	–
528	Morvern,	1547	1226	14	14	28	–	1	1	8	8	16	1
529	Muckairn,	788	729	6	10	16	2	–	2	4	2	6	3
530	North Knapdale,	1666	1327	8	14	22	–	–	–	6	15	21	5
531	Saddell, etc.—												
	(1) Saddell,	791	739	13	8	21	1	–	1	4	6	10	3
	(2) Skipness,	c. 705	533	5	7	12	–	–	–	5	2	7	2
532	Southend,	1406	1214	16	9	25	2	–	2	5	6	11	10
533	South Knapdale,	565	654	8	6	14	–	1	1	6	5	11	1
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	9	6	15	–	–	–	4	–	4	–
	(2) Strachur,	518	563	6	3	9	1	–	1	3	6	9	5
535	Tarbert,	c. 1828	1661	35	31	66	3	2	5	9	11	20	10
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	22	26	48	3	4	7	20	24	44	6
537	Gigha,	547	467	6	7	13	–	2	2	3	4	7	–
538	Iona,	c. 900	743	12	8	20	1	2	3	3	3	6	2
539	Jura, etc.—(1) Jura,	c. 868	858	7	7	14	–	1	1	6	6	12	3
	(2) Colonsay,	837	598	5	11	16	2	1	3	5	5	10	3
540	Kilchoman,	c. 2865	2377	21	19	40	4	1	5	28	15	43	5
541	Kildalton,	c. 2450	2187	26	32	58	5	7	12	23	24	47	6
542	Kilfinichen & Kilvickeon,	c. 2171	1792	29	16	45	6	–	6	12	12	24	10
543	Kilmeny,	1413	1268	16	18	34	4	3	7	7	9	16	2
544	Kiluinian and Kilmore,	c. 1890	1641	9	7	16	1	2	3	10	12	22	3
545	Kinlochspelvie,	c. 420	428	7	3	10	1	–	1	4	1	5	2
546	Oa,	c. 860	769	4	6	10	–	–	–	1	4	5	1
547	Portnahaven,	c. 1277	1059	14	17	31	1	–	1	11	12	23	4
548	Salen,	c. 634	604	4	5	9	–	–	–	3	3	6	2
549	Tobermory,	c. 1804	1566	21	20	41	–	1	1	16	18	34	5
550	Torosay,	c. 550	557	5	8	13	–	–	–	5	2	7	1
551	Tyree, etc.—(1) Tyree,	3709	3217	36	28	64	4	4	8	24	14	38	6
	(2) Coll,	1109	781	14	6	20	1	–	1	7	6	13	3
	Total,	94042	83859	1067	1040	2107	82	74	156	701	670	1371	334
	20. Bute.												
552	Cumbraes,	1275	1256	14	28	42	–	–	–	13	21	34	10
553	Kilbride, part of—												
	(1) Brodick,	c. 2340	c 1253	12	6	18	1	–	1	9	12	21	5
	(2) Kilbride,		c 1000	17	7	24	–	1	1	17	13	30	3
554	Kilmory,	c. 2724	2515	21	16	37	–	1	1	21	31	52	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth,	1007	905	11	15	26	1	1	2	9	4	13	5
556	Lochranza,	c. 883	824	4	6	10	–	–	–	6	10	16	2
557	North Bute,	c. 1235	1351	16	14	30	2	2	4	13	14	27	5
558	ROTHESAY,	c. 7144	7227	108	103	211	12	9	21	92	119	211	38
	Total,	16608	16331	203	195	398	16	14	30	180	224	404	78
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	268	296	564	26	24	50	176	206	382	140
	(2) Landward (including part of Barrhead),	c. 4867	5670	101	110	211	9	10	19	68	66	134	33
	(3) Johnstone (including Town),	c. 7363	8142	165	160	325	6	9	15	109	105	214	70
560	Cathcart,	2916	3782	99	100	199	1	5	6	52	76	128	47
561	Eaglesham,	2524	2328	23	20	43	1	–	1	18	15	33	18
562	Eastwood,	9243	11314	236	237	473	19	18	37	135	164	299	82
563	Erskine,	1232	1457	32	18	50	1	3	4	23	11	34	8
564	GREENOCK—												
	(1) New, or Middle,	9414	9446	226	203	429	23	28	51	162	151	313	33
	(2) East,	7704	12135	372	369	741	15	9	24	253	202	455	123
	(3) Old, or West,	20318	22313	636	590	1226	40	28	68	467	423	890	277
565	Houston and Killellan,	2753	2490	45	27	72	8	6	14	22	25	47	31
566	Inchinnan,	649	619	10	5	15	–	–	–	7	2	9	3
567	Innerkip—												
	(1) Innerkip,	c. 1026	1188	20	22	42	2	–	2	9	11	20	3
	(2) Gourock (including Town),	c. 1992	2307	44	50	94	3	3	6	28	28	56	16
568	Kilbarchan,	5474	6348	109	102	211	6	8	14	68	59	127	41
569	Kilmalcolm,	1399	1455	26	31	57	4	4	8	14	17	31	15
570	Lochwinnoch,	4153	3821	69	52	124	4	9	13	29	40	69	36
571	Mearns,	3704	3547	68	60	128	5	5	10	36	21	57	15
572	Neilston—(1) Neilston, (2) Barrhead,	12233	c. 3013	71	77	148	14	16	30	46	72	118	33
			c. 8000	113	103	216	7	10	17	79	77	156	29
573	PAISLEY—												
	(1) High,	14643	14900	312	271	583	27	14	41	179	198	377	125
	(2) Low,	7205	6712	130	113	243	13	8	21	101	97	198	47
	(3) Middle,	9904	9926	195	171	366	26	13	39	132	132	264	82
574	PORT-GLASGOW (incl. Burgh),	7017	7294	203	254	457	19	19	38	123	129	252	82
575	RENFREW (incl. Burgh),	3866	4650	110	103	213	4	2	6	69	66	135	23
	Total,	157950	168746	3683	3544	7227	283	251	534	2405	2393	4798	1412
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats),	c. 3434	3530	58	46	104	5	4	9	28	33	61	37
	(2) New (including Ardrossan),	c. 2147	5246	82	71	153	4	5	9	37	24	61	17
577	Auchinleck,	3697	4213	125	136	261	9	8	17	64	53	117	30
578	AYR (incl. Burgh),	18845	19659	322	309	631	38	39	77	205	218	423	165
579	Ballantrae,	1801	1483	23	26	49	4	4	8	5	10	15	6
580	Barr,	907	910	15	7	22	–	–	–	3	4	7	4
581	Beith (incl. Town),	6425	5775	114	109	223	9	3	12	57	48	105	38
582	Colmonell,	2934	2588	29	42	71	1	7	8	15	14	29	15
583	Coylton,	1542	1604	25	17	42	3	–	3	11	9	20	7
584	Craigie,	793	730	10	13	23	–	1	1	8	3	11	6
585	Dailly,	2413	2050	39	39	78	5	6	11	14	23	37	17

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington,	2910	4194	147	117	264	6	9	15	55	38	93	33
587	Dalry (incl. Town),	8865	11156	254	224	478	22	15	37	125	110	235	73
588	Dalrymple,	1096	1325	26	30	56	4	2	6	14	16	30	10
589	Dreghorn,	1828	3283	64	56	120	2	4	6	20	19	39	20
590	Dundonald (incl. Troon),	4555	4694	65	82	147	5	5	10	48	40	88	31
591	Dunlop,	1115	1038	14	24	38	–	1	1	13	6	19	8
592	Fenwick,	1741	1532	13	15	28	1	–	1	10	4	14	4
593	Galston (incl. Town),	4392	5254	145	120	265	10	12	22	52	65	117	37
594	Girvan (incl. Town),	8588	7053	109	76	185	24	14	38	61	57	118	36
595	IRVINE (incl. Burgh),	8463	8607	193	147	340	13	18	31	97	117	214	61
596	Kilbirnie (incl. Town),	5484	5265	109	107	216	12	9	21	37	40	77	41
597	KILMARNOCK (incl. part of Burgh),	21287	23556	531	503	1034	45	45	90	254	258	512	200
598	Kilmaurs,	3144	3526	74	67	141	6	2	8	35	22	57	34
599	Kilwinning (incl. Town),	6359	7717	141	150	291	5	24	29	73	61	134	38
600	Kirkmichael,	3262	2823	29	26	55	4	6	10	16	15	31	25
601	Kirkoswald,	2242	2060	34	30	64	5	6	11	9	13	22	11
602	Largs (incl. Town),	3715	3620	59	62	121	4	2	6	45	35	80	27
603	Loudoun (incl. Newmilns),	4720	4840	125	127	252	9	9	18	40	47	87	41
604	Mauchline,	2470	2303	44	37	81	7	5	12	27	28	55	19
605	Maybole (incl. Town),	7615	6713	99	100	199	12	18	30	56	45	101	35
606	Monkton and Prestwick,	1960	1937	28	30	58	1	5	6	18	15	33	12
607	Muirkirk (incl. Town),	3423	3270	64	62	126	8	8	16	35	25	60	20
608	New Cumnock,	2759	2891	57	72	129	10	6	16	29	34	63	30
609	Ochiltree,	1787	1676	21	13	34	3	–	3	14	11	25	11
610	Old Cumnock (including Town),	3777	3721	67	67	134	10	8	18	34	46	80	24
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	134	143	277	9	13	22	51	47	98	51
612	St Quivox and Newton-upon-Ayr,	2231	1870	25	17	42	4	4	8	13	13	26	14
613	Sorn (incl. Catrine),	4174	4042	78	66	144	9	4	13	43	34	77	36
614	Stair,	820	743	9	10	19	–	–	–	3	5	8	4
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	106	123	229	11	7	18	47	46	93	28
616	Stewarton (incl. Town),	4372	4449	85	80	165	15	7	22	43	44	87	29
617	Straiton,	1540	1544	19	22	41	4	1	5	11	13	24	17
618	Symington,	902	855	8	9	17	–	1	1	13	6	19	2
619	Tarbolton,	2824	2669	83	61	144	7	5	12	25	30	55	19
620	West Kilbride,	2021	1968	18	26	44	1	1	2	22	17	39	9
	Total,	189973	199063	3919	3716	7635	366	353	719	1935	1861	3796	1429
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	80	93	173	7	3	10	38	59	97	61
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW),	c. 4007	6734	150	151	301	7	6	13	105	88	193	54
	(2) Springburn (incl. pt. of GLASGOW),	c. 6386	8911	258	259	517	28	32	60	305	282	587	60
	(3) Shettleston,	c. 6564	6914	122	134	256	11	14	25	85	80	165	33
623	Biggar,	2049	1999	37	18	55	7	1	8	12	15	27	15
624	Blantyre,	2848	3092	55	59	114	7	7	14	26	33	59	36
625	Bothwell—												
	(1) Bothwell (including Bellshill),	c. 5583	7059	173	157	330	4	7	11	97	87	184	45
	(2) Holytown,	c. 9700	10844	243	246	489	17	17	34	119	105	224	49

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*a*626	Cadder—												
	(1) Western District, .	*c.* 2550	3023	66	54	120	7	2	9	36	35	71	19
	(2) Eastern District, .	*c.* 2464	2925	72	68	140	7	6	13	31	31	62	17
*b*626	Calderhead, . . .	*c.* 2140	3789	97	90	187	5	3	8	51	49	100	27
627	Cambuslang, . . .	3306	3647	45	75	120	3	5	8	43	34	77	25
628	Cambusnethan (including Wishaw) (part of), .	*c.* 8571	*c.*13377	459	407	866	17	31	48	166	162	328	136
629	Carluke (incl. Town), .	6283	6176	155	123	278	17	11	28	52	67	119	48
630	Carmichael, . . .	805	836	8	13	21	1	2	3	7	6	13	4
631	Carmunnock, . . .	710	734	8	11	19	1	–	1	10	7	17	6
632	Carnwath, . . .	3551	3584	104	97	201	8	8	16	47	31	78	32
633	Carstairs, . . .	1066	1345	29	27	56	2	3	5	14	10	24	6
634	Covington & Thankerton,	548	532	9	3	12	2	1	3	1	–	1	6
635	Crawford—												
	(1) Crawford, . .	*c.* 730	694	8	16	24	–	2	2	8	6	14	5
	(2) Leadhills, . .	*c.* 940	896	18	23	41	2	1	3	11	5	16	3
636	Crawfordjohn, . .	1111	980	9	15	24	3	2	5	6	11	17	7
637	Culter, ...	472	665	6	2	8	–	1	1	6	3	9	4
638	Dalserf—												
	(1) Larkhall (including Town), . .	*c.* 2670	3629	107	130	237	12	7	19	41	51	92	35
	(2) Dalserf, . . .	*c.* 913	1247	43	52	95	3	1	4	19	17	36	11
639	Dalziel (incl. Motherwell), . . .	2262	5438	205	211	416	6	3	9	88	97	185	37
640	Dolphington, . . .	305	260	3	3	6	–	–	–	3	1	4	2
641	Douglas, ...	2611	2490	45	36	81	6	6	12	19	24	43	20
642	Dunsyre, . . .	312	312	3	2	5	–	–	–	1	1	2	1
643	East Kilbride, . .	3760	4064	76	69	145	4	3	7	33	38	71	24
644	GLASGOW—												
	(1) Central District, .	*c.* 43270	49678	1400	1275	2675	262	253	515	1167	1148	2315	421
	(2) High, . . .	*c.* 42005	48119	1175	1050	2225	127	104	231	1237	997	2234	471
	(3) Bridgeton, . .	*c.* 38385	45485	1125	1073	2198	85	70	155	804	809	1613	385
	(4) Calton, . . .	*c.* 33310	36625	800	767	1567	80	78	158	645	613	1258	326
	(5) Clyde, . . .	*c.* 32800	29975	529	508	1037	79	80	159	456	468	924	161
	(6) Blythswood, . .	*c.* 21405	28697	478	465	943	32	36	68	296	307	603	487
	(7) Milton, . . .	*c.* 26240	33360	876	843	1719	64	64	128	517	584	1101	314
	(8) Anderston, . .	*c.* 30035	40945	1062	1033	2095	68	58	126	581	588	1169	373
	(9) Tradeston, . .	*c.* 27163	38600	978	919	1897	71	68	139	628	574	1202	571
	(10) Hutchesontown, .	*c.* 34484	44019	1144	1107	2251	75	64	139	708	705	1413	305
645	Glassford, . . .	1955	1938	25	21	46	3	3	6	21	21	42	12
646	Govan—												
	(1) Govan (incl. Town),	*c.* 6238	*c.*13725	490	493	983	17	19	36	270	215	485	186
	(2) Partick (incl. Town)	*c.* 7852	14859	412	386	798	18	9	27	205	242	447	174
647	HAMILTON (incl. Burgh),	11740	14047	341	287	628	21	17	38	164	147	311	106
648	LANARK (incl. Burgh),	8243	7891	119	132	251	17	26	43	74	89	163	51
649	Lesmahagow, . . .	7746	9266	185	174	359	19	23	42	73	76	149	67
650	Libberton, . . .	800	836	11	13	24	2	2	4	5	1	6	6
651	New Monkland—												
	(1) AIRDRIE, . .	14435	12922	244	251	495	27	23	50	163	161	324	124
	(2) Landward, . .	8766	7632	155	180	335	16	18	34	113	93	206	42
652	Old Monkland—												
	(1) Western District, .	*c.* 6646	6932	182	151	333	16	4	20	101	89	190	20
	(2) Middle District (incl. Coatbridge), .	*c.* 13168	15303	413	365	778	16	21	37	187	174	361	115
	(3) Eastern District (incl. Calderbank),	*c.* 7519	7308	172	151	323	8	6	14	87	72	159	28
653	Pettinain, . . .	428	407	11	8	19	–	1	1	4	1	5	1
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	214	207	421	9	9	18	141	144	285	84
655	Shotts (part of), . .	*c.* 892	*c.* 4778	104	111	215	4	6	10	59	40	99	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	72	79	151	5	9	14	25	29	54	26
657	Symington,	536	528	10	10	20	3	1	4	8	1	9	5
658	Walston,	497	480	6	8	14	2	2	4	4	3	7	8
659	Wandell and Lamington,	369	380	7	6	13	1	–	1	1	1	2	1
660	Wiston and Roberton,	839	786	8	10	18	1	3	4	4	4	8	5
	Total,	533169	640444	15441	14727	30168	1342	1262	2604	10228	9831	20059	5725
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	19	7	26	3	1	4	6	3	9	4
662	Bathgate—(1) Bathgate	4533	*c.* 5434	170	139	309	15	10	25	77	70	147	69
	(2) Armadale		*c.* 4700	111	115	226	5	5	10	37	32	69	23
663	Borrowstounness (incl. Town),	5192	5698	118	109	227	8	11	19	66	56	122	39
664	Carriden,	1724	1821	36	41	77	3	6	9	16	28	44	12
665	Dalmeny,	768	804	13	14	27	2	–	2	5	9	14	7
666	Ecclesmachen,	289	309	5	7	12	1	1	2	1	2	3	5
667	Kirkliston,	2029	1907	44	37	81	3	3	6	13	17	30	7
668	LINLITHGOW—												
	(1) Burgh,	4213	3843	60	68	128	5	5	10	33	40	73	28
	(2) Landward,	1902	1941	32	32	64	3	6	9	19	23	42	13
669	Livingstone,	1289	1366	32	25	57	4	7	11	9	16	25	8
670	QUEENSFERRY (incl. Burgh),	1195	1391	36	34	70	2	2	4	9	10	19	9
671	Torphichen,	1356	1848	34	27	61	–	3	3	13	11	24	9
672	Uphall,	1331	1507	50	42	92	4	–	4	27	23	50	12
673	Whitburn,	3792	5511	174	181	355	11	12	23	48	56	104	40
	To'al,	30590	39045	934	878	1812	69	72	141	379	396	775	285
	25. Edinburgh.												
674	Borthwick,	1614	1742	33	32	65	3	2	5	19	9	28	9
675	Carrington,	710	681	15	7	22	1	–	1	4	1	5	5
676	Cockpen,	3228	2902	74	62	136	5	2	7	34	42	76	20
677	Colinton,	2676	2656	54	39	93	7	2	9	39	29	68	20
678	Corstorphine,	1499	1579	27	17	44	2	–	2	12	16	28	11
679	Cramond,	2547	2695	49	49	98	4	3	7	27	26	53	13
680	Cranston,	1235	1035	15	12	27	3	1	4	12	8	20	8
681	Crichton,	1387	1304	26	11	37	5	1	6	11	10	21	9
682	Currie,	2190	2248	28	39	67	1	3	4	23	18	41	11
683	Dalkeith (incl. Town),	6521	7114	166	140	306	16	7	23	110	100	210	62
684	Duddingston—												
	(1) PORTOBELLO,	3559	4366	90	84	174	4	4	8	45	52	97	49
	(2) Landward,	904	857	16	18	34	2	1	3	7	11	18	4
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert),		*c.* 38540	42068	854	798	1652	50	54	104	588	601	1189	351
	(2) St Andrew,		*c.* 37435	38731	523	501	1024	41	29	70	352	352	704	380
	(3) Canongate (incl. Landward),		*c.* 29230	30169	693	655	1348	61	64	125	739	575	1314	343
	(4) St Giles,		*c.* 29245	29679	666	627	1293	138	134	272	350	380	730	281
	(5) Newington,		*c.* 27198	29797	660	663	1323	41	38	79	394	450	844	410
686	Fala and Soutra,	434	382	9	6	15	2	1	3	1	4	5	1
687	Glencross,	1138	1217	16	18	34	3	2	5	8	10	18	5
688	Heriot,	352	407	5	6	11	–	1	1	2	2	4	3
689	Inveresk (incl. MUSSELBURGH),	8653	9518	167	165	332	17	13	30	96	127	223	52

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	23	33	56	3	3	6	18	10	28	14
691	Lasswade,	5821	5688	121	127	248	6	10	16	39	66	105	42
692	LEITH—												
	(1) North Leith,	c. 9494	11562	317	300	617	18	9	27	171	163	334	129
	(2) South Leith,	c. 22725	24467	589	554	1143	46	37	83	337	302	639	281
693	Liberton,	3528	3510	71	60	131	11	7	18	45	39	84	23
694	Mid-Calder,	1474	1389	33	28	61	7	1	8	11	3	14	6
695	Newbattle,	2518	2837	71	61	132	4	5	9	31	35	66	24
696	Newton,	1780	1553	18	11	29	1	1	2	10	15	25	12
697	Penicuik,	3003	3249	67	71	138	10	2	12	19	31	50	26
698	Ratho,	1718	1659	34	29	63	3	3	6	20	21	41	10
699	Stow,	1973	2171	33	32	65	5	1	6	16	8	24	17
700	Temple,	1414	1385	39	30	69	2	3	5	16	14	30	10
701	West-Calder,	2120	1927	180	138	318	8	7	15	72	51	123	35
	Total,	259493	274093	5782	5423	11205	530	451	981	3678	3581	7259	2676
	26. Haddington.												
702	Aberlady,	1099	1019	19	16	35	4	1	5	7	9	16	4
703	Athelstaneford,	971	902	11	10	21	–	–	–	5	5	10	2
704	Bolton,	373	332	8	4	12	1	–	1	–	1	1	5
705	Dirleton,	1634	1540	13	18	31	–	3	3	7	14	21	8
706	DUNBAR (incl. Burgh),	4415	4944	79	60	139	8	8	16	51	51	102	33
707	Garvald,	869	891	12	14	26	–	2	2	3	6	9	3
708	Gladsmuir,	1780	1945	50	31	81	4	2	6	7	9	16	7
709	HADDINGTON (incl. Burgh),	5525	5548	109	80	189	8	6	14	49	58	107	44
710	Humbie,	925	997	21	11	32	4	–	4	8	8	16	10
711	Innerwick,	1012	937	9	9	18	1	–	1	10	7	17	4
712	Morham,	249	281	1	1	2	–	1	1	1	2	3	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	47	30	77	2	1	3	23	18	41	12
714	Oldhamstocks,	692	615	5	10	15	–	3	3	3	3	6	–
715	Ormiston,	811	915	14	23	37	1	5	6	7	8	15	8
716	Pencaitland,	1175	1187	21	28	49	1	2	3	10	9	19	8
717	Prestonkirk,	1894	1960	26	25	51	1	3	4	18	25	43	12
718	Prestonpans,	2123	2080	46	34	80	1	4	5	26	15	41	13
719	Salton,	697	712	10	11	21	–	–	–	6	2	8	5
720	Spott,	595	555	7	11	18	2	2	4	4	3	7	4
721	Stenton,	719	692	9	9	18	1	–	1	7	5	12	2
722	TRANENT (incl. Town),	4158	4647	105	95	200	9	6	15	51	53	104	41
723	Whitekirk & Tynninghame	1131	1113	18	14	32	2	1	3	5	7	12	3
724	Whittinghame,	671	710	11	9	20	2	1	3	5	4	9	6
725	Yester (or Gifford),	1202	1033	16	13	29	2	1	3	8	4	12	6
	Total,	36363	37626	667	566	1233	54	52	106	321	326	647	241
	27. Berwick.												
726	Abbey St Bathans,	155	179	2	4	6	–	–	–	–	1	1	1
727	Ayton,	1959	2014	24	36	60	3	1	4	13	13	26	19
728	Bunkle and Preston,	715	756	15	17	32	3	1	4	5	3	8	3
729	Channelkirk,	728	671	18	7	25	3	2	5	6	10	16	2
730	Chirnside,	1384	1502	21	23	44	3	4	7	14	11	25	7
731	Cockburnspath,	1196	1194	19	20	39	1	1	2	10	9	19	7
732	Coldingham,	3188	3241	55	64	119	5	9	14	18	24	42	14
733	Coldstream,	3245	2823	27	54	81	5	10	15	18	26	44	7
734	Cranshaws,	127	134	3	4	7	–	1	1	–	–	–	1
735	DUNSE (incl. Town),	3407	3595	57	56	113	4	6	10	35	33	68	18
736	Earlston,	1819	1825	24	41	65	4	4	8	22	11	33	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	31	23	54	3	2	5	12	8	20	8
738	Edrom,	1474	1592	20	20	40	1	4	5	7	12	19	8
739	Eyemouth,	1488	1804	53	58	111	4	3	7	17	9	26	9
740	Fogo,	604	559	5	10	15	1	1	2	2	2	4	3
741	Foulden,	430	431	2	3	5	–	–	–	2	2	4	3
742	Gordon,	983	931	22	16	38	1	2	3	11	7	18	8
743	Greenlaw,	1378	1370	27	26	53	4	2	6	9	15	24	13
744	Hume,	406	420	3	6	9	–	–	–	2	4	6	3
745	Hutton,	1102	1067	12	13	25	–	1	1	2	3	5	6
746	Ladykirk,	561	564	10	9	19	1	2	3	5	3	8	5
747	Langton,	484	502	10	11	21	1	3	4	3	2	5	5
748	LAUDER (incl. Burgh),	2154	2198	41	46	87	9	6	15	25	21	46	8
749	Legerwood,	587	599	7	12	19	2	–	2	3	4	7	2
750	Longformacus,	411	448	6	10	16	–	–	–	1	1	2	2
751	Merton,	692	729	7	12	19	1	1	2	5	6	11	5
752	Mordington,	427	377	5	4	9	1	–	1	3	2	5	1
753	Nenthorn,	441	461	8	1	9	1	–	1	2	2	4	–
754	Polwarth,	334	251	2	3	5	–	1	1	2	2	4	–
755	Swinton,	994	964	10	13	23	2	3	5	8	5	13	1
756	Westruther,	791	786	9	11	20	1	2	3	3	2	5	2
757	Whitsome,	612	640	13	7	20	4	–	4	1	3	4	3
	Total,	36165	36488	568	640	1208	68	72	140	266	256	522	181
	28. Peebles.												
758	Broughton,	284	297	7	2	9	1	–	1	–	1	1	1
759	Drumelzier,	244	209	1	2	3	–	–	–	2	–	2	–
760	Eddlestone,	790	753	15	8	23	–	–	–	8	5	13	4
761	Glenholm,	252	198	4	2	6	–	–	–	1	–	1	1
762	Innerleithen,	1236	1823	43	45	88	2	2	4	19	14	33	15
763	Kilbucho,	345	228	8	2	10	–	–	–	1	1	2	2
764	Kirkurd,	326	362	1	4	5	–	–	–	–	1	1	4
765	Lyne, etc.—(1) Lyne,	95	81	3	–	3	2	–	2	–	–	–	1
	(2) Meggat,	63	53	1	1	2	1	–	1	1	–	1	–
766	Manor,	256	247	8	10	18	2	1	3	2	1	3	–
767	Newlands,	950	987	11	19	30	–	–	–	7	7	14	5
768	PEEBLES (incl. Burgh),	2673	2850	38	38	76	4	5	9	39	26	65	16
769	Skirling,	316	317	5	5	10	–	–	–	2	2	4	–
770	Stobo,	478	478	13	11	24	1	–	1	3	–	3	–
771	Traquair,	646	687	9	14	23	1	1	2	2	3	5	5
772	Tweedsmuir,	220	196	2	1	3	–	–	–	–	–	–	3
773	West Linton,	1630	1534	23	24	47	2	–	2	13	14	27	5
	Total,	10804	11300	192	188	380	16	9	25	100	75	175	62
	29. Selkirk.												
774	Ettrick,	477	454	4	8	12	1	1	2	5	2	7	4
775	Galashiels (incl. part of Town),	3014	3379	118	87	205	9	8	17	61	66	127	38
776	Kirkhope,	c. 600	555	11	10	21	1	–	1	3	4	7	4
777	Roberton,	670	640	10	14	24	2	2	4	4	5	9	6
778	SELKIRK (incl. Burgh),	4347	4739	93	98	191	6	9	15	46	55	101	26
779	Yarrow,	c. 694	643	9	10	19	2	–	2	5	5	10	3
	Total,	9802	10410	245	227	472	21	20	41	124	137	261	81
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum,	1554	1511	25	20	45	1	5	6	7	10	17	6
781	Ashkirk,	578	578	12	9	21	–	–	–	4	1	5	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	3	5	8	1	–	1	1	1	2	–
783	Bowden,	981	864	14	10	24	1	–	1	5	8	13	1
784	Castleton,	2130	3688	36	31	67	5	4	9	13	14	27	11
785	Cavers,	1495	1824	31	31	62	5	7	12	8	17	25	9
786	Crailing,	734	673	8	7	15	–	–	–	3	6	9	8
a787	Eckford,	1073	957	12	18	30	2	2	4	5	10	15	2
b787	Edgerston,	c. 373	359	4	8	12	–	1	1	2	3	5	1
788	Ednam,	658	599	13	13	26	2	–	2	2	2	4	3
789	Hawick (incl. part of Town),	7801	8726	168	163	331	13	22	35	100	85	185	50
790	Hobkirk,	720	771	12	15	27	2	2	4	1	1	2	6
791	Hownam,	252	289	5	4	9	1	–	1	1	3	4	4
792	JEDBURGH (incl. Burgh),	c. 5220	5011	96	79	175	8	11	19	72	80	152	34
793	Kelso (incl. Town),	5634	5192	64	88	152	1	9	10	66	67	133	28
794	Kirktown,	282	421	6	5	11	2	1	3	1	3	4	2
795	Lilliesleaf,	798	772	11	11	22	3	1	4	6	10	16	5
796	Linton,	630	608	13	7	20	2	1	3	1	2	3	7
797	Makerston,	345	380	6	5	11	1	1	2	2	2	4	2
798	Maxton,	550	497	9	10	19	1	3	4	2	3	5	5
799	Melrose—												
	(1) Melrose,	3592	3557	53	55	108	6	8	14	22	35	57	19
	(2) Ladhope (incl. part of Galashiels),	3773	4154	96	72	168	14	5	19	54	53	107	47
800	Minto,	467	430	4	2	6	–	1	1	5	2	7	–
801	Morebattle,	997	1031	16	23	39	2	4	6	10	12	22	8
802	Oxnam,	c. 632	592	15	7	22	1	1	2	7	5	12	1
803	Roxburgh,	1141	1178	22	15	37	2	2	4	7	3	10	9
804	St Boswells,	884	865	10	13	23	–	–	–	6	8	14	4
805	Smailholm,	617	554	3	9	12	–	1	1	4	4	8	4
806	Southdean,	c. 765	687	13	8	21	2	1	3	3	3	6	4
807	Sprouston,	1424	1305	24	18	42	4	2	6	7	8	15	8
808	Stitchel,	426	425	6	4	10	–	1	1	–	2	2	3
809	Teviothead,	550	438	5	9	14	1	–	1	2	–	2	4
810	Wilton (incl. Town and part of Hawick),	2557	3357	64	85	149	10	9	19	20	30	50	22
811	Yetholm,	1352	1207	19	18	37	1	3	4	11	12	23	3
	Total,	51225	53722	898	877	1775	94	108	202	460	505	965	321
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	97	92	189	12	14	26	60	54	114	25
a813	Applegarth,	918	935	15	15	30	1	1	2	5	5	10	3
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	7	16	23	1	3	4	6	4	10	4
814	Canonbie,	3163	3219	55	63	118	5	8	13	28	28	56	15
815	Carlaverock,	1418	1248	11	13	24	3	1	4	7	14	21	5
816	Closeburn,	1732	1651	22	33	55	2	6	8	6	15	21	6
817	Cummertrees,	c. 1334	1184	15	12	27	1	–	1	2	9	11	4
818	Dalton,	761	679	8	9	17	2	1	3	2	4	6	3
819	Dornock,	936	856	15	15	30	3	2	5	8	9	17	6
820	Dryfesdale,	2409	2509	47	42	89	6	4	10	22	23	45	15
821	DUMFRIES (incl. part of Burgh),	12298	13523	224	239	463	33	38	71	174	194	368	103
822	Dunscore,	1578	1554	16	25	41	3	4	7	12	11	23	8
823	Durrisdeer,	1795	1320	15	25	40	3	4	7	11	11	22	9
824	Eskdalemuir,	672	590	6	4	10	–	–	–	3	2	5	2
825	Ewes,	354	356	7	4	11	–	1	1	8	1	9	3
826	Glencairn,	1980	1867	24	43	67	6	5	11	13	18	31	12

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
827	Graitney (or Gretna),	1830	1620	14	13	27	2	3	5	6	15	21	6
828	Halfmorton,	687	713	6	4	10	–	2	2	3	6	9	3
829	Hoddam,	c. 1705	1568	20	25	45	7	6	13	8	17	25	7
830	Holywood,	1060	1115	13	13	26	1	3	4	7	9	16	10
831	Hutton,	836	876	15	9	24	2	2	4	5	6	11	6
832	Johnstone,	1261	1149	18	16	34	1	1	2	4	7	11	9
833	Keir,	960	849	8	18	26	–	3	3	7	6	13	4
834	Kirkconnel,	1245	996	17	19	36	1	1	2	4	10	14	6
835	Kirkmahoe,	1553	1462	17	15	32	2	2	4	18	9	27	3
836	Kirkmichael,	1124	1026	19	11	30	2	2	4	10	5	15	8
837	Kirkpatrick-Fleming— (1) Northern Dist., (2) Southern Dist.,	1829	c. 483 / c1442	4 / 19	10 / 24	14 / 43	– / 5	3 / 8	3 / 13	2 / 16	4 / 16	6 / 32	3 / 12
838	Kirkpatrick-Juxta,	1097	1025	25	12	37	3	1	4	10	8	18	6
839	Langholm,	2990	2979	51	59	110	6	7	13	27	38	65	14
840	LOCHMABEN (includ. Burgh),	3127	3087	61	55	116	11	11	22	18	20	38	27
841	Middlebie,	2163	2004	28	30	58	4	7	11	16	19	35	15
842	Moffat,	2304	2232	26	28	54	3	4	7	19	29	48	14
843	Morton,	2482	2253	35	31	66	8	1	9	30	35	65	12
844	Mousewald,	686	633	11	8	19	1	1	2	3	5	8	1
845	Penpont,	1411	1326	21	24	45	5	1	6	7	9	16	12
846	Ruthwell,	1110	1046	15	10	25	3	2	5	10	15	25	1
847	St Mungo,	645	686	10	12	22	3	5	8	5	–	5	2
848	SANQUHAR (including Burgh),	c. 3155	2758	43	27	70	9	4	13	21	19	40	19
849	Tinwald,	1080	1079	21	17	38	5	3	8	9	6	15	5
850	Torthorwald,	1313	1254	27	20	47	12	5	17	18	11	29	9
851	Tundergarth,	577	507	11	7	18	1	1	2	6	7	13	2
852	Tynron,	482	446	4	7	11	1	–	1	3	3	6	5
a853	Wamphray,	523	559	5	9	14	1	3	4	2	5	7	2
b853	Wanlockhead,	c. 916	811	9	21	30	1	1	2	8	10	18	6
854	Westerkirk,	658	537	7	6	13	1	1	2	–	3	3	8
	Total,	78149	75904	1164	1210	2374	182	186	368	669	754	1423	460
	32. KIRKCUDBRIGHT.												
855	Anwoth,	900	899	16	17	33	2	1	3	9	13	22	3
856	Balmaclellan,	c. 938	890	14	8	22	3	–	3	7	5	12	2
a857	Balmaghie,	1217	1225	18	16	34	3	4	7	6	11	17	5
b857	Bargrennan,	c. 500	c. 500	5	6	11	1	–	1	3	3	6	1
858	Borgue,	1043	1162	15	19	34	3	3	6	8	8	16	3
859	Buittle,	1042	1165	20	20	40	3	6	9	11	10	21	10
860	Carsphairn,	855	553	6	7	13	2	–	2	1	5	6	2
861	Colvend,	1398	1366	23	27	50	5	3	8	15	14	29	8
862	Corsock-Bridge,	c. 550	544	8	6	14	1	1	2	3	2	5	4
863	Crossmichael,	1362	1536	25	20	45	3	4	7	12	8	20	7
864	Dalbeattie,	c. 1927	2054	53	48	101	7	6	13	45	45	90	21
865	Dalry,	1238	1149	22	13	35	7	3	10	6	13	19	8
866	Girthon,	1787	1702	24	22	46	2	2	4	24	27	51	8
867	Irongray,	918	913	16	12	28	4	2	6	6	7	13	5
868	Kells (incl. NEW GALLOWAY),	1091	1170	16	13	29	4	2	6	6	4	10	5
869	Kelton,	3186	3436	58	54	112	15	14	29	33	42	75	17
870	Kirkbean,	982	942	11	7	18	–	3	3	10	10	20	–
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	57	54	111	12	10	22	36	44	80	18
872	Kirkgunzeon,	734	793	14	16	30	2	2	4	7	9	16	4
873	Kirkmabreck,	2266	1851	30	31	61	5	5	10	11	14	25	11
874	Kirkpatrick-Durham,	c. 1349	1323	17	14	31	2	2	4	4	12	16	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
875	Lochrutton,	726	677	6	13	19	3	3	6	5	7	12	6
876	Minnigaff,	c. 1804	c. 1554	13	22	35	5	4	9	6	18	24	7
877	New Abbey,	1098	1063	11	16	27	–	4	4	5	7	12	8
878	Parton,	c. 547	572	6	6	12	1	1	2	5	4	9	–
879	Rerrick,	1725	1738	28	28	56	8	5	13	15	20	35	5
880	Terregles (incl. part of DUMFRIES),	566	580	5	6	11	–	–	–	3	4	7	4
881	Tongland,	924	892	10	12	22	1	3	4	7	6	13	2
882	Troqueer (incl. part of DUMFRIES),	4925	4743	97	83	180	10	12	22	65	53	118	22
883	Twynholm,	782	815	11	12	23	3	4	7	8	9	17	4
884	Urr,	c. 1436	1531	25	24	49	4	4	8	16	30	46	7
	Total,	43121	42495	680	652	1332	121	113	234	398	464	862	214
	33. Wigtown.												
885	Glasserton,	1487	1472	20	23	43	7	5	12	5	10	15	13
886	Inch,	2579	2460	30	38	68	1	6	7	28	19	47	13
887	Kirkcolm,	2018	1860	21	23	44	6	1	7	13	15	28	11
888	Kirkcowan,	1541	1434	22	19	41	5	4	9	14	11	25	10
889	Kirkinner,	1914	1716	26	22	48	5	2	7	12	13	25	10
890	Kirkmaiden,	2681	2333	38	43	81	7	9	16	15	13	28	11
891	Leswalt,	1703	1417	16	15	31	1	–	1	5	9	14	5
892	Mochrum,	2946	2694	37	43	80	9	6	15	18	27	45	11
893	New Luce,	791	731	9	14	23	3	6	9	13	4	17	5
894	Old Luce (or Glenluce),	2841	2800	44	32	76	5	5	10	15	18	33	16
895	Penninghame (incl. Newton-Stewart),	4155	4061	57	50	107	5	7	12	26	20	46	13
896	Portpatrick,	1963	2189	18	20	38	3	1	4	23	13	36	8
897	Sorbie,	1886	1814	25	21	46	5	7	12	11	20	31	10
898	Stoneykirk,	3321	3228	48	54	102	10	9	19	25	31	56	13
899	STRANRAER (incl. Burgh)	5738	6315	96	97	193	19	14	33	125	139	264	25
900	WHITHORN (incl. Burgh)	3001	2934	36	48	84	8	3	11	24	30	54	15
901	WIGTOWN (incl. Burgh)	2824	2637	38	23	61	5	2	7	21	30	51	6
	Total,	43389	42095	581	585	1166	104	87	191	393	422	815	195

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular,	166,487	160,733	2218	2084	4302	129	131	260	1156	1355	2511	707
Mainland-Rural,	1,711,717	1,762,576	31319	29668	60987	3279	3076	6355	15993	16191	32184	10458
Town,	1,010,538	1,138,985	25685	24540	50225	2439	2300	4739	17513	17208	34721	10690
SCOTLAND,	2,888,742	3,062,294	59222	56292	115514	5847	5507	11354	34662	34754	69416	21855

MARRIAGES registered in SCOTLAND in 1868 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	21855	9786	5015	3244	467	1872	1403	58	60	18609	484	1966	671	125	2143	4154
INSULAR DISTRICTS	707	307	287	55	–	19	35	3	1	597	9	72	18	11	178	288
MAINLAND-RURAL DIST.	10458	5609	2365	1445	122	510	386	19	2	9074	176	875	225	108	770	1407
TOWN DISTRICTS	10690	3820	2363	1744	345	1343	982	36	57	8938	299	1019	428	6	1195	2459
	DIVISIONS.															
I.	NORTHERN	553	209	243	57	–	–	40	3	1	485	5	51	9	3	34	81
II.	NORTH-WESTERN	707	185	452	21	3	36	10	–	–	610	8	58	10	21	228	346
III.	NORTH-EASTERN	2436	1438	597	140	84	44	133	–	–	2128	51	199	48	10	59	170
IV.	EAST-MIDLAND	3508	1752	749	596	92	175	135	9	–	3029	60	309	90	20	157	448
V.	WEST-MIDLAND	1369	681	282	198	12	118	77	–	1	1169	22	121	38	19	177	274
VI.	SOUTH-WESTERN	8566	3242	1670	1394	179	1196	821	38	26	7160	240	779	366	21	1220	2399
VII.	SOUTH-EASTERN	3526	1582	796	643	90	249	130	6	30	3003	82	338	84	19	218	370
VIII.	SOUTHERN	1190	647	226	195	7	54	57	2	2	1025	16	111	26	12	50	66
	COUNTIES.															
1	Shetland	149	92	24	10	–	–	20	3	–	129	1	17	1	1	16	46
2	Orkney	154	64	42	39	–	–	8	–	1	134	–	14	6	–	2	6
3	Caithness	170	44	106	8	–	–	12	–	–	150	3	14	2	1	11	13
4	Sutherland	80	9	71	–	–	–	–	–	–	72	1	6	–	1	5	16
5	Ross & Cromarty	365	56	294	5	2	4	4	–	–	304	4	34	7	16	144	206
6	Inverness	342	129	158	16	1	32	6	–	–	306	4	24	3	5	84	140
7	Nairn	48	17	20	6	–	2	3	–	–	41	1	5	1	–	6	11
8	Elgin	244	115	90	25	2	3	9	–	–	210	6	19	5	4	12	23
9	Banff	300	175	84	16	2	12	11	–	–	271	4	23	1	1	8	21
10	Aberdeen	1614	958	363	83	74	27	109	–	–	1411	36	127	35	5	27	98
11	Kincardine	230	173	40	10	6	–	1	–	–	195	4	25	6	–	6	15
12	Forfar	1588	701	326	274	69	144	74	–	–	1348	38	151	51	–	94	326
13	Perth	760	355	228	112	17	23	18	7	–	674	9	57	14	6	27	48
14	Fife	996	616	162	172	3	8	33	2	–	863	12	84	23	14	28	63
15	Kinross	37	22	7	8	–	–	–	–	–	33	–	3	1	–	–	–
16	Clackmannan	127	58	26	30	3	–	10	–	–	111	1	14	1	–	8	11
17	Stirling	593	296	93	108	1	43	51	–	1	515	10	46	14	8	83	106
18	Dumbarton	364	154	60	66	4	66	14	–	–	309	4	36	12	3	58	100
19	Argyll	334	202	90	20	7	7	8	–	–	283	8	27	9	7	33	58
20	Bute	78	29	39	4	–	2	4	–	–	62	–	12	3	1	3	10
21	Renfrew	1412	566	310	187	34	231	82	1	1	1189	29	116	68	10	228	411
22	Ayr	1429	838	264	143	19	83	81	1	–	1183	54	133	57	2	167	331
23	Lanark	5725	1838	1096	1064	126	882	658	36	25	4788	157	530	241	9	825	1657
24	Linlithgow	285	137	53	51	3	34	7	–	–	240	12	21	1	11	38	63
25	Edinburgh	2676	1120	645	476	85	204	110	6	30	2268	61	261	80	6	150	265
26	Haddington	241	148	52	25	1	11	4	–	–	203	5	30	2	1	25	36
27	Berwick	181	98	29	50	–	–	4	–	–	162	3	15	–	1	4	2
28	Peebles	62	37	9	15	–	–	1	–	–	55	–	7	–	–	1	–
29	Selkirk	81	42	8	26	1	–	4	–	–	75	1	4	1	–	–	–
30	Roxburgh	321	170	45	74	4	13	14	1	–	283	4	26	6	2	7	9
31	Dumfries	460	236	83	82	3	21	33	–	2	395	7	46	5	7	17	21
32	Kirkcudbright	214	133	51	18	–	8	4	–	–	185	4	15	7	3	8	16
33	Wigtown	195	108	47	21	–	12	6	1	–	162	1	24	8	–	18	20

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1868.

CONDITION.	TOTAL.	AGES.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	18609	–	–	1	19	122	449	852	7052	6339	2240	861	375	172	71	24	9	6	2	–	–	–	15
	18609	–	9	68	300	824	1406	1748	7597	4746	1249	444	128	54	9	1	–	–	–	–	–	–	26
BACHELORS with WIDOWS.	484	–	–	–	–	1	2	7	79	132	109	61	45	23	17	8	–	–	–	–	–	–	–
	484	–	–	–	–	–	1	1	36	126	140	88	50	28	10	3	1	–	–	–	–	–	–
WIDOWERS with SPINSTERS.	1966	–	–	–	–	–	–	–	39	257	348	374	350	212	178	98	56	37	8	6	–	–	3
	1966	–	–	1	9	14	25	38	286	517	433	308	191	95	35	7	3	–	–	–	–	–	4
WIDOWERS with WIDOWS.	671	–	–	–	–	–	–	–	5	34	83	107	120	121	74	60	32	23	11	1	–	–	–
	671	–	–	–	–	–	–	1	7	69	138	145	140	92	50	20	7	–	1	–	–	–	1
Condition not stated. MEN.	125	–	–	–	–	–	2	4	34	39	24	7	6	1	2	2	2	2	–	–	–	–	–
Condition not stated. WOMEN.	125	–	–	3	3	5	2	5	50	28	18	6	2	–	1	1	–	–	–	–	–	–	1
TOTAL MEN.....	21855	–	–	1	19	123	453	863	7209	6801	2804	1410	896	529	342	192	99	68	21	7	–	–	18
TOTAL WOMEN.....	21855	–	9	72	312	843	1434	1793	7976	5486	1978	991	511	269	105	32	11	–	1	–	–	–	32

AGES of MALES married in Scotland in 1868.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1868.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21855	–	–	1	19	123	453	863	7209	6801	2804	1410	896	529	342	192	99	68	21	7	–	–	18
DISTRICTS.																							
Insular . .	707	–	–	–	–	3	3	8	127	276	135	66	37	19	11	10	4	4	3	–	–	–	1
Mainland-Rural	10458	–	–	1	8	64	203	453	3467	3215	1327	702	423	239	172	78	40	38	11	5	–	–	12
Town . . .	10690	–	–	–	11	56	247	402	3615	3310	1342	642	436	271	159	104	55	26	7	2	–	–	5
DIVISIONS.																							
1. Northern . .	553	–	–	–	–	4	5	11	117	196	89	58	35	9	8	9	6	1	4	–	–	–	1
2. North-Western	707	–	–	–	1	–	4	6	115	263	159	68	44	17	14	7	3	5	1	–	–	–	–
3. North-Eastern	2436	–	–	–	–	14	36	97	688	797	354	171	105	71	57	21	14	8	1	2	–	–	–
4. East-Midland .	3508	–	–	–	5	20	70	140	1252	1084	405	200	123	76	64	36	16	12	2	1	–	–	2
5. West-Midland	1369	–	–	1	–	12	23	53	393	476	168	100	68	36	22	6	3	3	1	–	–	–	4
6. South-Western	8566	–	–	–	10	48	221	358	3092	2555	992	511	329	214	92	71	35	23	8	1	–	–	6
7. South-Eastern	3526	–	–	–	3	18	75	130	1168	1090	486	216	132	75	63	30	20	10	3	3	–	–	4
8. Southern .. .	1190	–	–	–	–	7	19	68	384	340	151	86	60	31	22	12	2	6	1	–	–	–	1
COUNTIES.																							
Shetland . .	149	–	–	–	–	2	–	2	32	60	22	17	5	1	3	2	2	–	1	–	–	–	–
Orkney . .	154	–	–	–	–	1	2	5	33	50	24	13	10	6	2	3	1	1	2	–	–	–	1
Caithness . .	170	–	–	–	–	1	2	3	38	60	25	20	14	1	–	3	2	–	1	–	–	–	–
Sutherland . .	80	–	–	–	–	–	1	1	14	26	18	8	6	1	3	1	1	–	–	–	–	–	–
Ross and Cromarty	365	–	–	–	–	–	2	1	51	139	82	37	28	6	10	3	2	4	–	–	–	–	–
Inverness . .	342	–	–	–	1	–	2	5	64	124	77	31	16	11	4	4	1	1	1	–	–	–	–

AGES of MALES married in Scotland in 1868.

| | | |

AGES of FEMALES married in Scotland in 1868.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1868.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21855	–	9	72	312	843	1434	1793	7976	5486	1978	991	511	269	105	32	11	–	1	–	–	–	32
DISTRICTS.																						
Insular . .	707	–	–	–	4	11	18	41	257	209	87	41	22	7	4	2	–	–	–	–	–	–	4
Mainland-Rural	10458	–	4	43	142	415	653	856	3813	2699	989	428	229	111	44	9	5	–	–	–	–	–	18
Town . . .	10690	–	5	29	166	417	763	896	3906	2578	902	522	260	151	57	21	6	–	1	–	–	–	10
DIVISIONS.																						
1. Northern . .	553	–	–	2	3	12	13	35	180	166	68	40	17	8	4	2	1	–	–	–	–	–	2
2. North-Western	707	–	1	1	3	22	19	29	251	241	89	31	12	2	6	–	–	–	–	–	–	–	–
3. North-Eastern	2436	–	–	4	40	83	144	218	836	645	237	120	58	33	11	4	1	–	–	–	–	–	2
4. East-Midland .	3508	–	2	4	32	98	207	282	1332	912	333	148	76	49	23	4	1	–	–	–	–	–	5
5. West-Midland .	1369	–	1	6	18	56	83	104	501	366	123	57	32	14	3	–	–	–	–	–	–	–	5
6. South-Western	8566	–	3	35	146	408	636	795	3170	1957	685	350	197	109	39	19	5	–	1	–	–	–	11
7 South-Eastern	3526	–	2	15	60	127	241	244	1274	902	320	181	94	44	14	3	–	–	–	–	–	–	5
8. Southern . .	1190	–	–	5	10	37	91	86	432	297	123	64	25	10	5	–	3	–	–	–	–	–	2
COUNTIES.																						
Shetland . .	149	–	–	–	2	2	4	9	51	43	16	12	7	2	–	1	–	–	–	–	–	–	–
Orkney . .	154	–	–	–	1	3	5	13	50	42	14	12	4	5	2	1	–	–	–	–	–	–	2
Caithness . .	170	–	–	2	–	7	3	8	54	55	26	8	4	1	1	–	1	–	–	–	–	–	–
Sutherland . .	80	–	–	–	–	–	1	5	25	26	12	8	2	–	1	–	–	–	–	–	–	–	–
Ross and Cromarty	365	–	–	1	2	4	9	17	128	126	50	17	5	1	5	–	–	–	–	–	–	–	–
Inverness . .	342	–	1	–	1	18	10	12	123	115	39	14	7	1	1	–	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1868.

| | | |

DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	2888742	3062294	69416	6523	2456	4621	6129	3021	2084	1521	3431	1830	2237	2569	2414
Insular	166487	160733	2511	199	41	72	88	54	39	28	74	62	79	93	97
Mainland-Rural	1711717	1762576	32184	3064	1027	1769	2204	1094	814	589	1489	899	1108	1216	1041
Towns	1010538	1138985	34721	3260	1388	2780	3837	1873	1231	904	1868	869	1050	1260	1276
Shetland	31078	31670	433	25	8	8	4	10	5	4	8	7	16	7	10
Orkney	31455	32395	430	21	3	2	12	5	4	2	12	12	19	13	14
Caithness	39782	42200	617	45	15	21	18	7	4	7	15	12	28	41	21
Sutherland	24720	24157	331	24	6	4	9	6	4	3	8	11	6	12	9
Ross & Cromarty	83781	82427	1123	81	19	43	40	25	17	11	26	28	31	47	41
Inverness	91954	84902	1441	150	36	51	56	23	25	19	32	22	37	65	51
Nairn	8076	8347	123	12	7	4	2	4	2	–	2	4	4	5	4
Elgin	40532	44218	705	72	28	26	34	13	9	7	16	17	23	24	18
Banff	51353	56020	1008	68	32	50	68	38	35	27	59	31	38	28	29
Aberdeen	213461	223344	4271	452	147	241	268	169	96	76	178	104	145	149	146
Kincardine	34944	34854	527	43	13	14	30	8	9	3	16	12	10	26	21
Forfar	193627	206750	5156	575	224	372	467	203	129	89	205	102	142	167	170
Perth	137369	133198	2419	181	68	91	133	64	33	24	79	46	72	67	106
Fife	153789	155021	2811	267	99	174	213	91	81	46	122	48	83	94	75
Kinross	9626	8731	127	8	3	7	5	–	3	–	7	2	4	4	3
Clackmannan	21555	20122	510	47	23	33	42	33	19	19	32	8	24	19	12
Stirling	83802	88138	1962	201	61	127	159	82	51	47	75	59	57	87	56
Dumbarton	46995	54179	1290	116	52	79	104	71	47	37	87	52	44	58	39
Argyll	94042	83859	1371	82	32	30	61	38	15	18	54	25	52	70	50
Bute	16608	16331	404	22	9	15	19	13	6	4	9	18	14	15	16
Renfrew	157950	168746	4798	400	181	364	531	269	219	116	310	128	189	180	177
Ayr	189973	199063	3796	367	124	239	318	145	107	65	183	146	147	161	134
Lanark	533169	640444	20059	1886	799	1797	2519	1206	773	590	1185	573	641	714	728
Linlithgow	30590	39045	775	96	43	78	87	31	24	9	24	16	15	31	19
Edinburgh	259493	274093	7239	690	263	481	620	312	219	196	398	184	182	269	271
Haddington	36363	37626	647	82	20	22	30	14	20	5	19	24	30	17	18
Berwick	36165	36488	522	56	17	30	14	7	9	2	12	15	23	22	12
Peebles	10804	11300	175	19	2	6	12	2	2	2	8	2	7	4	11
Selkirk	9802	10410	261	38	6	14	22	6	11	5	13	6	7	15	16
Roxburgh	51225	53722	965	99	30	53	64	42	30	24	61	27	25	37	21
Dumfries	78149	75904	1423	144	42	75	71	43	22	18	57	35	54	58	53
Kirkcudbright	43121	42495	862	93	24	35	44	16	22	20	55	35	37	29	41
Wigtown	43389	42095	815	61	20	35	53	25	32	26	64	19	31	34	22

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—BOTH SEXES.

Glasgow	329097	395503	13832	1242	572	1313	1818	918	585	442	834	369	401	492	512
Edinburgh	161648	170444	4781	409	163	298	394	211	130	130	245	121	130	198	190
Dundee	80027	91664	2917	364	146	241	328	127	77	49	102	58	69	95	101
Aberdeen	71973	73900	2029	203	78	159	169	96	61	36	78	45	71	66	73
Paisley	48071	47427	1221	93	56	73	81	68	52	25	76	32	60	50	43
Greenock	37436	43894	1658	144	67	158	246	100	90	45	89	40	46	64	57
Leith	32219	36029	973	119	40	71	89	47	42	32	85	29	16	28	35
Perth	24670	26094	626	39	23	35	60	26	10	8	32	7	15	20	31
Inverness	16496	16162	420	38	21	23	18	11	4	7	10	6	12	16	11
Arbroath	17238	17831	421	44	15	23	28	18	9	6	21	10	14	13	11
Forfar	11009	10838	235	24	6	15	26	6	5	3	16	4	7	8	11
Montrose	16037	15668	410	25	11	32	30	13	15	13	25	10	16	10	12
Dunfermline	13836	13506	291	29	12	20	31	14	11	6	13	5	15	15	11
Kirkcaldy	10636	11117	227	22	10	19	20	10	9	2	8	4	4	6	8
Stirling	12401	14012	386	35	16	17	25	19	4	10	17	5	13	23	16
Ayr	18845	19659	423	39	16	26	22	11	9	5	12	9	15	17	13
Kilmarnock	21287	23556	512	68	15	26	46	20	10	8	27	22	27	30	24
Barony	16050	22559	945	68	33	71	115	42	22	28	64	25	40	32	30
Govan	14996	28584	932	86	40	67	128	49	38	22	50	27	25	35	44
Hamilton	11740	14047	311	39	10	14	40	16	9	4	19	10	8	8	7
Airdrie	14435	12922	324	36	8	21	38	18	8	8	12	7	18	11	5
Coatbridge, etc.	13168	13303	361	35	12	31	50	22	15	10	22	16	7	10	10
Dumfries	17223	18266	486	59	18	27	35	11	16	5	11	8	21	13	21

DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2194	2155	2075	2208	2306	2479	3005	3205	3225	3115	2535	1320	493	165	38	62
Insular	77	54	71	70	86	90	146	157	192	223	195	117	59	24	11	13
Mainland-Rural	948	890	845	935	1016	1163	1513	1759	1891	1884	1658	896	315	102	21	34
Towns	1169	1211	1159	1203	1204	1226	1346	1289	1142	1008	682	307	119	39	6	15
Shetland	14	10	20	9	16	21	31	32	31	45	48	26	12	3	–	3
Orkney	11	8	8	14	18	19	25	33	41	52	38	27	13	1	1	2
Caithness	17	20	15	12	16	29	30	36	53	44	50	35	18	5	2	1
Sutherland	6	10	7	8	6	7	15	31	35	44	26	25	7	1	–	1
Ross and Cromarty	28	23	29	24	40	45	61	74	87	101	102	49	34	9	6	2
Inverness	46	44	45	30	51	56	83	83	108	113	107	57	26	14	8	3
Nairn	3	3	6	4	6	4	5	8	12	11	6	2	2	1	–	–
Elgin	25	20	26	21	25	20	39	44	52	55	47	30	11	3	–	–
Banff	24	28	28	30	27	31	51	57	60	58	45	51	9	6	–	–
Aberdeen	142	124	108	131	130	157	200	230	237	242	212	119	50	11	4	3
Kincardine	23	22	17	13	10	16	28	38	38	51	38	17	9	2	–	–
Forfar	189	187	148	181	178	192	238	245	241	215	174	78	29	11	2	3
Perth	62	69	67	70	84	108	130	197	199	182	170	87	20	6	3	1
Fife	82	71	79	92	103	114	134	148	198	167	144	67	9	6	–	4
Kinross	1	2	5	1	5	7	8	18	11	10	9	1	3	–	–	–
Clackmannan	5	16	10	17	20	20	19	17	25	22	16	9	2	–	–	1
Stirling	51	64	54	67	85	79	87	114	97	81	73	30	10	3	–	5
Dumbarton	42	40	44	46	42	45	50	57	43	38	31	18	5	2	–	1
Argyll	44	37	28	42	49	53	74	79	107	106	129	41	25	19	2	9
Bute	20	9	14	21	11	9	25	20	30	35	28	15	5	2	–	–
Renfrew	142	154	136	147	167	167	176	157	165	128	113	58	15	5	1	3
Ayr	126	117	106	112	116	122	171	169	175	168	146	85	30	11	5	1
Lanark	696	641	626	678	646	629	651	628	480	457	304	136	47	18	3	8
Linlithgow	19	20	24	19	19	23	30	38	25	44	21	11	6	1	–	2
Edinburgh	240	241	264	255	254	268	352	345	338	294	175	93	43	8	–	4
Haddington	17	16	14	21	19	35	40	41	41	46	27	27	–	2	–	–
Berwick	12	8	19	18	14	35	27	32	40	37	34	16	7	3	–	1
Peebles	3	8	5	9	3	1	13	16	9	16	10	5	–	–	–	–
Selkirk	4	10	6	14	4	6	16	13	12	6	8	3	–	–	–	–
Roxburgh	17	36	27	30	33	36	50	54	49	55	45	11	8	1	–	–
Dumfries	43	46	47	37	55	52	69	76	92	97	78	41	12	5	1	–
Kirkcudbright	21	26	24	20	26	35	37	35	55	50	43	24	11	2	–	2
Wigtown	19	25	19	15	28	38	40	40	39	45	38	26	15	4	–	2

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—BOTH SEXES.

Glasgow	488	455	441	486	460	427	428	386	281	231	154	53	27	11	3	3
Edinburgh	170	176	198	177	176	194	226	244	210	180	115	61	28	7	–	–
Dundee	116	117	97	118	116	121	129	110	87	82	41	10	11	3	1	1
Aberdeen	56	70	54	63	73	81	95	100	95	85	66	35	15	3	1	2
Paisley	37	35	52	37	42	49	53	44	62	51	28	16	5	1	–	–
Greenock	47	64	41	57	54	48	51	37	37	28	32	13	2	–	–	1
Leith	25	29	24	33	32	29	42	28	33	32	18	11	3	1	–	–
Perth	14	18	25	24	30	24	35	40	42	29	30	6	1	2	–	–
Inverness	14	16	18	13	16	19	21	26	25	35	27	9	2	1	–	1
Arbroath	11	18	10	14	12	8	23	22	29	25	22	8	3	3	–	1
Forfar	7	6	7	2	8	8	10	14	16	10	13	2	1	–	–	–
Montrose	12	12	4	16	7	24	20	24	24	16	19	14	5	1	–	–
Dunfermline	4	4	8	8	10	12	13	12	11	9	12	6	–	–	–	–
Kirkcaldy	7	8	6	6	12	12	11	10	14	8	4	6	1	–	–	–
Stirling	9	15	9	19	18	19	20	22	20	16	10	6	1	1	–	1
Ayr	15	21	21	12	19	17	27	22	24	23	11	13	2	1	–	1
Kilmarnock	19	21	16	16	12	12	20	19	20	21	7	4	–	2	–	–
Barony	38	38	31	25	38	37	33	42	32	30	11	15	2	1	–	2
Govan	44	34	33	32	16	35	24	23	27	30	13	7	2	1	–	–
Hamilton	8	5	14	7	6	10	18	12	13	16	13	2	2	–	–	1
Airdrie	7	16	13	7	17	14	7	17	13	14	8	1	–	–	–	–
Coatbridge, etc.	8	10	15	14	9	10	18	15	5	9	6	1	1	–	–	–
Dumfries	13	23	22	17	21	16	22	20	22	28	22	8	5	–	1	1

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
				MONTHS.											
	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	34662	3706	1335	2486	3158	1549	1036	779	1757	878	1130	1321	1154
Insular . .	76760	73409	1156	113	20	35	47	27	20	18	39	27	38	55	54
Mainland-Rural	828852	848998	15993	1721	543	953	1139	546	406	281	754	438	571	646	502
Towns . .	469867	527441	17513	1872	772	1498	1972	976	610	480	964	413	521	620	598
Shetland . .	13145	13053	196	14	4	6	2	7	3	3	5	5	6	4	9
Orkney . .	14350	14924	177	11	2	–	8	–	3	1	6	5	12	7	5
Caithness .	18809	19846	327	30	8	11	9	4	–	5	9	10	21	32	6
Sutherland .	11437	11058	149	12	4	2	4	2	2	1	5	6	4	7	3
Ross & Cromarty	39489	38462	523	45	8	17	24	13	7	8	15	14	12	29	23
Inverness .	42814	39479	706	84	26	25	28	17	13	7	16	11	18	40	30
Nairn . .	3831	3976	64	7	2	3	1	1	2	–	–	3	2	3	1
Elgin . .	18943	20737	358	44	21	16	20	6	5	4	6	9	10	13	11
Banff . .	24195	26401	491	39	16	32	36	18	19	18	32	15	24	7	12
Aberdeen .	100935	105322	2143	257	79	132	147	90	46	35	91	51	80	67	71
Kincardine .	17188	16939	258	25	6	12	19	2	5	1	5	7	4	14	10
Forfar . .	89408	93280	2498	316	123	201	220	106	79	46	99	41	61	73	77
Perth . .	65697	63169	1188	109	34	46	69	26	15	12	36	17	35	34	42
Fife . .	73305	72714	1392	153	57	95	113	46	39	21	64	26	45	44	40
Kinross . .	4660	4150	62	5	–	2	2	–	–	–	4	–	2	4	1
Clackmannan .	10634	9742	237	24	11	19	18	16	6	10	17	5	12	9	6
Stirling . .	41113	43487	969	112	32	67	75	45	21	24	43	23	29	47	29
Dumbarton .	23340	26455	687	74	26	46	54	38	28	18	47	24	22	27	16
Argyll . .	46197	40914	701	45	19	17	25	19	7	10	28	11	32	46	32
Bute . .	7518	7208	180	9	5	9	10	6	2	4	4	7	6	8	5
Renfrew . .	74224	79380	2405	230	103	194	277	147	99	56	150	61	92	85	78
Ayr . .	92933	97035	1935	205	70	123	159	72	58	32	100	71	65	90	66
Lanark . .	258449	308263	10228	1077	432	991	1304	633	389	300	595	279	319	354	342
Linlithgow .	15422	20069	379	50	26	39	47	14	10	4	12	7	7	19	3
Edinburgh .	119428	126429	3678	406	138	243	318	146	99	108	227	90	107	145	144
Haddington .	17592	17866	321	53	6	9	16	9	8	3	12	10	14	7	9
Berwick . .	17367	17354	266	34	8	19	8	5	4	2	8	8	12	11	6
Peebles . .	5400	5603	100	11	2	3	6	1	2	1	5	1	4	4	7
Selkirk . .	4836	5069	124	18	4	5	9	5	6	4	5	4	4	7	9
Roxburgh .	25002	26593	460	49	16	24	31	19	14	12	31	13	13	19	10
Dumfries .	37200	35687	669	75	25	44	41	16	13	6	29	19	19	35	21
Kirkcudbright	20223	19789	398	54	12	16	26	8	12	11	22	17	20	17	19
Wigtown . .	20335	19395	393	29	10	18	32	12	20	12	29	8	17	13	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—MALES.

Glasgow . .	154930	185556	7039	691	320	729	945	479	294	235	415	177	202	247	239
Edinburgh .	72067	76013	2423	241	91	148	194	106	58	80	143	54	73	108	101
Dundee . .	36364	40395	1420	200	84	127	156	69	46	30	51	26	29	36	46
Aberdeen .	31746	32554	979	111	40	84	92	49	26	16	42	22	38	28	30
Paisley . .	22608	21913	588	54	33	40	48	40	25	11	38	14	27	20	15
Greenock .	17905	21567	882	92	34	83	125	48	39	28	46	20	28	39	32
Leith . .	15482	17894	508	66	21	36	52	21	20	15	48	16	12	14	19
Perth . .	11689	11947	315	23	11	21	28	8	5	5	17	3	7	9	14
Inverness .	7401	7261	228	23	18	12	9	8	3	2	3	3	5	11	6
Arbroath .	7866	7770	196	28	6	10	12	9	5	3	8	2	5	5	3
Forfar . .	5017	4735	123	13	5	11	12	4	3	2	6	3	6	4	5
Montrose . .	7061	6736	184	11	6	17	11	6	11	4	12	3	6	6	5
Dunfermline .	6901	6447	148	20	9	11	18	7	5	3	6	2	7	5	6
Kirkcaldy .	4906	5074	113	16	4	9	10	6	2	–	4	1	2	3	5
Stirling . .	5908	6814	185	19	9	10	10	15	2	5	10	2	8	13	12
Ayr . . .	8675	9094	205	20	9	13	12	3	4	4	8	5	5	8	4
Kilmarnock .	10163	11398	254	39	7	16	21	10	5	4	10	10	14	18	9
Barony . .	8090	11221	495	42	17	42	62	22	8	11	38	16	20	12	13
Govan . .	7286	13603	475	58	23	33	72	32	21	11	28	15	9	9	15
Hamilton .	5576	6798	164	22	4	5	19	9	6	5	9	7	3	6	3
Airdrie . .	7333	6242	163	22	5	10	15	9	6	4	4	2	5	5	4
Coatbridge, etc.	7084	8155	187	22	6	19	26	11	6	2	12	6	3	6	3
Dumfries .	7809	8254	239	39	10	12	23	5	10	2	6	4	7	8	9

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1046	1042	1020	1185	1167	1271	1494	1550	1451	1353	1023	494	174	54	11	38
Insular . . .	37	27	35	25	35	47	57	72	76	90	79	43	17	9	3	11
Mainland-Rural .	461	432	413	496	509	608	753	864	874	837	721	353	112	37	7	16
Towns . . .	548	583	572	664	623	616	684	614	501	426	223	98	45	8	1	11
Shetland . . .	8	4	10	3	7	11	12	17	12	14	17	5	4	1	–	3
Orkney . . .	4	2	6	2	5	9	11	11	19	21	16	7	3	–	–	1
Caithness . . .	11	9	8	5	8	15	17	14	26	19	20	18	8	3	–	1
Sutherland . .	5	4	2	4	2	1	10	17	16	19	5	6	6	–	–	–
Ross and Cromarty .	12	10	14	11	18	20	30	39	26	44	46	18	11	4	4	1
Inverness . . .	22	25	28	12	24	25	39	43	37	50	44	24	7	7	2	2
Nairn . . .	2	2	3	4	2	–	3	6	7	4	4	1	1	–	–	–
Elgin . . .	12	11	15	11	8	13	22	17	28	27	18	10	–	1	–	–
Banff . . .	11	9	11	14	14	12	25	31	26	26	27	14	3	–	–	–
Aberdeen . . .	64	59	45	64	62	85	112	121	130	95	95	43	16	4	–	2
Kincardine . .	7	8	9	9	5	9	15	22	18	22	17	2	4	1	–	–
Forfar . . .	87	86	64	81	85	102	127	112	114	91	57	35	9	3	2	1
Perth . . .	32	36	37	58	44	65	64	93	98	85	74	37	6	2	1	1
Fife . . .	36	29	40	43	54	56	62	63	99	68	64	26	6	3	–	3
Kinross . . .	1	1	2	1	2	4	4	12	5	5	4	–	1	–	–	–
Clackmannan . .	3	5	8	7	7	8	8	6	12	9	6	4	1	–	–	–
Stirling . . .	31	29	29	38	40	43	44	49	40	35	32	9	2	–	–	1
Dumbarton . .	26	23	24	23	21	30	21	29	27	17	18	5	1	1	–	1
Argyll . . .	26	18	9	27	26	29	33	47	48	53	52	18	8	7	1	8
Bute	12	7	5	9	5	5	7	6	17	12	11	7	2	–	–	–
Renfrew . . .	71	83	68	76	87	81	87	77	70	58	46	17	7	3	–	2
Ayr	71	54	47	70	71	67	97	82	82	72	61	34	12	2	1	1
Lanark . . .	290	304	303	406	341	330	335	312	191	213	104	55	20	4	–	5
Linlithgow . .	13	11	13	9	10	10	11	17	15	20	6	3	1	1	–	1
Edinburgh . .	137	129	147	132	140	125	166	163	137	121	55	35	16	2	–	2
Haddington . .	10	9	5	14	11	19	17	18	18	20	16	7	–	1	–	–
Berwick . . .	3	8	8	9	8	16	12	17	19	16	13	8	4	–	–	–
Peebles . . .	1	2	3	7	3	1	7	9	6	6	5	3	–	–	–	–
Selkirk . . .	2	5	1	6	–	3	6	5	5	4	7	–	–	–	–	–
Roxburgh . .	5	14	12	17	15	16	23	26	20	23	30	6	2	–	–	–
Dumfries . . .	15	25	22	20	20	25	31	36	39	45	27	16	4	1	–	–
Kirkcudbright .	10	10	11	8	13	16	13	16	23	18	12	8	3	2	–	1
Wigtown . . .	6	11	11	5	9	20	23	17	21	21	17	13	6	1	–	1
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—MALES.																
Glasgow . . .	203	212	214	291	240	205	217	189	111	110	44	16	11	1	–	2
Edinburgh . .	103	94	111	94	89	97	104	112	89	68	35	17	12	1	–	–
Dundee . . .	47	50	41	51	56	69	70	47	38	30	10	6	3	–	1	1
Aberdeen . .	25	38	22	34	34	38	47	44	50	28	22	10	6	1	–	2
Paisley . . .	19	14	26	17	16	19	31	25	23	19	9	2	2	1	–	–
Greenock . .	28	35	21	36	31	29	26	16	17	12	14	3	–	–	–	–
Leith	11	15	14	16	23	12	20	14	15	16	5	5	1	1	–	–
Perth . . .	10	7	13	16	17	15	23	14	23	15	10	–	–	1	–	–
Inverness . .	8	12	13	7	6	9	12	15	11	16	11	4	–	–	–	1
Arbroath . .	5	9	3	6	8	5	13	12	17	8	8	2	2	2	–	–
Forfar . . .	4	3	4	1	3	2	7	4	7	7	5	1	1	–	–	–
Montrose . .	6	6	1	7	4	12	7	12	9	8	6	6	2	–	–	–
Dunfermline . .	–	2	3	4	5	4	5	7	7	5	5	2	–	–	–	–
Kirkcaldy . .	3	–	5	2	6	5	4	4	11	4	3	3	1	–	–	–
Stirling . . .	2	4	2	10	10	9	8	11	5	6	2	1	–	–	–	–
Ayr	10	9	8	7	10	9	16	9	10	10	5	5	1	–	–	1
Kilmarnock . .	12	7	10	6	9	8	10	9	10	8	1	1	–	–	–	–
Barony . . .	15	21	9	17	21	20	20	23	16	16	4	7	1	–	–	2
Govan . . .	20	14	16	15	8	24	11	14	9	12	4	2	–	–	–	–
Hamilton . . .	4	3	9	5	2	5	12	7	8	5	5	1	1	–	–	1
Airdrie . . .	3	9	6	4	10	11	5	10	3	7	4	–	–	–	–	–
Coatbridge, etc.	4	8	8	10	6	4	7	9	1	3	4	1	–	–	–	–
Dumfries . . .	6	11	13	8	9	5	9	7	14	13	7	3	1	–	–	1

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.		3	6	12									
SCOTLAND .	1513263	1612446	34754	2817	1121	2185	2971	1472	1048	742	1674	952	1107	1248	1260
Insular . .	89727	87324	1355	86	21	37	41	27	19	10	35	35	41	38	43
Mainland-Rural	882865	918578	16191	1343	484	816	1065	548	408	308	735	461	537	570	539
Towns . .	540671	611544	17208	1388	616	1282	1865	897	621	424	904	456	529	640	678
Shetland .	17933	18617	237	11	4	2	2	3	2	1	3	2	10	3	1
Orkney . .	17105	17471	253	10	1	2	4	5	1	1	6	7	7	6	9
Caithness .	20973	22354	290	15	7	10	9	3	4	2	6	2	7	9	15
Sutherland .	13283	13099	182	12	2	2	5	4	2	2	3	5	2	5	6
Ross & Cromarty	44292	43965	600	36	11	26	16	12	10	3	11	14	19	18	18
Inverness .	49140	45523	735	66	10	26	28	6	12	12	16	11	19	25	21
Nairn . .	4245	4371	59	5	5	1	1	3	–	–	2	1	2	2	3
Elgin . .	21589	23481	347	28	7	10	14	7	4	3	10	8	13	11	7
Banff . .	27158	29619	517	29	16	18	32	20	16	9	27	16	14	21	17
Aberdeen .	112526	118022	2128	195	68	109	121	79	50	41	87	53	65	82	75
Kincardine .	17756	17915	269	18	7	2	11	6	4	2	11	5	6	12	11
Forfar . .	104219	113470	2658	259	101	171	247	97	50	43	106	61	81	94	93
Perth . .	71672	70029	1231	72	34	45	64	38	18	12	43	29	37	33	64
Fife . .	80484	82307	1419	114	42	79	100	45	42	25	58	22	38	50	35
Kinross . .	4966	4581	65	3	3	5	3	–	3	–	3	2	2	–	2
Clackmannan .	10921	10380	273	23	12	14	24	17	13	9	15	3	12	10	6
Stirling . .	42689	44651	993	89	29	60	84	37	30	23	32	36	28	40	27
Dumbarton .	23655	27724	603	42	26	33	50	33	19	19	40	28	22	31	23
Argyll . .	47845	42945	670	37	13	13	36	19	8	8	26	14	20	24	18
Bute . .	9090	9123	224	13	4	6	9	7	4	–	5	11	8	7	11
Renfrew . .	83726	89366	2393	170	78	170	254	122	120	60	160	67	97	95	99
Ayr . .	96980	102028	1861	162	54	116	159	73	49	33	83	75	82	71	68
Lanark . .	274420	332181	9831	809	367	806	1215	573	384	290	590	294	322	360	386
Linlithgow .	15168	18976	396	46	17	39	40	17	14	5	12	9	8	12	16
Edinburgh .	140065	147664	3581	284	125	238	302	166	120	88	171	94	75	124	127
Haddington .	18771	19760	326	29	14	13	14	5	12	2	7	14	16	10	9
Berwick . .	18798	19134	256	22	9	11	6	2	5	–	4	7	11	11	6
Peebles . .	5404	5697	75	8	–	3	6	1	–	1	3	1	3	–	4
Selkirk . .	4966	5341	137	20	2	9	13	1	5	1	8	2	3	8	7
Roxburgh .	26223	27129	505	50	14	29	33	23	16	12	30	14	12	18	11
Dumfries .	40949	42217	754	69	17	31	30	27	9	12	28	16	35	23	32
Kirkcudbright	22898	22706	464	39	12	19	18	8	10	9	33	18	17	12	22
Wigtown .	23054	22700	422	32	10	17	21	13	12	14	35	11	14	21	11
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—FEMALES.															
Glasgow . .	174167	209947	6793	551	252	584	873	439	291	207	419	192	199	245	273
Edinburgh .	89581	94431	2358	168	72	150	200	105	72	50	102	67	57	90	89
Dundee . .	43663	51269	1497	164	62	114	172	58	31	19	51	32	40	59	55
Aberdeen .	40227	41346	1050	92	38	75	77	47	35	20	36	23	33	38	43
Paisley . .	25463	25514	633	39	23	33	33	28	27	14	38	18	33	30	28
Greenock .	19531	22327	776	52	33	75	121	52	51	17	43	20	18	25	25
Leith . .	16737	18135	465	53	19	35	37	26	22	17	37	13	4	14	16
Perth . .	12981	14147	311	16	12	14	32	18	5	3	15	4	8	11	17
Inverness .	9095	8901	192	15	3	11	9	3	1	5	7	3	7	5	5
Arbroath .	9372	10061	225	16	9	13	16	9	4	3	13	8	9	8	8
Forfar . .	5992	6103	112	11	1	4	14	2	2	1	10	1	1	4	6
Montrose .	8976	8932	226	14	5	15	19	7	4	9	13	7	10	4	7
Dunfermline .	6935	7059	143	9	3	9	13	7	6	3	7	3	8	10	5
Kirkcaldy .	5730	6043	114	6	6	10	10	4	7	2	4	3	2	3	3
Stirling . .	6493	7198	201	16	7	7	15	4	2	5	7	3	5	10	4
Ayr . .	10170	10565	218	19	7	13	10	8	5	1	4	4	10	9	9
Kilmarnock .	11124	12158	258	29	8	10	25	10	5	4	17	12	13	12	15
Barony . .	7960	11338	450	26	16	29	53	20	14	17	26	9	20	20	17
Govan . .	7710	14981	457	28	17	34	56	17	17	11	22	12	16	26	29
Hamilton .	6164	7249	147	17	6	9	21	7	3	1	10	3	5	2	4
Airdrie . .	7102	6680	161	14	3	11	23	9	2	4	8	5	13	6	1
Coatbridge, etc.	6084	7148	174	13	6	12	24	11	9	8	10	10	4	4	7
Dumfries .	9414	10012	247	20	8	15	12	6	6	3	5	4	14	5	12

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1148	1113	1055	1023	1139	1208	1511	1655	1774	1762	1512	826	319	111	27	24
Insular	40	27	36	45	51	43	89	85	116	133	116	74	42	15	8	2
Mainland-Rural	487	458	432	439	507	555	760	895	1017	1047	937	543	203	65	14	18
Towns	621	628	587	539	581	610	662	675	641	582	459	209	74	31	5	4
Shetland	6	6	10	6	9	10	19	15	19	31	31	21	8	2	–	–
Orkney	7	6	2	12	13	10	14	22	22	31	22	20	10	1	1	1
Caithness	6	11	7	7	8	14	13	22	27	25	30	17	10	2	2	–
Sutherland	1	6	5	4	4	6	5	14	19	25	21	19	1	1	–	1
Ross and Cromarty	16	13	15	13	22	25	31	35	61	57	56	31	23	5	2	1
Inverness	24	19	17	18	27	31	44	49	71	63	63	33	19	7	6	1
Nairn	1	1	3	–	4	4	2	2	5	7	2	1	1	1	–	–
Elgin	13	9	11	10	17	7	17	27	24	28	29	20	11	2	–	–
Banff	13	19	17	16	13	19	26	26	34	32	18	37	6	6	–	–
Aberdeen	78	65	63	67	68	72	88	109	107	147	117	76	34	7	4	1
Kincardine	16	14	8	4	5	7	13	16	20	29	21	15	5	1	–	–
Forfar	102	101	84	100	93	90	111	133	127	124	117	43	20	8	–	2
Perth	30	33	30	32	40	43	66	104	101	97	96	50	14	4	2	–
Fife	46	42	39	49	49	58	72	85	99	99	83	41	3	3	–	1
Kinross	–	1	3	–	3	3	4	6	6	5	5	1	2	–	–	–
Clackmannan	2	11	2	10	13	12	11	11	13	13	10	5	1	–	–	1
Stirling	20	35	25	29	45	36	43	65	57	46	41	21	8	3	–	4
Dumbarton	16	17	20	23	21	15	29	28	16	21	13	13	4	1	–	–
Argyll	18	19	19	15	23	24	41	32	59	53	77	23	17	12	1	1
Bute	8	2	9	12	6	4	18	14	13	23	17	8	3	2	–	–
Renfrew	71	71	68	71	80	86	89	80	95	70	67	41	8	2	1	1
Ayr	55	63	59	42	45	55	74	87	93	96	85	51	18	9	4	–
Lanark	406	337	323	272	305	299	316	316	289	244	200	81	27	14	3	3
Linlithgow	6	9	11	10	9	13	19	21	10	24	15	8	5	–	–	1
Edinburgh	103	112	117	123	114	143	186	182	201	173	120	58	27	6	–	2
Haddington	7	7	9	7	8	16	23	23	23	26	11	20	–	1	–	–
Berwick	9	–	11	9	6	19	15	15	21	21	21	8	3	3	–	1
Peebles	2	6	2	2	–	–	6	7	3	10	5	2	–	–	–	–
Selkirk	2	5	5	8	4	3	10	8	7	2	1	3	–	–	–	–
Roxburgh	12	22	15	13	18	20	27	28	29	32	15	5	6	1	–	–
Dumfries	28	21	25	17	35	27	38	40	53	52	51	25	8	4	1	–
Kirkcudbright	11	16	13	12	13	19	24	19	32	32	31	16	8	–	–	1
Wigtown	13	14	8	10	19	18	17	23	18	24	21	13	9	3	–	1

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—FEMALES.

Glasgow	285	243	227	195	220	222	211	197	170	121	110	37	16	10	3	1
Edinburgh	67	82	87	83	87	97	122	132	121	112	80	44	16	6	–	–
Dundee	69	67	56	67	60	52	59	63	49	52	31	4	8	3	–	–
Aberdeen	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	–
Paisley	18	21	26	20	26	30	22	19	39	32	19	14	3	–	–	–
Greenock	19	29	20	21	23	19	25	21	20	16	18	10	2	–	–	1
Leith	14	14	10	17	9	17	22	14	18	16	13	6	2	–	–	–
Perth	4	11	12	8	13	9	12	26	19	14	20	6	1	1	–	–
Inverness	6	4	5	6	10	10	9	11	14	19	16	5	2	1	–	–
Arbroath	6	9	7	8	4	3	10	10	12	17	14	6	1	1	–	1
Forfar	3	3	3	1	5	6	3	10	9	3	8	1	–	–	–	–
Montrose	6	6	3	9	3	12	13	12	15	8	13	8	3	1	–	–
Dunfermline	4	2	5	4	5	8	8	5	4	4	7	4	–	–	–	–
Kirkcaldy	4	8	1	4	6	7	7	6	3	4	1	3	–	–	–	–
Stirling	7	11	7	9	8	10	12	11	15	10	8	5	1	1	–	1
Ayr	5	12	13	5	9	8	11	13	14	13	6	8	1	1	–	–
Kilmarnock	7	14	6	10	3	4	10	10	10	13	6	3	–	2	–	–
Barony	23	17	22	8	17	17	13	19	16	14	7	8	1	1	–	–
Govan	24	20	17	17	8	11	13	9	18	18	9	5	2	1	–	–
Hamilton	4	2	5	2	4	5	6	5	5	11	8	1	1	–	–	–
Airdrie	4	7	7	3	7	3	2	7	10	7	4	1	–	–	–	–
Coatbridge, etc.	4	2	7	4	3	6	11	6	4	6	2	–	1	–	–	–
Dumfries	7	12	9	9	12	11	13	13	11	15	15	5	4	–	1	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns	11392	1105	411	761	964	491	366	270	649	321	381	415	345
Lerwick	75	5	2	4	1	4	2	–	4	1	2	2	1
Kirkwall and St. Ola	86	3	2	1	5	1	2	–	4	2	4	1	4
Thurso	97	2	4	2	5	2	–	–	5	–	6	2	2
Wick	224	22	7	12	7	4	1	3	5	3	10	19	9
Nairn	79	8	5	4	2	3	1	–	1	2	3	3	3
Elgin	169	16	12	8	7	5	–	–	5	5	4	9	6
Forres	99	5	5	3	8	2	2	2	1	1	–	4	2
Banff	211	13	4	15	19	12	6	7	8	6	4	7	7
Cullen	41	–	2	2	6	1	3	–	4	1	1	1	1
Seafield	23	1	–	–	–	1	2	1	–	3	2	–	1
Fraserburgh	104	12	4	8	10	4	5	4	2	5	3	1	3
Huntly	64	4	2	3	1	2	–	–	5	1	–	3	5
Peterhead	202	36	9	12	12	4	3	5	12	5	7	5	4
Dunnottar	29	3	1	2	4	–	–	–	1	–	–	2	1
Fetteresso	70	8	–	1	6	–	1	–	1	1	2	5	2
Cookney	22	1	1	1	–	–	–	1	2	1	1	3	1
Brechin	204	14	10	18	12	9	5	7	9	2	7	6	5
Kirriemuir	126	12	6	7	1	1	1	2	6	1	1	–	2
Monifieth	120	17	7	7	6	3	1	4	6	2	3	6	3
Blairgowrie	94	16	3	7	6	1	2	–	4	1	3	1	5
Crieff	69	6	2	3	3	1	1	–	2	2	2	2	4
Burntisland	79	7	4	4	8	1	2	1	5	2	–	5	–
Cupar	147	17	4	3	5	2	2	–	6	–	5	6	6
Dysart	206	22	7	13	30	12	6	10	14	5	5	–	1
St. Andrews, etc.	121	10	2	4	6	2	2	–	4	3	1	4	3
Alloa	277	21	10	18	24	25	12	16	25	6	9	9	5
Tillicoultry	101	8	4	6	5	2	2	1	5	–	11	7	6
Alva	66	9	3	2	3	2	3	1	5	1	3	4	2
Campsie	163	11	3	16	15	6	7	8	12	3	6	6	6
Falkirk (Burgh)	260	30	8	25	25	8	6	4	10	5	4	4	3
„ (Landward)	160	22	4	17	13	6	4	3	4	6	3	7	4
Kilsyth	130	18	2	7	13	7	7	2	5	9	4	4	4
Bonhill	206	21	12	9	8	11	7	2	15	9	10	12	3
Dumbarton	318	27	13	25	43	27	20	11	21	10	6	12	9
Kirkintilloch	211	24	5	11	20	11	11	10	23	7	9	6	7
Row	122	15	1	10	4	6	1	4	8	5	3	5	4
Campbeltown	176	7	5	10	11	8	2	3	8	5	9	9	4
Rothesay	211	9	7	12	13	12	4	3	5	7	3	4	10

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	340	302	309	328	362	384	472	560	574	510	419	230	93	18	5	7
Lerwick . . .	–	2	4	3	2	4	2	11	5	6	5	2	1	–	–	–
Kirkwall and St. Ola .	3	3	2	1	3	6	3	4	6	9	8	5	4	–	–	–
Thurso . . .	5	1	3	1	5	6	8	5	7	9	5	7	5	–	–	–
Wick	5	10	6	8	3	7	10	11	17	14	15	8	6	–	1	1
Nairn	1	3	5	1	2	1	4	5	9	7	3	1	1	1	–	–
Elgin	13	2	5	4	9	2	10	9	13	8	8	5	4	–	–	–
Forres	3	5	8	1	1	1	4	9	5	7	10	7	2	1	–	–
Banff	4	5	6	4	7	8	10	14	11	14	8	9	3	–	–	–
Cullen	1	1	1	–	1	3	–	2	3	2	4	1	–	–	–	–
Seafield . . .	–	–	–	2	1	2	1	1	1	3	–	1	–	–	–	–
Fraserburgh . .	2	1	3	–	1	3	4	4	7	10	4	4	–	–	–	–
Huntly	2	3	2	3	2	2	3	1	5	9	3	2	1	–	–	–
Peterhead . . .	8	7	4	4	3	8	6	12	8	12	7	6	3	–	–	–
Dunnottar . . .	2	–	1	1	–	1	–	1	3	2	2	2	–	–	–	–
Fetteresso . . .	3	4	2	2	1	–	3	3	7	8	6	2	2	–	–	–
Cookney . . .	–	1	–	–	–	–	1	2	2	1	2	–	1	–	–	–
Brechin . . .	5	7	9	4	4	3	7	15	18	11	10	3	3	1	–	–
Kirriemuir . . .	6	6	2	5	3	6	6	10	13	12	11	5	–	1	–	–
Monifieth . . .	9	1	2	2	3	2	6	5	8	7	5	3	2	–	–	–
Blairgowrie . . .	5	–	4	5	2	5	1	6	4	6	3	3	1	–	–	–
Crieff	–	2	1	2	4	2	6	5	5	4	5	1	3	1	–	–
Burntisland . . .	1	4	4	3	3	2	6	4	5	3	4	1	–	–	–	–
Cupar	10	2	7	6	2	10	7	8	14	8	13	4	–	–	–	–
Dysart	3	1	2	6	9	7	9	8	15	9	7	4	–	1	–	–
St. Andrews, etc. .	6	4	4	5	6	5	4	11	10	11	8	4	1	1	–	–
Alloa	2	6	7	9	10	10	12	7	13	11	5	5	–	–	–	–
Tillicoultry . . .	2	5	1	5	7	5	3	4	5	2	3	1	1	–	–	–
Alva	4	–	3	1	4	2	2	2	4	1	2	3	–	–	–	–
Campsie . . .	4	6	1	3	8	4	7	9	6	7	4	4	1	–	–	–
Falkirk (Burgh) . .	5	5	9	9	12	13	14	14	12	11	13	4	2	1	–	4
„ (Landward) .	6	2	8	3	7	8	9	7	7	5	4	1	–	–	–	–
Kilsyth . . .	5	3	4	1	8	2	4	5	9	2	5	–	–	–	–	–
Bonhill . . .	6	7	7	8	10	10	5	10	4	9	4	5	2	–	–	–
Dumbarton . . .	12	13	13	6	7	8	10	5	9	5	3	–	2	1	–	–
Kirkintilloch . .	6	4	9	2	7	3	5	10	7	7	4	3	–	–	–	–
Row	2	2	3	8	3	5	8	8	6	5	3	2	–	–	1	–
Campbeltown . .	4	5	4	5	7	3	8	11	13	11	17	5	–	1	–	1
Rothesay . . .	13	5	3	14	7	7	12	11	12	20	9	7	2	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	134	8	3	5	13	14	11	5	19	3	6	1	3
Johnstone	214	24	9	16	24	14	10	6	15	9	11	8	5
Eastwood	299	22	12	28	30	10	9	6	15	9	12	13	12
Neilston	118	11	1	10	11	6	7	8	16	3	3	6	4
Barrhead	156	10	4	3	14	5	15	4	21	5	6	10	8
Port-Glasgow	252	25	7	25	44	16	8	2	8	9	9	13	12
Renfrew	135	10	3	6	12	11	5	2	8	1	7	2	5
Old Ardrossan	61	9	1	2	3	2	–	–	5	4	1	1	1
New Ardrossan	61	10	2	3	6	3	3	1	1	4	2	3	2
Beith	105	10	2	6	12	5	3	–	5	6	6	1	7
Dalry	235	17	11	21	30	13	11	3	15	9	12	6	4
Galston	117	12	6	13	16	1	5	1	2	6	6	4	3
Girvan	118	9	2	8	3	4	2	1	9	6	6	5	5
Irvine	214	14	6	9	18	7	6	4	10	6	6	9	3
Kilbirnie	77	7	4	6	12	4	2	5	2	5	3	3	3
Kilwinning	134	12	9	10	9	7	2	5	6	4	6	6	8
Maybole	101	6	1	4	12	3	–	3	4	6	2	7	4
Riccarton	98	20	4	3	14	2	2	2	8	2	4	5	2
Stevenston	93	9	2	7	9	7	2	2	6	2	1	4	3
Stewarton	87	7	4	9	3	3	4	4	6	3	1	3	7
Avondale	97	9	2	9	8	4	1	2	6	8	2	4	3
Cambusnethan	328	38	19	37	42	16	8	6	19	15	17	10	14
Carluke	119	15	5	10	9	2	4	2	7	4	6	2	4
Lanark	163	18	4	10	10	1	6	5	5	5	6	9	4
Rutherglen	285	29	9	31	23	20	13	12	21	6	17	11	10
Stonehouse	54	9	2	7	1	1	1	–	3	2	1	2	3
Bathgate	147	20	8	18	11	8	4	–	4	5	4	8	1
Armadale	69	14	5	8	12	2	3	3	4	2	–	–	1
Borrowstounness	122	19	10	14	25	7	5	2	4	–	2	3	4
Linlithgow	115	13	4	5	7	3	3	1	3	2	2	6	1
Dalkeith	210	23	11	19	18	11	5	7	9	2	4	4	7
Portobello	97	7	3	3	8	2	3	5	6	1	3	1	3
Inveresk	223	21	10	12	24	10	8	3	4	2	4	–	2
Dunbar	102	12	2	1	5	1	2	–	3	3	7	3	1
Haddington	107	11	3	3	7	6	4	1	4	4	3	2	4
Galashiels	127	20	4	6	15	4	9	1	7	4	3	8	6
Selkirk	101	14	2	6	7	2	2	3	5	1	3	4	7
Hawick	185	29	10	15	15	8	2	5	10	2	1	3	2
Jedburgh	152	13	2	8	12	8	9	10	25	7	6	3	2
Kelso	133	7	4	4	6	6	6	4	6	2	3	7	5
Ladhope	107	6	4	7	8	6	6	3	6	4	4	10	2
Annan	114	11	6	7	10	6	2	1	3	2	8	8	3
Stranraer	264	10	7	15	19	12	17	15	42	8	9	11	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. *(Continued.)*

SMALL TOWNS.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward)	4	–	7	4	5	4	4	2	5	3	2	2	–	–	1	–
Johnstone	1	7	2	4	10	7	3	7	8	4	7	1	1	1	–	–
Eastwood	12	8	10	8	12	14	12	17	12	5	7	3	1	–	–	–
Neilston	3	1	4	1	2	5	3	6	3	2	2	–	–	–	–	–
Barrhead	8	4	2	6	7	4	6	5	4	2	–	2	1	–	–	–
Port-Glasgow	6	10	5	4	10	10	9	7	5	2	4	2	–	–	–	–
Renfrew	8	2	1	10	7	6	7	3	7	5	3	3	–	1	–	–
Old Ardrossan	2	2	3	2	1	2	3	2	5	2	4	4	–	–	–	–
New Ardrossan	1	2	1	2	1	3	4	2	1	3	1	–	–	–	–	–
Beith	2	–	2	2	3	3	4	5	4	6	5	3	2	1	–	–
Dalry	3	9	6	9	6	5	9	6	8	11	6	3	2	–	–	–
Galston	6	3	3	1	3	3	3	6	3	4	2	4	1	–	–	–
Girvan	–	2	1	1	5	9	6	9	5	4	8	3	2	1	2	–
Irvine	10	4	11	8	5	9	10	10	13	8	17	7	4	–	–	–
Kilbirnie	4	1	3	–	–	2	1	3	2	–	3	–	2	–	–	–
Kilwinning	3	3	2	4	4	1	3	7	10	3	5	3	2	–	–	–
Maybole	5	1	2	1	1	6	8	7	5	3	5	4	1	–	–	–
Riccarton	2	2	1	6	1	2	6	2	3	–	4	1	–	–	–	–
Stevenston	3	2	2	4	3	3	5	2	6	3	4	2	–	–	–	–
Stewarton	1	1	3	–	1	1	5	6	3	4	3	3	2	–	–	–
Avondale	6	3	1	2	1	3	4	7	2	5	2	2	1	–	–	–
Cambusnethan	12	6	6	11	13	11	3	8	4	8	3	2	–	–	–	–
Carluke	4	1	1	1	3	3	4	6	6	6	7	5	1	1	–	–
Lanark	5	9	3	4	2	5	10	10	6	11	9	6	–	–	–	–
Rutherglen	3	7	7	13	7	10	8	7	7	5	5	2	1	1	–	–
Stonehouse	1	1	1	–	3	2	–	5	3	3	1	–	2	–	–	–
Bathgate	1	6	7	2	7	2	8	6	6	6	3	1	1	–	–	–
Armadale	3	3	1	–	–	2	3	3	–	–	–	–	–	–	–	–
Borrowstounness	3	4	6	1	2	2	1	2	3	1	1	–	1	–	–	–
Linlithgow	3	3	2	5	2	7	4	11	4	11	8	5	–	–	–	–
Dalkeith	7	3	5	7	8	3	18	6	13	11	1	6	2	–	–	–
Portobello	2	2	1	4	2	5	5	12	5	9	3	–	1	–	–	1
Inveresk	6	6	9	8	10	12	9	15	23	12	7	3	3	–	–	–
Dunbar	4	4	1	5	4	1	8	9	9	5	6	6	–	–	–	–
Haddington	2	3	2	1	2	12	5	6	9	8	3	2	–	–	–	–
Galashiels	2	6	4	7	2	1	6	3	4	2	2	1	–	–	–	–
Selkirk	2	4	2	5	2	3	5	9	5	3	4	1	–	–	–	–
Hawick	4	9	3	6	4	11	9	9	9	12	6	–	1	–	–	–
Jedburgh	2	3	3	5	1	1	5	6	4	8	6	1	2	–	–	–
Kelso	2	2	2	6	8	5	10	13	11	7	6	1	–	–	–	–
Ladhope	2	6	6	5	5	1	3	4	3	1	4	–	1	–	–	–
Annan	3	2	1	3	1	2	5	7	9	7	1	1	–	2	–	–
Stranraer	9	7	5	3	12	5	8	13	9	7	7	5	2	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns . . .	5640	623	225	409	492	249	183	135	332	150	188	217	159
Lerwick	40	2	2	3	–	2	1	–	4	1	1	1	1
Kirkwall and St. Ola . . .	37	3	2	–	3	–	1	–	1	–	3	–	3
Thurso	48	–	2	2	3	–	–	–	3	–	3	2	2
Wick	122	15	4	7	4	4	–	2	3	2	7	15	1
Nairn	41	5	1	3	1	1	1	–	–	1	1	3	1
Elgin	82	6	9	6	3	3	–	–	2	3	1	6	3
Forres	46	1	5	–	5	–	1	2	1	–	–	2	1
Banff	95	8	1	10	10	7	3	6	4	3	1	1	3
Cullen	24	–	1	2	3	–	2	–	2	1	1	1	–
Seafield	11	1	–	–	–	–	2	1	–	–	–	–	1
Fraserburgh	56	7	1	3	5	2	3	2	1	1	2	–	1
Huntly	31	1	1	2	1	2	–	–	3	–	–	2	4
Peterhead	115	26	5	10	6	2	2	3	5	3	5	1	3
Dunnottar	13	1	1	1	3	–	–	–	–	–	–	2	–
Fetteresso	40	5	–	1	6	–	–	–	–	1	–	4	1
Cookney	16	1	–	1	–	–	–	–	–	1	1	3	1
Brechin	100	7	3	10	7	4	3	4	5	2	5	3	1
Kirriemuir	62	5	4	5	–	–	1	–	3	–	–	–	2
Monifieth	64	11	5	5	3	2	1	–	3	1	1	4	2
Blairgowrie	48	9	2	3	3	1	2	–	–	–	2	–	2
Crieff	34	5	2	2	1	–	–	–	1	–	1	2	3
Burntisland	45	4	3	3	4	1	1	–	3	2	–	3	–
Cupar	60	2	2	1	2	1	1	–	2	–	3	2	3
Dysart	103	11	5	8	18	8	4	5	11	3	2	–	1
St. Andrews, etc.	53	4	2	2	3	1	2	–	2	1	–	1	1
Alloa	137	13	5	13	8	12	5	8	12	4	3	4	2
Tillicoultry	42	3	2	1	3	2	–	1	4	–	6	3	3
Alva	26	5	2	1	–	–	1	–	3	–	1	2	–
Campsie	81	6	2	7	9	2	3	6	7	1	2	2	3
Falkirk (Burgh)	123	15	2	14	10	4	4	1	5	1	2	2	2
„ (Landward) . . .	82	12	2	10	6	2	2	1	3	1	2	3	4
Kilsyth	65	13	1	4	4	2	1	2	2	4	1	3	2
Bonhill	111	12	7	5	5	10	3	2	8	4	4	6	1
Dumbarton	162	18	6	12	25	11	13	3	13	1	3	5	2
Kirkintilloch	120	13	1	8	12	6	7	8	10	3	5	5	5
Row	69	10	1	5	3	2	–	1	5	3	3	3	1
Campbeltown	88	2	2	5	4	5	–	2	7	4	5	8	3
Rothesay	92	2	4	8	7	5	1	3	1	4	–	2	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	172	146	145	176	179	203	221	258	264	225	168	79	32	7	–	3
Lerwick . . .	–	1	3	1	1	2	–	6	3	2	2	1	–	–	–	–
Kirkwall and St. Ola .	–	1	1	–	–	2	1	1	4	4	4	1	2	–	–	–
Thurso . . .	1	1	–	1	3	3	4	1	5	7	1	3	1	–	–	–
Wick	5	4	4	4	2	3	6	3	7	8	4	3	4	–	–	1
Nairn	1	2	2	1	–	–	3	4	5	2	1	1	1	–	–	–
Elgin . . .	5	1	4	1	2	2	6	2	9	6	1	1	–	–	–	–
Forres	2	5	4	1	1	1	2	4	1	2	4	1	–	–	–	–
Banff	1	1	4	1	3	4	4	10	3	3	3	1	–	–	–	–
Cullen	–	–	–	–	–	2	–	1	2	2	4	–	–	–	–	–
Seafield . . .	–	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–
Fraserburgh . .	1	1	2	–	–	3	3	2	6	6	3	1	–	–	–	–
Huntly . . .	1	1	–	–	–	–	1	1	2	5	2	1	1	–	–	–
Peterhead . . .	5	3	2	3	1	6	2	7	5	5	1	3	1	–	–	–
Dunnottar . . .	1	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–
Fetteresso . . .	2	1	–	2	1	–	2	2	3	5	3	1	–	–	–	–
Cookney . . .	–	1	–	–	–	–	1	1	2	1	1	–	1	–	–	–
Brechin . . .	3	3	4	2	1	1	4	9	9	4	4	1	–	1	–	–
Kirriemuir . . .	4	3	1	5	2	5	1	5	6	4	4	2	–	–	–	–
Monifieth . . .	6	1	1	2	2	–	4	–	5	4	–	1	–	–	–	–
Blairgowrie . . .	3	–	1	3	–	3	1	3	3	3	2	2	–	–	–	–
Crieff	–	1	1	1	2	–	4	2	1	2	2	–	1	–	–	–
Burntisland . .	–	2	3	3	1	1	3	1	3	2	2	–	–	–	–	–
Cupar	10	1	3	3	1	5	2	4	5	3	2	2	–	–	–	–
Dysart	2	–	–	2	4	2	3	2	5	2	2	2	–	1	–	–
St. Andrews, etc. .	1	4	3	2	3	4	2	3	4	3	2	2	–	1	–	–
Alloa	1	4	5	2	4	5	4	5	7	5	4	2	–	–	–	–
Tillicoultry . .	1	–	1	4	2	–	2	1	1	1	–	–	1	–	–	–
Alva	2	–	1	1	–	–	1	1	3	–	1	1	–	–	–	–
Campsie . . .	3	1	–	1	4	4	3	5	1	6	1	2	–	–	–	–
Falkirk (Burgh) . .	4	3	6	7	6	9	7	3	7	1	6	1	–	–	–	1
„ (Landward) .	5	–	7	1	2	4	6	4	3	1	1	–	–	–	–	–
Kilsyth . . .	3	2	3	–	5	1	2	3	2	1	4	–	–	–	–	–
Bonhill . . .	3	3	3	3	6	7	3	3	1	7	4	1	–	–	–	–
Dumbarton . . .	9	8	8	1	3	5	5	3	5	1	1	–	–	1	–	–
Kirkintilloch . .	4	3	5	2	3	3	1	3	7	3	2	1	–	–	–	–
Row	1	1	1	6	1	4	3	7	4	1	2	1	–	–	–	–
Campbeltown . .	2	2	2	3	5	1	2	7	7	6	3	–	–	–	–	1
Rothesay . . .	6	3	1	8	4	4	5	4	6	5	3	3	1	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	68	6	–	2	9	7	8	3	10	2	2	–	1
Johnstone	109	12	5	11	11	9	7	3	4	2	7	4	1
Eastwood	135	7	3	12	20	8	2	1	3	7	6	4	3
Neilston	46	3	1	6	5	3	1	2	8	–	–	2	2
Barrhead	79	8	4	2	8	2	7	2	7	5	3	4	3
Port-Glasgow	123	13	6	13	17	10	3	2	8	3	5	7	6
Renfrew	69	7	2	2	6	8	2	2	6	1	4	1	1
Old Ardrossan	28	2	1	–	–	2	–	–	3	–	1	1	–
New Ardrossan	37	7	–	2	3	–	3	1	1	3	1	1	2
Beith	57	7	1	2	7	2	2	–	3	3	2	1	5
Dalry	125	11	6	10	17	6	8	1	8	4	5	3	2
Galston	52	5	2	6	9	–	3	1	–	2	5	1	2
Girvan	61	4	1	4	3	1	–	–	6	6	2	4	3
Irvine	97	11	5	5	6	4	2	1	5	2	2	1	2
Kilbirnie	37	4	2	4	3	3	1	2	1	2	–	2	2
Kilwinning	73	10	5	2	4	5	2	3	4	1	3	3	5
Maybole	56	4	1	4	6	1	–	–	3	5	–	4	2
Riccarton	51	10	2	1	4	1	–	1	3	2	2	5	2
Stevenston	47	6	1	4	5	4	–	1	4	1	–	2	3
Stewarton	43	5	3	3	2	1	2	2	4	2	1	1	4
Avondale	38	2	–	6	3	1	1	–	2	2	1	3	2
Cambusnethan	166	28	7	15	20	7	4	2	10	10	9	4	5
Carluke	52	6	4	7	6	1	2	–	2	1	1	1	3
Lanark	74	13	2	5	5	–	3	4	2	1	5	2	1
Rutherglen	141	16	6	15	12	9	8	8	13	2	9	3	3
Stonehouse	25	4	–	4	1	1	1	–	1	–	–	1	–
Bathgate	77	17	4	12	6	3	1	–	2	–	2	6	–
Armadale	37	6	5	3	7	2	–	1	1	1	–	–	–
Borrowstounness	66	13	7	7	12	5	3	1	3	–	1	1	1
Linlithgow	52	6	1	2	4	2	–	–	2	2	1	4	–
Dalkeith	110	16	7	10	10	2	2	3	6	–	4	2	4
Portobello	45	4	1	2	6	1	2	3	5	1	1	1	1
Inveresk	96	13	4	7	10	1	4	1	3	2	3	–	1
Dunbar	51	7	2	–	3	1	1	–	2	1	4	2	–
Haddington	49	8	1	2	3	5	–	1	2	2	2	1	2
Galashiels	61	11	2	2	6	4	6	–	2	3	2	5	1
Selkirk	46	6	2	2	3	1	–	3	2	–	1	2	5
Hawick	100	16	6	9	10	4	–	1	6	2	1	2	–
Jedburgh	72	4	1	3	3	5	6	5	13	4	2	3	1
Kelso	66	6	1	1	3	3	2	3	4	–	3	5	3
Ladhope	54	3	2	4	5	3	3	2	1	3	–	3	–
Annan	60	6	6	6	6	1	2	–	–	–	5	6	1
Stranraer	125	6	3	7	13	6	8	6	18	4	3	3	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland Rural Districts.—MALES. *(Continued.)*

SMALL TOWNS.	MALES.														
	AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward)	2	–	2	2	4	1	1	2	–	2	2	–	–	–	–	–
Johnstone	–	4	–	2	5	4	1	5	5	1	4	1	–	1	–	–
Eastwood	5	6	5	5	8	7	5	6	6	3	1	1	1	–	–	–
Neilston	–	1	3	–	2	2	–	3	1	1	–	–	–	–	–	–
Barrhead	5	3	1	1	5	2	1	3	2	–	–	–	1	–	–	–
Port-Glasgow	3	4	2	2	5	3	3	3	1	2	1	1	–	–	–	–
Renfrew	2	1	1	4	3	5	3	–	4	3	1	–	–	–	–	–
Old Ardrossan	2	1	1	1	–	1	1	1	4	1	1	4	–	–	–	–
New Ardrossan	1	1	–	2	–	3	4	1	1	–	–	–	–	–	–	–
Beith	1	–	–	1	3	2	3	3	3	3	1	–	2	–	–	–
Dalry	1	3	4	7	6	3	4	5	1	6	2	1	1	–	–	–
Galston	–	–	–	–	2	1	2	2	1	3	2	2	1	–	–	–
Girvan	–	–	–	1	2	5	4	6	2	2	2	3	–	–	–	–
Irvine	3	3	4	5	3	4	6	5	4	2	8	3	1	–	–	–
Kilbirnie	3	1	1	–	–	2	1	1	1	–	–	–	1	–	–	–
Kilwinning	1	2	1	4	3	–	1	2	7	–	3	1	1	–	–	–
Maybole	1	–	–	–	1	2	6	5	2	1	4	4	–	–	–	–
Riccarton	2	1	–	5	–	2	4	1	1	–	2	–	–	–	–	–
Stevenston	1	–	1	4	1	1	1	1	2	2	2	–	–	–	–	–
Stewarton	1	1	–	–	1	–	3	2	1	1	2	–	1	–	–	–
Avondale	4	–	1	–	–	2	2	4	1	1	–	–	–	–	–	–
Cambusnethan	5	1	4	7	8	8	1	3	2	3	1	2	–	–	–	–
Carluke	1	–	–	1	1	2	3	1	1	4	1	2	–	1	–	–
Lanark	–	5	–	1	–	2	7	6	2	3	3	2	–	–	–	–
Rutherglen	–	3	3	8	2	7	4	1	2	3	2	1	1	–	–	–
Stonehouse	1	1	–	–	1	2	–	3	–	2	1	–	1	–	–	–
Bathgate	1	3	4	1	1	1	1	1	5	4	2	–	–	–	–	–
Armadale	3	2	1	–	–	1	2	2	–	–	–	–	–	–	–	–
Borrowstounness	2	2	2	–	2	1	–	1	–	1	–	–	1	–	–	–
Linlithgow	3	2	1	3	2	2	–	5	2	5	2	1	–	–	–	–
Dalkeith	5	2	2	4	5	–	10	2	5	6	–	3	–	–	–	–
Portobello	2	–	–	1	2	3	1	2	2	3	1	–	–	–	–	–
Inveresk	–	4	3	2	6	4	4	7	8	3	3	1	2	–	–	–
Dunbar	1	2	–	3	3	1	5	4	4	2	3	–	–	–	–	–
Haddington	1	2	–	–	1	5	–	2	4	3	2	–	–	–	–	–
Galashiels	2	2	1	3	–	1	2	1	2	2	1	–	–	–	–	–
Selkirk	–	3	–	2	–	1	2	3	2	2	4	–	–	–	–	–
Hawick	1	3	3	4	1	8	5	6	2	5	4	–	1	–	–	–
Jedburgh	–	–	–	3	1	1	3	3	2	4	5	–	–	–	–	–
Kelso	1	1	–	3	6	1	4	7	4	3	1	1	–	–	–	–
Ladhope	2	3	4	3	2	1	1	1	2	1	4	–	1	–	–	–
Annan	1	2	–	2	1	1	–	4	5	3	1	–	–	1	–	–
Stranraer	4	3	4	1	4	2	6	7	5	3	3	2	1	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns . . .	5752	482	186	352	472	242	183	135	317	171	193	198	186
Lerwick	35	3	–	1	1	2	1	–	–	–	1	1	–
Kirkwall and St. Ola . . .	49	–	–	1	2	1	1	–	3	2	1	1	1
Thurso	49	2	2	–	2	2	–	–	2	–	3	–	–
Wick	102	7	3	5	3	–	1	1	2	1	3	4	8
Nairn	38	3	4	1	1	2	–	–	1	1	2	–	2
Elgin	87	10	3	2	4	2	–	–	3	2	3	3	3
Forres	53	4	–	3	3	2	1	–	–	1	–	2	1
Banff	116	5	3	5	9	5	3	1	4	3	3	6	4
Cullen	17	–	1	–	3	1	1	–	2	–	–	–	1
Seaffield	12	–	–	–	–	1	–	–	–	3	2	–	–
Fraserburgh	48	5	3	5	5	2	2	2	1	4	1	1	2
Huntly	33	3	1	1	–	–	–	–	2	1	–	1	1
Peterhead	87	10	4	2	6	2	1	2	7	2	2	4	1
Dunnottar	16	2	–	1	1	–	–	–	1	–	–	–	1
Fetteresso	30	3	–	–	–	–	1	–	1	–	2	1	1
Cookney	6	–	1	–	–	–	–	1	2	–	–	–	–
Brechin	104	7	7	8	5	5	2	3	4	–	2	3	4
Kirriemuir	64	7	2	2	1	1	–	2	3	1	1	–	–
Monifieth	56	6	2	2	3	1	–	4	3	1	2	2	1
Blairgowrie	46	7	1	4	3	–	–	–	4	1	1	1	3
Crieff	35	1	–	1	2	1	1	–	1	2	1	–	1
Burntisland	34	3	1	1	4	–	1	1	2	–	–	2	–
Cupar	87	15	2	2	3	1	1	–	4	–	2	4	3
Dysart	103	11	2	5	12	4	2	5	3	2	3	–	–
St. Andrews, etc.	68	6	–	2	3	1	–	–	2	2	1	3	2
Alloa	140	8	5	5	16	13	7	8	13	2	6	5	3
Tillicoultry	59	5	2	5	2	–	2	–	1	–	5	4	3
Alva	40	4	1	1	3	2	2	1	2	1	2	2	2
Campsie	82	5	1	9	6	4	4	2	5	2	4	4	3
Falkirk (Burgh)	137	15	6	11	15	4	2	3	5	4	2	2	1
,, (Landward) . . .	78	10	2	7	7	4	2	2	1	5	1	4	–
Kilsyth	65	5	1	3	9	5	6	–	3	5	3	1	2
Bonhill	95	9	5	4	3	1	4	–	7	5	6	6	2
Dumbarton	156	9	7	13	18	16	7	8	8	9	3	7	7
Kirkintilloch	91	11	4	3	8	5	4	2	13	4	4	1	2
Row	53	5	–	5	1	4	1	3	3	2	–	2	3
Campbeltown	88	5	3	5	7	3	2	1	1	1	4	1	1
Rothesay	119	7	3	4	6	7	3	–	4	3	3	2	8

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	168	156	164	152	183	181	251	302	310	285	251	151	61	11	5	4
Lerwick . . .	–	1	1	2	1	2	2	5	2	4	3	1	1	–	–	–
Kirkwall and St. Ola .	3	2	1	1	3	4	2	3	2	5	4	4	2	–	–	–
Thurso . . .	4	–	3	–	2	3	4	4	2	2	4	4	4	–	–	–
Wick	–	6	2	4	1	4	4	8	10	6	11	5	2	–	1	–
Nairn	–	1	3	–	2	1	1	1	4	5	2	–	–	1	–	–
Elgin	8	1	1	3	7	–	4	7	4	2	7	4	4	–	–	–
Forres	1	–	4	–	–	–	2	5	4	5	6	6	2	1	–	–
Banff	3	4	2	3	4	4	6	4	8	11	5	8	3	–	–	–
Cullen	1	1	1	–	1	1	–	1	1	–	–	1	–	–	–	–
Seafield . . .	–	–	–	2	–	2	–	–	–	2	–	–	–	–	–	–
Fraserburgh . .	1	–	1	–	1	–	1	2	1	4	1	3	–	–	–	–
Huntly	1	2	2	3	2	2	2	–	3	4	1	1	–	–	–	–
Peterhead . . .	3	4	2	1	2	2	4	5	3	7	6	3	2	–	–	–
Dunnottar . . .	1	–	1	–	–	1	–	–	3	–	2	2	–	–	–	–
Fetteresso . . .	1	3	2	–	–	–	1	1	4	3	3	1	2	–	–	–
Cookney . . .	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Brechin . . .	2	4	5	2	3	2	3	6	9	7	6	2	3	–	–	–
Kirriemuir . . .	2	3	1	–	1	1	5	5	7	8	7	3	–	1	–	–
Monifieth . . .	3	–	1	–	1	2	2	5	3	3	5	2	2	–	–	–
Blairgowrie . . .	2	–	3	2	2	2	–	3	1	3	1	1	1	–	–	–
Crieff	–	1	–	1	2	2	2	3	4	2	3	1	2	1	–	–
Burntisland . . .	1	2	1	–	2	1	3	3	2	1	2	1	–	–	–	–
Cupar	–	1	4	3	1	5	5	4	9	5	11	2	–	–	–	–
Dysart	1	1	2	4	5	5	6	6	10	7	5	2	–	–	–	–
St. Andrews, etc. .	5	–	1	3	3	1	2	8	6	8	6	2	1	–	–	–
Alloa	1	2	2	7	6	5	8	2	6	6	1	3	–	–	–	–
Tillicoultry . . .	1	5	–	1	5	5	1	3	4	1	3	1	–	–	–	–
Alva	2	–	2	–	4	2	1	1	1	1	1	2	–	–	–	–
Campsie . . .	1	5	1	2	4	–	4	4	5	1	3	2	1	–	–	–
Falkirk (Burgh) . .	1	2	3	2	6	4	7	11	5	10	7	3	2	1	–	3
„ (Landward) .	1	2	1	2	5	4	3	3	4	4	3	1	–	–	–	–
Kilsyth . . .	2	1	1	1	3	1	2	2	7	1	1	–	–	–	–	–
Bonhill . . .	3	4	4	5	4	3	2	7	3	2	–	4	2	–	–	–
Dumbarton . . .	3	5	5	5	4	3	5	2	4	4	2	–	2	–	–	–
Kirkintilloch . .	2	1	4	–	4	–	4	7	–	4	2	2	–	–	–	–
Row	1	1	2	2	2	1	5	1	2	4	1	1	–	–	1	–
Campbeltown . .	2	3	2	2	2	2	6	4	6	5	14	5	–	1	–	–
Rothesay . . .	7	2	2	6	3	3	7	7	6	15	6	4	1	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward)	66	2	3	3	4	7	3	2	9	1	4	1	2
Johnstone	105	12	4	5	13	5	3	3	11	7	4	4	4
Eastwood	164	15	9	16	10	2	7	5	12	2	6	9	9
Neilston	72	8	–	4	6	3	6	6	8	3	3	4	2
Barrhead	77	2	–	1	6	3	8	2	14	–	3	6	5
Port-Glasgow	129	12	1	12	27	6	5	–	–	6	4	6	6
Renfrew	66	3	1	4	6	3	3	–	2	–	3	1	4
Old Ardrossan	33	7	–	2	3	–	–	–	2	4	–	–	1
New Ardrossan	24	3	2	1	3	3	–	–	–	1	1	2	–
Beith	48	3	1	4	5	3	1	–	2	3	4	–	2
Dalry	110	6	5	11	13	7	3	2	7	5	7	3	2
Galston	65	7	4	7	7	1	2	–	2	4	1	3	1
Girvan	57	5	1	4	–	3	2	1	3	–	4	1	2
Irvine	117	3	1	4	12	3	4	3	5	4	4	8	1
Kilbirnie	40	3	2	2	9	1	1	3	1	3	3	1	1
Kilwinning	61	2	4	8	5	2	–	2	2	3	3	3	3
Maybole	45	2	–	–	6	2	–	3	1	1	2	3	2
Riccarton	47	10	2	2	10	1	2	1	5	–	2	–	–
Stevenston	46	3	1	3	4	3	2	1	2	1	1	2	–
Stewarton	44	2	1	6	1	2	2	2	2	1	–	2	3
Avondale	59	7	2	3	5	3	–	2	4	6	1	1	1
Cambusnethan	162	10	12	22	22	9	4	4	9	5	8	6	9
Carluke	67	9	1	3	3	1	2	2	5	3	5	1	1
Lanark	89	5	2	5	5	1	3	1	3	4	1	7	3
Rutherglen	144	13	3	16	11	11	5	4	8	4	8	8	7
Stonehouse	29	5	2	3	–	–	–	–	2	2	1	1	3
Bathgate	70	3	4	6	5	5	3	–	2	5	2	2	1
Armadale	32	8	–	5	5	–	3	2	3	1	–	–	1
Borrowstounness	56	6	3	7	13	2	2	1	1	–	1	2	3
Linlithgow	63	7	3	3	3	1	3	1	1	–	1	2	1
Dalkeith	100	7	4	9	8	9	3	4	3	2	–	2	3
Portobello	52	3	2	1	2	1	1	2	1	–	2	–	2
Inveresk	127	8	6	5	14	9	4	2	1	–	1	–	1
Dunbar	51	5	–	1	2	–	1	–	1	2	3	1	1
Haddington	58	3	2	1	4	1	4	–	2	2	1	1	2
Galashiels	66	9	2	4	9	–	3	1	5	1	1	3	5
Selkirk	55	8	–	4	4	1	2	–	3	1	2	2	2
Hawick	85	13	4	6	5	4	2	4	4	–	–	1	2
Jedburgh	80	9	1	5	9	3	3	5	12	3	4	–	1
Kelso	67	1	3	3	3	3	4	1	2	2	–	2	2
Ladhope	53	3	2	3	3	3	3	1	5	1	4	7	2
Annan	54	8	–	1	4	5	–	1	3	2	3	2	2
Stranraer	139	4	4	8	6	6	9	9	24	4	6	8	4

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

SMALL TOWNS.	FEMALES.														
	AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward)	2	–	5	2	1	3	3	–	5	1	–	2	–	–	1	–
Johnstone	1	3	2	2	5	3	2	2	3	3	3	–	1	–	–	–
Eastwood	7	2	5	3	4	7	7	11	6	2	6	2	–	–	–	–
Neilston	3	–	1	1	–	3	3	3	2	1	2	–	–	–	–	–
Barrhead	3	1	1	5	2	2	5	2	2	2	–	2	–	–	–	–
Port-Glasgow	3	6	3	2	5	7	6	4	4	–	3	1	–	–	–	–
Renfrew	6	1	–	6	4	1	4	3	3	2	2	3	–	1	–	–
Old Ardrossan	–	1	2	1	1	1	2	1	1	1	3	–	–	–	–	–
New Ardrossan	–	1	1	–	1	–	–	1	–	3	1	–	–	–	–	–
Beith	1	–	2	1	–	1	1	2	1	3	4	3	–	1	–	–
Dalry	2	6	2	2	–	2	5	1	7	5	4	2	1	–	–	–
Galston	6	3	3	1	1	2	1	4	2	1	–	2	–	–	–	–
Girvan	–	2	1	–	3	4	2	3	3	2	6	–	2	1	2	–
Irvine	7	1	7	3	2	5	4	5	9	6	9	4	3	–	–	–
Kilbirnie	1	–	2	–	–	–	–	2	1	–	3	–	1	–	–	–
Kilwinning	2	1	1	–	1	1	2	5	3	3	2	2	1	–	–	–
Maybole	4	1	2	1	–	4	2	2	3	2	1	–	1	–	–	–
Riccarton	–	1	1	1	1	–	2	1	2	–	2	1	–	–	–	–
Stevenston	2	2	1	–	2	2	4	1	4	1	2	2	–	–	–	–
Stewarton	–	–	3	–	–	1	2	4	2	3	1	3	1	–	–	–
Avondale	2	3	–	2	1	1	2	3	1	4	2	2	1	–	–	–
Cambusnethan	7	5	2	4	5	3	2	5	2	5	2	–	–	–	–	–
Carluke	3	1	1	–	2	1	1	5	5	2	6	3	1	–	–	–
Lanark	5	4	3	3	2	3	3	4	4	8	6	4	–	–	–	–
Rutherglen	3	4	4	5	5	3	4	6	5	2	3	1	–	1	–	–
Stonehouse	–	–	1	–	2	–	–	2	3	1	–	–	1	–	–	–
Bathgate	–	3	3	1	6	1	7	5	1	2	1	1	1	–	–	–
Armadale	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Borrowstounness	1	2	4	1	–	1	1	1	3	–	1	–	–	–	–	–
Linlithgow	–	1	1	2	–	5	4	6	2	6	6	4	–	–	–	–
Dalkeith	2	1	3	3	3	3	8	4	8	5	1	3	2	–	–	–
Portobello	–	2	1	3	–	2	4	10	3	6	2	–	1	–	–	1
Inveresk	6	2	6	6	4	8	5	8	15	9	3	2	1	–	–	–
Dunbar	3	2	1	2	1	–	3	5	5	3	4	6	–	–	–	–
Haddington	1	1	2	1	1	7	5	4	5	5	1	2	–	–	–	–
Galashiels	–	4	3	4	2	–	4	2	2	–	1	1	–	–	–	–
Selkirk	2	1	2	3	2	2	3	6	3	1	–	1	–	–	–	–
Hawick	3	6	–	2	3	3	4	3	7	7	2	–	–	–	–	–
Jedburgh	2	3	3	2	–	–	2	3	2	4	1	1	2	–	–	–
Kelso	1	1	2	3	2	4	6	6	7	4	5	–	–	–	–	–
Ladhope	–	3	2	2	3	–	2	3	1	–	–	–	–	–	–	–
Annan	2	–	1	1	–	1	5	3	4	4	–	1	–	1	–	–
Stranraer	5	4	1	2	8	3	2	6	4	4	4	3	1	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	69416	433	430	617	331	1123	1441	123	705	1008	4271	527	5156	2419	2811	127
SPECIFIED CAUSES	66463	331	388	528	282	953	1238	117	636	958	4072	506	5034	2335	2655	122
I. Zymotic Class	15170	18	32	96	29	163	186	17	83	215	808	65	1195	373	570	22
II. Diseases of Uncer. Seat	2344	16	23	19	12	39	36	5	23	46	189	30	193	111	120	7
III. Tubercular Class	11487	46	59	78	35	129	176	14	113	129	701	84	831	379	368	15
IV. Brain and Nervous Sys.	5460	12	25	27	17	60	81	22	68	96	380	45	439	221	241	10
V. Organs of Circulation	3274	5	18	25	7	27	39	5	48	36	210	39	278	158	136	6
VI. Respiratory Organs	9450	15	33	50	23	90	132	11	51	117	524	54	740	232	369	20
VII. Organs of Digestion	4822	22	30	27	15	39	103	16	61	87	317	37	330	192	174	6
VIII. Urinary Organs	1024	5	8	10	10	15	16	3	16	24	97	11	59	57	43	2
IX. Organs of Generation	531	–	5	4	4	10	15	1	5	16	29	6	39	17	20	1
X. Organs of Locomotion	450	7	3	3	2	5	13	–	9	5	39	3	33	14	18	1
XI. Skin, etc.	82	–	–	–	1	2	4	–	2	1	6	1	6	1	5	–
XII. Malformation	183	–	–	–	–	–	2	2	1	–	17	4	20	6	7	–
XIII. Premature Debility	3251	2	4	20	4	8	39	1	31	29	194	23	311	111	116	4
XIV. Atrophy	559	1	2	5	–	2	9	1	7	2	34	2	37	15	19	–
XV. Age	5944	167	132	142	113	328	343	16	104	122	413	79	374	358	319	22
XVI. Sudden Deaths	185	3	1	–	1	4	2	–	–	–	7	1	15	14	18	1
XVII. Violent Deaths	2247	12	13	22	9	32	42	3	14	33	107	22	134	76	112	5
I. Small Pox	15	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Measles	1149	4	5	9	2	19	5	–	3	3	143	5	250	19	21	2
Scarlatina	3141	–	–	7	–	–	1	–	4	45	55	2	87	25	68	–
Diphtheria	749	–	1	4	1	5	3	–	4	27	88	2	51	30	43	–
Hooping Cough	2490	–	–	–	3	40	56	–	20	31	109	6	101	66	102	1
Croup	939	–	1	11	7	36	15	1	12	28	36	3	72	31	64	1
Thrush	25	–	–	–	–	–	3	–	1	–	5	–	3	–	–	–
Diarrhœa	2017	4	7	5	2	4	21	10	12	17	113	8	194	60	73	3
Dysentery	263	1	–	4	–	3	1	2	1	5	27	1	34	11	15	3
Cholera	204	–	–	1	–	–	–	–	2	1	5	1	25	4	9	–
Influenza	140	–	6	9	1	5	5	–	2	5	14	3	7	3	4	–
Purpura	30	–	–	1	–	1	2	–	–	–	2	–	2	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	18	–	–	–	1	–	1	–	–	1	–	–	–	–	2	1
Typhus	1561	5	7	22	4	20	27	–	4	14	45	8	189	43	61	2
Enteric Fever	1404	–	2	15	3	10	31	2	15	21	83	15	91	37	72	6
Relapsing Fever	45	–	–	–	–	5	–	–	–	2	–	1	2	–	1	1
Simple Cont. Fever	100	2	–	–	1	4	1	–	1	1	3	–	7	9	4	–
Infantile Remittent	132	–	–	–	–	1	–	–	–	1	9	4	9	4	3	–
Metria	140	–	–	–	–	2	3	–	–	1	8	2	11	7	4	–
Rheumatic Fever	122	1	2	5	1	2	4	1	–	2	12	–	10	6	5	1
Erysipelas	258	1	1	–	2	4	7	–	1	7	33	2	23	12	12	1
Pyæmia	29	–	–	–	–	–	–	1	–	2	3	–	5	–	1	–
Syphilis	185	–	–	3	1	2	–	–	1	1	12	1	21	5	5	–
Noma	13	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	69	2	–	–	–	–	1	–	–	–	4	3	4	6	–	–
Dropsy	643	7	11	5	5	17	14	1	2	5	23	2	67	37	49	3
Abscess	132	1	3	–	–	–	1	–	1	5	10	1	9	1	6	–
Ulcer	38	1	–	1	–	1	–	–	1	–	5	–	4	1	4	–
Fistula	14	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–
Mortification	109	–	1	1	1	1	2	1	1	–	7	2	6	5	3	–
Cancer	1327	5	8	12	6	20	18	3	18	33	135	21	103	60	57	4
Gout	12	–	–	–	–	–	–	–	–	2	4	–	–	1	–	–
III. Scrofula	688	6	1	7	1	9	6	–	7	16	66	2	32	13	18	1
Tabes Mesenterica	902	1	2	–	1	3	9	1	2	7	41	2	51	23	21	2
Phthisis	8154	34	54	64	32	110	144	12	90	91	492	64	605	297	266	9
Hydrocephalus	1743	5	2	7	1	7	17	1	14	15	102	16	143	46	63	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	510	1962	1290	1371	404	4798	3796	20059	775	7259	647	522	175	261	965	1423	862	815
SPECIFIED CAUSES .	490	1806	1213	1234	387	4544	3670	19647	742	7124	622	509	173	260	945	1326	826	790
Zymotic Class . .	156	433	310	200	43	1297	741	5179	187	1680	113	48	28	49	256	190	155	233
Uncertain Seat . .	19	61	55	57	19	134	124	505	21	267	21	25	9	7	37	59	36	19
Tubercular Class .	73	241	265	196	93	807	773	3655	131	1146	84	74	38	63	158	247	172	114
Brain, etc. . .	27	139	81	97	35	358	308	1399	56	712	56	57	9	23	93	133	75	58
Heart, etc. . .	26	101	54	72	24	186	181	679	40	490	50	61	13	18	75	82	43	42
Respiratory Organs .	57	254	134	109	45	623	458	3571	103	977	83	50	17	25	85	200	108	90
Digestive Organs .	16	175	84	91	32	329	266	1407	51	460	48	59	15	32	67	100	68	66
Urinary Organs . .	6	17	7	20	5	50	56	232	12	159	10	8	5	3	10	26	10	12
Generative Organs .	6	12	7	10	4	33	27	141	2	75	5	7	–	3	6	10	5	6
Locomotive Organs .	2	14	3	7	6	38	34	113	2	48	1	2	3	–	3	10	4	5
Skin	1	3	2	2	–	7	4	16	2	12	–	–	–	–	1	1	–	2
Malformation . .	–	3	4	1	2	8	15	46	4	23	6	2	–	2	4	1	3	–
Premature Debility .	29	95	54	26	10	209	178	1055	52	370	48	26	12	19	52	64	33	22
Atrophy . . .	12	20	17	4	1	62	31	181	4	57	4	4	–	1	9	6	4	6
Age	50	160	79	288	51	247	313	758	40	373	75	65	18	7	68	151	81	88
Sudden Deaths . .	–	6	3	1	–	16	2	74	4	8	1	–	–	–	–	2	–	1
Violent Deaths .	10	72	54	53	17	140	159	636	31	267	17	21	6	8	21	44	29	26
Small Pox . . .	–	–	–	–	–	4	3	3	–	–	–	–	–	–	–	1	–	–
Measles . . .	7	22	11	3	–	56	24	444	3	39	–	–	–	–	20	7	1	22
Scarlatina . . .	72	46	78	20	5	406	79	1172	8	559	4	4	11	26	141	34	60	122
Diphtheria . .	2	17	32	5	2	39	65	163	46	86	8	3	–	–	2	4	15	1
Hooping Cough .	30	71	50	49	7	214	98	1134	17	193	13	4	1	3	18	37	6	10
Croup . . .	7	27	13	19	5	85	72	229	13	108	10	2	–	2	4	13	6	6
Thrush . . .	–	1	1	–	–	1	1	5	–	1	–	–	–	–	–	1	1	1
Diarrhœa . . .	19	63	44	29	9	161	117	660	32	257	16	13	4	5	13	19	12	11
Dysentery . . .	1	6	5	5	1	12	17	48	4	37	2	4	1	2	–	7	2	1
Cholera . . .	1	9	2	4	1	29	10	48	5	38	1	1	–	–	4	2	1	–
Influenza . . .	–	5	2	3	1	6	13	23	–	3	1	1	1	–	1	5	2	9
Purpura . . .	–	2	–	1	1	5	1	7	–	1	–	–	–	–	2	1	1	–
Ague . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	1	1	7	–	–	–	–	–	–	–	–	1	2
Typhus . . .	7	90	20	20	–	131	64	580	16	136	13	3	2	–	14	4	2	8
Enteric Fever .	4	40	33	33	6	81	115	383	26	116	34	10	6	7	15	31	34	27
Relapsing Fever .	1	3	–	–	–	6	5	9	–	1	–	–	2	–	–	4	–	2
Simple Cont. Fever .	–	3	1	2	–	4	6	23	6	10	–	–	–	–	5	2	3	2
Infantile Remittent .	–	5	1	1	–	11	5	63	1	6	2	–	–	–	2	2	1	1
Metria . . .	1	7	2	2	–	12	9	37	1	16	5	–	–	2	3	3	–	2
Rheumatic Fever .	1	5	2	2	1	6	11	19	–	9	1	1	–	–	2	4	5	1
Erysipelas . .	2	6	5	–	1	11	15	55	3	34	2	2	–	1	7	6	1	1
Pyæmia . . .	–	2	–	1	1	2	1	4	–	2	–	–	–	1	–	2	1	–
Syphilis . . .	1	3	7	1	2	13	8	57	5	27	1	–	–	–	3	1	–	4
Noma . . .	–	–	1	–	–	1	1	6	1	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	3	3	2	–	4	1	16	1	9	–	1	2	–	2	1	3	–
Dropsy . . .	10	15	20	25	1	50	41	162	2	37	6	3	–	1	5	5	10	2
Abscess . . .	–	3	1	2	–	10	13	43	–	18	–	–	–	–	–	2	1	1
Ulcer . . .	–	–	–	1	–	2	3	11	–	1	–	–	–	–	1	–	–	1
Fistula . . .	–	–	1	–	–	–	–	6	–	3	–	–	–	–	–	–	–	–
Mortification . .	–	3	4	2	1	5	6	16	1	21	5	3	–	1	1	4	4	1
Cancer . . .	8	37	26	25	17	63	60	249	17	175	10	18	7	5	28	47	18	14
Gout . . .	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–
Scrofula . . .	5	17	11	12	2	47	58	193	18	88	4	6	–	2	4	15	13	8
Tabes Mesenterica .	3	13	12	6	10	56	83	347	9	117	8	7	5	5	16	19	11	9
Phthisis . . .	57	166	188	163	67	573	529	2545	76	716	58	55	26	45	117	194	123	92
Hydrocephalus . .	8	45	54	15	14	131	103	570	28	225	14	6	7	11	21	19	25	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	383	–	2	1	1	8	9	2	3	1	22	2	21	7	20	1
Apoplexy	1190	3	9	3	–	8	18	8	15	18	83	11	100	57	51	4
Paralysis	1653	2	10	12	13	30	26	4	16	30	97	21	139	103	94	4
Delirium Tremens	71	–	–	–	–	–	1	–	1	–	5	–	9	2	3	–
Chorea	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Epilepsy	213	2	1	4	–	2	3	2	3	8	14	2	16	12	12	–
Tetanus	42	–	–	–	–	2	4	–	–	–	1	–	–	1	2	–
Insanity	46	–	–	–	–	–	3	–	1	1	4	–	–	2	3	–
Convulsions	856	3	–	1	3	3	6	2	14	14	80	1	89	15	24	1
Brain Disease	1001	2	3	6	–	7	11	4	15	24	74	8	63	22	32	–
V. Pericarditis	66	–	–	1	–	–	1	–	–	3	6	1	6	3	4	–
Aneurism	96	–	–	2	–	2	–	–	1	3	5	2	11	3	4	–
Heart Disease	3112	5	18	22	7	25	38	5	47	30	199	36	261	152	128	6
VI. Laryngitis	142	–	–	–	–	1	3	2	–	4	17	1	7	4	5	1
Bronchitis	6261	8	18	38	11	31	52	5	31	67	319	29	516	148	227	7
Pleurisy	206	1	–	1	–	6	21	–	1	6	15	3	16	7	12	1
Pneumonia	2098	1	10	7	3	18	20	2	14	33	130	20	140	53	100	10
Asthma	415	5	2	2	7	33	31	1	2	4	23	1	34	17	18	1
Lung Disease	328	–	3	2	2	1	5	1	3	3	20	–	27	3	7	–
VII. Teething	937	2	2	–	1	1	10	4	8	19	58	2	111	32	35	–
Quinsey	56	–	–	1	–	–	1	–	–	4	1	–	3	2	5	–
Gastritis	159	–	1	1	–	–	2	3	1	2	7	1	8	4	4	1
Enteritis	783	2	1	4	3	5	19	3	9	10	39	8	31	22	24	–
Peritonitis	325	–	1	2	2	3	9	–	1	4	23	2	16	8	8	2
Ascites	71	–	–	–	1	1	2	1	1	1	3	1	5	1	3	1
Ulceration of Intestines	185	2	1	1	–	–	2	1	6	6	20	5	13	6	6	–
Hernia	99	3	–	1	–	1	5	1	2	4	6	2	9	6	4	–
Ileus	292	1	2	3	1	7	9	1	9	12	39	2	18	7	12	–
Intussusception	30	–	–	1	–	–	1	–	–	–	2	–	1	2	3	–
Stricture of Intestines	31	–	2	–	–	1	–	–	–	–	4	–	1	3	2	1
Stomach Disease	751	3	12	5	4	9	18	1	13	9	47	4	45	44	27	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	146	3	2	2	–	2	3	–	2	2	5	1	7	4	3	1
Jaundice	176	1	–	–	2	3	8	1	3	4	19	5	17	6	5	–
Liver Disease	759	5	5	6	1	6	13	–	6	9	42	4	45	42	30	–
Spleen Disease	22	–	1	–	–	–	1	–	–	1	2	–	–	3	3	–
VIII. Nephritis	79	–	1	–	–	–	–	–	1	2	1	1	4	4	2	–
Nephria	300	–	–	1	3	5	1	–	4	4	23	3	19	22	9	2
Addison's Disease	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	41	–	–	–	–	1	–	–	1	–	3	1	1	4	2	–
Diabetes	91	–	1	1	1	1	1	–	1	3	8	1	4	5	6	–
Stone	48	1	3	2	2	4	4	–	–	–	9	–	6	1	1	–
Cystitis	174	1	1	4	2	3	5	1	4	6	24	2	8	10	10	–
Stricture of Urethra	21	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Kidney Disease	266	3	1	2	2	–	5	1	5	9	29	2	17	10	13	–
IX. Paramenia	33	–	1	–	–	1	–	–	1	2	–	–	–	3	2	1
Ovarian Dropsy	65	–	–	–	1	1	3	1	–	2	8	1	4	3	3	–
Childbirth	354	–	3	4	3	6	8	–	3	8	15	3	30	9	12	–
Organs of Generation	79	–	1	–	–	2	4	–	1	4	6	2	5	2	3	–
X. Arthritis	107	–	2	–	–	–	1	–	–	1	12	–	8	2	6	–
Rheumatism	177	5	1	3	1	5	10	–	5	2	12	3	13	7	9	1
Joint and Bone Disease	166	2	–	–	1	–	2	–	4	2	15	–	12	5	3	–
XI. Carbuncle	17	–	–	–	–	1	2	–	–	1	1	1	–	1	2	–
Phlegmon	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	57	–	–	–	1	1	2	–	2	–	5	–	6	–	3	–
XVII. Intemperance	82	–	–	2	–	1	–	–	1	1	1	–	9	4	3	–
Privation	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Want of Breast Milk	87	–	–	2	–	–	–	–	–	–	9	–	9	–	5	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	33	2	1	1	–	1	5	–	1	1	–	–	–	1	–	–
Poison	53	–	–	–	–	1	–	–	–	–	2	–	2	–	3	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	220	2	2	1	2	5	4	–	–	3	11	2	11	8	13	1
Hanging, etc.	58	–	1	–	–	–	–	1	–	–	–	2	3	3	8	–
Suffocation	128	–	–	1	–	–	–	1	–	1	11	1	13	1	2	–
Drowning	515	5	4	8	3	14	11	–	3	19	23	11	26	19	19	2
Fracture and Contusion	929	3	4	7	3	10	17	1	8	6	41	5	53	31	50	2
Gunshot Wounds	19	–	1	–	–	–	1	–	–	–	1	1	1	1	1	–
Cuts and Stabs	22	–	–	–	–	–	1	–	–	–	3	–	1	3	1	–
Other Violent Causes	93	–	–	–	1	–	3	–	1	2	5	–	5	4	6	–
Not Specified	2953	102	42	89	49	170	203	6	69	50	199	21	122	84	156	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	11	5	4	1	34	21	109	5	52	2	4	1	3	3	13	8	4
Apoplexy	4	29	17	16	7	106	68	264	7	166	11	11	2	3	17	40	17	17
Paralysis	12	44	25	36	17	92	76	337	24	202	25	20	4	8	36	46	27	21
Delirium Tremens	–	2	2	1	–	4	6	16	2	13	1	–	–	–	1	2	–	–
Chorea	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	4	12	3	8	13	40	2	27	2	2	–	2	2	3	5	1
Tetanus	–	2	–	4	–	1	4	10	–	9	–	1	–	–	–	1	–	–
Insanity	–	2	2	2	–	10	–	3	1	8	–	–	–	–	–	4	–	–
Convulsions	2	18	11	15	–	44	43	309	9	113	2	7	–	1	13	7	4	2
Brain Disease	3	28	15	7	7	59	77	308	6	122	13	12	2	6	21	17	14	13
Pericarditis	1	3	1	1	–	3	1	11	1	11	–	–	–	–	3	4	1	–
Aneurism	–	–	1	–	–	9	4	21	–	19	–	–	1	2	1	3	1	1
Heart Disease	25	98	52	71	24	174	176	647	39	460	50	61	12	16	71	75	41	41
Laryngitis	1	5	4	2	–	9	10	34	2	17	3	1	–	–	2	1	5	1
Bronchitis	44	143	91	65	26	403	309	2523	72	656	59	23	13	13	54	134	72	54
Pleurisy	1	4	3	7	1	6	12	33	–	27	3	2	–	2	4	7	4	–
Pneumonia	10	55	22	21	16	160	80	773	22	203	16	19	4	10	21	53	25	27
Asthma	1	13	7	11	2	23	31	99	2	28	2	1	–	–	4	4	1	5
Lung Disease	–	34	7	3	–	22	16	109	5	46	–	4	–	–	–	1	1	3
Teething	3	37	24	11	3	99	36	326	14	57	5	7	4	7	1	8	2	8
Quinsey	–	1	1	1	–	7	3	16	–	7	–	–	–	1	–	1	1	–
Gastritis	–	13	3	4	3	2	14	54	–	11	2	1	–	–	5	4	8	–
Enteritis	2	29	9	6	4	52	50	284	14	59	8	14	–	4	18	12	23	15
Peritonitis	2	11	4	3	1	23	17	82	10	54	4	7	1	4	7	4	7	3
Ascites	1	2	1	1	–	6	2	23	–	5	3	1	1	–	–	1	–	3
Ulceration of Intestines	–	2	11	4	1	4	11	24	3	30	2	4	–	1	4	7	2	6
Hernia	1	1	2	–	1	7	7	20	–	12	–	1	–	–	1	1	–	1
Ileus	–	10	3	8	6	16	12	64	1	23	3	2	1	2	6	7	4	1
Intussusception	–	2	–	3	–	1	5	4	–	1	–	1	–	–	1	2	–	–
Stricture of Intestines	–	1	–	–	–	3	1	5	–	3	–	1	–	–	–	3	–	–
Stomach Disease	2	26	11	24	3	32	49	215	3	78	5	8	4	7	9	18	8	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	3	4	–	12	12	42	1	12	5	1	1	–	3	5	1	2
Jaundice	–	7	1	4	–	9	13	30	–	17	4	4	–	–	2	–	3	8
Liver Disease	3	30	11	18	10	54	34	217	5	86	7	6	3	5	9	27	9	11
Spleen Disease	–	–	–	–	–	2	–	1	–	5	–	1	–	1	1	–	–	–
Nephritis	–	4	–	–	–	8	3	35	1	5	1	–	–	1	1	4	–	–
Nephria	3	–	2	10	3	11	15	54	4	77	5	2	1	1	–	9	3	4
Addison's Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	2	5	12	–	4	–	1	–	–	–	2	–	–
Diabetes	–	5	1	–	–	5	7	20	4	11	2	–	–	–	2	–	–	1
Stone	–	1	–	3	–	1	3	2	–	4	–	–	–	–	–	1	–	–
Cystitis	–	1	2	1	1	6	10	30	–	27	–	–	2	1	3	5	2	2
Stricture of Urethra	–	–	–	–	–	2	1	8	–	4	–	–	1	–	–	1	1	1
Kidney Disease	3	6	2	4	1	15	11	70	3	27	2	5	1	–	4	5	4	4
Paramenia	1	1	–	1	–	2	4	7	–	3	–	–	–	–	–	2	–	1
Ovarian Dropsy	–	2	–	–	2	3	5	12	1	9	1	–	–	–	1	1	1	–
Childbirth	5	6	6	6	2	25	16	104	1	51	1	7	–	3	5	5	3	4
Organs of Generation	–	3	1	3	–	3	2	18	–	12	3	–	–	–	–	2	1	1
Arthritis	2	1	–	2	2	8	5	32	–	16	–	–	1	–	–	1	2	3
Rheumatism	–	8	1	2	4	14	11	37	–	11	–	1	–	–	3	6	1	1
Joint Disease	–	5	2	3	–	16	18	44	2	21	1	1	2	–	–	3	1	1
Carbuncle	–	–	–	1	–	3	1	–	1	2	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	1	–	3	1	2	–	–	–	–	–	–	–	–
Skin Disease	1	2	2	1	–	3	3	13	–	8	–	–	–	1	1	–	–	2
Intemperance	–	2	1	–	2	7	3	29	–	11	–	–	1	2	–	–	2	–
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	3	37	3	15	–	–	–	–	–	–	2	1
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cold	1	2	–	4	–	1	4	6	–	–	1	–	–	–	–	–	–	1
Poison	–	1	–	1	–	3	5	22	–	8	–	–	–	1	1	3	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	13	7	3	2	11	17	55	4	24	4	6	1	–	–	2	5	1
Hanging, etc.	–	1	1	–	–	3	3	18	–	10	–	1	–	–	–	3	–	–
Suffocation	–	1	3	3	–	7	9	45	–	18	3	1	2	–	–	2	–	3
Drowning	3	21	22	28	10	41	22	111	7	29	4	6	1	4	2	15	9	13
Fracture and Contusion	6	26	18	11	3	58	87	276	16	134	5	4	–	1	13	17	7	6
Gunshot Wounds	–	2	–	2	–	–	2	1	–	2	–	1	–	–	1	–	1	–
Cuts and Stabs	–	–	1	–	–	1	1	6	–	1	–	1	–	–	1	1	–	–
Other Violent Causes	–	3	1	1	–	7	3	27	1	14	–	1	1	–	2	1	3	1
Not Specified	20	156	77	137	17	254	126	412	33	135	25	13	2	1	20	97	36	25

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34662	196	177	327	149	523	706	64	358	491	2143	258	2498	1188	1392	62
SPECIFIED CAUSES	33068	146	158	272	125	445	607	63	314	465	2045	246	2435	1139	1302	61
I. Zymotic Class	7439	7	8	45	16	84	97	10	40	114	385	27	607	154	273	13
II. Diseases of Uncer. Seat	884	6	12	7	6	17	16	2	9	12	72	10	69	41	48	4
III. Tubercular Class	5562	22	25	50	18	61	94	7	63	54	341	38	373	182	181	7
IV. Brain and Nervous Sys.	2902	9	8	15	7	31	44	13	40	54	189	27	221	113	123	4
V. Organs of Circulation	1696	5	9	9	3	12	25	3	24	17	102	24	128	89	72	4
VI. Respiratory Organs	4953	8	16	26	13	40	71	8	23	65	280	31	365	135	192	8
VII. Organs of Digestion	2441	14	13	17	7	22	57	9	27	41	186	13	160	100	78	3
VIII. Urinary Organs	698	5	6	9	6	12	13	2	12	18	75	8	38	38	36	1
IX. Organs of Generation	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	231	1	2	–	1	3	4	–	5	2	21	2	19	6	8	–
XI. Skin, etc.	49	–	–	–	–	–	4	–	2	1	4	1	4	1	4	–
XII. Malformation	111	–	–	–	–	–	2	2	1	–	10	3	11	3	5	–
XIII. Premature Debility	1816	–	3	13	3	6	22	–	19	17	120	16	176	66	59	3
XIV. Atrophy	235	1	–	2	–	–	2	–	4	–	12	2	21	4	5	–
XV. Age	2220	55	44	60	39	127	122	6	34	43	168	26	139	140	125	11
XVI. Sudden Deaths	106	1	1	–	1	3	1	–	–	–	1	1	10	8	9	1
XVII. Violent Deaths	1723	12	11	19	5	27	32	1	11	27	79	17	94	59	84	2
I. Small Pox	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	596	2	1	4	1	14	3	–	3	1	70	4	129	7	7	1
Scarlatina	1596	–	–	4	–	–	–	–	4	26	25	1	47	15	40	–
Diphtheria	354	–	–	3	–	3	2	–	2	14	43	–	27	13	22	–
Hooping Cough	1165	–	–	–	2	21	26	–	8	18	56	3	44	26	45	1
Croup	491	–	–	7	5	18	11	–	6	14	17	1	47	14	29	–
Thrush	14	–	–	–	–	–	2	–	–	–	1	–	2	–	–	–
Diarrhœa	998	1	2	1	1	–	15	5	8	10	57	3	98	26	34	1
Dysentery	115	–	–	1	–	1	1	2	1	2	11	1	15	3	7	2
Cholera	102	–	–	1	–	–	–	–	–	1	1	–	14	3	6	–
Influenza	68	–	2	5	1	5	2	–	1	2	6	1	4	–	–	–
Purpura	14	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1
Typhus	831	2	2	10	1	10	15	–	2	7	21	3	103	19	31	1
Enteric Fever	654	–	–	7	3	4	14	1	4	10	36	6	40	14	35	3
Relapsing Fever	18	–	–	–	–	3	–	–	–	1	–	–	2	–	–	1
Simple Cont. Fever	35	1	–	–	–	–	–	–	1	–	1	–	1	1	2	–
Infantile Remittent	67	–	–	–	–	1	–	–	–	1	5	2	5	1	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	60	1	1	2	1	1	1	1	–	–	9	–	4	4	4	1
Erysipelas	139	–	–	–	–	2	4	–	–	6	20	2	10	4	7	1
Pyæmia	14	–	–	–	–	–	–	1	–	–	1	–	3	–	1	–
Syphilis	90	–	–	–	–	–	–	–	–	–	4	–	11	4	1	–
Noma	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	45	1	–	–	–	–	1	–	–	–	3	1	2	6	–	–
Dropsy	262	3	5	1	2	6	5	–	2	1	14	1	23	15	23	1
Abscess	55	–	3	–	–	–	–	–	–	2	4	1	3	1	2	–
Ulcer	18	–	–	–	–	1	–	–	1	–	–	–	3	–	3	–
Fistula	12	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Mortification	49	–	1	–	–	–	2	1	–	–	4	2	4	–	1	–
Cancer	436	2	3	6	4	10	8	1	6	8	44	4	34	19	19	3
Gout	7	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
III. Scrofula	386	1	1	7	–	5	5	–	3	6	38	1	15	8	10	1
Tabes Mesenterica	493	–	2	–	–	3	2	1	2	2	26	–	29	10	11	1
Phthisis	3724	17	21	39	17	48	80	6	47	42	228	25	259	136	121	3
Hydrocephalus	959	4	1	4	1	5	7	–	11	4	49	12	70	28	39	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	237	969	687	701	180	2405	1935	10228	379	3678	321	266	100	124	460	669	398	393
SPECIFIED CAUSES	229	868	644	624	165	2267	1871	10008	364	3596	305	258	98	123	451	619	374	381
Zymotic Class	75	219	151	92	18	640	348	2575	90	837	43	25	15	27	138	84	60	122
Uncertain Seat	7	22	22	23	7	50	46	188	6	96	7	14	6	3	15	19	13	9
Tubercular Class	40	107	138	116	35	377	384	1732	66	594	45	38	23	36	68	116	85	46
Brain, etc.	13	75	46	53	10	195	176	782	27	363	33	32	6	12	47	65	39	30
Heart, etc.	13	60	30	36	12	97	98	384	18	252	25	27	5	3	34	36	20	29
Respiratory Organs	22	133	73	47	19	316	271	1899	58	505	40	27	12	10	41	103	50	46
Digestive Organs	9	85	44	58	16	175	126	725	28	212	27	31	8	13	23	50	30	34
Urinary Organs	3	11	3	13	4	28	44	145	5	106	6	6	3	1	7	20	6	8
Generative Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	5	3	4	2	20	21	62	–	30	1	–	2	–	–	4	1	1
Skin	1	–	2	2	–	4	2	8	1	6	–	–	–	–	–	1	–	1
Malformation	–	2	4	1	1	2	9	30	1	15	3	1	–	1	2	1	1	–
Premature Debility	15	44	36	12	5	123	99	589	27	203	29	18	7	5	25	31	18	7
Atrophy	6	7	7	–	–	27	12	86	1	22	3	–	–	1	3	2	2	3
Age	16	45	38	120	20	94	109	269	13	148	26	24	7	5	31	56	26	34
Sudden Deaths	–	3	2	1	–	14	2	39	1	5	1	–	–	–	–	1	–	–
Violent Deaths	8	50	45	46	16	105	124	494	22	202	16	15	4	6	17	30	23	20
Small Pox	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–
Measles	4	14	6	1	–	29	11	227	1	24	–	–	–	–	12	6	1	13
Scarlatina	33	24	36	6	3	207	40	579	3	305	3	2	6	13	69	12	28	65
Diphtheria	1	8	18	2	1	16	30	80	22	36	1	2	–	–	1	1	6	–
Hooping Cough	18	35	24	23	3	87	48	556	7	77	4	2	–	1	10	12	3	5
Croup	3	17	6	10	2	49	36	115	9	52	6	1	–	2	3	5	2	4
Thrush	–	1	–	–	–	1	–	4	–	1	–	–	–	–	–	1	–	1
Diarrhœa	6	36	24	17	5	71	55	333	15	126	8	6	4	4	6	8	4	8
Dysentery	–	1	1	2	1	5	9	23	–	14	2	2	–	2	–	5	–	1
Cholera	1	2	1	–	–	16	4	28	3	15	1	–	–	–	3	2	–	–
Influenza	–	2	2	3	–	4	2	13	–	–	1	–	–	–	1	4	1	6
Purpura	–	–	–	1	–	3	1	3	–	1	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	–
Typhus	4	50	10	9	–	84	42	294	8	77	6	3	1	–	11	–	2	3
Enteric Fever	3	18	15	15	1	39	48	192	15	63	8	6	4	5	8	17	10	10
Relapsing Fever	–	1	–	–	–	2	2	3	–	–	–	–	–	–	–	1	–	2
Simple Cont. Fever	–	–	1	1	–	2	2	10	3	3	–	–	–	–	2	2	1	1
Infantile Remittent	–	2	1	1	–	7	2	31	1	3	1	–	–	–	2	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	2	1	–	2	3	12	–	3	–	–	–	–	1	2	1	–
Erysipelas	–	4	–	–	–	7	7	30	2	21	2	1	–	–	6	3	–	–
Pyæmia	–	–	–	–	1	–	1	3	–	2	–	–	–	–	–	1	–	–
Syphilis	1	2	3	–	1	6	3	32	1	14	–	–	–	–	3	1	–	3
Noma	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	2	1	–	2	1	11	–	4	–	1	2	–	1	1	3	–
Dropsy	3	7	9	9	1	23	15	58	1	20	3	2	–	1	1	4	3	–
Abscess	–	2	1	2	–	4	2	16	–	9	–	–	–	–	–	1	1	1
Ulcer	–	–	–	–	–	–	3	6	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	6	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	3	–	1	2	1	8	1	8	2	3	–	–	1	1	1	1
Cancer	3	11	6	11	5	19	24	81	4	49	2	8	4	2	12	12	5	7
Gout	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–
Scrofula	2	7	6	9	1	26	35	107	12	54	1	2	–	1	2	8	8	4
Tabes Mesenterica	1	4	7	6	6	35	42	193	2	67	3	4	4	4	7	9	6	4
Phthisis	32	70	96	94	23	245	244	1103	35	359	33	28	16	26	51	88	56	36
Hydrocephalus	5	26	29	7	5	71	63	329	17	114	8	4	3	5	8	11	15	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	225	–	2	1	1	6	6	1	2	1	12	–	13	5	6	–
	Apoplexy	605	2	4	2	–	6	9	6	10	10	36	8	48	31	23	–
	Paralysis	802	2	2	5	5	13	12	1	9	12	39	14	61	47	44	4
	Delirium Tremens	60	–	–	–	–	–	1	–	1	–	4	–	7	2	3	–
	Chorea	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Epilepsy	118	1	–	3	–	1	3	2	1	5	9	1	7	8	6	–
	Tetanus	30	–	–	–	–	2	4	–	–	–	–	–	–	–	2	–
	Insanity	13	–	–	–	–	–	1	–	–	–	1	–	–	–	3	–
	Convulsions	479	3	–	–	1	–	1	1	8	11	39	–	51	8	17	–
	Brain Disease	568	1	–	4	–	3	7	2	9	15	49	4	33	12	19	–
V.	Pericarditis	37	–	–	1	–	–	–	–	–	2	3	–	3	2	3	–
	Aneurism	72	–	–	2	–	1	–	–	1	1	4	1	8	2	3	–
	Heart Disease	1587	5	9	6	3	11	25	3	23	14	95	23	117	85	66	4
VI.	Laryngitis	83	–	–	–	–	1	2	1	–	1	11	–	3	2	3	–
	Bronchitis	3077	4	8	16	6	13	25	3	14	35	156	17	234	78	111	–
	Pleurisy	139	1	–	1	–	6	14	–	1	4	10	1	10	6	9	1
	Pneumonia	1232	1	5	6	1	8	13	2	7	20	78	13	79	35	55	6
	Asthma	226	2	1	1	4	12	14	1	1	4	10	–	22	12	8	1
	Lung Disease	196	–	2	2	2	–	3	1	–	1	15	–	17	2	6	–
VII.	Teething	493	2	1	–	–	–	5	3	3	11	34	1	53	16	19	–
	Quinsey	30	–	–	1	–	–	1	–	–	3	–	–	1	1	3	–
	Gastritis	74	–	1	1	–	–	–	2	–	1	3	–	2	–	1	1
	Enteritis	431	–	–	3	3	3	15	1	3	5	25	4	18	12	13	–
	Peritonitis	132	–	1	–	2	2	2	–	1	–	12	–	7	3	4	1
	Ascites	27	–	–	–	–	1	1	1	–	1	2	–	2	–	–	1
	Ulceration of Intestines	89	2	–	1	–	–	1	–	3	3	11	3	5	4	4	–
	Hernia	48	2	–	1	–	–	5	1	–	1	2	–	4	4	1	–
	Ileus	152	1	2	2	–	5	6	–	6	4	21	2	9	5	2	–
	Intussusception	20	–	–	1	–	–	1	–	–	–	2	–	–	2	1	–
	Stricture of Intestines	14	–	–	–	–	–	–	–	–	–	4	–	–	1	1	–
	Stomach Disease	355	2	4	2	1	4	6	–	7	4	30	1	23	20	12	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	72	1	1	–	–	1	2	–	1	1	5	–	3	4	1	–
	Jaundice	90	1	–	–	–	1	4	1	1	2	9	1	9	4	1	–
	Liver Disease	402	3	2	5	1	5	7	–	2	5	24	1	24	22	13	–
	Spleen Disease	12	–	1	–	–	–	1	–	–	–	2	–	–	2	2	–
VIII.	Nephritis	51	–	1	–	–	–	–	–	–	1	–	1	4	3	2	–
	Nephria	173	–	–	1	1	3	1	–	4	3	18	2	6	10	8	1
	Addison's Disease	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Ischuria	32	–	–	–	–	1	–	–	–	–	2	1	1	4	2	–
	Diabetes	60	–	–	1	1	–	–	–	1	1	8	1	3	3	5	–
	Stone	45	1	2	2	2	4	4	–	–	–	9	–	4	1	1	–
	Cystitis	156	1	1	4	1	3	4	1	4	6	24	2	7	10	9	–
	Stricture of Urethra	19	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	Kidney Disease	159	3	1	1	1	–	4	–	3	7	14	1	13	6	9	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
X.	Arthritis	68	–	2	–	–	–	–	–	–	1	8	–	5	2	3	–
	Rheumatism	69	–	–	–	–	3	2	–	4	1	4	2	7	1	3	–
	Joint and Bone Disease	94	1	–	–	1	–	2	–	1	–	9	–	7	3	2	–
XI.	Carbuncle	12	–	–	–	–	–	2	–	–	1	–	1	–	1	1	–
	Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	35	–	–	–	–	–	2	–	2	–	4	–	4	–	3	–
XVII.	Intemperance	51	–	–	2	–	–	–	–	1	1	1	–	4	3	1	–
	Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Want of Breast Milk	54	–	–	2	–	–	–	–	–	–	4	–	7	–	4	–
	Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	24	2	1	1	–	1	2	–	1	–	–	–	–	1	–	–
	Poison	34	–	–	–	–	1	–	–	–	–	2	–	–	–	3	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	127	2	1	–	–	4	3	–	–	1	4	–	8	4	7	–
	Hanging, etc.	43	–	1	–	–	–	–	–	–	–	–	1	–	3	6	–
	Suffocation	75	–	–	–	–	–	–	–	–	1	8	1	7	1	2	–
	Drowning	440	5	4	8	2	12	10	–	3	18	20	10	23	14	17	1
	Fracture and Contusion	769	3	3	6	2	9	13	1	5	6	32	4	40	26	38	1
	Gunshot Wounds	17	–	1	–	–	–	1	–	–	–	1	1	1	1	1	–
	Cuts and Stabs	19	–	–	–	–	–	1	–	–	–	3	–	–	2	–	–
	Other Violent Causes	67	–	–	–	1	–	2	–	1	–	4	–	4	3	5	–
	Not Specified	1594	50	19	55	24	78	99	1	44	26	98	12	63	49	90	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES. *(Continued.)*

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	8	4	2	1	21	15	60	3	29	1	3	1	2	2	7	5	3
Apoplexy	1	15	9	8	1	62	41	149	5	73	7	7	1	–	9	18	5	8
Paralysis	7	18	13	20	5	47	36	185	8	101	14	8	2	4	16	23	15	10
Delirium Tremens	–	2	1	1	–	3	5	12	1	13	1	–	–	–	1	2	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	7	–	5	5	20	2	18	1	–	–	1	1	2	4	–
Tetanus	–	2	–	2	–	–	3	5	–	8	–	1	–	–	–	1	–	–
Insanity	–	1	2	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	2	12	9	8	–	24	22	175	6	63	1	4	–	1	4	4	3	1
Brain Disease	–	15	6	5	3	30	49	183	2	57	8	9	2	4	14	8	7	8
Pericarditis	1	1	1	–	–	3	1	6	–	6	–	–	–	–	2	2	–	–
Aneurism	–	–	1	–	–	6	2	16	–	19	–	–	–	–	1	2	1	1
Heart Disease	12	59	28	36	12	88	95	362	18	227	25	27	5	3	31	32	19	19
Laryngitis	–	4	4	–	–	5	8	18	1	11	1	1	–	–	2	–	3	1
Bronchitis	15	69	46	27	9	192	173	1283	35	316	29	14	9	4	22	65	28	21
Pleurisy	1	4	–	4	1	2	7	25	–	20	2	1	–	–	2	2	4	–
Pneumonia	6	31	10	11	8	96	52	453	15	116	7	9	3	6	11	33	15	21
Asthma	–	9	6	4	1	9	20	58	2	16	1	–	–	–	4	2	–	1
Lung Disease	–	16	7	1	–	12	11	62	5	26	–	2	–	–	–	1	–	2
Teething	1	19	12	5	2	49	16	181	11	25	4	4	3	4	–	4	–	5
Quinsey	–	–	1	1	–	5	2	7	–	3	–	–	–	–	–	1	–	–
Gastritis	–	5	1	1	2	1	9	26	–	5	1	–	–	–	3	2	6	–
Enteritis	1	14	6	3	1	31	27	158	8	32	4	9	–	1	7	7	11	6
Peritonitis	1	7	2	2	1	13	8	28	4	20	2	2	–	1	1	1	2	2
Ascites	–	1	–	1	–	1	–	9	–	2	2	1	–	–	–	–	–	1
Ulceration of Intestines	–	2	4	2	–	3	6	11	2	11	–	2	–	–	1	4	–	4
Hernia	1	1	1	–	1	4	1	7	–	9	–	1	–	–	–	1	–	–
Ileus	–	5	2	7	1	8	4	37	1	9	3	1	1	–	2	3	2	1
Intussusception	–	2	–	2	–	1	3	1	–	–	–	1	–	–	1	2	–	–
Stricture of Intestines	–	1	–	–	–	2	–	2	–	–	–	1	–	–	–	2	–	–
Stomach Disease	2	9	5	15	1	18	20	113	1	29	1	3	2	4	2	9	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	3	2	–	8	5	18	–	7	2	–	–	–	–	3	1	1
Jaundice	–	5	–	4	–	3	10	16	–	8	4	1	–	–	–	–	2	3
Liver Disease	2	13	7	13	7	27	15	111	1	49	4	5	2	3	6	11	4	8
Spleen Disease	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	4	3	23	–	4	1	–	–	–	1	2	–	–
Nephria	1	–	1	5	2	6	10	28	2	44	3	2	1	–	–	6	2	2
Addison's Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	1	3	10	–	2	–	1	–	–	–	2	–	–
Diabetes	–	3	–	–	–	2	5	12	2	8	2	–	–	–	2	–	–	–
Stone	–	1	–	3	–	1	3	2	–	4	–	–	–	–	–	1	–	–
Cystitis	–	1	1	1	1	5	10	24	–	24	–	–	1	1	1	5	2	2
Stricture of Urethra	–	–	–	–	–	2	1	7	–	4	–	–	1	–	–	–	1	1
Kidney Disease	2	5	1	2	1	7	8	39	1	16	–	3	–	–	3	4	1	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	1	1	–	1	1	3	4	22	–	11	–	–	1	–	–	1	–	1
Rheumatism	–	1	1	1	1	8	6	15	–	6	–	–	–	–	–	3	–	–
Joint Disease	–	3	2	2	–	9	11	25	–	13	1	–	1	–	–	–	1	–
Carbuncle	–	–	–	1	–	2	1	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	2	1	–	1	1	7	–	5	–	–	–	–	–	1	–	1
Intemperance	–	1	–	–	2	3	2	22	–	5	–	–	1	1	–	–	1	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	2	19	3	11	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cold	1	–	–	3	–	1	2	6	–	–	1	–	–	–	–	–	–	1
Poison	–	1	–	1	–	1	2	13	–	6	–	–	–	1	1	2	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	6	4	3	2	7	9	37	–	13	3	4	1	–	–	1	3	–
Hanging, etc.	–	1	–	–	–	3	3	13	–	9	–	1	–	–	–	2	–	–
Suffocation	–	–	3	2	–	–	7	25	–	9	3	1	1	–	–	1	–	3
Drowning	3	16	20	27	9	36	14	94	4	23	4	5	1	3	2	12	8	12
Fracture and Contusion	4	21	16	7	3	47	79	233	14	116	5	2	–	1	11	11	7	3
Gunshot Wounds	–	2	–	2	–	–	2	1	–	2	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	1	–	–	1	1	6	–	1	–	1	–	–	1	1	–	–
Other Violent Causes	–	2	1	1	–	5	1	24	1	7	–	1	–	–	1	–	2	1
Not Specified	8	101	43	77	15	138	64	220	15	82	16	8	2	1	9	50	24	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34754	237	253	290	182	600	735	59	347	518	2128	269	2658	1231	1419	65
SPECIFIED CAUSES	33395	185	230	256	157	508	631	54	322	493	2027	260	2599	1196	1353	61
I. Zymotic Class	7731	11	24	51	13	79	89	7	43	101	423	38	588	219	297	9
II. Diseases of Uncer. Seat	1460	10	11	12	6	22	20	3	14	34	117	20	124	70	72	3
III. Tubercular Class	5925	24	34	28	17	60	82	7	50	75	360	46	458	197	187	8
IV. Brain and Nervous Sys.	2558	3	17	12	10	29	37	9	28	42	191	18	218	108	118	6
V. Organs of Circulation	1578	–	9	16	4	15	14	2	24	19	108	15	150	69	64	2
VI. Respiratory Organs	4497	7	17	24	10	50	61	3	28	52	244	23	375	97	177	12
VII. Organs of Digestion	2381	8	17	10	8	17	46	7	34	46	131	24	170	92	96	3
VIII. Urinary Organs	326	–	2	1	4	3	3	1	4	6	22	3	21	10	7	1
IX. Organs of Generation	529	–	5	4	4	10	14	1	5	16	29	6	39	17	20	1
X. Organs of Locomotion	219	6	1	3	1	2	9	–	4	3	18	1	14	8	10	1
XI. Skin, etc.	33	–	–	–	1	2	–	–	–	–	2	–	2	–	1	–
XII. Malformation	72	–	–	–	–	–	–	–	–	–	7	1	9	3	2	–
XIII. Premature Debility	1435	2	1	7	1	2	17	1	12	12	74	7	135	45	57	1
XIV. Atrophy	324	–	2	3	–	2	7	1	3	2	22	–	16	11	14	–
XV. Age	3724	112	88	82	74	201	221	10	70	79	245	53	235	218	194	11
XVI. Sudden Deaths	79	2	–	–	–	1	1	–	–	–	6	–	5	6	9	–
XVII. Violent Deaths	524	–	2	3	4	5	10	2	3	6	28	5	40	17	28	3
I. Small Pox	10	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Measles	553	2	4	5	1	5	2	–	–	2	73	1	121	12	14	1
Scarlatina	1545	–	–	3	–	–	1	–	–	19	30	1	40	10	28	–
Diphtheria	395	–	1	1	1	2	1	–	2	13	45	2	24	17	21	–
Hooping Cough	1325	–	–	–	1	19	30	–	12	13	53	3	57	40	57	–
Croup	448	–	1	4	2	18	4	1	6	14	19	2	25	17	35	1
Thrush	11	–	–	–	–	–	1	–	1	–	4	–	1	–	–	–
Diarrhœa	1019	3	5	4	1	4	6	5	4	7	56	5	96	34	39	2
Dysentery	148	1	–	3	–	2	–	–	–	3	16	–	19	8	8	1
Cholera	102	–	–	–	–	–	–	–	2	–	4	1	11	1	3	–
Influenza	72	–	4	4	–	–	3	–	1	3	8	2	3	3	4	–
Purpura	16	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Typhus	730	3	5	12	3	10	12	–	2	7	24	5	86	24	30	1
Enteric Fever	750	–	2	8	–	6	17	1	11	11	47	9	51	23	37	3
Relapsing Fever	27	–	–	–	–	2	–	–	–	1	–	1	–	–	1	–
Simple Cont. Fever	65	1	–	–	1	4	1	–	–	1	2	–	6	8	2	–
Infantile Remittent	65	–	–	–	–	–	–	–	–	–	4	2	4	3	2	–
Metria	140	–	–	–	–	2	3	–	–	1	8	2	11	7	4	–
Rheumatic Fever	62	–	1	3	–	1	3	–	–	2	3	–	6	2	1	–
Erysipelas	119	1	1	–	2	2	3	–	1	1	13	–	13	8	5	–
Pyæmia	15	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–
Syphilis	95	–	–	3	1	2	–	–	1	1	8	1	10	1	4	–
Noma	9	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	1	–	–	–	–	–	–	–	–	1	2	2	–	–	–
Dropsy	381	4	6	4	3	11	9	1	–	4	9	1	44	22	26	2
Abscess	77	1	–	–	–	–	1	–	1	3	6	–	6	–	4	–
Ulcer	20	1	–	1	–	–	–	–	–	–	5	–	1	1	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	60	–	–	1	1	1	–	–	1	–	3	–	2	5	2	–
Cancer	891	3	5	6	2	10	10	2	12	25	91	17	69	41	38	1
Gout	5	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–
III. Scrofula	302	5	–	–	1	4	1	–	4	10	28	1	17	5	8	–
Tabes Mesenterica	409	1	–	–	1	–	7	–	–	5	15	2	22	13	10	1
Phthisis	4430	17	33	25	15	62	64	6	43	49	264	30	346	161	145	6
Hydrocephalus	784	1	1	3	–	2	10	1	3	11	53	4	73	18	24	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	273	993	603	670	224	2393	1861	9831	396	3581	326	256	75	137	505	754	464	422
SPECIFIED CAUSES	261	938	569	610	222	2277	1799	9639	378	3528	317	251	75	137	494	707	452	409
Zymotic Class	81	214	159	108	25	657	393	2604	97	843	70	23	13	22	118	106	95	111
Uncertain Seat	12	39	33	34	12	84	78	317	15	171	14	11	3	4	22	40	23	10
Tubercular Class	33	134	127	80	58	430	389	1923	65	552	39	36	15	27	90	131	87	68
Brain, etc.	14	64	35	44	25	163	132	617	29	349	23	25	3	11	46	68	36	28
Heart, etc.	13	41	24	36	12	89	83	295	22	238	25	34	8	15	41	46	23	22
Respiratory Organs	35	121	61	62	26	307	187	1672	45	472	43	23	5	15	44	97	58	44
Digestive Organs	7	90	40	33	16	154	140	682	23	248	21	28	7	19	44	50	38	32
Urinary Organs	3	6	4	7	1	22	12	87	7	53	4	2	2	2	3	6	4	4
Generative Organs	6	12	7	10	4	33	27	140	2	75	5	7	–	3	6	10	5	6
Locomotive Organs	1	9	–	3	4	18	13	51	2	18	–	2	1	–	3	6	3	4
Skin	–	3	–	–	–	3	2	8	1	6	–	–	–	–	1	–	–	1
Malformation	–	1	–	–	1	6	6	16	3	8	3	1	–	1	2	–	2	–
Premature Debility	14	51	18	14	5	86	79	466	25	167	19	8	5	14	27	33	15	15
Atrophy	6	13	10	4	1	35	19	95	3	35	1	4	–	–	6	4	2	3
Age	34	115	41	168	31	153	204	489	27	225	49	41	11	2	37	95	55	54
Sudden Deaths	–	3	1	–	–	2	–	35	3	3	–	–	–	–	–	1	–	1
Violent Deaths	2	22	9	7	1	35	35	142	9	65	1	6	2	2	4	14	6	6
Small Pox	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	1	–	–
Measles	3	8	5	2	–	27	13	217	2	15	–	–	–	–	8	1	–	9
Scarlatina	30	22	42	14	2	199	39	593	5	254	1	2	5	13	72	22	32	57
Diphtheria	1	9	14	3	1	23	35	83	24	50	7	1	–	–	1	3	9	1
Hooping Cough	12	36	26	26	4	127	50	578	10	116	9	2	1	2	8	25	3	5
Croup	4	10	7	9	3	36	36	114	4	56	4	1	–	–	1	8	4	2
Thrush	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa	13	27	20	12	4	90	62	327	17	131	8	7	–	1	7	11	8	3
Dysentery	1	5	4	3	–	7	8	25	4	23	–	2	1	–	–	2	2	–
Cholera	–	7	1	4	1	13	6	20	2	23	–	1	–	–	1	–	1	–
Influenza	–	3	–	–	1	2	11	10	–	3	–	1	1	–	–	1	1	3
Purpura	–	2	–	–	1	2	–	4	–	–	–	–	–	–	2	–	1	–
Ague	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	2
Typhus	3	40	10	11	–	47	22	286	8	59	7	–	1	–	3	4	–	5
Enteric Fever	1	22	18	18	5	42	67	191	11	53	26	4	2	2	7	14	24	17
Relapsing Fever	1	2	–	–	–	4	3	6	–	1	–	–	2	–	–	3	–	–
Simple Cont. Fever	–	3	–	1	–	2	4	13	3	7	–	–	–	–	3	–	2	1
Infantile Remittent	–	3	–	–	–	4	3	32	–	3	1	–	–	–	–	2	1	1
Metria	1	7	2	2	–	12	9	37	1	16	5	–	–	2	3	3	–	2
Rheumatic Fever	–	3	–	1	1	4	8	7	–	6	1	1	–	–	1	2	4	1
Erysipelas	2	2	5	–	1	4	8	25	1	13	–	1	–	1	1	3	1	1
Pyæmia	–	2	–	1	–	2	–	1	–	–	–	–	–	1	–	1	1	–
Syphilis	–	1	4	1	1	7	5	25	4	13	1	–	–	–	–	–	–	1
Noma	–	–	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	1	1	–	2	–	5	1	5	–	–	–	–	1	–	–	–
Dropsy	7	8	11	16	–	27	26	104	1	17	3	1	–	–	4	1	7	2
Abscess	–	1	–	–	–	6	11	27	–	9	–	–	–	–	–	1	–	–
Ulcer	–	–	–	1	–	2	–	5	–	–	–	–	–	–	1	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	2	1	2	–	3	5	8	–	13	3	–	–	1	–	3	3	–
Cancer	5	26	20	14	12	44	36	168	13	126	8	10	3	3	16	35	13	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	10	5	3	1	21	23	86	6	34	3	4	–	1	2	7	5	4
Tabes Mesenterica	2	9	5	–	4	21	41	154	7	50	5	3	1	1	9	10	5	5
Phthisis	25	96	92	69	44	328	285	1442	41	357	25	27	10	19	66	106	67	56
Hydrocephalus	3	19	25	8	9	60	40	241	11	111	6	2	4	6	13	8	10	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES. *(Continued.)*

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	158	–	–	–	–	2	3	1	1	–	10	2	8	2	14	1
Apoplexy	585	1	5	1	–	2	9	2	5	8	47	3	52	26	28	4
Paralysis	851	–	8	7	8	17	14	3	7	18	58	7	78	56	50	–
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	95	1	1	1	–	1	–	–	2	3	5	1	9	4	6	–
Tetanus	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Insanity	33	–	–	–	–	–	2	–	1	1	3	–	–	2	–	–
Convulsions	377	–	–	1	2	3	5	1	6	3	41	1	38	7	7	1
Brain Disease	433	1	3	2	–	4	4	2	6	9	25	4	30	10	13	–
V. Pericarditis	29	–	–	–	–	–	1	–	–	–	3	1	3	1	1	–
Aneurism	24	–	–	–	–	1	–	–	–	2	1	1	3	1	1	–
Heart Disease	1525	–	9	16	4	14	13	2	24	16	104	13	144	67	62	2
VI. Laryngitis	59	–	–	–	–	–	1	1	–	3	6	1	4	2	2	1
Bronchitis	3184	4	10	22	5	18	27	2	17	32	163	12	282	70	116	7
Pleurisy	67	–	–	–	–	–	7	–	–	2	5	2	6	1	3	–
Pneumonia	866	–	5	1	2	10	7	–	7	13	52	7	61	18	45	4
Asthma	189	3	1	1	3	21	17	–	1	–	13	1	12	5	10	–
Lung Disease	132	–	1	–	–	1	2	–	3	2	5	–	10	1	1	–
VII. Teething	444	–	1	–	1	1	5	1	5	8	24	1	58	16	16	–
Quinsey	26	–	–	–	–	–	–	–	–	1	1	–	2	1	2	–
Gastritis	85	–	–	–	–	–	2	1	1	1	4	1	6	4	3	–
Enteritis	352	2	1	1	–	2	4	2	6	5	14	4	13	10	11	–
Peritonitis	193	–	–	2	–	1	7	–	–	4	11	2	9	5	4	1
Ascites	44	–	–	–	1	–	1	–	1	–	1	1	3	1	3	–
Ulceration of Intestines	96	–	1	–	–	–	1	1	3	3	9	2	8	2	2	–
Hernia	51	1	–	–	–	1	–	–	2	3	4	2	5	2	3	–
Ileus	140	–	–	1	1	2	3	1	3	8	18	–	9	2	10	–
Intussusception	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Stricture of Intestines	17	–	2	–	–	1	–	–	–	–	–	–	1	2	1	1
Stomach Disease	396	1	8	3	3	5	12	1	6	5	17	3	22	24	15	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	2	1	2	–	1	1	–	1	1	–	*1	4	–	2	1
Jaundice	86	–	–	–	2	2	4	–	2	2	10	4	8	2	4	–
Liver Disease	357	2	3	1	–	1	6	–	4	4	18	3	21	20	17	–
Spleen Disease	10	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
VIII. Nephritis	28	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–
Nephria	127	–	–	–	2	2	–	–	–	1	5	1	13	12	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	9	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diabetes	31	–	1	–	–	1	1	–	–	2	–	–	1	2	1	–
Stone	3	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Cystitis	18	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kidney Disease	107	–	–	1	1	–	1	1	2	2	15	1	4	4	4	–
IX. Paramenia	33	–	1	–	–	1	–	–	1	2	–	–	–	3	2	1
Ovarian Dropsy	65	–	–	–	1	1	3	1	–	2	8	1	4	3	3	–
Childbirth	354	–	3	4	3	6	8	–	3	8	15	3	30	9	12	–
Organs of Generation	77	–	1	–	–	2	3	–	1	4	6	2	5	2	3	–
X. Arthritis	39	–	–	–	–	–	1	–	–	–	4	–	3	–	3	–
Rheumatism	108	5	1	3	1	2	8	–	1	1	8	1	6	6	6	1
Joint and Bone Disease	72	1	–	–	–	–	–	–	3	2	6	–	5	2	1	–
XI. Carbuncle	5	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
Phlegmon	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	22	–	–	–	1	1	–	–	–	–	1	–	2	–	–	–
XVII. Intemperance	31	–	–	–	–	1	–	–	–	–	–	–	5	1	2	–
Privation	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Want of Breast Milk	33	–	–	–	–	–	–	–	–	–	5	–	2	–	1	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	9	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Poison	19	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	93	–	1	1	2	1	1	–	–	2	7	2	3	4	6	1
Hanging, etc.	15	–	–	–	–	–	–	1	–	–	1	–	3	–	2	–
Suffocation	53	–	–	1	–	–	–	1	–	–	3	–	6	–	–	–
Drowning	75	–	–	–	1	2	1	–	–	1	3	1	3	5	2	1
Fracture and Contusion	160	–	1	1	1	1	4	–	3	–	9	1	13	5	12	1
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	26	–	–	–	–	–	1	–	–	2	1	–	1	1	1	–
Not Specified	1359	52	23	34	25	92	104	5	25	24	101	9	59	35	66	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	3	1	2	–	13	6	49	2	23	1	1	–	1	1	6	3	1
Apoplexy	3	14	8	8	6	44	27	124	2	93	4	4	1	3	8	22	12	9
Paralysis	5	26	12	16	12	45	40	152	16	101	11	12	2	4	20	23	12	11
Delirium Tremens	–	–	1	–	–	1	1	4	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	5	3	3	8	20	–	9	1	2	–	1	1	1	1	1
Tetanus	–	–	–	2	–	1	1	5	–	1	–	–	–	–	–	–	–	–
Insanity	–	1	–	2	–	7	–	2	1	7	–	–	–	–	–	4	–	–
Convulsions	–	6	2	7	–	20	21	134	3	50	1	3	–	–	9	3	1	1
Brain Disease	3	13	9	2	4	29	28	125	4	65	5	3	–	2	7	9	7	5
Pericarditis	–	2	–	1	–	–	–	5	1	5	–	–	–	–	1	2	1	–
Aneurism	–	–	–	–	–	3	2	5	–	–	–	–	1	2	–	1	–	–
Heart Disease	13	39	24	35	12	86	81	285	21	233	25	34	7	13	40	43	22	22
Laryngitis	1	1	–	2	–	4	2	16	1	6	2	–	–	–	–	1	2	–
Bronchitis	29	74	45	38	17	211	136	1240	37	340	30	9	4	9	32	69	44	33
Pleurisy	–	–	3	3	–	4	5	8	–	7	1	1	–	2	2	5	–	–
Pneumonia	4	24	12	10	8	64	28	320	7	87	9	10	1	4	10	20	10	6
Asthma	1	4	1	7	1	14	11	41	–	12	1	1	–	–	–	2	–	4
Lung Disease	–	18	–	2	–	10	5	47	–	20	–	2	–	–	–	–	1	1
Teething	2	18	12	6	1	50	20	145	3	32	1	3	1	3	1	4	2	3
Quinsey	–	1	–	–	–	2	1	9	–	4	–	–	–	1	–	–	1	–
Gastritis	–	8	2	3	1	1	5	28	–	6	1	1	–	–	2	2	2	–
Enteritis	1	15	3	3	3	21	23	126	6	27	4	5	–	3	11	5	12	9
Peritonitis	1	4	2	1	–	10	9	54	6	34	2	5	1	3	6	3	5	1
Ascites	1	1	1	–	–	5	2	14	–	3	1	–	1	–	–	1	–	2
Ulceration of Intestines	–	–	7	2	1	1	5	13	1	19	2	2	–	1	3	3	2	2
Hernia	–	–	1	–	–	3	6	13	–	3	–	–	–	1	–	–	–	1
Ileus	–	5	1	1	5	8	8	27	–	14	–	1	–	2	4	4	2	–
Intussusception	–	–	–	1	–	–	2	3	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	1	–	–
Stomach Disease	–	17	6	9	2	14	29	102	2	49	4	5	2	3	7	9	6	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	2	–	4	7	24	1	5	3	1	1	–	3	2	–	1
Jaundice	–	2	1	–	–	6	3	14	–	9	–	3	–	–	2	–	1	5
Liver Disease	1	17	4	5	3	27	19	106	4	37	3	1	1	2	3	16	5	3
Spleen Disease	–	–	–	–	–	1	–	1	–	2	–	1	–	1	1	–	–	–
Nephritis	–	3	–	–	–	4	–	12	1	1	–	–	–	1	–	2	–	–
Nephria	2	–	1	5	1	5	5	26	2	33	2	–	–	1	–	3	1	2
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	2	2	–	2	–	–	–	–	–	–	–	–
Diabetes	–	2	1	–	–	3	2	8	2	3	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	1	–	6	–	3	–	–	1	–	2	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	2	–	8	3	31	2	11	2	2	1	–	1	1	3	–
Paramenia	1	1	–	1	–	2	4	7	–	3	–	–	–	–	–	2	–	1
Ovarian Dropsy	–	2	–	–	2	3	5	12	1	9	1	–	–	–	1	1	1	–
Childbirth	5	6	6	6	2	25	16	104	1	51	1	7	–	3	5	5	3	4
Organs of Generation	–	3	1	3	–	3	2	17	–	12	3	–	–	–	–	2	1	1
Arthritis	1	–	–	1	1	5	1	10	–	5	–	–	–	–	–	–	2	2
Rheumatism	–	7	–	1	3	6	5	22	–	5	–	1	–	–	3	3	1	1
Joint Disease	–	2	–	1	–	7	7	19	2	8	–	1	1	–	–	3	–	1
Carbuncle	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	2	2	6	–	3	–	–	–	1	–	–	–	1
Intemperance	–	1	1	–	–	4	1	7	–	6	–	–	–	1	–	–	1	–
Privation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	1	18	–	4	–	–	–	–	–	–	1	1
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	3	9	–	2	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	7	3	–	–	4	8	18	4	11	1	2	–	–	–	1	2	1
Hanging, etc.	–	–	1	–	–	–	–	5	–	1	–	–	–	–	–	1	–	–
Suffocation	–	1	–	1	–	7	2	20	–	9	–	–	1	–	–	1	–	–
Drowning	–	5	2	1	1	5	8	17	3	6	–	1	–	1	–	3	1	1
Fracture and Contusion	2	5	2	4	–	11	8	43	2	18	–	2	–	–	2	6	–	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	2	2	3	–	7	–	–	1	–	1	1	1	–
Not Specified	12	55	34	60	2	116	62	192	18	53	9	5	–	–	11	47	12	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13832	945	932	4781	2917	2029	1221	1658	973	626
SPECIFIED CAUSES	13672	932	914	4757	2874	2006	1186	1534	969	621
I. Zymotic Class	3759	271	199	1096	706	436	314	493	250	130
II. Diseases of Uncertain Seat	341	20	20	189	87	83	44	37	27	30
III. Tubercular Class	2578	188	192	808	517	370	228	241	143	100
IV. Brain and Nervous System	951	61	84	500	229	200	104	122	85	55
V. Organs of Circulation	442	43	30	311	128	102	38	75	48	49
VI. Respiratory Organs	2657	140	135	655	474	280	159	213	149	80
VII. Organs of Digestion	923	45	82	287	183	132	81	95	66	36
VIII. Urinary Organs	166	10	9	111	33	42	14	15	24	18
IX. Organs of Generation	103	4	8	56	20	12	14	6	11	2
X. Organs of Locomotion	75	8	10	40	18	18	9	11	2	3
XI. Skin, etc.	8	–	1	10	3	4	2	2	–	1
XII. Malformation	29	1	2	12	6	10	–	3	4	1
XIII. Premature Debility	710	41	48	241	202	87	51	74	59	31
XIV. Atrophy	105	19	11	31	31	21	11	34	13	7
XV. Age	377	54	46	240	148	145	85	52	37	53
XVI. Sudden Deaths	59	1	1	2	10	5	4	8	2	3
XVII. Violent Deaths	389	26	36	168	79	59	28	53	49	22
I. Small Pox	3	–	–	–	1	1	–	2	–	1
Measles	348	15	18	34	177	118	6	33	1	8
Scarlatina	918	73	31	342	40	48	111	84	131	19
Diphtheria	106	13	10	61	24	6	10	14	6	2
Hooping Cough	926	58	37	118	49	70	23	140	23	33
Croup	149	9	20	77	37	11	22	34	13	9
Thrush	3	–	1	1	1	2	–	–	–	–
Diarrhœa	450	25	31	163	119	58	38	74	27	19
Dysentery	30	1	1	28	19	15	6	2	4	2
Cholera	27	1	3	23	20	4	4	8	3	1
Influenza	16	2	1	2	4	3	2	2	–	–
Purpura	4	–	–	1	1	–	2	1	–	–
Ague	–	–	–	1	–	–	–	–	–	–
Worms	3	1	–	–	–	–	–	–	–	–
Typhus	367	42	19	116	132	26	34	66	11	18
Enteric Fever	229	18	16	56	30	33	30	18	16	3
Relasing Fever	5	–	–	1	–	–	3	2	–	–
Simple Continued Fever	16	1	–	2	4	1	3	–	6	4
Infantile Remittent	41	1	3	3	9	4	5	1	1	–
Metria	27	2	1	12	6	1	2	4	2	2
Rheumatic Fever	13	–	1	9	7	9	2	2	–	2
Erysipelas	35	4	3	21	9	12	3	2	5	4
Pyæmia	3	–	–	2	–	1	–	–	–	–
Syphilis	36	5	3	23	17	11	8	3	1	3
Noma	4	–	–	–	–	2	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	2	5	1	3	3	–	2	3
Dropsy	103	2	7	21	42	13	20	15	7	6
Abscess	30	1	3	13	4	4	1	5	2	1
Ulcer	6	1	–	–	3	2	–	1	1	–
Fistula	3	1	–	2	–	1	–	–	1	–
Mortification	12	3	–	16	1	3	–	3	–	3
Cancer	176	12	8	129	36	54	20	13	14	16
Gout	1	–	–	3	–	3	–	–	–	1
III. Scrofula	132	7	10	61	22	35	16	16	11	7
Tabes Mesenterica	211	20	20	58	37	23	21	8	18	9
Phthisis	1804	137	141	532	363	250	150	176	76	70
Hydrocephalus	431	24	21	157	95	62	41	41	38	14

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	420	421	235	410	291	227	386	423	512	311	324	361	486
SPECIFIED CAUSES	417	415	230	401	272	227	377	411	509	291	314	357	467
Zymotic Class	80	91	50	111	81	71	94	48	104	64	77	85	54
Uncertain Seat	11	18	12	17	8	8	14	10	10	5	11	10	13
Tubercular Class	60	76	45	60	42	31	55	85	130	50	43	72	92
Brain, etc.	37	46	22	41	32	9	31	36	45	27	24	25	50
Heart, etc.	24	31	12	29	15	12	28	27	28	22	12	5	27
Respiratory Organs	51	48	29	49	38	29	40	61	76	43	58	68	106
Digestive Organs	46	25	16	27	13	11	36	46	27	14	25	36	25
Urinary Organs	8	2	4	6	1	4	2	4	9	9	4	5	9
Generative Organs	1	3	3	5	3	4	3	4	3	–	–	2	3
Locomotive Organs	3	1	–	4	2	–	1	4	5	2	1	3	5
Skin	1	–	–	–	2	1	–	–	1	–	–	–	–
Malformation	1	2	1	1	2	1	1	2	2	2	1	–	–
Premature Debility	16	30	17	6	14	8	25	19	28	17	19	15	26
Atrophy	2	2	–	2	–	3	8	9	1	2	3	6	4
Age	57	31	16	36	14	28	29	47	25	29	23	7	41
Sudden Deaths	–	–	–	1	–	1	1	–	–	–	1	–	–
Violent Deaths	19	9	3	6	5	6	9	9	15	5	12	18	12
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	9	7	25	–	3	4	–	1	16	2	11	1
Scarlatina	–	4	–	34	1	5	2	1	2	6	9	11	2
Diphtheria	–	1	6	4	7	4	–	1	14	1	1	3	1
Hooping Cough	26	12	–	6	25	17	14	9	16	6	28	6	11
Croup	8	3	14	3	13	6	5	2	6	2	6	7	7
Thrush	1	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	13	10	11	12	13	11	24	18	18	20	10	7	8
Dysentery	–	2	1	2	1	2	–	–	5	–	–	2	1
Cholera	–	–	–	–	1	1	–	1	–	1	1	3	1
Influenza	–	1	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	1	1	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	1	–
Typhus	2	19	4	14	4	7	33	7	11	3	10	13	–
Enteric Fever	22	20	2	6	10	7	2	7	20	4	6	7	9
Relapsing Fever	–	–	–	1	–	–	1	1	–	–	–	–	3
Simple Cont. Fever	1	1	–	–	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	2	1	–	2	–	1	12	3
Metria	2	–	–	1	–	1	1	–	3	1	1	–	1
Rheumatic Fever	–	–	–	1	–	1	–	–	1	1	1	–	2
Erysipelas	3	4	2	–	4	1	5	–	4	–	–	1	3
Pyæmia	–	1	2	2	–	–	–	–	–	–	1	–	–
Syphilis	–	3	1	–	1	2	1	1	–	2	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	1	–	1
Dropsy	3	4	6	2	2	–	4	3	1	1	4	7	3
Abscess	–	–	1	3	–	1	1	–	1	2	1	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	1	–	–	–	–	1	2	–	1	–	–	–	–
Cancer	7	13	5	11	6	6	7	7	7	2	4	2	9
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	2	–	3	–	2	7	8	10	3	3	4	6
Tabes Mesenterica	2	1	6	1	2	–	2	14	7	5	7	18	4
Phthisis	47	58	33	42	33	25	43	61	94	30	28	39	77
Hydrocephalus	8	15	6	14	7	4	3	2	19	12	5	11	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	69	5	3	32	11	11	6	14	7	1
	Apoplexy	171	18	15	131	53	42	28	29	10	21
	Paralysis	212	17	21	127	56	47	41	21	29	16
	Delirium Tremens	13	1	–	8	3	3	2	2	4	1
	Chorea	3	–	–	–	2	–	–	–	–	–
	Epilepsy	22	1	3	19	11	7	3	2	3	1
	Tetanus	7	–	1	7	–	–	–	1	–	–
	Insanity	2	–	–	8	–	3	7	3	–	2
	Convulsions	245	8	14	79	68	55	4	22	19	6
	Brain Disease	207	11	27	89	25	32	13	28	13	7
V.	Pericarditis	7	–	–	6	4	3	1	1	1	–
	Aneurism	16	2	2	15	1	3	2	4	–	2
	Heart Disease	419	41	28	290	123	96	35	70	47	47
VI.	Laryngitis	26	–	2	11	2	8	3	1	1	3
	Bronchitis	1921	88	92	445	329	178	120	144	97	55
	Pleurisy	18	1	2	17	6	10	3	1	2	1
	Pneumonia	561	44	31	129	102	62	29	50	39	16
	Asthma	62	6	4	17	24	10	4	8	5	3
	Lung Disease	69	1	4	36	11	12	–	9	5	2
VII.	Teething	237	15	18	27	90	32	23	34	16	9
	Quinsey	12	–	3	3	2	–	–	3	1	–
	Gastritis	34	1	5	6	4	3	1	–	1	–
	Enteritis	177	2	18	33	14	16	16	12	10	1
	Peritonitis	30	5	2	36	6	7	2	10	10	1
	Ascites	16	2	–	4	2	1	2	2	–	–
	Ulceration of Intestines	15	2	2	19	7	2	2	1	1	1
	Hernia	14	–	2	10	3	3	1	3	1	–
	Ileus	42	3	7	13	8	18	1	3	2	1
	Intussusception	2	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	4	–	–	3	1	1	2	1	–	2
	Stomach Disease	155	9	6	59	16	19	6	7	8	8
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	23	–	5	8	5	1	7	3	1	1
	Jaundice	17	–	5	10	11	11	1	1	3	–
	Liver Disease	144	6	9	54	14	18	17	13	11	12
	Spleen Disease	1	–	–	2	–	–	–	2	1	–
VIII.	Nephritis	27	1	1	3	3	1	2	1	1	1
	Nephria	40	4	1	60	12	11	3	4	14	9
	Addison's Disease	1	–	–	–	–	–	–	–	–	–
	Ischuria	8	1	–	3	–	3	1	–	–	1
	Diabetes	12	2	1	7	2	3	–	2	1	1
	Stone	1	–	1	4	4	2	–	1	–	1
	Cystitis	18	1	3	16	3	6	4	1	4	4
	Stricture of Urethra	7	–	1	4	–	–	2	–	–	–
	Kidney Disease	52	1	1	14	9	16	2	6	4	1
IX.	Paramenia	7	–	–	1	–	–	2	–	1	–
	Ovarian Dropsy	9	1	–	8	1	4	2	–	1	1
	Childbirth	73	3	8	36	17	6	10	5	9	–
	Organs of Generation	14	–	–	11	2	2	–	1	–	1
X.	Arthritis	21	3	4	13	4	3	2	2	–	–
	Rheumatism	25	3	4	9	8	7	5	3	1	–
	Joint and Bone Disease	29	2	2	18	6	8	2	6	1	3
XI.	Carbuncle	–	–	–	1	–	–	1	–	–	1
	Phlegmon	3	–	–	2	–	–	–	1	–	–
	Skin Disease	5	–	1	7	3	4	1	1	–	–
XVII.	Intemperance	23	1	1	9	7	–	1	4	1	2
	Privation	1	1	–	1	1	–	–	–	–	–
	Want of Breast Milk	31	–	2	9	9	8	–	1	6	–
	Neglect	–	1	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	1	–	–	–
	Poison	15	–	2	6	2	–	1	–	1	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	25	2	4	13	9	4	4	3	6	4
	Hanging, etc.	12	1	–	5	1	–	2	–	3	2
	Suffocation	28	1	2	14	5	8	1	6	4	–
	Drowning	73	12	3	7	14	7	6	9	7	5
	Fracture and Contusion	160	7	21	93	28	25	12	27	20	6
	Gunshot Wounds	1	–	–	2	–	–	–	–	–	1
	Cuts and Stabs	4	–	–	1	–	2	–	–	–	1
	Other Violent Causes	16	–	1	8	3	5	–	3	1	1
	Not Specified	160	13	18	24	43	23	35	124	4	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	3	5	–	1	3	1	2	3	1	1	1	1	4
Apoplexy	8	11	6	10	10	1	3	6	4	6	4	9	11
Paralysis	9	16	4	12	9	4	10	15	12	12	7	5	22
Delirium Tremens	1	–	1	1	1	–	2	3	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	1	1	–	–	1	1	–	3	1	2
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	1
Insanity	3	–	–	–	–	–	–	–	–	–	–	1	4
Convulsions	5	8	3	4	6	1	5	5	7	6	2	5	2
Brain Disease	6	6	8	12	2	2	9	3	19	2	7	4	3
Pericarditis	–	1	1	–	1	–	–	–	1	–	1	–	1
Aneurism	–	4	1	–	–	–	–	–	1	–	–	–	1
Heart Disease	24	26	10	29	14	12	28	27	26	22	11	5	25
Laryngitis	1	–	–	–	–	1	3	1	4	1	3	–	2
Bronchitis	24	37	21	41	21	19	22	31	54	34	36	50	81
Pleurisy	5	1	–	2	1	2	1	–	2	3	4	2	3
Pneumonia	8	5	6	5	10	5	6	15	9	4	7	13	18
Asthma	11	4	2	1	5	2	–	14	2	1	3	2	2
Lung Disease	2	1	–	–	1	–	8	–	5	–	5	1	–
Teething	6	9	3	2	4	3	7	13	–	–	1	–	1
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	3	3	–	–	4	4	3
Enteritis	12	3	–	3	4	1	6	5	7	1	6	9	2
Peritonitis	4	2	2	2	1	2	2	4	3	5	–	4	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	2	–
Ulceration of Intestines	–	–	1	3	2	–	–	2	–	–	1	1	–
Hernia	4	1	1	1	–	1	–	1	1	1	1	–	–
Ileus	3	2	–	2	–	–	2	1	–	–	2	1	1
Intussusception	1	–	–	–	–	–	–	–	2	–	–	–	1
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	7	3	2	3	1	2	7	6	7	3	3	2	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	3	–	–	2	5	2
Jaundice	1	–	–	2	–	–	1	1	3	–	–	2	–
Liver Disease	7	5	7	9	–	2	8	7	4	4	5	6	6
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	2	–	1	–	2	2
Nephria	1	1	1	4	–	2	–	1	4	3	1	1	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	1
Diabetes	1	–	–	–	–	1	2	–	2	–	1	2	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	1	–	–	–	1	–	1	2	–	1	–	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	3	2	1	–	–	–	1	5	–	–	–
Paramenia	–	–	–	–	–	–	–	2	1	–	–	–	2
Ovarian Dropsy	1	1	–	–	2	–	–	1	–	–	–	–	–
Childbirth	–	2	3	3	1	2	3	1	2	–	–	–	1
Organs of Generation	–	–	–	2	–	2	–	–	–	–	–	2	–
Arthritis	1	–	–	3	–	–	–	1	–	–	–	1	2
Rheumatism	2	–	–	–	1	–	–	–	2	1	–	1	1
Joint Disease	–	1	–	1	1	–	1	3	3	1	1	1	2
Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	2	–	–	–	1	–	–	–	–
Intemperance	–	1	1	–	1	2	–	1	–	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	1	–	–	–	1	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	1	1	1	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	1	–	2	–	3	1	5	–	3	3	1
Hanging, etc.	–	–	1	–	–	2	–	–	–	–	1	1	1
Suffocation	–	2	–	1	–	1	–	–	2	1	1	1	1
Drowning	6	1	–	2	–	–	2	1	1	–	–	3	–
Fracture and Contusion	10	4	–	2	1	1	2	6	6	2	5	9	5
Gunshot Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	1	–	–	1	–	–	–	–	–	–	–	–	2
Not Specified	3	6	5	9	19	–	9	12	3	20	10	4	19

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	7039	495	475	2423	1420	979	588	882	508	315
SPECIFIED CAUSES	6950	486	461	2409	1397	966	567	818	505	312
I. Zymotic Class	1874	136	116	563	361	204	152	267	121	61
II. Diseases of Uncertain Seat	124	6	8	65	24	32	15	17	11	9
III. Tubercular Class	1264	85	70	420	227	176	110	197	77	48
IV. Brain and Nervous System	536	40	48	265	117	107	62	65	43	27
V. Organs of Circulation	247	22	17	160	61	46	18	42	28	29
VI. Respiratory Organs	1382	77	66	335	227	136	73	119	83	49
VII. Organs of Digestion	475	33	43	122	88	71	39	61	36	19
VIII. Urinary Organs	102	8	5	82	21	27	8	6	14	14
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	41	3	6	23	11	9	5	7	2	1
XI. Skin, etc.	2	–	–	5	2	3	1	2	–	1
XII. Malformation	19	1	–	9	6	5	–	1	1	1
XIII. Premature Debility	389	24	35	132	115	50	30	47	29	15
XIV. Atrophy	47	8	6	12	20	6	3	18	4	1
XV. Age	125	22	14	90	53	52	27	15	19	21
XVI. Sudden Deaths	31	1	–	1	7	–	4	6	1	2
XVII. Violent Deaths	291	20	27	125	57	42	20	38	36	14
I. Small Pox	1	–	–	–	–	–	–	2	–	–
Measles	164	10	12	20	94	58	4	21	–	2
Scarlatina	440	39	19	192	23	23	54	49	70	12
Diphtheria	50	8	6	27	13	3	2	9	2	1
Hooping Cough	457	34	24	49	22	33	8	57	6	14
Croup	79	4	10	43	24	6	16	18	4	6
Thrush	3	–	1	1	–	–	–	–	–	–
Diarrhœa	237	10	16	81	55	25	17	34	16	10
Dysentery	15	–	1	10	10	5	2	2	3	1
Cholera	15	1	1	10	10	1	4	4	–	1
Influenza	10	1	1	–	2	2	1	1	–	–
Purpura	2	–	–	1	1	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	–
Typhus	195	16	11	64	71	13	19	50	7	9
Enteric Fever	125	10	8	31	16	14	13	14	8	1
Relapsing Fever	1	–	–	–	–	–	1	1	–	–
Simple Continued Fever	6	–	–	2	1	–	2	–	–	–
Infantile Remittent	20	–	1	2	5	3	3	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	8	–	1	3	2	7	–	2	–	1
Erysipelas	18	2	3	14	4	7	2	1	4	1
Pyæmia	2	–	–	2	–	–	–	–	–	–
Syphilis	22	1	1	11	8	4	4	1	1	2
Noma	2	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	2	–	2	1	–	1	3
Dropsy	37	1	2	10	9	9	9	11	5	1
Abscess	12	–	1	7	1	1	–	1	1	1
Ulcer	4	–	–	–	2	–	–	–	1	–
Fistula	3	1	–	1	–	1	–	–	1	–
Mortification	7	1	–	6	1	1	–	1	–	–
Cancer	52	3	5	36	11	16	5	4	2	4
Gout	1	–	–	3	–	2	–	–	–	–
III. Scrofula	74	6	4	35	11	21	10	9	9	2
Tabes Mesenterica	126	7	12	32	24	16	15	3	12	5
Phthisis	817	59	43	269	144	106	61	75	36	35
Hydrocephalus	247	13	11	84	48	33	24	20	20	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	228	196	123	184	148	113	185	205	254	164	163	187	239
SPECIFIED CAUSES .	225	194	122	180	137	113	178	198	254	149	157	186	225
Zymotic Class . .	44	44	27	55	39	34	49	28	44	35	29	38	19
Uncertain Seat . .	6	10	4	8	4	4	2	5	4	2	6	4	5
Tubercular Class . .	34	29	22	22	20	11	24	41	68	25	12	34	47
Brain, etc. . . .	22	24	16	20	18	5	19	18	25	13	13	11	26
Heart, etc. . . .	16	14	6	13	6	8	17	17	12	13	7	5	16
Respiratory Organs .	25	18	17	24	17	17	24	30	47	22	38	43	55
Digestive Organs . .	25	14	9	11	7	5	16	18	14	9	16	13	8
Urinary Organs . .	6	1	3	3	1	3	1	3	6	3	3	3	6
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	3	1	–	1	3	1	–	1	2	3
Skin	1	–	–	–	2	–	–	–	–	–	–	–	–
Malformation . .	1	1	1	1	1	1	–	1	1	1	1	–	–
Premature Debility .	11	19	8	3	9	5	12	8	16	8	12	10	17
Atrophy . . .	–	1	–	–	–	2	4	2	–	1	1	3	2
Age	18	13	8	11	7	15	5	18	4	13	8	3	14
Sudden Deaths . .	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths . .	16	6	1	6	5	2	4	6	12	4	10	17	7
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	4	5	11	–	–	3	–	–	11	1	4	1
Scarlatina . . .	–	3	–	14	–	2	1	1	1	4	4	7	–
Diphtheria . . .	–	–	1	3	3	2	–	1	6	1	1	2	1
Hooping Cough . .	13	4	–	2	14	8	4	7	8	2	6	1	2
Croup	6	1	7	3	7	4	2	1	4	–	4	6	2
Thrush	1	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa . . .	9	6	7	5	6	7	12	9	4	10	5	1	4
Dysentery . . .	–	2	–	–	1	–	–	–	4	–	–	–	–
Cholera	–	–	–	–	1	1	–	–	–	1	1	1	1
Influenza . . .	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	1	10	2	11	–	5	21	4	7	1	5	5	–
Enteric Fever . .	10	8	1	4	4	2	1	3	5	4	–	3	5
Relapsing Fever .	–	–	–	1	–	–	–	1	–	–	–	–	1
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	1	1	–	2	–	–	7	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	–	–	–	–	–	–	–	–	1	1	–	–
Erysipelas . . .	3	2	2	–	3	–	4	–	2	–	–	1	1
Pyæmia . . .	–	1	1	1	–	–	–	–	–	–	1	–	–
Syphilis	–	2	1	–	–	1	–	1	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	1	–	–	–	–	–	–	–	–	1	–	1
Dropsy	1	3	3	1	1	–	–	1	1	–	2	2	1
Abscess	–	–	–	2	–	1	1	–	1	–	1	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	1	–	–	–	–	1	1	–	1	–	–	–	–
Cancer	4	6	1	4	3	2	–	4	1	2	1	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	–	–	–	–	3	6	9	2	2	2	3
Tabes Mesenterica .	1	–	2	1	1	–	–	10	5	1	4	9	3
Phthisis	27	21	18	16	15	9	19	24	43	18	5	15	38
Hydrocephalus . .	3	7	2	5	4	2	2	1	11	4	1	8	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	42	2	2	17	7	8	4	10	5	1
Apoplexy	88	13	8	59	23	21	19	18	3	8
Paralysis	119	11	12	69	24	19	23	7	15	9
Delirium Tremens	9	1	–	8	2	3	1	2	4	1
Chorea	1	–	–	–	1	–	–	–	–	–
Epilepsy	12	–	2	14	6	5	2	1	2	–
Tetanus	3	–	1	7	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	2	1	–	–
Convulsions	139	5	8	45	41	28	2	12	11	4
Brain Disease	123	8	15	45	13	23	9	14	3	4
V. Pericarditis	5	–	–	5	1	2	1	1	–	–
Aneurism	13	1	1	15	1	3	1	4	–	1
Heart Disease	229	21	16	140	59	41	16	37	28	28
VI. Laryngitis	14	–	1	7	1	5	3	–	1	2
Bronchitis	948	48	44	216	146	79	52	79	49	32
Pleurisy	14	1	2	13	3	6	–	–	2	1
Pneumonia	332	25	16	71	54	34	18	33	25	11
Asthma	32	3	2	8	15	3	–	3	4	2
Lung Disease	42	–	1	20	8	9	–	4	2	1
VII. Teething	135	10	7	12	41	18	13	20	9	5
Quinsey	5	–	2	–	1	–	–	2	1	–
Gastritis	18	1	1	2	–	1	1	–	–	–
Enteritis	97	2	12	17	9	11	8	5	6	–
Peritonitis	12	2	1	11	3	4	–	8	3	1
Ascites	7	1	–	2	1	1	–	1	–	–
Ulceration of Intestines	6	2	–	6	3	2	1	1	–	1
Hernia	4	–	1	7	2	–	–	3	1	–
Ileus	22	2	5	6	4	6	1	2	1	1
Intussusception	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	1	1	1	–	1
Stomach Disease	77	8	3	19	7	13	3	5	6	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	3	5	2	1	4	2	1	1
Jaundice	9	–	3	5	6	5	1	1	1	–
Liver Disease	71	5	6	29	9	8	6	9	6	6
Spleen Disease	–	–	–	1	–	–	–	1	1	–
VIII. Nephritis	19	1	–	2	3	–	1	–	1	1
Nephria	22	2	–	36	4	7	1	1	7	5
Addison's Disease	–	–	–	–	–	–	–	–	–	–
Ischuria	6	1	–	2	–	2	–	–	–	1
Diabetes	6	2	1	6	2	3	–	1	1	1
Stone	1	–	1	4	2	2	–	1	–	1
Cystitis	15	1	2	16	2	6	3	1	3	4
Stricture of Urethra	6	–	1	4	–	–	2	–	–	–
Kidney Disease	27	1	–	12	8	7	1	2	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Arthritis	14	2	2	8	3	2	1	1	–	–
Rheumatism	10	1	3	5	5	2	3	2	1	–
Joint and Bone Disease	17	–	1	10	3	5	1	4	1	1
XI. Carbuncle	–	–	–	–	–	–	1	–	–	1
Phlegmon	1	–	–	–	–	–	–	1	–	–
Skin Disease	1	–	–	5	2	3	–	1	–	–
XVII. Intemperance	16	1	1	3	3	–	–	2	1	1
Privation	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	16	–	1	9	7	3	–	1	2	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–
Poison	8	–	1	4	–	–	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	16	–	3	5	7	–	3	2	3	3
Hanging, etc.	10	1	–	4	–	–	2	–	3	2
Suffocation	13	1	1	8	2	5	–	–	1	–
Drowning	62	11	3	5	14	6	4	7	7	3
Fracture and Contusion	131	5	16	81	21	22	9	24	17	3
Gunshot Wounds	1	–	–	2	–	–	–	–	–	1
Cuts and Stabs	4	–	–	1	–	2	–	–	–	–
Other Violent Causes	14	–	1	3	3	4	–	2	1	1
Not Specified	89	9	14	14	23	13	21	64	3	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	3	–	1	–	–	2	2	1	1	–	–	4
Apoplexy	5	6	4	4	4	1	2	3	3	3	2	5	4
Paralysis	6	8	3	6	6	2	3	8	5	4	5	3	11
Delirium Tremens	1	–	–	1	1	–	2	2	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	1	–	–	1	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	4	3	2	5	1	3	1	4	3	1	2	1
Brain Disease	4	3	6	6	2	1	7	1	12	2	4	1	2
Pericarditis	–	1	1	–	1	–	–	–	1	–	1	–	–
Aneurism	–	3	1	–	–	–	–	–	1	–	–	–	1
Heart Disease	16	10	4	13	5	8	17	17	10	13	6	5	15
Laryngitis	1	–	–	–	–	–	2	1	3	1	1	–	1
Bronchitis	11	12	12	20	9	13	13	15	30	18	23	31	43
Pleurisy	4	1	–	2	1	1	1	–	2	1	4	1	2
Pneumonia	4	2	4	2	4	3	4	7	7	2	5	9	8
Asthma	4	3	1	–	3	–	–	7	1	–	2	2	1
Lung Disease	1	1	–	–	–	–	4	–	4	–	3	–	–
Teething	3	6	3	–	2	–	4	6	–	–	–	–	1
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	3	–	–	2	3	1
Enteritis	9	1	–	2	2	1	4	2	4	1	5	4	1
Peritonitis	1	–	2	–	–	2	1	1	1	2	–	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	2	–	–	–	–	–	1	–	–
Hernia	4	–	–	–	–	–	–	–	–	1	1	–	–
Ileus	2	1	–	–	–	–	–	1	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	2	3	–	2	–	1	3	1	3	3	1	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	1	–	–	2	–	2
Jaundice	1	–	–	1	–	–	1	–	3	–	–	1	–
Liver Disease	1	3	3	6	–	1	2	3	2	2	3	2	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	2	–	–	–	2	1
Nephria	1	–	–	2	–	2	–	–	2	–	1	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	1
Diabetes	–	–	–	–	–	1	1	–	1	–	1	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	1	–	–	–	–	–	1	2	–	–	–	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	3	1	1	–	–	–	1	3	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	2	–	–	–	1	–	–	–	1	1
Rheumatism	–	–	–	–	1	–	–	–	1	–	–	–	1
Joint Disease	–	–	–	1	–	–	1	2	–	–	1	1	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	2	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	1	–	–	–	–	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	1	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	2	–	2	–	4	–	3	2	1
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	1	1
Suffocation	–	1	–	1	–	1	–	–	1	1	1	1	1
Drowning	6	1	–	2	–	–	1	1	–	–	–	3	–
Fracture and Contusion	8	3	–	2	1	–	1	5	6	2	4	9	3
Gunshot Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	1	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	3	2	1	4	11	–	7	7	–	15	6	1	14

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6793	450	457	2358	1497	1050	633	776	465	311
SPECIFIED CAUSES	6722	446	453	2348	1477	1040	619	716	464	309
I. Zymotic Class	1885	135	83	533	345	232	162	226	129	69
II. Diseases of Uncertain Seat	217	14	12	124	63	51	29	20	16	21
III. Tubercular Class	1314	103	122	388	290	194	118	134	66	52
IV. Brain and Nervous System	415	21	36	235	112	93	42	57	42	28
V. Organs of Circulation	195	21	13	151	67	56	20	33	20	20
VI. Respiratory Organs	1275	63	69	320	247	144	86	94	66	31
VII. Organs of Digestion	448	12	39	165	95	61	42	34	30	17
VIII. Urinary Organs	64	2	4	29	12	15	6	9	10	4
IX. Organs of Generation	102	4	8	56	20	12	14	6	11	2
X. Organs of Locomotion	34	5	4	17	7	9	4	4	–	2
XI. Skin, etc.	6	–	1	5	1	1	1	–	–	–
XII. Malformation	10	–	2	3	–	5	–	2	3	–
XIII. Premature Debility	321	17	13	109	87	37	21	27	30	16
XIV. Atrophy	58	11	5	19	11	15	8	16	9	6
XV. Age	252	32	32	150	95	93	58	37	18	32
XVI. Sudden Deaths	28	–	1	1	3	5	–	2	1	1
XVII. Violent Deaths	98	6	9	43	22	17	8	15	13	8
I. Small Pox	2	–	–	–	1	1	–	–	–	1
Measles	184	5	6	14	83	60	2	12	1	6
Scarlatina	478	34	12	150	17	25	57	35	61	7
Diphtheria	56	5	4	34	11	3	8	5	4	1
Hooping Cough	469	24	13	69	27	37	15	83	17	19
Croup	70	5	10	34	13	5	6	16	9	3
Thrush	–	–	–	–	1	2	–	–	–	–
Diarrhœa	213	15	15	82	64	33	21	40	11	9
Dysentery	15	1	–	18	9	10	4	–	1	1
Cholera	12	–	2	13	10	3	–	4	3	–
Influenza	6	1	–	2	2	1	1	1	–	–
Purpura	2	–	–	–	–	–	2	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–
Worms	1	1	–	–	–	–	–	–	–	–
Typhus	172	26	8	52	61	13	15	16	4	9
Enteric Fever	104	8	8	25	14	19	17	4	8	2
Relapsing Fever	4	–	–	1	–	–	2	1	–	–
Simple Continued Fever	10	1	–	–	3	1	1	–	6	4
Infantile Remittent	21	1	2	1	4	1	2	1	1	–
Metria	27	2	1	12	6	1	2	4	2	2
Rheumatic Fever	5	–	–	6	5	2	2	–	–	1
Erysipelas	17	2	–	7	5	5	1	1	1	3
Pyæmia	1	–	–	–	–	1	–	–	–	–
Syphilis	14	4	2	12	9	7	4	2	–	1
Noma	2	–	–	–	–	2	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	2	3	1	1	2	–	1	–
Dropsy	66	1	5	11	33	4	11	4	2	5
Abscess	18	1	2	6	3	3	1	4	1	–
Ulcer	2	1	–	–	1	2	–	1	–	–
Fistula	–	–	–	1	–	–	–	–	–	–
Mortification	5	2	–	10	–	2	–	2	–	3
Cancer	124	9	3	93	25	38	15	9	12	12
Gout	–	–	–	–	–	1	–	–	–	1
III. Scrofula	58	1	6	26	11	14	6	7	2	5
Tabes Mesenterica	85	13	8	26	13	7	6	5	6	4
Phthisis	987	78	98	263	219	144	89	101	40	35
Hydrocephalus	184	11	10	73	47	29	17	21	18	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	192	225	112	226	143	114	201	218	258	147	161	174	247
SPECIFIED CAUSES	192	221	108	221	135	114	199	213	255	142	157	171	242
Zymotic Class	36	47	23	56	42	37	45	20	60	29	48	47	35
Uncertain Seat	5	8	8	9	4	4	12	5	6	3	5	6	8
Tubercular Class	26	47	23	38	22	20	31	44	62	25	31	38	45
Brain, etc.	15	22	6	21	14	4	12	18	20	14	11	14	24
Heart, etc.	8	17	6	16	9	4	11	10	16	9	5	–	11
Respiratory Organs	26	30	12	25	21	12	16	31	29	21	20	25	51
Digestive Organs	21	11	7	16	6	6	20	28	13	5	9	23	17
Urinary Organs	2	1	1	3	–	1	1	1	3	6	1	2	3
Generative Organs	1	3	3	5	3	4	3	4	3	–	–	2	3
Locomotive Organs	3	1	–	1	1	–	–	1	4	2	–	1	2
Skin	–	–	–	–	–	1	–	–	1	–	–	–	–
Malformation	–	1	–	–	1	–	1	1	1	1	–	–	–
Premature Debility	5	11	9	3	5	3	13	11	12	9	7	5	9
Atrophy	2	1	–	2	–	1	4	7	1	1	2	3	2
Age	39	18	8	25	7	13	24	29	21	16	15	4	27
Sudden Deaths	–	–	–	1	–	–	1	–	–	–	1	–	–
Violent Deaths	3	3	2	–	–	4	5	3	3	1	2	1	5
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	5	2	14	–	3	1	–	1	5	1	7	–
Scarlatina	–	1	–	20	1	3	1	–	1	2	5	4	2
Diphtheria	–	1	5	1	4	2	–	–	8	–	–	1	–
Hooping Cough	13	8	–	4	11	9	10	2	8	4	22	5	9
Croup	2	2	7	–	6	2	3	1	2	2	2	1	5
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	4	4	7	7	4	12	9	14	10	5	6	4
Dysentery	–	–	1	2	–	2	–	–	1	–	–	2	1
Cholera	–	–	–	–	–	–	–	1	–	–	–	2	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	1	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	1	–
Typhus	1	9	2	3	4	2	12	3	4	2	5	8	–
Enteric Fever	12	12	1	2	6	5	1	4	15	–	6	4	4
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	2
Simple Cont. Fever	1	1	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	1	–	–	–	–	1	5	3
Metria	2	–	–	1	–	1	1	–	3	1	1	–	1
Rheumatic Fever	–	–	–	1	–	1	–	–	1	–	–	–	2
Erysipelas	–	2	–	–	1	1	1	–	2	–	–	–	2
Pyæmia	–	–	1	1	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	1	1	–	–	2	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	3	1	1	–	4	2	–	1	2	5	2
Abscess	–	–	1	1	–	–	–	–	–	2	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	3	7	4	7	3	4	7	3	6	–	3	1	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	3	–	2	4	2	1	1	1	2	3
Tabes Mesenterica	1	1	4	–	1	–	2	4	2	4	3	9	1
Phthisis	20	37	15	26	18	16	24	37	51	12	23	24	39
Hydrocephalus	5	8	4	9	3	2	1	1	8	8	4	3	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	27	3	1	15	4	3	2	4	2	–
	Apoplexy	83	5	7	72	30	21	9	11	7	13
	Paralysis	93	6	9	58	32	28	18	14	14	7
	Delirium Tremens	4	–	–	–	1	–	1	–	–	–
	Chorea	2	–	–	–	1	–	–	–	–	–
	Epilepsy	10	1	1	5	5	2	1	1	1	1
	Tetanus	4	–	–	–	–	–	–	1	–	–
	Insanity	2	–	–	7	–	3	5	2	–	2
	Convulsions	106	3	6	34	27	27	2	10	8	2
	Brain Disease	84	3	12	44	12	9	4	14	10	3
V.	Pericarditis	2	–	–	1	3	1	–	–	1	–
	Aneurism	3	1	1	–	–	–	1	–	–	1
	Heart Disease	190	20	12	150	64	55	19	33	19	19
VI.	Laryngitis	12	–	1	4	1	3	–	1	–	1
	Bronchitis	973	40	48	229	183	99	68	65	48	23
	Pleurisy	4	–	–	4	3	4	3	1	–	–
	Pneumonia	229	19	15	58	48	28	11	17	14	5
	Asthma	30	3	2	9	9	7	4	5	1	1
	Lung Disease	27	1	3	16	3	3	–	5	3	1
VII.	Teething	102	5	11	15	49	14	10	14	7	4
	Quinsey	7	–	1	3	1	–	–	1	–	–
	Gastritis	16	–	4	4	4	2	–	–	1	–
	Enteritis	80	–	6	16	5	5	8	7	4	1
	Peritonitis	18	3	2	25	3	3	2	2	7	–
	Ascites	9	1	–	2	1	–	2	1	–	–
	Ulceration of Intestines	9	–	2	13	4	–	1	–	1	–
	Hernia	10	–	1	3	1	3	1	–	–	–
	Ileus	20	1	2	7	4	12	–	1	1	–
	Intussusception	1	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	3	1	–	1	–	–	1
	Stomach Disease	78	1	3	40	9	6	3	2	2	5
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	14	–	2	3	3	–	3	1	–	–
	Jaundice	8	–	2	5	5	6	–	–	2	–
	Liver Disease	73	1	3	25	5	10	11	4	5	6
	Spleen Disease	1	–	–	1	–	–	–	1	–	–
VIII.	Nephritis	8	–	1	1	–	1	1	1	–	–
	Nephria	18	2	1	24	8	4	2	3	7	4
	Addison's Disease	1	–	–	–	–	–	–	–	–	–
	Ischuria	2	–	–	1	–	1	1	–	–	–
	Diabetes	6	–	–	1	–	–	–	1	–	–
	Stone	–	–	–	–	2	–	–	–	–	–
	Cystitis	3	–	1	–	1	–	1	–	1	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–
	Kidney Disease	25	–	1	2	1	9	1	4	2	–
IX.	Paramenia	7	–	–	1	–	–	2	–	1	–
	Ovarian Dropsy	9	1	–	8	1	4	2	–	1	1
	Childbirth	73	3	8	36	17	6	10	5	9	–
	Organs of Generation	13	–	–	11	2	2	–	1	–	1
X.	Arthritis	7	1	2	5	1	1	1	1	–	–
	Rheumatism	15	2	1	4	3	5	2	1	–	–
	Joint and Bone Disease	12	2	1	8	3	3	1	2	–	2
XI.	Carbuncle	–	–	–	1	–	–	–	–	–	–
	Phlegmon	2	–	–	2	–	–	–	–	–	–
	Skin Disease	4	–	1	2	1	1	1	–	–	–
XVII.	Intemperance	7	–	–	6	4	–	1	2	–	1
	Privation	1	–	–	1	1	–	–	–	–	–
	Want of Breast Milk	15	–	1	–	2	5	–	–	4	–
	Neglect	–	1	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–
	Poison	7	–	1	2	2	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	9	2	1	8	2	4	1	1	3	1
	Hanging, etc.	2	–	–	1	1	–	–	–	–	–
	Suffocation	15	–	1	6	3	3	1	6	3	–
	Drowning	11	1	–	2	–	1	2	2	–	2
	Fracture and Contusion	29	2	5	12	7	3	3	3	3	3
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	2	–	–	3	–	1	–	1	–	–
	Not Specified	71	4	4	10	20	10	14	60	1	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	2	–	–	3	1	–	1	–	–	1	1	–
Apoplexy	3	5	2	6	6	–	1	3	1	3	2	4	7
Paralysis	3	8	1	6	3	2	7	7	7	8	2	2	11
Delirium Tremens	–	–	1	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	1	–	–	–	1	–	2	1	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	4
Convulsions	4	4	–	2	1	–	2	4	3	3	1	3	1
Brain Disease	2	3	2	6	–	1	2	2	7	–	3	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	8	16	6	16	9	4	11	10	16	9	5	–	10
Laryngitis	–	–	–	–	–	1	1	–	1	–	2	–	1
Bronchitis	13	25	9	21	12	6	9	16	24	16	13	19	38
Pleurisy	1	–	–	–	–	1	–	–	–	2	–	1	1
Pneumonia	4	3	2	3	6	2	2	8	2	2	2	4	10
Asthma	7	1	1	1	2	2	–	7	1	1	1	–	1
Lung Disease	1	1	–	–	1	–	4	–	1	–	2	1	–
Teething	3	3	–	2	2	3	3	7	–	–	1	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	2	–	–	–	2	1	2
Enteritis	3	2	–	1	2	–	2	3	3	–	1	5	1
Peritonitis	3	2	–	2	1	–	1	3	2	3	–	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	2	–
Ulceration of Intestines	–	–	–	3	–	–	–	2	–	–	–	1	–
Hernia	–	1	1	1	–	1	–	1	1	–	–	–	–
Ileus	1	1	–	2	–	–	2	–	–	–	1	1	1
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	5	–	2	1	1	1	4	5	4	–	2	1	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	2	–	–	–	5	–
Jaundice	–	–	–	1	–	–	–	1	–	–	–	1	–
Liver Disease	6	2	4	3	–	1	6	4	2	2	2	4	5
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	1
Nephria	–	1	1	2	–	–	–	1	2	3	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	1	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	2	–	–	–
Paramenia	–	–	–	–	–	–	–	2	1	–	–	–	2
Ovarian Dropsy	1	1	–	–	2	–	–	1	–	–	–	–	–
Childbirth	–	2	3	3	1	2	3	1	2	–	–	–	1
Organs of Generation	–	–	–	2	–	2	–	–	–	–	–	2	–
Arthritis	1	–	–	1	–	–	–	–	–	–	–	–	1
Rheumatism	2	–	–	–	–	–	–	–	1	1	–	1	–
Joint Disease	–	1	–	–	1	–	–	1	3	1	–	–	1
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Intemperance	–	–	1	–	–	2	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	1	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	1	1	1	–	–	1	–
Hanging, etc.	–	–	1	–	–	1	–	–	–	–	1	–	–
Suffocation	–	1	–	–	–	–	–	–	1	–	–	–	–
Drowning	–	–	–	–	–	–	2	–	–	–	–	–	–
Fracture and Contusion	2	1	–	–	–	1	1	1	–	–	1	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	–	4	4	5	8	–	2	5	3	5	4	3	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	Small Towns.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES	11392	75	86	97	224	79	163	93	211	41	23	104	64	202	29	70	22	204
SPECIFIED CAUSES	10796	62	81	92	163	77	158	96	204	40	22	102	63	146	28	70	21	193
I. Zymotic Class	2631	6	12	27	30	13	17	10	50	12	3	28	7	23	6	4	4	41
II. Diseases of Uncert. Seat	393	5	2	2	7	3	7	3	10	1	–	4	3	7	–	3	–	11
III. Tubercular Class	1867	6	13	13	19	10	33	20	29	3	4	12	10	20	5	15	3	21
IV. Brain and Nervous Syst.	873	5	4	7	6	14	23	14	27	8	2	7	2	13	2	6	–	14
V. Organs of Circulation	541	3	4	2	11	5	14	5	10	–	2	12	4	4	1	2	1	11
VI. Respiratory Organs	1310	4	14	7	22	6	16	10	28	3	3	10	7	21	2	3	3	34
VII. Organs of Digestion	818	3	7	3	6	9	19	8	13	6	3	13	5	9	3	2	1	16
VIII. Urinary Organs	152	3	–	4	3	2	6	2	2	1	–	2	3	2	–	1	–	2
IX. Organs of Generation	70	–	–	2	–	1	2	–	3	–	–	1	2	–	1	1	–	1
X. Organs of Locomotion	72	3	–	–	2	–	3	1	2	–	–	3	–	1	–	–	2	1
XI. Skin, etc.	12	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	28	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–
XIII. Premature Debility	577	–	1	3	9	1	8	3	4	–	1	2	5	12	1	8	1	11
XIV. Atrophy	126	–	–	–	4	1	–	1	–	1	–	–	5	–	–	1	–	–
XV. Age	942	21	22	20	41	9	8	17	26	5	3	4	10	26	7	18	3	27
XVI. Sudden Deaths	26	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3
XVII. Violent Deaths	358	3	1	2	3	1	1	2	–	–	1	3	–	7	–	5	2	–
I. Small Pox	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	133	1	4	3	3	–	–	1	1	2	–	5	1	–	2	3	–	12
Scarlatina	743	–	–	–	3	–	–	–	3	1	–	–	–	1	–	–	–	1
Diphtheria	165	–	1	1	1	–	–	–	3	8	1	5	2	2	–	–	–	1
Hooping Cough	310	–	–	–	–	–	4	1	18	–	1	1	–	3	1	–	–	8
Croup	159	–	1	4	1	–	4	1	10	–	1	5	2	3	–	–	–	1
Thrush	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	326	1	4	1	2	10	4	5	3	–	–	7	1	2	–	–	1	9
Dysentery	38	1	–	2	–	–	1	–	–	–	–	–	–	2	–	–	–	4
Cholera	48	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1
Influenza	24	–	–	5	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Purpura	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	239	1	1	5	15	–	1	–	4	–	–	2	–	3	–	–	–	2
Enteric Fever	251	–	1	3	4	1	2	1	5	–	–	1	–	4	1	–	1	1
Relapsing Fever	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	23	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	18	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Metria	24	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatic Fever	20	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	42	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–
Pyæmia	8	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	35	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	122	–	1	–	3	–	2	–	–	–	–	–	1	1	–	–	–	1
Abscess	14	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Cancer	222	2	1	2	4	3	5	3	9	1	–	3	1	5	–	3	–	8
Gout	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
III. Scrofula	118	1	–	1	1	–	2	2	4	–	2	–	–	6	–	2	–	1
Tabes Mesenterica	172	–	1	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1
Phthisis	1296	2	12	12	15	8	27	16	21	2	2	9	9	8	4	12	3	15
Hydrocephalus	281	3	–	–	3	1	4	2	4	1	–	1	1	6	1	1	–	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	,, (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
ALL CAUSES	126	120	94	69	79	147	206	121	277	101	66	163	260	160	130	206	318	211	122	176	211
SPECIFIED CAUSES	121	119	88	68	75	130	173	120	273	93	60	152	237	147	112	194	292	194	120	170	200
Zymotic Class	18	29	18	4	16	12	63	9	107	12	11	49	68	46	24	39	103	64	24	39	24
Uncertain Seat	10	4	4	2	2	2	19	8	13	1	1	5	5	4	5	7	18	2	4	4	7
Tubercular Class	13	16	21	12	12	19	8	11	33	26	16	17	24	13	15	40	67	39	25	31	57
Brain, etc.	14	12	12	6	2	7	5	14	15	8	7	10	21	10	7	15	12	11	6	8	20
Heart, etc.	9	5	3	3	5	9	3	10	13	6	6	6	6	3	4	16	9	6	6	18	13
Respiratory Organs	8	16	7	8	4	13	18	24	24	10	3	17	41	25	18	22	37	16	9	22	26
Digestive Organs	10	7	7	5	5	11	10	6	7	4	4	20	14	20	7	16	14	12	11	12	21
Urinary Organs	4	–	1	3	2	3	–	2	2	2	–	–	–	1	–	1	2	1	1	6	4
Generative Organs	–	–	1	1	–	–	–	2	3	2	–	1	1	–	1	–	5	–	–	–	3
Locomotive Organs	–	–	–	1	–	–	3	1	–	2	1	3	2	–	1	–	1	–	–	1	2
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–
Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	1
Premature Debility	9	12	7	8	5	13	4	7	16	9	5	7	13	7	11	8	4	14	14	2	3
Atrophy	–	–	–	1	1	6	1	1	9	2	–	1	2	–	4	3	1	4	4	–	1
Age	20	14	6	10	7	33	30	12	22	9	4	10	23	6	9	16	10	14	14	20	15
Sudden Deaths	–	–	–	–	3	1	3	3	–	–	–	2	2	–	–	–	–	3	–	–	–
Violent Deaths	5	3	1	4	11	1	6	9	8	–	2	4	9	12	5	8	7	7	2	7	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	4	1	–	–	–	6	–	1	–	–	5	6	2	–	–	7	–	–	–	–
Scarlatina	–	4	–	–	4	–	14	1	65	–	–	25	2	–	2	4	18	41	2	3	4
Diphtheria	1	2	2	–	1	–	14	1	1	–	1	2	–	5	2	13	9	1	3	1	2
Hooping Cough	4	–	–	–	3	2	13	–	13	6	2	4	20	10	1	9	26	2	3	12	5
Croup	1	4	3	–	–	2	1	–	3	–	1	–	4	2	1	–	2	3	3	3	3
Thrush	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	1	3	3	–	4	–	–	3	15	–	1	4	9	5	3	3	7	6	6	8	2
Dysentery	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	2	–	2	–	–
Cholera	–	1	–	–	–	–	–	–	1	–	–	–	4	2	1	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	1	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	3	3	1	3	14	1	6	1	–	1	17	12	5	1	11	2	1	1	–
Enteric Fever	3	7	3	–	–	2	1	2	1	3	3	5	2	6	2	5	14	6	–	8	4
Relapsing Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	1	–
Metria	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–
Rheumatic Fever	–	1	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–
Erysipelas	1	–	1	–	1	–	–	–	–	1	–	–	–	–	1	2	1	–	1	–	1
Pyæmia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Syphilis	–	–	1	1	–	–	–	–	1	–	–	–	–	1	–	1	4	2	–	1	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–
Dropsy	5	1	–	–	2	2	17	–	6	1	–	–	2	–	3	1	10	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1
Cancer	5	2	4	2	–	–	2	6	6	–	1	5	2	4	1	5	6	1	3	3	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	1	–	2	–	–	–	1	2	1	1	2	1	1	1	2	–	2	2	–
Tabes Mesenterica	–	1	2	–	–	–	1	1	3	–	–	1	2	1	–	–	4	5	–	1	7
Phthisis	9	14	13	10	4	19	4	7	25	23	14	11	16	7	10	26	41	31	22	22	38
Hydrocephalus	2	1	5	2	6	–	3	3	4	1	1	4	4	4	4	13	20	3	1	6	12

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dairy.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Arrosle.
ALL CAUSES	134	214	299	118	156	252	135	61	61	105	235	117	118	214	77	134	101	98	93	87	2
SPECIFIED CAUSES	133	210	292	106	155	244	124	57	59	99	228	110	114	204	74	134	90	96	91	82	2
Zymotic Class	49	53	58	44	54	50	35	7	13	24	62	21	20	39	28	35	14	16	23	15	21
Uncertain Seat	6	4	5	2	1	7	4	1	1	3	6	7	10	7	2	6	10	5	1	4	4
Tubercular Class	23	39	67	16	27	48	20	10	13	26	45	28	29	47	16	29	17	12	7	17	12
Brain, etc.	10	13	29	6	8	14	1	6	8	7	13	11	7	22	3	11	5	5	9	9	8
Heart, etc.	3	7	16	6	5	8	4	4	–	4	11	1	1	9	2	7	4	4	7	1	4
Respiratory Organs	16	19	60	15	25	39	17	6	2	7	34	4	11	32	8	16	13	21	13	9	17
Digestive Organs	7	29	15	3	10	37	10	4	5	8	15	6	16	12	5	9	6	4	9	10	7
Urinary Organs	–	2	5	1	3	2	2	2	1	3	4	2	3	1	–	2	2	2	3	1	–
Generative Organs	–	1	4	–	2	3	2	1	–	–	–	–	–	2	–	–	–	–	1	–	
Locomotive Organs	1	4	–	–	1	2	2	1	1	2	1	–	–	3	–	–	2	1	1	1	–
Skin	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
Malformation	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
Premature Debility	4	17	12	3	5	12	8	6	7	–	12	12	2	2	3	5	3	11	5	1	6
Atrophy	1	5	3	2	–	1	3	–	–	1	–	2	1	5	–	1	1	–	1	–	1
Age	6	16	5	7	5	8	16	6	4	10	11	5	12	18	5	3	10	6	7	8	8
Sudden Deaths	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Violent Deaths	7	1	12	1	7	10	–	1	4	4	14	11	2	5	2	8	3	8	4	4	4
Small Pox	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–	–	–	
Measles	–	1	2	3	–	10	–	1	–	1	2	1	–	–	–	–	–	1	4	–	
Scarlatina	40	28	5	35	43	5	16	–	1	3	28	–	–	16	5	1	1	–	–	2	3
Diphtheria	1	1	1	2	2	1	–	–	2	–	7	–	2	2	–	–	5	3	1	–	1
Hooping Cough	2	5	9	2	–	7	–	–	3	1	2	7	–	5	2	6	–	1	4	–	
Croup	3	7	1	–	2	6	2	–	2	3	4	2	1	4	2	6	3	2	1	2	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diarrhœa	2	4	13	–	2	4	4	2	1	7	6	3	2	5	11	5	2	1	5	3	4
Dysentery	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	–	2	–	1	–	
Cholera	–	1	6	1	1	2	1	1	1	–	4	–	–	–	–	1	–	–	–	–	
Influenza	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–	–	–	–	
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Worms	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
Typhus	1	3	8	–	–	7	4	1	–	4	3	1	4	1	1	2	1	5	1	1	5
Enteric Fever	–	1	9	–	3	2	3	1	2	–	2	3	8	1	3	6	–	2	2	7	4
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	
Infantile Remittent	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
Metria	–	–	2	1	–	1	–	–	1	–	2	–	–	–	–	–	1	1	–	1	
Rheumatic Fever	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	1	–	–	–	–	
Erysipelas	–	–	1	–	–	1	2	–	–	–	–	–	2	1	2	–	–	1	–	–	
Pyæmia	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Syphilis	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–	
Noma	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dropsy	1	1	3	2	–	3	–	–	–	2	3	4	6	3	1	–	1	3	1	–	2
Abscess	1	1	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	1	–	
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Mortification	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	
Cancer	3	2	2	–	1	4	2	1	1	1	1	2	3	2	–	4	8	2	–	3	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Scrofula	1	3	1	–	–	4	–	1	3	5	3	2	–	3	–	4	1	–	1	–	–
Tabes Mesenterica	5	2	6	1	3	3	2	–	1	3	6	5	–	2	2	8	5	3	–	4	–
Phthisis	11	32	47	13	20	32	17	8	6	15	27	18	27	38	10	16	10	5	6	10	12
Hydrocephalus	6	2	13	2	4	9	1	1	3	3	9	3	2	4	4	1	1	4	–	3	–

CAUSES OF DEATH in the SMALL TOWN DISTRICTS OF SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Falkirk.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES	328	119	163	285	54	147	69	122	115	210	97	223	102	107	127	101	185	152	135	107	114	264
SPECIFIED CAUSES	317	115	163	282	54	147	64	122	108	196	97	223	93	106	127	101	183	151	133	106	100	258
Zymotic Class	83	13	11	108	11	44	13	45	24	45	29	54	12	20	37	9	28	83	34	35	21	119
Uncertain Seat	11	4	3	10	1	4	3	1	4	9	4	9	1	6	3	3	2	5	8	5	2	4
Tubercular Class	64	20	40	42	6	16	14	19	18	35	9	39	10	17	32	26	42	11	26	23	22	37
Brain, etc.	22	8	22	12	5	15	1	7	12	22	11	23	17	10	9	13	25	4	22	8	6	18
Heart, etc.	4	4	10	7	–	10	–	2	5	20	10	25	6	9	7	8	17	7	10	6	6	10
Respiratory Organs	40	20	20	22	7	25	16	13	16	20	9	23	11	20	11	10	21	8	9	8	10	26
Digestive Organs	33	15	14	15	11	14	5	7	8	10	11	7	8	7	10	14	13	5	8	5	11	11
Urinary Organs	5	2	1	3	–	1	–	1	2	1	3	2	5	2	–	2	4	–	2	1	3	3
Generative Organs	2	–	1	3	1	–	–	–	–	2	1	–	–	2	3	–	1	–	–	2	–	2
Locomotive Organs	2	2	2	1	–	–	1	–	–	1	–	2	–	1	–	–	–	–	–	–	–	1
Skin	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malformation	1	–	–	1	–	–	–	2	–	–	–	1	–	–	–	2	1	–	1	–	–	–
Premature Debility	19	8	15	23	5	10	5	17	6	10	1	9	6	3	8	9	16	9	4	3	5	2
Atrophy	1	–	4	16	–	–	–	1	1	3	1	4	1	–	1	–	2	3	–	2	–	4
Age	9	15	19	11	6	4	–	2	8	15	5	18	15	6	2	2	8	15	4	2	6	17
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	21	4	1	8	1	2	6	5	4	3	2	7	1	3	4	3	3	1	4	6	8	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles	3	–	–	4	–	–	–	–	–	3	–	–	–	–	–	–	15	–	1	–	–	11
Scarlatina	4	3	–	50	–	4	2	–	1	7	10	2	–	1	20	6	3	75	15	21	2	87
Diphtheria	1	–	–	4	–	3	3	24	2	–	–	8	–	2	–	–	–	–	–	–	1	–
Hooping Cough	15	–	–	4	3	3	–	4	6	15	2	9	2	3	3	–	2	1	1	6	3	–
Croup	5	4	1	1	–	1	1	6	2	–	–	6	2	3	2	–	–	–	–	–	2	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	1	1	15	–	5	3	6	6	7	8	14	2	2	3	2	1	1	1	4	5	5
Dysentery	1	–	1	1	1	1	–	–	1	–	3	1	1	1	–	–	–	–	–	–	–	–
Cholera	2	–	1	1	–	–	–	–	–	5	2	2	–	–	–	–	–	–	3	–	–	–
Influenza	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	4	3	12	–	6	2	–	2	1	–	1	2	2	–	–	3	1	6	–	1	2
Enteric Fever	11	–	2	9	4	14	1	3	2	5	1	7	2	5	7	–	–	3	2	2	1	9
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Simple Cont. Fever	3	–	–	–	–	5	–	–	1	–	–	–	–	–	–	–	–	–	4	1	–	–
Infantile Remittent	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Erysipelas	1	1	1	2	–	–	–	1	–	1	1	2	–	1	–	–	1	1	1	1	2	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	2	–	–	3	–	1	1	1	1	–	1	1	–	–	–	–	1	–	–	–	–	3
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	3	–	5	1	1	–	–	–	2	1	2	–	2	–	–	1	2	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
Cancer	5	–	2	4	–	3	2	1	3	5	1	7	1	3	2	3	1	2	8	5	2	4
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	1	6	1	–	1	1	4	6	5	–	2	1	–	2	–	2	–	1	–	3	2
Tabes Mesenterica	5	2	5	2	–	3	2	2	–	10	–	14	–	2	1	4	9	1	1	3	5	6
Phthisis	49	15	25	34	6	8	4	9	10	13	8	16	7	12	22	19	25	10	21	19	14	27
Hydrocephalus	5	2	4	5	–	4	7	4	2	7	1	7	2	3	7	3	6	–	3	1	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

DISEASES.	Small Towns.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis	62	–	1	1	–	–	2	–	–	–	–	3	–	1	–	–	–	2
Apoplexy	198	2	3	–	3	6	1	6	7	2	2	–	1	5	–	2	–	4
Paralysis	284	–	–	2	3	3	5	5	8	1	–	–	–	3	1	4	–	6
Delirium Tremens	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	33	–	–	–	–	1	2	–	2	1	–	–	–	–	–	–	–	1
Tetanus	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	107	2	–	–	–	1	8	1	5	1	–	2	1	2	–	–	–	–
Brain Disease	170	1	–	4	–	3	5	1	5	3	–	2	–	1	1	–	–	1
V. Pericarditis	11	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Aneurism	18	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	512	3	4	1	9	5	14	5	9	–	2	11	4	4	1	1	1	10
VI. Laryngitis	21	–	–	–	–	1	–	–	1	–	–	–	–	3	–	1	–	1
Bronchitis	807	4	9	5	19	4	9	6	10	1	1	5	5	8	1	–	2	19
Pleurisy	21	–	–	–	1	–	–	1	1	1	–	–	–	1	–	–	1	2
Pneumonia	332	–	5	2	1	–	4	3	15	1	1	3	2	8	1	2	–	2
Asthma	58	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
Lung Disease	71	–	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–	10
VII. Teething	170	2	2	–	–	4	1	1	4	4	–	2	1	–	1	1	–	1
Quinsey	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	27	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	2
Enteritis	139	–	–	–	1	1	6	–	–	–	1	2	–	2	–	1	1	1
Peritonitis	46	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Ascites	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	30	–	–	–	–	1	–	3	–	–	–	–	–	2	–	–	–	–
Hernia	16	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–
Ileus	58	–	1	–	2	–	4	1	3	–	–	2	2	–	–	–	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	131	–	–	2	1	–	4	2	1	–	1	1	2	1	–	–	–	12
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Jaundice	29	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–
Liver Disease	116	1	2	1	–	–	2	1	2	2	–	2	–	3	–	–	–	–
Spleen Disease	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	9	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	37	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	14	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Stone	6	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	31	–	–	2	2	1	2	–	–	1	–	1	3	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	47	3	–	2	–	–	1	2	–	–	–	–	–	1	–	–	–	1
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	8	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
Childbirth	51	–	–	2	–	–	2	–	1	–	–	–	1	–	1	1	–	–
Organs of Generation	8	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
X. Arthritis	17	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
Rheumatism	27	2	–	–	2	–	1	1	–	–	–	–	–	–	–	–	2	–
Joint and Bone Disease	28	1	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	1
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	30	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	90	–	–	1	1	–	–	1	–	–	–	2	–	5	–	2	2	–
Fracture and Contusion	145	1	–	–	–	1	1	1	–	–	1	–	–	2	–	2	–	–
Gunshot Wounds	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	596	13	5	5	61	2	11	3	7	1	1	2	1	56	1	–	1	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. *(Continued.)*

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	,, (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
Cephalitis	1	–	1	–	–	–	–	2	–	2	1	–	2	1	1	–	3	1	–	1	1
Apoplexy	1	3	4	1	–	2	–	3	1	2	2	1	4	3	3	2	1	3	–	3	5
Paralysis	10	5	7	2	2	3	4	6	8	3	2	4	9	3	–	5	–	7	5	–	10
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	–	–	2	–	–	–	1	–	–	1	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Convulsions	–	2	–	–	–	1	–	–	1	1	1	–	1	1	1	2	5	–	–	1	–
Brain Disease	2	1	–	2	–	–	1	3	3	–	1	5	4	2	1	2	2	–	1	–	3
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	8	5	3	3	5	9	3	9	12	6	6	6	6	3	4	15	9	5	6	18	13
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Bronchitis	4	11	5	5	2	7	12	17	21	3	1	4	25	16	10	14	23	13	7	19	15
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	2	–	–	2	–
Pneumonia	3	4	2	1	1	4	3	7	2	6	2	5	7	5	1	3	9	3	–	1	11
Asthma	1	–	–	2	1	–	1	–	1	–	–	1	2	1	5	2	2	–	2	–	–
Lung Disease	–	–	–	–	–	1	1	–	–	–	–	7	7	3	1	3	–	–	–	–	–
Teething	1	1	3	1	–	–	5	–	–	2	–	10	2	4	3	–	7	4	4	1	2
Quinsey	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–	2	–	3	–	–	–	1	2
Enteritis	1	–	1	–	–	1	1	–	1	–	–	1	3	7	1	1	2	1	–	–	4
Peritonitis	–	–	–	–	–	–	–	1	1	1	1	–	–	–	1	1	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	4	2	–	–	2	–
Hernia	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Ileus	1	1	–	1	–	2	–	–	–	–	1	–	–	1	–	1	1	1	–	1	4
Intussusception	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	–	1	3	5	1	1	1	–	–	6	2	1	–	1	–	2	4	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	2	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Liver Disease	2	3	–	–	1	1	2	2	2	1	1	2	5	3	–	2	1	2	1	4	7
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	2	–	2	–	–	1	2	–	–	–	–	–	–	1	–	–	4	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	1	–	–	1	–	–	–	–	1	–	–	1	1	–	1	–
Paramenia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
Childbirth	–	–	1	1	–	–	–	1	3	2	–	1	–	–	–	–	5	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	1
Rheumatism	–	–	–	1	–	–	2	–	–	–	–	1	2	–	1	–	–	–	–	–	1
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–
Poison	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	2	1	1	–	1	1
Hanging, etc.	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–
Drowning	–	–	–	–	3	–	1	2	2	–	–	–	–	7	1	2	3	–	2	1	1
Fracture and Contusion	2	2	1	2	3	1	3	3	5	–	–	3	4	1	2	3	2	5	–	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Not Specified	5	1	6	1	4	17	33	1	4	8	6	11	23	13	18	12	26	17	2	6	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	–	6	2	–	–	1	–	–	–	–	–	2	–	2	–	–	1	–	2	–	2
Apoplexy	4	3	10	4	4	4	–	3	1	2	3	2	2	3	1	3	2	–	3	6	3
Paralysis	3	2	5	–	2	4	–	–	1	2	1	1	3	5	1	3	1	2	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	6	1	–	2	1	–	2	1	5	3	1	2	–	3	–	–	2	1	1
Brain Disease	2	2	4	1	2	3	–	2	4	2	2	3	1	8	1	2	–	3	1	2	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	7	15	5	5	7	3	4	–	4	11	1	1	9	2	7	4	4	7	1	4
Laryngitis	–	–	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Bronchitis	6	12	46	6	12	13	10	4	2	4	20	3	7	21	7	16	12	16	7	7	3
Pleurisy	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1
Pneumonia	10	6	8	5	5	21	4	1	–	–	11	1	1	7	1	–	1	1	2	1	13
Asthma	–	1	2	2	–	2	2	1	–	2	2	–	2	2	–	–	–	1	1	–	–
Lung Disease	–	–	3	–	6	3	1	–	–	1	–	–	1	–	–	–	–	3	2	–	–
Teething	–	8	2	2	1	19	1	1	1	3	1	–	2	3	–	–	2	1	1	–	2
Quinsey	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–
Enteritis	4	9	1	1	3	3	1	1	–	1	2	3	8	–	1	3	2	1	1	2	1
Peritonitis	1	3	1	–	1	1	–	–	–	–	1	–	1	2	–	2	–	–	–	2	1
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	3	–	–	1	2	–	1	–	–	–	1	–	1	–	–	–	1	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	1	–	1	5	2	1	1	2	5	2	1	1	1	–	–	–	4	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	–	–	1	–	1	3	2	–	1	–	1	–	1
Jaundice	–	1	2	–	–	1	1	1	–	–	1	–	1	1	–	–	–	1	1	1	–
Liver Disease	1	–	5	–	3	4	3	–	1	–	2	–	1	2	–	4	1	–	1	1	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	–	–	–	1	–	–	2	1	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–
Diabetes	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	–	–	3	–	3	–	–	–	–	1	1	–	–	–	–	2	1	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	3	–	2	2	2	1	–	–	–	–	–	2	–	–	–	–	–	1	–
Organs of Generation	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–
Rheumatism	–	3	–	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	1	–	–	1	1	–	–	2	–	–	–	1	1	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	–	1	1	–	–	1	–	2	1	1	1	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	1
Drowning	4	–	2	1	2	8	–	–	1	–	1	3	–	1	–	–	–	–	–	–	1
Fracture and Contusion	2	1	6	–	1	2	–	1	2	1	7	6	–	3	2	5	2	6	3	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Not Specified	1	4	7	12	1	8	11	4	2	6	7	7	4	10	3	–	11	2	2	5	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. *(Continued.)*

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis	2	3	1	1	–	–	1	–	–	2	–	1	1	–	2	–	1	–	1	–	1	–
Apoplexy	5	1	2	7	1	3	–	1	1	3	2	2	3	–	2	1	2	1	4	1	1	–
Paralysis	3	1	7	–	2	6	–	1	7	9	5	15	7	6	–	8	10	3	9	1	4	6
Delirium Tremens	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	1	–	1	–	2	1	1	–	2	–	–	2	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	1	2	4	–	2	–	3	1	2	–	1	–	1	–	1	8	–	3	1	–	1
Brain Disease	7	2	9	–	2	4	–	–	1	4	4	1	5	2	5	1	4	–	3	4	–	7
Pericarditis	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	1	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	1	–	2	–	–	1	1	1	–	–	–	–	1
Heart Disease	4	4	10	6	–	10	–	2	5	17	9	23	6	9	6	7	15	7	9	6	6	9
Laryngitis	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	26	16	14	14	4	18	9	6	14	7	9	17	6	17	7	4	10	5	9	7	4	8
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	11	2	5	5	2	7	2	6	1	9	–	3	4	3	4	5	10	2	–	1	5	16
Asthma	1	–	–	2	1	–	–	–	1	2	–	2	–	–	–	–	1	1	–	–	1	1
Lung Disease	2	2	1	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Teething	15	1	4	1	3	2	3	1	–	2	1	1	–	2	–	6	–	–	–	–	4	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	1	–	–
Enteritis	3	9	4	4	5	9	1	–	–	1	–	1	–	1	2	1	4	1	1	–	2	1
Peritonitis	4	–	–	–	–	2	1	4	2	–	2	1	–	–	–	2	–	1	–	2	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Ulcer. of Intestines	–	–	1	–	–	1	–	–	–	1	2	1	–	–	1	–	3	–	–	–	–	1
Hernia	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1
Ileus	1	–	–	3	1	–	–	–	1	2	1	–	3	–	–	1	3	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Strict. of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	1	3	1	–	–	–	3	1	1	2	–	2	6	1	–	1	3	1	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	2	1	
Jaundice	1	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	1	–	2	
Liver Disease	3	1	2	3	1	–	–	2	1	1	2	1	–	1	–	3	2	1	–	–	2	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Nephria	–	–	–	2	–	–	–	–	–	–	1	–	3	–	–	1	–	–	–	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	2	1	1	–	–	1	–	1	1	–	1	2	1	1	–	–	2	–	1	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	1	–	1	3	1	–	–	–	–	1	1	–	–	–	3	–	1	–	–	2	–	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	1	1	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Poison	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	5	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	3	–	–	4	–	–	–	2	–	1	2	3	1	–	2	1	1	–	–	1	6	–
Fracture & Contusion	6	2	–	2	–	1	3	3	3	2	–	3	–	–	–	1	1	1	4	3	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
Not Specified	11	4	–	3	–	–	5	–	7	14	–	–	9	1	–	–	2	1	–	1	14	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES.

DISEASES.	Small Towns.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fettercsso.	Cookney.	Brechin.
ALL CAUSES	5640	40	37	48	122	41	82	46	95	24	11	56	31	115	13	40	16	100
SPECIFIED CAUSES	5298	34	33	46	83	41	75	44	90	24	11	56	31	82	12	40	15	92
I. Zymotic Class	1302	4	1	14	16	7	9	7	28	7	1	15	6	12	3	3	1	19
II. Diseases of Uncert. Seat	147	1	–	1	2	1	3	1	3	–	–	2	1	2	–	1	–	5
III. Tubercular Class	890	4	5	8	12	4	19	10	10	1	1	4	6	9	4	7	3	12
IV. Brain and Nervous Syst.	428	3	2	4	3	7	12	9	15	6	–	3	1	6	1	5	–	5
V. Organs of Circulation	261	3	2	2	4	3	5	2	4	–	1	4	1	3	1	1	1	2
VI. Respiratory Organs	684	2	6	3	11	5	6	4	15	2	2	9	2	15	1	1	2	20
VII. Organs of Digestion	422	2	5	1	4	6	10	2	5	4	2	10	1	6	–	2	1	8
VIII. Urinary Organs	109	3	–	3	3	2	5	1	1	1	–	2	3	2	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	35	1	–	–	–	–	1	1	1	–	–	–	–	1	–	–	1	1
XI. Skin, etc.	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	20	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–
XIII. Premature Debility	308	–	1	1	7	–	3	1	3	–	1	1	2	8	1	6	1	5
XIV. Atrophy	56	–	–	–	2	–	–	1	–	–	–	–	3	–	–	1	–	–
XV. Age	335	8	9	8	16	3	–	3	5	3	2	2	5	11	1	7	2	11
XVI. Sudden Deaths	15	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3
XVII. Violent Deaths	279	3	1	1	3	1	1	2	–	–	1	3	–	7	–	4	2	–
I. Small Pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	67	1	–	2	2	–	–	1	–	1	–	2	1	–	1	3	–	4
Scarlatina	379	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1
Diphtheria	83	–	–	1	1	–	–	–	2	5	–	5	1	1	–	–	–	1
Hooping Cough	149	–	–	–	–	–	1	1	11	–	1	–	–	2	1	–	–	4
Croup	78	–	–	3	1	–	3	–	5	–	–	3	2	1	–	–	–	1
Thrush	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	175	–	1	–	1	5	3	4	1	–	–	2	1	1	–	–	–	5
Dysentery	17	–	–	1	–	–	1	–	–	–	–	–	–	2	–	–	–	1
Cholera	23	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Influenza	11	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	130	1	–	2	7	–	1	–	2	–	–	2	–	1	–	–	–	1
Enteric Fever	106	–	–	1	2	–	–	1	4	–	–	–	–	3	–	–	–	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	13	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	23	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
Pyæmia	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	51	–	–	–	1	–	2	–	–	–	–	–	1	1	–	–	–	1
Abscess	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	74	–	–	1	1	1	1	1	3	–	–	1	–	1	–	1	–	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	59	–	–	1	1	–	1	–	1	–	–	–	–	2	–	1	–	–
Tabes Mesenterica	84	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	596	1	4	7	10	3	15	9	8	1	1	4	5	3	3	5	3	10
Hydrocephalus	151	3	–	–	1	–	3	1	1	–	–	–	1	4	1	1	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
ALL CAUSES	62	64	48	34	45	60	103	53	137	42	26	81	123	82	65	111	162	120	69	88	92
SPECIFIED CAUSES	60	64	46	33	42	50	84	53	137	39	22	76	109	75	50	106	146	108	67	84	82
Zymotic Class	8	15	7	2	7	5	38	3	51	8	3	26	39	25	10	24	46	33	12	22	12
Uncertain Seat	5	1	1	–	1	1	8	4	5	–	1	2	1	2	4	2	7	–	2	3	4
Tubercular Class	8	9	12	6	8	13	3	5	20	12	6	9	12	6	4	21	33	19	14	18	21
Brain, etc.	6	9	8	3	–	2	2	6	6	4	3	3	8	6	2	6	7	10	4	2	4
Heart, etc.	6	2	1	–	4	3	1	7	8	2	2	5	3	2	2	10	3	5	4	11	7
Respiratory Organs	6	14	3	2	2	4	8	7	10	5	–	6	19	10	11	14	22	8	3	6	13
Digestive Organs	4	2	4	3	1	4	7	2	6	–	3	11	6	10	3	5	10	7	8	8	9
Urinary Organs	3	–	1	3	1	2	–	2	–	1	–	–	–	1	–	–	2	–	–	3	3
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	1	–	–	1	1
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	1
Premature Debility	3	7	5	6	2	1	2	3	10	3	2	5	7	2	5	4	3	8	10	–	1
Atrophy	–	–	–	–	–	2	–	–	4	1	–	–	1	–	2	2	1	2	1	–	–
Age	7	4	3	4	4	12	9	3	10	2	–	3	7	2	4	8	3	7	7	3	3
Sudden Deaths	–	–	–	–	1	–	–	1	–	–	–	2	1	–	–	–	–	2	–	–	–
Violent Deaths	4	1	1	4	11	1	5	8	6	–	1	3	5	9	3	7	6	6	2	7	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	2	–	–	–	–	4	–	1	–	–	2	4	1	–	–	2	–	–	–	–
Scarlatina	–	2	–	–	3	–	12	–	30	–	–	13	2	–	–	3	5	20	1	2	3
Diphtheria	1	1	1	–	–	–	7	1	1	–	–	1	–	2	–	8	6	–	2	1	1
Hooping Cough	1	–	–	–	1	–	5	–	7	5	1	4	10	5	1	6	13	–	2	4	3
Croup	–	2	1	–	–	–	–	–	–	–	–	–	2	2	1	–	–	2	1	3	1
Thrush	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	–	2	1	–	2	–	–	1	6	–	1	2	5	4	2	3	3	5	4	6	2
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	1	–	3	9	1	3	1	–	–	12	5	3	1	6	1	–	–	–
Enteric Fever	2	2	1	–	–	–	1	–	1	2	1	4	1	3	1	2	6	4	–	4	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	–	–	1	1	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	3	–	–	–	1	1	8	–	2	–	–	–	1	–	2	–	6	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Cancer	2	–	1	–	–	–	3	2	–	–	1	2	–	2	1	1	–	–	1	2	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	1	–	1	–	–	–	–	1	–	1	–	1	–	1	–	–	2	2	–
Tabes Mesenterica	–	1	–	–	–	–	1	1	–	–	–	1	–	1	–	–	2	2	–	1	4
Phthisis	5	7	6	6	2	13	2	3	17	11	5	5	9	2	1	12	20	15	11	13	13
Hydrocephalus	1	1	5	–	5	–	1	1	2	–	1	2	3	2	3	8	11	2	1	2	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES	68	109	135	46	79	123	69	28	37	57	125	52	61	97	37	73	56	51	47	43	38
SPECIFIED CAUSES	68	106	132	44	79	118	61	27	36	53	123	50	59	94	35	73	48	50	46	38	36
Zymotic Class	27	31	23	18	23	19	18	4	4	13	31	9	8	15	15	16	6	8	13	8	4
Uncertain Seat	3	3	1	–	1	1	1	–	1	1	1	4	3	2	–	2	4	2	1	–	2
Tubercular Class	9	18	29	6	16	26	9	5	9	12	21	13	18	17	6	15	5	9	3	8	8
Brain, etc.	6	4	16	2	3	5	1	4	6	4	8	5	3	12	2	8	3	2	4	4	4
Heart, etc.	2	3	5	2	3	3	3	2	–	1	8	1	1	5	2	3	3	1	4	–	2
Respiratory Organs	5	8	33	5	16	20	7	1	2	5	25	2	8	19	3	9	9	9	5	6	6
Digestive Organs	4	16	7	1	6	18	7	2	4	4	4	1	8	7	2	6	5	2	3	5	3
Urinary Organs	–	2	4	1	1	2	–	2	1	3	4	2	2	1	–	1	1	2	3	1	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	1	1	1	1	1	–	–	2	–	–	2	1	1	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
Premature Debility	3	9	3	3	5	7	6	2	4	–	7	6	1	2	2	4	1	5	3	1	2
Atrophy	–	–	1	2	–	–	3	–	–	1	–	–	–	2	–	–	1	–	1	–	–
Age	2	11	2	3	1	5	5	2	–	4	4	1	5	6	1	1	6	2	2	1	1
Sudden Deaths	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	7	–	8	1	3	10	–	1	4	4	9	6	2	4	2	6	2	6	2	3	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Measles	–	1	1	–	–	2	–	1	–	–	2	1	–	–	–	–	–	–	2	–	–
Scarlatina	22	14	3	15	21	3	11	–	1	2	14	–	–	6	3	1	1	–	–	2	–
Diphtheria	–	–	–	2	–	1	–	–	–	–	3	–	–	–	–	–	2	2	1	–	–
Hooping Cough	1	2	3	1	–	2	–	–	1	1	1	3	–	3	–	2	–	–	2	–	–
Croup	2	6	–	–	–	3	1	–	1	2	1	1	–	1	2	5	–	–	1	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	5	–	–	2	1	1	1	5	5	2	–	2	6	3	–	1	4	2	–
Dysentery	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
Cholera	–	1	4	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	4	–	–	2	1	1	–	2	2	–	3	–	1	1	1	4	1	1	2
Enteric Fever	–	–	2	–	2	–	2	–	–	–	1	–	4	–	1	1	–	1	1	3	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	1	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	1	–	–	–	–	–	3	2	1	–	–	–	1	1	–	1
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	–	–	1	–	1	–	1	1	1	1	1	1	–	–	4	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	2	–	1	1	4	1	1	–	1	–	1	–	–	1	–	–
Tabes Mesenterica	3	1	3	–	2	2	2	–	1	–	3	3	–	1	1	3	3	1	–	2	–
Phthisis	4	14	19	5	10	17	6	3	5	7	13	7	16	12	5	10	2	4	2	5	8
Hydrocephalus	2	2	7	1	4	5	1	1	2	1	4	2	2	3	–	1	–	4	–	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES	166	52	74	141	25	77	37	66	52	110	45	96	51	49	61	46	100	72	66	54	60	125
SPECIFIED CAUSES	161	49	74	139	25	77	34	66	50	101	45	96	46	48	61	46	100	71	66	54	51	120
Zymotic Class	40	5	3	55	5	21	7	28	11	21	18	22	6	10	21	4	15	44	19	18	8	59
Uncertain Seat	3	3	2	1	–	1	1	–	1	6	1	5	–	2	–	2	1	1	3	1	1	2
Tubercular Class	24	5	15	16	1	5	6	7	13	20	5	17	4	6	19	14	21	6	12	11	10	13
Brain, etc.	11	4	9	8	2	6	1	4	7	11	2	2	10	5	5	7	13	2	10	7	4	9
Heart, etc.	3	2	7	4	–	5	–	1	2	11	4	7	4	4	1	1	9	4	4	3	1	3
Respiratory Organs	25	12	13	12	4	16	8	9	6	14	5	13	2	11	3	5	11	2	4	3	8	16
Digestive Organs	18	4	7	10	7	10	2	2	4	3	5	5	6	4	5	6	7	1	4	1	7	7
Urinary Organs	2	2	1	2	–	1	–	–	1	1	1	1	3	1	–	–	4	–	1	1	3	1
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	2	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
Premature Debility	11	3	8	12	2	7	4	11	1	8	1	6	4	1	2	2	9	2	4	1	3	–
Atrophy	1	–	2	8	–	–	–	–	–	1	1	3	1	–	1	–	2	–	–	1	–	1
Age	3	4	4	4	3	2	–	1	2	4	1	9	5	–	2	1	4	8	1	2	2	7
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	17	4	1	6	1	2	5	3	2	1	1	3	1	3	2	3	3	1	3	5	4	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	9	–	1	–	–	6
Scarlatina	1	2	–	30	–	2	1	–	–	4	7	1	–	1	11	2	–	40	7	10	–	42
Diphtheria	–	–	–	3	–	1	1	15	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	4	–	–	1	2	2	–	1	3	7	1	5	1	2	1	–	2	1	–	3	2	–
Croup	–	1	–	1	–	1	1	5	1	–	–	1	2	1	2	–	–	–	–	1	1	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	–	6	–	3	1	5	2	2	6	7	1	–	2	2	–	–	–	3	3	3
Dysentery	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	2	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	1	1	4	–	2	2	–	2	1	–	–	–	2	–	–	2	1	4	–	–	2
Enteric Fever	3	–	–	5	1	8	1	1	1	1	1	5	1	2	5	–	–	1	2	1	–	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Infantile Remittent	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	–	1	–	–	–	–	1	–	–	1	1	–	1	–	–	1	1	1	1	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	–	1	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	–	–	1	1	–	–	3	–	3	–	1	–	2	1	1	3	1	1	2
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	4	–	–	1	1	1	5	5	–	1	–	–	1	–	1	–	1	–	2	1
Tabes Mesenterica	3	–	2	1	–	–	1	–	–	6	–	8	–	1	1	3	5	–	1	1	2	2
Phthisis	17	4	6	11	1	2	1	4	6	6	5	7	2	4	13	10	12	6	10	9	6	10
Hydrocephalus	2	1	3	4	–	2	3	2	2	3	–	1	2	1	4	1	3	–	–	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Small Towns.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fettoresso.	Cockney.	Brechin.
IV. Cephalitis	31	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	1
Apoplexy	100	1	1	–	2	5	1	5	4	2	–	–	1	3	–	2	–	1
Paralysis	124	–	–	1	1	–	2	3	3	1	–	–	–	1	1	3	–	2
Delirium Tremens	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	63	2	–	–	–	–	5	–	3	1	–	1	–	2	–	–	–	–
Brain Disease	80	–	–	2	–	1	2	–	3	2	–	1	–	–	–	–	–	1
V. Pericarditis	8	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	13	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	240	3	2	1	2	3	5	2	3	–	1	4	1	3	1	1	1	1
VI. Laryngitis	12	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	–	1
Bronchitis	389	2	5	1	8	3	3	2	6	1	1	5	2	4	1	–	1	10
Pleurisy	13	–	–	–	1	–	–	1	–	1	–	–	–	1	–	–	1	1
Pneumonia	190	–	1	2	1	–	3	1	9	–	–	3	–	6	–	1	–	2
Asthma	40	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Lung Disease	40	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	6
VII. Teething	91	2	1	–	–	3	1	–	2	3	–	2	–	–	–	1	–	–
Quinsey	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	16	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	81	–	–	–	1	–	2	–	–	–	1	1	–	1	–	1	1	1
Peritonitis	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	14	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hernia	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	29	–	1	–	2	–	3	–	–	–	–	2	1	–	–	–	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	59	–	–	–	1	–	3	–	1	–	–	1	–	1	–	–	–	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	16	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–
Liver Disease	62	–	1	1	–	–	1	–	2	1	–	1	–	3	–	–	–	–
Spleen Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	24	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Stone	6	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	29	–	–	2	2	1	2	–	–	1	–	1	3	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	26	3	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	11	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Rheumatism	7	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	16	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	74	–	–	1	1	–	–	1	–	–	–	2	–	5	–	1	2	–
Fracture and Contusion	121	1	–	–	–	1	1	1	–	–	1	–	–	2	–	2	–	–
Gunshot Wounds	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	342	6	4	2	33	–	7	2	5	–	–	–	–	33	1	–	1	8

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward)	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
Cephalitis	1	–	1	–	–	–	–	–	–	1	1	–	1	1	1	–	2	1	–	–	1
Apoplexy	1	3	3	1	–	–	–	2	–	–	–	–	2	2	–	–	1	3	–	1	1
Paralysis	4	4	4	1	–	1	1	2	4	2	1	2	2	2	–	1	–	6	3	–	2
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	1	4	–	–	–	–
Brain Disease	–	1	–	1	–	–	1	2	–	–	–	1	1	–	–	–	–	–	1	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	5	2	1	–	4	3	1	6	7	2	2	5	3	2	2	9	3	4	4	11	7
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Bronchitis	2	9	2	–	1	2	6	4	9	1	–	–	12	7	5	8	13	7	1	4	7
Pleurisy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–
Pneumonia	3	4	1	1	1	–	1	3	1	3	–	3	2	2	1	1	6	1	–	–	6
Asthma	1	–	–	1	–	–	–	–	–	–	–	1	1	–	4	2	2	–	2	–	–
Lung Disease	–	–	–	–	–	1	1	–	–	–	–	2	4	1	–	3	–	–	–	–	–
Teething	1	–	2	1	–	–	5	–	–	–	–	6	2	1	–	–	3	3	3	1	1
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2
Enteritis	1	–	1	–	–	–	1	–	1	–	–	–	–	4	1	1	2	–	–	–	1
Peritonitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ileus	1	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	1	–	1	–	–	3	–	–	–	–	–	1	2	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	2	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	–	–	–	–	2	–	1	1	2	1	–	1	1	2	1	3	5
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	1
Hanging, etc.	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
Drowning	–	–	–	–	3	–	1	2	2	–	–	–	–	6	1	2	3	–	2	1	1
Fracture and Contusion	1	1	1	2	3	1	3	2	3	–	–	2	4	1	1	3	2	4	–	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Not Specified	2	–	2	1	3	10	19	–	–	3	4	5	14	7	15	5	16	12	2	4	10

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Apoplexy	4	–	5	2	–	1	–	2	1	1	1	2	1	1	–	2	1	–	1	4	2
Paralysis	1	1	2	–	2	2	–	–	1	1	1	–	1	3	1	2	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	4	–	–	1	1	–	–	–	4	2	–	2	–	3	–	–	1	–	–
Brain Disease	–	2	2	–	1	–	–	1	4	2	1	1	1	4	1	1	–	1	1	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	3	5	1	3	3	2	2	–	1	8	1	1	5	2	3	3	1	4	–	2
Laryngitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Bronchitis	–	3	22	3	9	5	4	1	2	3	12	1	6	13	2	9	8	5	3	5	1
Pleurisy	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Pneumonia	5	5	6	2	3	11	2	–	–	–	10	1	1	4	1	–	1	–	–	–	5
Asthma	–	–	2	–	–	1	1	–	–	2	2	–	1	1	–	–	–	1	1	–	–
Lung Disease	–	–	3	–	2	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
Teething	–	5	1	1	1	6	–	–	1	1	–	–	1	2	–	–	1	–	–	–	–
Quinsey	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Enteritis	3	6	1	–	3	3	1	1	–	–	1	–	4	–	1	3	2	1	–	2	–
Peritonitis	1	1	1	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	1	3	1	1	1	1	–	1	–	1	1	–	–	–	2	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1
Jaundice	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	1	–	–
Liver Disease	–	–	2	–	1	3	3	–	–	1	–	–	–	–	–	2	1	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	–	–	–	1	–	–	2	1	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Diabetes	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	–	–	2	–	1	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
Rheumatism	–	1	–	–	–	–	1	1	–	1	–	–	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	1	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	1
Drowning	4	–	2	1	2	8	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	–	4	–	–	2	–	1	2	1	5	5	–	3	2	5	2	6	2	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	3	3	2	–	5	8	1	1	4	2	2	2	3	2	–	8	1	1	5	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Lauder.	Annan.	Stranraer.
Cephalitis	–	1	–	1	–	–	1	–	–	–	–	–	1	–	2	–	1	–	1	–	1	–
Apoplexy	2	1	1	4	1	2	–	1	1	1	1	–	1	–	–	–	2	1	1	–	–	1
Paralysis	2	–	2	–	–	1	–	–	3	5	–	1	4	3	–	4	5	1	5	1	3	4
Delirium Tremens	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	1	–
Convulsions	3	1	1	3	–	2	–	2	1	1	–	–	1	1	–	1	2	–	1	1	–	–
Brain Disease	4	1	5	–	1	1	–	–	1	2	1	1	3	1	3	1	3	–	1	4	–	4
Pericarditis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	1
Heart Disease	3	2	7	3	–	5	–	1	2	10	3	5	4	4	1	1	7	4	3	3	1	2
Laryngitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	15	11	12	6	2	12	2	5	4	5	5	9	1	8	1	2	4	1	4	3	2	3
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	7	1	1	3	1	4	1	4	1	6	–	3	1	3	2	3	6	–	–	–	5	12
Asthma	1	–	–	2	1	–	–	–	1	2	–	1	–	–	–	–	1	1	–	–	1	–
Lung Disea	2	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Teething	8	–	3	–	2	2	2	1	–	–	1	–	–	2	–	3	–	–	–	–	3	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–
Enteritis	–	3	3	3	3	6	–	–	–	1	–	1	–	1	1	–	3	–	1	–	1	–
Peritonitis	2	–	–	–	–	1	–	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer. of Intestines	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	2	1	–	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Strict. of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	–	2	–	–	–	–	1	–	–	2	–	–	4	–	–	–	1	–	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1
Liver Disease	2	–	–	3	1	–	–	–	1	–	1	1	–	1	–	2	1	1	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	2	–	–	3	–	–	1	–	–	1	1	1	–	1	1	1	–	–	1	4	–	
Fracture & Contusion	6	2	–	1	–	1	3	2	2	1	–	2	–	–	–	1	1	1	3	3	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	5	3	–	2	–	–	3	–	2	9	–	–	5	1	–	–	–	1	–	–	9	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES.

DISEASES.	Small Towns.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fettercsso.	Cookney.	Brechin.
ALL CAUSES	5752	35	49	49	102	38	87	53	116	17	12	48	33	87	16	30	6	104
SPECIFIED CAUSES	5498	28	48	46	80	36	83	52	114	16	11	46	32	64	16	30	6	101
I. Zymotic Class	1329	2	11	13	14	6	8	3	22	5	2	13	1	11	3	1	3	22
II. Diseases of Uncert. Seat	216	4	2	1	5	2	4	2	7	1	–	2	2	5	–	2	–	6
III. Tubercular Class	977	2	8	5	7	6	14	10	19	2	3	8	4	11	1	8	–	9
IV. Brain and Nervous Syst.	445	2	2	3	3	7	11	5	12	2	2	4	1	7	1	1	–	9
V. Organs of Circulation	280	–	2	–	7	2	9	3	6	–	1	8	3	1	–	1	–	9
VI. Respiratory Organs	626	2	8	4	11	1	10	6	13	1	1	1	5	6	1	2	1	14
VII. Organs of Digestion	396	1	2	2	2	3	9	6	8	2	1	3	4	3	3	–	–	8
VIII. Urinary Organs	43	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	70	–	–	2	–	1	2	–	3	–	–	1	2	–	1	1	–	1
X. Organs of Locomotion	37	2	–	–	2	–	2	–	1	–	–	3	–	–	–	–	1	–
XI. Skin, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	269	–	–	2	2	1	5	2	1	–	–	1	3	4	–	2	–	6
XIV. Atrophy	70	–	–	–	2	1	–	–	–	1	–	–	2	–	–	–	–	–
XV. Age	607	13	13	12	25	6	8	14	21	2	1	2	5	15	6	11	1	16
XVI. Sudden Deaths	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	79	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
I. Small Pox	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	66	–	4	1	1	–	–	–	1	1	–	3	–	–	1	–	–	8
Scarlatina	364	–	–	–	2	–	–	–	2	1	–	–	–	1	–	–	–	–
Diphtheria	82	–	1	–	–	–	–	–	1	3	1	–	1	1	–	–	–	–
Hooping Cough	161	–	–	–	–	–	3	–	7	–	–	1	–	1	–	–	–	4
Croup	81	–	1	1	–	–	1	1	5	–	1	2	–	2	–	–	–	–
Thrush	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	151	1	3	1	1	5	1	1	2	–	–	5	–	1	–	–	1	4
Dysentery	21	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Cholera	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Influenza	13	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	109	–	1	3	8	–	–	–	2	–	–	–	–	2	–	–	–	1
Enteric Fever	145	–	1	2	2	1	2	–	1	–	–	1	–	1	1	–	1	1
Relapsing Fever	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Metria	24	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Rheumatic Fever	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pyæmia	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	18	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	71	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Cancer	148	2	1	1	3	2	4	2	6	1	–	2	1	4	–	2	–	4
Gout	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
III. Scrofula	59	1	–	–	–	–	1	2	3	–	2	–	–	4	–	1	–	1
Tabes Mesenterica	88	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1
Phthisis	700	1	8	5	5	5	12	7	13	1	1	5	4	5	1	7	–	5
Hydrocephalus	130	–	–	–	2	1	1	1	3	1	–	1	–	2	–	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	,, (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
ALL CAUSES	64	56	46	35	34	87	103	68	140	59	40	82	137	78	65	95	156	91	53	88	119
SPECIFIED CAUSES	61	55	42	35	33	80	89	67	136	54	38	76	128	72	62	88	146	86	53	86	118
Zymotic Class	10	14	11	2	9	7	25	6	56	4	8	23	29	21	14	15	57	31	12	17	12
Uncertain Seat	5	3	3	2	1	1	11	4	8	1	–	3	4	2	1	5	11	2	2	1	3
Tubercular Class	5	7	9	6	4	6	5	6	13	14	10	8	12	7	11	19	34	20	11	13	36
Brain, etc.	8	3	4	3	2	5	3	8	9	4	4	7	13	4	5	9	5	1	2	6	16
Heart, etc.	3	3	2	3	1	6	2	3	5	4	4	1	3	1	2	6	6	1	2	7	6
Respiratory Organs	2	2	4	6	2	9	10	17	14	5	3	11	22	15	7	8	15	8	6	16	13
Digestive Organs	6	5	3	2	4	7	3	4	1	4	1	9	8	10	4	11	4	5	3	4	12
Urinary Organs	1	–	–	–	1	1	–	–	2	1	–	–	–	–	–	1	–	1	1	3	1
Generative Organs	–	–	1	1	–	–	–	2	3	2	–	1	1	–	1	–	5	–	–	–	3
Locomotive Organs	–	–	–	1	–	–	2	–	–	1	–	2	2	–	1	–	–	–	–	–	1
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	6	5	2	2	3	12	2	4	6	6	3	2	6	5	6	4	1	6	4	2	2
Atrophy	–	–	–	1	1	4	1	1	5	1	–	1	1	–	2	1	–	2	3	–	1
Age	13	10	3	6	3	21	21	9	12	7	4	7	22	4	5	8	7	7	7	17	12
Sudden Deaths	–	–	–	–	2	1	3	2	–	–	–	–	1	–	–	–	–	1	–	–	–
Violent Deaths	1	2	–	–	–	–	1	1	2	–	1	1	4	3	2	1	1	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	2	1	–	–	–	2	–	–	–	–	3	2	1	–	–	5	–	–	–	–
Scarlatina	–	2	–	–	1	–	2	1	35	–	–	12	–	–	2	1	13	21	1	1	1
Diphtheria	–	1	1	–	1	–	7	–	–	–	1	1	–	3	2	5	3	1	1	–	1
Hooping Cough	3	–	–	–	2	2	8	–	6	1	1	–	10	5	–	3	13	2	1	8	2
Croup	1	2	2	–	–	2	1	–	3	–	1	–	2	–	–	–	2	1	2	–	2
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	–	2	–	–	2	9	–	–	2	4	1	1	–	4	1	2	2	–
Dysentery	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	2	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	2	2	1	–	5	–	3	–	–	1	5	7	2	–	5	1	1	1	–
Enteric Fever	1	5	2	–	–	2	–	2	–	1	2	1	1	3	1	3	8	2	–	4	4
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	1	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Dropsy	2	1	–	–	–	1	1	9	–	4	1	–	–	1	–	1	1	4	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	2	3	2	–	–	2	3	4	–	–	3	2	2	–	4	6	1	2	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	1	1	1	–	2	–	1	–	2	–	–	–	–
Tabes Mesenterica	–	–	2	–	–	–	1	–	2	–	–	–	2	–	–	–	2	3	–	–	3
Phthisis	4	7	7	4	2	6	2	4	8	12	9	6	7	5	9	14	21	16	11	9	25
Hydrocephalus	1	–	–	2	1	–	2	2	2	1	–	2	1	2	1	5	9	1	–	4	8

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES	66	105	164	72	77	129	66	33	24	48	110	65	57	117	40	61	45	47	46	44	59
SPECIFIED CAUSES	65	104	160	62	76	126	63	30	23	46	105	60	55	110	39	61	42	46	45	44	56
Zymotic Class	22	22	35	26	31	31	17	3	9	11	31	12	12	24	13	19	8	8	10	7	17
Uncertain Seat	3	1	4	2	–	6	3	1	–	2	5	3	7	5	2	4	6	3	–	4	2
Tubercular Class	14	21	38	10	11	22	11	5	4	14	24	15	11	30	10	14	12	3	4	9	4
Brain, etc.	4	9	13	4	5	9	–	2	2	3	5	6	4	10	1	3	2	3	5	5	4
Heart, etc.	1	4	11	4	2	5	1	2	–	3	3	–	–	4	–	4	1	3	3	1	2
Respiratory Organs	11	11	27	10	9	19	10	5	–	2	9	2	3	13	5	7	4	12	8	3	11
Digestive Organs	3	13	8	2	4	19	3	2	1	4	11	5	8	5	3	3	1	2	6	5	4
Urinary Organs	–	–	1	–	2	–	2	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Generative Organs	–	1	4	–	2	3	2	1	–	–	–	–	–	2	–	–	–	–	–	1	–
Locomotive Organs	1	3	–	–	1	2	1	–	–	1	–	–	–	1	–	–	–	–	–	1	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	1	8	9	–	–	5	2	4	3	–	5	6	1	–	1	1	2	6	2	–	4
Atrophy	1	5	2	–	–	1	–	–	–	–	–	2	1	3	–	1	–	–	–	–	1
Age	4	5	3	4	4	3	11	4	4	6	7	4	7	12	4	2	4	4	5	7	7
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	4	–	4	–	–	–	–	–	5	5	–	1	–	2	1	2	2	1	–
Small Pox	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	–	–	1	3	–	8	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–
Scarlatina	18	14	2	20	22	2	5	–	–	1	14	–	–	10	2	–	–	–	–	–	3
Diphtheria	1	1	1	–	2	–	–	2	–	–	4	–	2	2	–	–	3	1	–	–	1
Hooping Cough	1	3	6	1	–	5	–	2	–	1	4	–	2	2	2	4	–	1	2	–	–
Croup	1	1	1	–	2	3	1	–	1	1	3	1	1	3	–	1	3	2	–	2	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	8	–	2	2	3	1	–	2	1	1	2	3	5	2	2	–	1	1	4
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Cholera	–	–	2	1	1	2	–	–	1	–	2	–	–	–	–	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	1	–	4	–	–	5	3	–	–	2	1	1	1	1	–	1	–	1	–	–	3
Enteric Fever	–	1	7	–	1	2	1	1	2	–	1	3	4	1	2	5	–	1	1	4	4
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Metria	–	–	2	1	–	1	–	–	1	–	2	–	–	–	–	–	–	1	1	–	1
Rheumatic Fever	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Pyæmia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	2	2	–	2	–	–	–	2	3	1	4	2	1	–	1	2	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Cancer	2	1	2	–	–	4	1	1	–	–	–	1	2	1	–	4	4	1	–	3	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	1	–	–	2	–	–	2	1	2	1	–	2	–	3	1	–	–	–	–
Tabes Mesenterica	2	1	3	1	1	1	–	–	–	3	3	2	–	1	1	5	2	2	–	2	–
Phthisis	7	18	28	8	10	15	11	5	1	8	14	11	11	26	5	6	8	1	4	5	4
Hydrocephalus	4	–	6	1	–	4	–	–	1	2	5	1	–	1	4	–	1	–	–	2	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ledhope.	Annan.	Stranraer.
ALL CAUSES	162	67	89	144	29	70	32	56	63	100	52	127	51	58	66	55	85	80	67	53	54	139
SPECIFIED CAUSES	156	66	89	143	29	70	30	56	58	95	52	127	47	58	66	55	83	80	67	52	49	138
Zymotic Class	43	8	8	53	6	23	6	17	13	24	11	32	6	10	16	5	13	39	15	17	13	60
Uncertain Seat	8	1	1	9	1	3	2	1	3	3	3	4	1	4	3	1	1	4	5	4	1	2
Tubercular Class	40	15	25	26	5	11	8	12	5	15	4	22	6	11	13	12	21	5	14	12	12	24
Brain, etc.	11	4	13	4	3	9	–	3	5	11	9	21	7	5	4	6	12	2	12	1	2	9
Heart, etc.	1	2	3	3	–	5	–	1	3	9	6	18	2	5	6	7	8	3	6	3	5	7
Respiratory Organs	15	8	7	10	3	9	8	4	10	6	4	10	9	9	8	5	10	6	5	5	2	10
Digestive Organs	15	11	7	5	4	4	3	5	4	7	6	2	2	3	5	8	6	4	4	4	4	4
Urinary Organs	3	–	–	1	–	–	–	1	1	–	2	1	2	1	–	2	–	–	1	–	–	2
Generative Organs	2	–	1	3	1	–	–	–	–	2	1	–	–	2	3	–	1	–	–	2	–	2
Locomotive Organs	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malformation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Premature Debility	8	5	7	11	3	3	1	6	5	2	–	3	2	2	6	7	7	7	–	2	2	2
Atrophy	–	–	2	8	–	–	–	1	1	2	–	1	–	–	–	–	–	3	–	1	–	3
Age	6	11	15	7	3	2	–	1	6	11	4	9	10	6	–	1	4	7	3	–	4	10
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	–	–	2	–	–	1	2	2	2	1	4	–	–	2	–	–	–	1	1	4	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	5
Scarlatina	3	1	–	20	–	2	1	–	1	3	3	1	–	–	9	4	3	35	8	11	2	45
Diphtheria	1	–	–	1	–	2	2	9	1	–	–	7	–	2	–	–	–	–	1	–	1	–
Hooping Cough	11	–	–	3	1	1	–	3	3	8	1	4	1	1	2	–	–	–	1	3	1	–
Croup	5	3	1	–	–	–	–	1	1	–	–	5	–	2	–	–	–	–	–	–	1	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	1	9	–	2	2	1	4	5	2	7	1	2	1	–	1	1	1	1	2	2
Dysentery	1	–	1	–	–	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	1	1	–	–	–	–	–	3	1	2	–	–	–	–	–	–	1	–	–	–
Influenza	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	3	2	8	–	4	–	–	–	–	–	1	2	–	–	–	1	–	2	–	1	–
Enteric Fever	8	–	2	4	3	6	–	2	1	4	–	2	1	3	2	–	–	2	–	1	1	6
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Simple Cont. Fever	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Infantile Remittent	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	1	–	4	1	1	–	–	–	1	1	–	–	1	–	–	1	2	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Cancer	4	–	1	4	–	2	1	1	3	2	1	4	1	2	2	1	–	1	5	4	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	2	1	–	–	–	3	1	–	–	1	1	–	1	–	1	–	–	–	1	1
Tabes Mesenterica	2	2	3	1	–	3	1	2	–	4	–	6	–	1	–	1	4	1	–	2	3	4
Phthisis	32	11	19	23	5	6	3	5	4	7	3	9	5	8	9	9	13	4	11	10	8	17
Hydrocephalus	3	1	1	1	–	2	4	2	–	4	1	6	–	2	3	2	3	–	3	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

	DISEASES.	Small Towns.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV.	Cephalitis	31	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	1
	Apoplexy	98	1	2	–	1	1	–	1	3	–	2	–	–	2	–	–	–	3
	Paralysis	160	–	–	1	2	3	3	2	5	–	–	–	–	2	–	1	–	4
	Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	15	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
	Tetanus	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	44	–	–	–	–	1	3	1	2	–	–	1	1	–	–	–	–	–
	Brain Disease	90	1	–	2	–	2	3	1	2	1	–	1	–	1	1	–	–	–
V.	Pericarditis	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Heart Disease	272	–	2	–	7	2	9	3	6	–	1	7	3	1	–	–	–	9
VI.	Laryngitis	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Bronchitis	418	2	4	4	11	1	6	4	4	–	–	–	3	4	–	–	1	9
	Pleurisy	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
	Pneumonia	142	–	4	–	–	–	1	2	6	1	1	–	2	2	1	1	–	–
	Asthma	18	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	31	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	4
VII.	Teething	79	–	1	–	–	1	–	1	2	1	–	–	1	–	1	–	–	1
	Quinsey	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	11	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	Enteritis	58	–	–	–	–	1	4	–	–	–	–	1	–	1	–	–	–	–
	Peritonitis	27	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Ascites	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	16	–	–	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–
	Hernia	12	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	Ileus	29	–	–	–	–	–	1	1	3	–	–	–	1	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	72	–	–	2	–	–	1	2	–	–	1	–	2	–	–	–	–	6
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	14	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Jaundice	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Liver Disease	54	1	1	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Nephria	13	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	21	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1
IX.	Paramenia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	8	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
	Childbirth	51	–	–	2	–	–	2	–	1	–	–	–	1	–	1	1	–	–
	Organs of Generation	8	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
X.	Arthritis	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Rheumatism	20	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	Joint and Bone Disease	11	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
XI.	Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Fracture and Contusion	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	251	7	1	3	22	2	4	1	2	1	1	2	1	23	–	–	–	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Kirriemuir.	Monifieth.	Blairgowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burghs).	„ (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Bow.	Campbeltown.	Rothesay.
Cephalitis	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	1	–	–	1	–
Apoplexy	1	1	1	–	–	2	–	1	1	2	2	1	2	1	3	2	–	–	–	2	4
Paralysis	6	1	3	1	2	2	3	4	4	1	1	2	7	1	–	4	–	1	2	–	8
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
Brain Disease	2	–	–	1	–	–	–	1	3	–	1	4	3	2	1	2	2	–	–	–	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	3	2	3	1	6	2	3	5	4	4	1	3	1	2	6	6	1	2	7	6
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	3	5	1	5	6	13	12	2	1	4	13	9	5	6	10	6	6	15	8
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Pneumonia	–	–	1	–	–	4	2	4	1	3	2	2	5	3	–	2	3	2	–	1	5
Asthma	–	–	–	1	1	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	5	3	2	1	–	–	–	–	–	–
Teething	–	1	1	–	–	–	–	–	–	2	–	4	–	3	3	–	4	1	1	–	1
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	1	3	3	–	–	–	1	–	–	3
Peritonitis	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–
Hernia	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	–	1	3	3	–	1	–	–	–	3	2	1	–	1	–	1	2	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	2	2	–	–	1	1	2	2	–	1	–	1	3	2	–	1	–	–	–	1	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–
Paramenia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
Childbirth	–	–	1	1	–	–	–	1	3	2	–	1	–	–	–	–	5	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	2	–	–	–	–	1	2	–	1	–	–	–	–	–	1
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	–	–	–	1	2	–	–	1	–	–	1	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	3	1	4	–	1	7	14	1	4	5	2	6	9	6	3	7	10	5	–	2	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stowarton.	Avondale.
Cephalitis	–	5	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	2
Apoplexy	–	3	5	2	4	3	–	1	–	1	2	–	1	2	1	1	1	–	2	2	1
Paralysis	2	1	3	–	–	2	–	–	–	1	–	1	2	2	–	1	1	1	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	2	1	–	1	–	–	2	1	1	1	1	–	–	–	–	–	1	1	1
Brain Disease	2	–	2	1	1	3	–	1	–	–	1	2	–	4	–	1	–	2	–	2	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	10	4	2	4	1	2	–	3	3	–	–	4	–	4	1	3	3	1	2
Laryngitis	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	9	24	3	3	8	6	3	–	1	8	2	1	8	5	7	4	11	4	2	2
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Pneumonia	5	1	2	3	2	10	2	1	–	–	1	–	–	3	–	–	–	1	2	1	8
Asthma	–	1	–	2	–	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	4	–	1	–	–	1	–	–	1	–	–	–	–	–	2	–	–
Teething	–	3	1	1	–	13	1	1	–	2	1	–	1	1	–	–	1	1	1	–	2
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Enteritis	1	3	–	1	–	–	–	–	–	1	1	3	4	–	–	–	–	–	1	–	1
Peritonitis	–	2	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	1
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	–	2	1	–	–	1	5	1	1	–	–	–	–	–	2	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Jaundice	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	1	–	3	–	2	1	–	–	1	–	1	–	1	2	–	2	–	–	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	3	–	2	2	2	1	–	–	–	–	2	–	–	–	–	–	1	–	–
Organs of Generation	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Rheumatism	–	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	1	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	1	–	–
Fracture and Contusion	–	1	2	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Not Specified	1	1	4	10	1	3	3	3	1	2	5	5	2	7	1	–	3	1	1	–	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis	2	2	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	1	3	–	1	–	–	–	2	1	2	2	–	2	1	–	–	3	1	1	3
Paralysis	1	1	5	–	2	5	–	1	4	4	5	14	3	3	–	4	5	2	4	–	1	2
Delirium Tremens	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	1	1	–	–	–	1	–	1	–	1	–	–	–	–	6	–	2	–	–	1
Brain Disease	3	1	4	–	1	3	–	–	–	2	3	–	2	1	2	–	1	–	2	–	–	3
Pericarditis	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Heart Disease	1	2	3	3	–	5	–	1	3	7	6	18	2	5	5	6	8	3	6	3	5	7
Laryngitis	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	11	5	2	8	2	6	7	1	10	2	4	8	5	9	6	2	6	4	5	4	2	5
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	4	1	4	2	1	3	1	2	–	3	–	–	3	–	2	2	4	2	–	1	–	4
Asthma	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Lung Disease	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	7	1	1	1	1	–	1	–	–	2	–	1	–	–	–	3	–	–	–	–	1	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	3	6	1	1	2	3	1	–	–	–	–	–	–	–	1	1	1	1	–	–	1	1
Peritonitis	2	–	–	–	–	1	1	3	1	–	1	–	–	–	–	1	–	1	–	2	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intest.	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Ileus	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	1	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intest.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	1	1	1	–	–	–	2	1	1	–	–	2	2	1	–	1	2	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	1
Jaundice	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	1
Liver Disease	1	1	2	–	–	–	–	2	–	1	1	–	–	–	–	1	1	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–	–	1	–	–	1
Paramenia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	1	–	1	3	1	–	–	–	–	1	1	–	–	–	3	–	1	–	–	2	–	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	1	–	–	–	1	–	1	1	2	–	–	1	–	–	–	–	–	2	–
Fracture & Contusion	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	1	–	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Not Specified	6	1	–	1	–	–	2	–	5	5	–	–	4	–	–	–	2	–	–	1	5	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	69416	6523	2456	4621	6129	3021	2084	1521	3431	1830	2237	2569	2414
Specified Causes	66463	5682	2233	4383	5893	2921	2013	1460	3327	1751	2151	2491	2326
I. Zymotic Class	15170	765	667	1537	2538	1578	1191	897	1774	562	413	366	306
II. Diseases of Uncertain Seat	2344	38	18	29	29	17	17	15	52	32	31	37	48
III. Tubercular Class	11487	183	294	675	945	445	283	209	647	603	1119	1331	1139
IV. Brain and Nervous System	5460	383	159	227	260	130	79	76	190	129	90	106	103
V. Organs of Circulation	3274	21	6	8	5	3	3	8	42	49	77	79	119
VI. Respiratory Organs	9450	616	530	1099	1249	468	267	158	275	82	113	144	185
VII. Organs of Digestion	4822	491	241	570	596	118	53	31	100	71	77	110	92
VIII. Urinary Organs	1024	7	5	3	17	14	14	10	51	28	32	57	40
IX. Organs of Generation	531	–	–	–	–	–	–	–	–	1	21	74	94
X. Organs of Locomotion	450	2	–	3	2	3	7	11	45	54	34	28	24
XI. Skin, etc.	82	18	12	6	9	6	2	2	1	–	–	3	1
XII. Malformation	183	153	8	8	6	2	1	–	2	2	1	–	–
XIII. Premature Debility	3251	2843	224	184	–	–	–	–	–	–	–	–	–
XIV. Atrophy	559	–	–	–	160	54	37	16	31	15	8	10	13
XV. Age	5944	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	185	20	8	4	3	–	2	3	5	2	4	8	6
XVII. Violent Deaths	2247	142	61	30	74	83	57	33	112	121	131	138	156
I. Small Pox	15	4	1	3	3	–	1	–	1	1	–	–	1
Measles	1149	9	31	221	432	216	93	62	59	11	4	1	1
Scarlatina	3144	10	30	160	415	433	495	418	911	173	31	27	14
Diphtheria	749	24	6	63	135	109	104	75	142	33	7	7	8
Hooping Cough	2490	146	184	533	795	371	196	127	131	6	–	–	–
Croup	939	23	26	94	261	206	138	98	92	–	1	–	–
Thrush	25	19	1	1	2	1	–	–	1	–	–	–	–
Diarrhœa	2017	326	269	312	330	91	29	10	35	10	14	10	22
Dysentery	263	19	10	19	10	7	5	1	3	3	5	7	5
Cholera	204	13	22	31	18	4	2	2	9	4	4	5	6
Influenza	140	3	4	4	6	4	2	–	2	2	3	2	2
Purpura	30	1	1	2	1	1	1	1	2	2	4	–	2
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	18	–	–	–	3	2	1	2	9	1	–	–	–
Typhus	1561	8	7	16	36	27	36	29	112	118	134	136	104
Enteric Fever	1404	7	11	18	42	67	60	53	203	147	160	106	80
Relapsing Fever	45	–	–	–	2	2	1	–	1	5	5	5	4
Simple Continued Fever	100	–	–	–	4	5	3	4	18	14	10	8	4
Infantile Remittent	132	10	6	19	21	22	20	8	25	1	–	–	–
Metria	140	–	–	–	–	–	–	–	–	–	7	32	36
Rheumatic Fever	122	–	–	–	–	1	1	2	6	20	18	12	7
Erysipelas	258	79	16	14	5	6	–	2	8	7	4	2	3
Pyæmia	29	–	–	2	4	–	–	–	1	3	1	2	4
Syphilis	185	73	42	24	11	1	1	1	1	1	1	3	3
Noma	13	–	–	1	2	2	2	2	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	69	12	3	–	1	1	1	–	–	4	2	2	2
Dropsy	643	3	3	11	12	9	8	11	37	17	9	10	14
Abscess	132	9	9	9	9	2	2	1	5	5	6	6	9
Ulcer	38	4	1	2	1	1	2	–	1	–	2	–	2
Fistula	14	–	–	–	–	–	–	–	–	–	–	2	1
Mortification	109	5	1	3	4	1	–	1	2	–	2	1	1
Cancer	1327	5	1	4	2	3	4	2	7	6	10	16	19
Gout	12	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	688	22	14	42	71	38	25	22	86	76	66	54	39
Tabes Mesenterica	902	62	63	116	239	113	53	36	92	49	22	20	4
Phthisis	8154	29	44	104	186	120	79	59	278	441	1016	1254	1092
Hydrocephalus	1743	70	173	413	449	174	126	83	191	37	15	3	4

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	2194	2155	2075	2208	2306	2479	3005	3205	3225	3115	2535	1320	493	165	38	62
SPECIFIED CAUSES	2123	2085	2013	2123	2193	2355	2839	3179	3222	3115	2535	1320	493	165	38	34
Zymotic Class	274	251	238	227	232	259	266	256	195	189	123	53	10	2	–	1
Uncertain Seat	58	89	128	201	212	239	270	236	216	162	123	36	8	2	–	1
Tubercular Class	897	729	528	449	326	287	199	123	52	19	9	4	–	–	–	1
Brain, etc.	135	182	194	211	255	301	414	537	460	454	257	103	18	–	–	7
Heart, etc.	140	155	188	201	242	293	386	409	357	296	132	39	9	2	–	5
Respiratory Organs	184	222	265	348	390	437	520	576	526	407	228	117	36	6	–	2
Digestive Organs	118	141	171	206	265	252	319	283	245	156	85	25	5	1	–	–
Urinary Organs	52	37	47	70	56	59	88	94	100	78	46	15	1	2	–	1
Generative Organs	86	90	66	21	13	16	14	13	13	8	–	1	–	–	–	–
Locomotive Organs	19	14	21	19	19	22	30	24	33	23	10	2	–	–	–	1
Skin	1	2	–	2	4	1	3	2	3	2	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	15	17	26	33	52	71	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	197	526	963	1280	1488	901	401	148	38	2
Sudden Deaths	9	9	13	10	12	14	20	18	7	8	–	–	–	–	–	–
Violent Deaths	135	147	128	125	115	104	112	82	52	33	34	22	5	2	–	13
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	2	2	1	1	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	9	5	3	2	4	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	8	4	4	2	–	5	4	7	2	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	23	18	21	35	48	61	83	76	73	75	25	3	2	–	–
Dysentery	9	4	13	11	14	19	20	20	23	29	10	5	1	–	–	–
Cholera	4	6	5	11	9	13	12	8	7	5	3	1	–	–	–	–
Influenza	5	3	2	2	4	7	14	12	15	20	10	9	3	–	–	–
Purpura	1	1	2	1	3	–	1	–	–	1	1	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	103	102	103	105	105	95	77	60	22	17	7	2	–	–	–	–
Enteric Fever	57	52	56	46	42	40	48	43	31	21	11	2	–	–	–	1
Relapsing Fever	3	1	1	1	2	3	4	1	–	3	–	1	–	–	–	–
Simple Cont. Fever	1	8	3	3	1	2	1	5	1	2	2	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	34	20	9	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	10	6	6	7	1	5	8	5	3	4	–	–	–	–	–	–
Erysipelas	5	3	5	10	7	17	15	11	15	11	4	6	3	–	–	–
Pyæmia	2	7	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Syphilis	5	4	4	2	3	3	1	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	2	4	7	5	2	5	4	5	1	–	–	–	–	–	–
Dropsy	16	23	29	30	38	45	72	66	70	53	43	11	1	1	–	1
Abscess	9	9	7	5	8	8	7	2	3	–	1	1	–	–	–	–
Ulcer	–	1	2	2	1	2	5	1	3	1	4	–	–	–	–	–
Fistula	1	–	–	2	–	2	2	2	1	–	1	–	–	–	–	–
Mortification	–	2	4	1	3	5	10	10	13	15	16	7	2	–	–	–
Cancer	26	51	82	154	155	173	167	149	119	91	58	17	5	1	–	–
Gout	–	1	–	–	2	2	2	2	2	1	–	–	–	–	–	–
Scrofula	30	24	12	18	13	10	9	9	2	5	1	–	–	–	–	–
Tabes Mesenterica	5	3	3	4	3	6	1	5	2	–	–	1	–	–	–	–
Phthisis	862	698	513	427	310	271	188	109	48	14	8	3	–	1	–	–
Hydrocephalus	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	383	17	15	40	49	16	21	18	61	26	19	22	9
Apoplexy	1190	21	12	26	23	12	11	8	18	14	10	13	16
Paralysis	1653	2	1	1	2	3	1	2	4	9	5	9	9
Delirium Tremens	71	–	–	–	–	–	–	–	–	–	–	1	7
Chorea	5	–	–	–	1	1	–	–	1	–	1	–	–
Epilepsy	213	1	–	–	–	–	1	–	1	9	16	19	22
Tetanus	42	17	3	–	1	1	1	2	1	1	2	4	2
Insanity	46	–	–	–	–	–	–	–	–	2	–	2	3
Convulsions	856	312	109	132	155	62	29	17	38	2	–	–	–
Brain Disease	1001	13	19	28	29	35	15	29	66	66	37	36	35
V. Pericarditis	66	2	2	–	–	–	–	4	6	4	6	2	6
Aneurism	96	–	–	–	–	–	–	–	1	–	–	–	7
Heart Disease	3112	19	4	8	5	3	3	4	35	45	71	77	106
VI. Laryngitis	142	4	5	13	23	12	9	3	10	2	2	5	7
Bronchitis	6261	451	431	866	960	337	185	110	143	34	41	45	59
Pleurisy	206	8	1	4	2	2	3	1	14	5	7	7	12
Pneumonia	2098	136	84	202	254	112	65	36	93	33	49	70	79
Asthma	415	–	–	1	–	–	–	–	–	–	3	4	9
Lung Disease	328	17	9	13	10	5	5	8	15	8	11	13	19
VII. Teething	937	6	44	390	451	41	4	1	–	–	–	–	–
Quinsey	56	8	5	11	6	10	3	1	3	–	1	3	–
Gastritis	159	9	4	10	9	4	9	1	3	4	3	8	2
Enteritis	783	231	100	88	59	21	15	13	21	17	14	16	13
Peritonitis	325	30	14	8	8	11	5	3	18	18	18	25	17
Ascites	71	1	–	–	–	2	–	–	3	3	2	3	1
Ulceration of Intestines	185	7	1	3	6	1	1	2	4	2	3	9	7
Hernia	99	4	4	1	–	2	–	1	1	–	1	1	3
Ileus	292	23	11	2	5	1	1	–	4	7	11	13	4
Intussusception	30	–	4	4	2	–	–	–	1	–	1	–	–
Stricture of Intestines	31	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	751	88	43	44	32	15	9	6	22	7	10	14	13
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	146	4	–	3	2	–	1	–	3	3	4	4	6
Jaundice	176	57	4	3	7	4	1	1	1	3	1	2	2
Liver Disease	759	21	7	3	8	6	4	2	15	7	6	12	22
Spleen Disease	22	–	–	–	1	–	–	–	1	–	2	–	2
VIII. Nephritis	79	1	–	1	4	3	4	5	18	7	–	3	1
Nephria	300	–	–	–	7	5	2	3	15	9	17	25	16
Addison's Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	41	3	2	–	–	–	–	1	5	–	–	2	–
Diabetes	91	–	–	1	1	3	2	–	2	4	9	10	12
Stone	48	–	–	–	–	–	–	–	1	–	–	3	–
Cystitis	174	1	–	–	1	–	1	–	1	1	1	6	1
Stricture of Urethra	21	–	–	–	1	–	–	–	–	–	–	–	2
Kidney Disease	266	2	3	1	3	3	5	1	9	7	5	8	8
IX. Paramenia	33	–	–	–	–	–	–	–	–	1	6	4	6
Ovarian Dropsy	65	–	–	–	–	–	–	–	–	–	–	2	5
Childbirth	354	–	–	–	–	–	–	–	–	–	9	67	74
Organs of Generation	79	–	–	–	–	–	–	–	–	–	6	1	9
X. Arthritis	107	1	–	–	1	3	3	2	9	13	13	7	11
Rheumatism	177	–	–	–	–	–	1	1	3	12	6	3	2
Joint and Bone Disease	166	1	–	3	1	–	3	8	33	29	15	18	11
XI. Carbuncle	17	–	3	1	–	–	–	–	–	–	–	–	–
Phlegmon	8	1	–	–	–	1	–	–	–	–	–	1	1
Skin Disease	57	17	9	5	9	5	2	2	1	–	–	2	–
XVII. Intemperance	32	–	–	–	–	–	–	–	–	–	–	3	5
Privation	6	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	87	55	24	8	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	–	–	1	–	–	–	–	–	–
Cold	33	3	–	1	1	–	–	–	–	–	–	–	3
Poison	53	7	3	1	2	5	2	–	4	–	1	–	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	220	–	1	8	38	40	28	15	17	6	4	8	4
Hanging, etc.	58	–	–	–	–	–	–	–	1	3	1	1	3
Suffocation	128	42	29	10	4	3	1	–	4	–	1	1	6
Drowning	515	2	–	–	18	19	11	4	28	40	44	53	40
Fracture and Contusion	929	3	2	1	10	16	14	11	55	64	65	66	82
Gunshot Wounds	19	–	–	–	–	–	–	–	–	3	3	2	1
Cuts and Stabs	22	–	–	–	–	–	–	–	–	2	4	1	2
Other Violent Causes	93	29	2	1	1	–	–	3	3	3	5	3	5
Not Specified	2953	841	223	238	236	100	71	61	104	79	86	78	88

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	17	11	6	7	7	9	2	3	–	4	2	1	–	–	–	1
Apoplexy	21	48	44	63	82	105	132	174	118	111	70	31	6	–	–	1
Paralysis	25	41	49	53	96	120	182	268	263	275	154	66	10	–	–	3
Delirium Tremens	11	15	6	14	6	3	4	2	1	–	1	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	20	16	19	21	10	11	14	10	11	6	5	1	–	–	–	–
Tetanus	1	1	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Insanity	1	2	7	2	5	5	9	5	3	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	39	48	61	51	48	47	71	74	64	58	24	4	2	–	–	2
Pericarditis	5	3	4	7	–	8	–	2	2	3	–	–	–	–	–	–
Aneurism	9	18	9	12	11	7	7	7	3	2	3	–	–	–	–	–
Heart Disease	126	134	175	182	231	278	379	400	352	291	129	39	9	2	–	5
Laryngitis	5	5	9	5	4	7	3	5	3	–	–	1	–	–	–	–
Bronchitis	81	101	113	179	201	275	324	376	353	295	169	93	31	6	–	2
Pleurisy	15	8	12	5	18	9	19	16	17	11	6	2	2	–	–	–
Pneumonia	65	72	97	91	93	71	102	96	82	66	33	15	2	–	–	–
Asthma	5	14	21	36	50	47	52	61	58	32	17	4	1	–	–	–
Lung Disease	13	22	13	32	24	28	20	22	13	3	3	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
Gastritis	6	7	7	11	13	9	6	14	7	6	6	1	–	–	–	–
Enteritis	12	14	11	14	18	11	21	27	19	16	10	–	2	–	–	–
Peritonitis	21	18	17	10	13	10	20	12	16	8	4	–	–	1	–	–
Ascites	2	4	3	8	7	2	6	10	6	3	4	1	–	–	–	–
Ulceration of Intestines	10	11	15	14	18	9	21	14	13	7	5	2	–	–	–	–
Hernia	2	3	2	4	10	7	10	16	12	8	5	2	–	–	–	–
Ileus	10	4	15	9	28	19	35	34	20	18	12	5	1	–	–	–
Intussusception	2	1	–	1	3	3	1	1	4	1	1	–	–	–	–	–
Stricture of Intestines	–	3	1	2	5	2	4	5	4	3	–	–	–	–	–	–
Stomach Disease	17	15	30	37	41	63	68	57	54	44	17	4	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	8	14	10	11	17	19	9	10	7	1	–	–	–	–	–
Jaundice	1	–	5	5	9	9	15	13	17	4	9	3	–	–	–	–
Liver Disease	24	50	48	80	82	88	91	70	63	31	11	7	1	–	–	–
Spleen Disease	1	3	3	1	5	1	1	1	–	–	–	–	–	–	–	–
Nephritis	1	1	2	4	6	1	5	6	3	2	–	1	–	–	–	–
Nephria	26	17	19	27	17	20	23	19	19	6	7	–	1	–	–	–
Addison's Disease	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	1	1	1	1	–	3	6	4	4	5	1	–	1	–	–
Diabetes	6	2	6	4	6	7	6	3	6	1	–	–	–	–	–	–
Stone	–	–	–	1	2	1	5	13	6	11	4	1	–	–	–	–
Cystitis	3	4	3	9	4	11	20	15	33	31	18	9	–	1	–	–
Stricture of Urethra	1	–	1	3	2	1	2	–	4	3	1	–	–	–	–	–
Kidney Disease	15	11	15	21	16	18	24	31	25	20	11	3	–	–	–	1
Paramenia	8	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	5	4	5	7	7	11	7	6	3	–	–	–	–	–	–
Childbirth	71	78	51	3	–	–	1	–	–	–	–	–	–	–	–	–
Organs of Generation	4	6	7	10	6	9	2	6	7	5	–	1	–	–	–	–
Arthritis	8	5	4	6	9	3	3	2	3	1	–	–	–	–	–	–
Rheumatism	5	3	9	7	7	12	22	19	30	22	10	2	–	–	–	1
Joint Disease	6	6	8	6	3	7	5	3	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	4	1	3	1	1	1	–	2	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Intemperance	10	11	11	12	10	5	8	3	1	–	–	–	–	–	–	–
Privation	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	4	2	3	2	2	4	–	3	1	–	–	–	–	–	1
Poison	4	6	4	1	4	1	2	1	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	3	4	2	7	1	5	5	5	5	6	4	–	–	–	–
Hanging, etc.	5	6	4	6	3	6	9	5	2	3	–	–	–	–	–	–
Suffocation	2	5	3	4	3	3	6	–	1	–	–	–	–	–	–	–
Drowning	43	37	29	36	27	28	14	15	12	1	2	1	–	–	–	11
Fracture and Contusion	60	67	63	48	52	52	55	46	27	21	26	16	5	1	–	1
Gunshot Wounds	2	1	1	4	–	1	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	2	2	2	–	2	–	1	–	1	–	–	–	–
Other Violent Causes	–	6	5	6	5	3	8	3	1	1	–	–	–	–	–	–
Not Specified	71	70	62	85	113	124	166	26	3	–	–	–	–	–	–	28

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34662	3706	1335	2486	3158	1549	1036	779	1757	878	1130	1321	1154
SPECIFIED CAUSES	33068	3236	1214	2348	3044	1491	1004	746	1705	828	1084	1268	1102
I. Zymotic Class	7439	404	341	798	1273	781	569	462	864	223	202	172	130
II. Diseases of Uncertain Seat	884	21	10	13	12	7	8	4	22	13	14	20	15
III. Tubercular Class	5562	99	168	381	530	234	146	99	331	259	493	653	580
IV. Brain and Nervous System	2902	219	84	131	147	66	47	42	102	75	60	55	52
V. Organs of Circulation	1696	13	3	1	5	1	1	6	26	25	39	45	60
VI. Respiratory Organs	4953	362	302	593	634	247	136	81	137	39	59	91	101
VII. Organs of Digestion	2441	294	139	304	309	60	29	17	61	39	44	46	43
VIII. Urinary Organs	698	5	4	1	7	10	6	4	34	16	21	35	18
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	231	1	–	1	–	3	7	8	24	28	25	19	15
XI. Skin, etc.	49	11	10	3	4	2	1	2	1	–	–	2	–
XII. Malformation	111	98	1	4	4	1	1	–	1	1	–	–	–
XIII. Premature Debility	1816	1605	115	96	–	–	–	–	–	–	–	–	–
XIV. Atrophy	235	–	–	–	75	26	15	7	11	7	4	3	3
XV. Age	2220	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	106	8	5	3	2	–	–	1	3	–	2	4	3
XVII. Violent Deaths	1723	96	32	19	42	53	38	13	88	103	121	123	131
I. Small Pox	5	–	1	1	1	–	1	–	–	–	–	–	1
Measles	596	5	11	128	223	112	49	31	27	6	2	1	–
Scarlatina	1596	3	20	87	212	227	243	233	451	80	14	12	5
Diphtheria	354	14	4	26	69	58	46	37	59	11	4	2	4
Hooping Cough	1165	69	88	271	369	159	85	50	73	1	–	–	–
Croup	491	17	20	43	146	100	64	57	44	–	–	–	–
Thrush	14	9	1	1	1	1	–	–	1	–	–	–	–
Diarrhœa	998	170	138	157	165	52	14	5	20	4	12	4	11
Dysentery	115	6	4	12	6	3	3	1	2	3	1	4	2
Cholera	102	6	13	16	9	–	–	1	3	1	3	2	2
Influenza	68	3	4	4	5	2	1	–	–	–	2	2	1
Purpura	14	1	–	1	–	–	–	1	1	–	3	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	–	1	1	2	4	1	–	–	–
Typhus	831	1	5	10	20	13	21	13	53	48	74	81	57
Enteric Fever	654	5	3	9	24	36	25	26	95	52	70	45	41
Relapsing Fever	18	–	–	–	–	1	1	–	1	1	–	1	1
Simple Continued Fever	35	–	–	–	1	1	2	2	5	2	5	6	–
Infantile Remittent	67	5	2	10	11	11	11	2	15	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	60	–	–	–	–	–	1	–	5	8	9	9	2
Erysipelas	139	47	10	8	2	4	–	–	4	2	2	1	1
Pyæmia	14	–	–	1	3	–	–	–	1	2	1	1	–
Syphilis	90	43	17	12	5	–	–	1	–	1	–	1	1
Noma	4	–	–	1	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	45	7	2	–	–	1	1	1	–	2	1	1	1
Dropsy	262	1	3	6	4	3	3	3	17	5	3	5	4
Abscess	55	5	3	3	5	–	1	1	–	2	2	3	4
Ulcer	18	2	1	2	1	1	1	–	–	–	1	–	–
Fistula	12	–	–	–	–	–	–	–	–	–	–	2	1
Mortification	49	2	–	1	1	1	–	–	2	–	–	1	1
Cancer	436	4	1	1	–	1	2	–	3	4	7	8	4
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	386	10	8	29	42	14	15	13	51	43	45	31	23
Tabes Mesenterica	493	34	38	59	135	66	25	15	54	27	11	11	2
Phthisis	3724	12	23	59	104	64	37	29	129	169	432	608	502
Hydrocephalus	959	43	99	234	249	90	69	42	97	20	5	3	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1046	1042	1020	1185	1167	1271	1494	1550	1451	1353	1023	494	174	54	11	38
SPECIFIED CAUSES	1101	1011	984	1138	1115	1218	1405	1536	1449	1353	1023	494	174	54	11	22
Zymotic Class	110	113	125	121	127	133	137	110	88	89	43	20	3	–	–	1
Uncertain Seat	17	23	43	69	74	84	101	92	79	66	54	17	4	1	–	1
Tubercular Class	381	318	216	222	155	145	95	66	24	10	5	2	–	–	–	–
Brain, etc.	88	114	113	120	125	158	205	265	240	225	114	45	8	–	–	2
Heart, etc.	76	85	96	113	125	156	201	206	174	151	63	17	3	1	–	4
Respiratory Organs	104	122	146	210	218	236	273	300	236	170	87	49	19	–	–	1
Digestive Organs	58	61	83	103	126	127	154	118	108	65	39	12	2	–	–	–
Urinary Organs	26	24	26	52	37	42	61	71	82	64	35	14	–	2	–	1
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	8	7	9	13	10	13	10	10	7	8	5	–	–	–	–	–
Skin	–	1	–	1	2	1	3	1	1	1	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	10	9	9	18	30	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	70	222	372	487	566	309	134	48	11	1
Sudden Deaths	7	5	9	7	7	8	11	10	7	4	–	–	–	–	–	–
Violent Deaths	127	128	109	98	91	85	84	65	31	13	12	7	1	2	–	11
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	3	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	3	4	3	2	–	4	1	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	8	9	11	20	26	31	30	40	32	21	11	1	–	–	–
Dysentery	2	1	6	7	6	8	11	6	6	9	3	2	1	–	–	–
Cholera	2	3	1	9	5	9	7	2	4	2	1	1	–	–	–	–
Influenza	2	–	2	–	1	2	9	6	6	8	6	2	–	–	–	–
Purpura	1	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	52	63	55	64	46	45	29	9	12	4	1	–	–	–	–
Enteric Fever	26	29	26	27	18	21	20	23	13	14	5	–	–	–	–	1
Relapsing Fever	1	–	–	–	2	1	3	1	–	3	–	1	–	–	–	–
Simple Cont. Fever	–	5	1	–	1	1	–	1	–	–	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	4	5	3	1	2	3	2	2	1	–	–	–	–	–	–
Erysipelas	1	2	4	5	5	11	5	7	7	7	1	2	1	–	–	–
Pyæmia	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	2	6	5	–	5	4	2	–	–	–	–	–	–	–
Dropsy	7	7	14	11	15	18	26	25	26	25	23	7	–	–	–	1
Abscess	1	4	3	2	6	4	3	1	2	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	2	3	–	1	1	1	–	–	–	–	–
Fistula	–	–	–	2	–	2	2	2	1	–	–	–	–	–	–	–
Mortification	–	1	3	1	2	1	5	5	5	6	7	3	1	–	–	–
Cancer	7	9	21	46	44	56	56	53	41	34	23	7	3	1	–	–
Gout	–	–	–	–	2	1	1	2	1	–	–	–	–	–	–	–
Scrofula	15	10	3	9	7	5	5	4	–	3	1	–	–	–	–	–
Tabes Mesenterica	2	2	1	2	2	4	–	3	–	–	–	–	–	–	–	–
Phthisis	364	302	212	211	146	136	89	59	24	7	4	2	–	–	–	–
Hydrocephalus	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	225	13	9	21	28	7	10	13	33	15	14	11	8
Apoplexy	605	10	6	15	11	6	8	5	9	6	8	6	3
Paralysis	802	–	–	–	2	–	1	1	3	3	4	7	7
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	–	1	6
Chorea	2	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	118	1	–	–	–	–	–	–	–	6	8	9	11
Tetanus	30	13	3	–	1	1	1	1	1	1	2	2	–
Insanity	13	–	–	–	–	–	–	–	–	1	–	1	1
Convulsions	479	176	60	80	89	32	17	5	18	2	–	–	–
Brain Disease	568	6	6	15	15	20	10	17	37	41	24	18	16
V. Pericarditis	37	1	–	–	–	–	–	3	4	3	4	1	1
Aneurism	72	–	–	–	–	–	–	–	1	–	–	–	6
Heart Disease	1587	12	3	1	5	1	1	3	21	22	35	44	53
VI. Laryngitis	83	2	4	7	10	6	5	2	8	1	1	2	4
Bronchitis	3077	262	238	458	488	173	94	56	64	14	15	30	26
Pleurisy	139	4	1	2	1	1	3	–	12	4	5	5	9
Pneumonia	1232	88	54	117	131	63	31	18	45	14	30	44	47
Asthma	226	–	–	1	–	–	–	–	–	–	2	3	4
Lung Disease	196	6	5	8	4	4	3	5	8	6	6	7	11
VII. Teething	493	4	26	203	238	19	2	1	–	–	–	–	–
Quinsey	30	5	1	7	4	4	3	–	1	–	1	2	–
Gastritis	74	8	3	4	5	2	4	1	2	2	1	1	1
Enteritis	431	137	61	53	27	11	8	6	12	11	8	8	8
Peritonitis	132	14	8	6	1	4	4	1	10	11	11	9	2
Ascites	27	1	–	–	–	1	–	–	2	–	1	2	1
Ulceration of Intestines	89	4	1	1	3	1	1	1	3	2	2	4	4
Hernia	48	4	3	1	–	2	–	1	1	–	1	1	3
Ileus	152	15	7	2	3	–	1	–	3	4	7	8	2
Intussusception	20	–	4	1	2	–	–	–	1	–	1	–	–
Stricture of Intestines	14	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	355	54	18	20	15	11	2	4	13	3	3	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	72	3	–	2	–	–	1	–	2	2	3	2	3
Jaundice	90	29	2	2	4	1	–	1	1	–	1	–	–
Liver Disease	402	14	5	2	7	4	3	1	9	4	3	4	13
Spleen Disease	12	–	–	–	–	–	–	–	1	–	1	–	2
VIII. Nephritis	51	1	–	–	1	1	2	2	14	4	–	3	–
Nephria	173	–	–	–	2	5	–	1	11	5	12	15	5
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	32	2	1	–	–	–	–	–	3	–	–	2	–
Diabetes	60	–	–	1	1	3	1	–	1	1	7	7	6
Stone	45	–	–	–	–	–	–	–	1	–	–	3	–
Cystitis	156	1	–	–	1	–	1	–	1	1	–	2	1
Stricture of Urethra	19	–	–	–	1	–	–	–	–	–	–	–	1
Kidney Disease	159	1	3	–	1	1	2	1	3	5	2	3	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	68	1	–	–	–	3	3	2	5	7	10	3	7
Rheumatism	69	–	–	–	–	–	1	1	–	7	5	3	2
Joint and Bone Disease	94	–	–	1	–	–	3	5	19	14	10	13	6
XI. Carbuncle	12	–	3	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	35	10	7	3	4	2	1	2	1	–	–	2	–
XVII. Intemperance	51	–	–	–	–	–	–	–	–	–	3	3	1
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	54	32	16	6	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	–	1	–	–	–	–	–	–
Cold	24	2	–	1	1	–	–	–	–	–	–	–	3
Poison	34	4	3	–	1	4	2	–	3	–	–	–	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	–	–	5	23	26	18	6	11	5	3	6	3
Hanging, etc.	43	–	–	–	–	–	–	–	–	3	1	–	1
Suffocation	75	29	11	6	2	1	1	–	4	–	–	–	4
Drowning	440	2	–	–	9	13	8	3	22	36	41	49	37
Fracture and Contusion	769	3	1	–	6	9	8	4	48	51	62	62	74
Gunshot Wounds	17	–	–	–	–	–	–	–	–	3	3	1	1
Cuts and Stabs	19	–	–	–	–	–	–	–	–	2	4	–	1
Other Violent Causes	67	24	1	1	–	–	–	–	–	3	4	2	4
Not Specified	1594	470	121	138	114	58	32	33	52	50	46	53	52

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	10	9	6	3	5	7	1	–	–	1	1	–	–	–	–	–
Apoplexy	11	27	25	34	38	48	68	90	60	58	33	15	4	–	–	1
Paralysis	19	27	28	26	43	63	83	125	138	127	65	27	3	–	–	–
Delirium Tremens	10	12	4	13	5	2	3	2	1	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	11	12	11	6	8	7	5	7	3	3	1	–	–	–	–
Tetanus	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	1	–	2	–	1	2	1	2	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	27	28	34	33	27	28	42	40	33	36	11	2	1	–	–	1
Pericarditis	2	–	3	6	–	5	–	1	1	2	–	–	–	–	–	–
Aneurism	7	18	9	11	7	4	3	2	2	1	1	–	–	–	–	–
Heart Disease	67	67	84	96	118	147	198	203	171	148	62	17	3	1	–	4
Laryngitis	4	4	6	3	2	5	2	3	2	–	–	–	–	–	–	–
Bronchitis	39	53	49	88	98	137	156	184	138	112	55	35	14	–	–	1
Pleurisy	11	5	4	3	12	6	14	11	12	4	6	2	2	–	–	–
Pneumonia	39	45	67	72	59	44	59	58	48	35	16	8	2	–	–	–
Asthma	4	6	12	21	27	28	27	33	28	18	8	3	1	–	–	–
Lung Disease	7	9	10	23	20	16	15	11	8	1	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	4	4	6	5	4	4	2	2	3	1	–	–	–	–
Enteritis	4	9	5	5	9	7	8	11	10	7	5	–	1	–	–	–
Peritonitis	5	6	5	4	5	5	8	4	4	2	3	–	–	–	–	–
Ascites	2	3	2	3	2	–	1	3	2	1	–	–	–	–	–	–
Ulceration of Intestines	2	5	5	7	10	4	13	7	5	3	–	1	–	–	–	–
Hernia	2	1	2	2	2	4	3	3	5	2	3	2	–	–	–	–
Ileus	6	2	8	4	13	6	18	16	11	9	5	2	–	–	–	–
Intussusception	2	–	–	–	–	2	1	–	4	1	1	–	–	–	–	–
Stricture of Intestines	–	1	–	2	2	1	2	2	1	1	–	–	–	–	–	–
Stomach Disease	10	3	14	21	17	33	30	26	24	16	7	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	2	8	7	5	9	10	2	2	4	1	–	–	–	–	–
Jaundice	1	–	3	1	5	3	8	6	10	3	8	1	–	–	–	–
Liver Disease	15	27	26	43	46	47	46	34	28	14	3	3	1	–	–	–
Spleen Disease	1	1	1	–	3	1	1	–	–	–	–	–	–	–	–	–
Nephritis	1	1	1	4	4	1	2	5	2	1	–	1	–	–	–	–
Nephria	11	10	13	20	12	11	12	10	12	3	3	–	–	–	–	–
Addison's Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	3	4	4	4	5	1	–	1	–	–
Diabetes	4	1	4	2	4	6	4	2	4	1	–	–	–	–	–	–
Stone	–	–	–	1	2	1	5	13	6	10	3	–	–	–	–	–
Cystitis	2	3	1	8	3	10	18	14	32	30	17	9	–	1	–	–
Stricture of Urethra	1	–	1	3	2	1	2	–	4	2	1	–	–	–	–	–
Kidney Disease	7	8	6	13	8	12	15	22	18	13	6	3	–	–	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	4	4	1	5	5	2	2	1	2	1	–	–	–	–	–	–
Rheumatism	2	2	5	5	3	5	5	6	5	7	5	–	–	–	–	–
Joint Disease	2	1	3	3	2	6	3	3	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	3	–	1	–	–	2	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	9	4	9	7	4	3	5	2	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	2	2	2	1	1	2	–	2	1	–	–	–	–	–	1
Poison	4	5	1	–	2	1	1	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	3	1	3	1	1	3	1	1	3	–	–	–	–	–
Hanging, etc.	4	5	3	5	3	5	8	4	–	1	–	–	–	–	–	–
Suffocation	1	4	1	3	2	2	4	–	–	–	–	–	–	–	–	–
Drowning	43	37	24	27	23	23	11	14	6	1	1	1	–	–	–	9
Fracture and Contusion	57	63	60	41	49	45	44	38	20	8	8	5	1	1	–	1
Gunshot Wounds	2	1	1	4	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	2	1	2	–	2	–	1	–	1	–	–	–	–
Other Violent Causes	–	6	3	5	3	1	7	2	1	–	–	–	–	–	–	–
Not Specified	35	31	36	47	52	53	89	14	2	–	–	–	–	–	–	16

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34754	2817	1121	2135	2971	1472	1048	742	1674	952	1107	1248	1260
SPECIFIED CAUSES	33395	2446	1019	2035	2849	1430	1009	714	1622	923	1067	1223	1224
I. Zymotic Class	7731	361	326	739	1265	797	622	435	910	339	211	194	176
II. Diseases of Uncertain Seat	1460	17	8	16	17	10	9	11	30	19	17	17	33
III. Tubercular Class	5925	84	126	294	415	211	137	101	316	344	626	678	609
IV. Brain and Nervous System	2558	164	75	96	113	64	32	34	88	54	30	51	51
V. Organs of Circulation	1578	8	3	7	–	2	2	2	16	24	38	34	59
VI. Respiratory Organs	4497	254	228	506	615	221	131	77	138	43	54	53	84
VII. Organs of Digestion	2381	197	102	266	287	58	24	14	39	32	33	64	49
VIII. Urinary Organs	326	2	1	2	10	4	8	6	17	12	11	22	22
IX. Organs of Generation	529	–	–	–	–	–	–	–	–	1	21	74	93
X. Organs of Locomotion	219	1	–	2	2	–	–	3	21	26	9	9	9
XI. Skin, etc.	33	7	2	3	5	4	1	–	–	–	–	1	1
XII. Malformation	72	55	7	4	2	1	–	–	1	1	1	–	–
XIII. Premature Debility	1435	1238	109	88	–	–	–	–	–	–	–	–	–
XIV. Atrophy	324	–	–	–	85	28	22	9	20	8	4	7	10
XV. Age	3724	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	79	12	3	1	1	–	2	2	2	2	2	4	3
XVII. Violent Deaths	524	46	29	11	32	30	19	20	24	18	10	15	25
I. Small Pox	10	4	–	2	2	–	–	–	1	1	–	–	–
Measles	553	4	20	93	209	104	44	31	32	5	2	–	1
Scarlatina	1545	7	10	73	203	206	252	185	460	93	17	15	9
Diphtheria	395	10	2	37	66	51	58	38	83	22	3	5	4
Hooping Cough	1325	77	96	262	426	212	111	77	58	5	–	–	–
Croup	448	6	6	51	115	106	74	41	48	–	1	–	–
Thrush	11	10	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	1019	156	131	155	165	39	15	5	15	6	2	6	11
Dysentery	148	4	6	7	4	4	2	–	1	–	4	3	3
Cholera	102	7	9	15	9	4	2	1	6	3	1	3	4
Influenza	72	–	–	–	1	2	1	–	2	2	1	–	1
Purpura	16	–	1	1	1	1	1	–	1	2	1	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	9	–	–	–	3	1	–	–	5	–	–	–	–
Typhus	730	7	2	6	16	14	15	16	59	70	60	55	47
Enteric Fever	750	2	8	9	18	31	35	27	108	95	90	61	39
Relapsing Fever	27	–	–	–	2	1	–	–	–	4	5	4	3
Simple Continued Fever	65	–	–	–	3	4	1	2	13	12	5	2	4
Infantile Remittent	65	5	4	9	10	11	9	6	10	1	–	–	–
Metria	140	–	–	–	–	–	–	–	–	–	7	32	36
Rheumatic Fever	62	–	–	–	–	1	–	2	1	12	9	3	5
Erysipelas	119	32	6	6	3	2	–	2	4	5	2	1	2
Pyæmia	15	–	–	1	1	–	–	–	–	1	–	1	4
Syphilis	95	30	25	12	6	1	1	–	1	–	1	2	2
Noma	9	–	–	–	1	2	1	2	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	5	1	–	–	–	–	–	–	2	1	1	1
Dropsy	381	2	–	5	8	6	5	8	20	12	6	5	10
Abscess	77	4	6	6	4	2	1	–	5	3	4	3	5
Ulcer	20	2	–	–	–	–	1	–	1	–	1	–	2
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	60	3	1	2	3	–	–	1	–	–	2	–	–
Cancer	891	1	–	3	2	2	2	2	4	2	3	8	15
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	302	12	6	13	29	24	10	9	35	33	21	23	16
Tabes Mesenterica	409	28	25	57	104	47	28	21	38	22	11	9	2
Phthisis	4430	17	21	45	82	56	42	30	149	272	584	646	590
Hydrocephalus	784	27	74	179	200	84	57	41	94	17	10	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1148	1113	1055	1023	1139	1208	1511	1655	1774	1762	1512	826	319	111	27	24
SPECIFIED CAUSES	1112	1074	1029	985	1078	1137	1434	1643	1773	1762	1512	826	319	111	27	12
Zymotic Class	164	138	113	106	105	126	129	146	107	100	80	33	7	2	–	–
Uncertain Seat	14	66	85	132	138	155	169	144	137	96	69	19	4	1	–	–
Tubercular Class	516	411	312	227	171	142	104	57	28	9	4	2	–	–	–	1
Brain, etc.	47	68	81	91	130	143	209	272	220	229	143	58	10	–	–	5
Heart, etc.	64	70	92	88	117	137	185	203	183	145	69	22	6	1	–	1
Respiratory Organs	80	100	119	138	172	201	247	276	290	237	141	68	17	6	–	1
Digestive Organs	60	80	88	103	139	125	165	165	137	91	46	13	3	1	–	–
Urinary Organs	26	13	21	18	19	17	27	23	18	14	11	1	1	–	–	–
Generative Organs	85	90	66	21	13	16	14	13	13	8	–	1	–	–	–	–
Locomotive Organs	11	7	12	6	9	9	20	14	26	15	5	2	–	–	–	1
Skin	1	1	–	1	2	–	–	1	2	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	7	17	24	34	41	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	127	304	591	793	922	592	267	100	27	1
Sudden Deaths	2	4	4	3	5	6	9	8	–	4	–	–	–	–	–	–
Violent Deaths	8	19	19	27	24	19	28	17	21	20	22	15	4	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	4	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	5	–	1	–	–	1	3	5	1	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	15	9	10	15	22	30	53	36	41	54	14	2	2	–	–
Dysentery	7	3	7	4	8	11	9	14	17	20	7	3	–	–	–	–
Cholera	2	3	4	2	4	4	5	6	3	3	2	–	–	–	–	–
Influenza	3	3	–	2	3	5	5	6	9	12	4	7	3	–	–	–
Purpura	–	1	–	1	1	–	–	–	–	1	1	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	50	40	50	41	49	32	31	13	5	3	1	–	–	–	–
Enteric Fever	31	23	30	19	24	19	28	20	18	7	6	2	–	–	–	–
Relapsing Fever	2	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	3	2	3	–	1	1	4	1	2	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	34	20	9	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	2	1	4	–	3	5	3	1	3	–	–	–	–	–	–
Erysipelas	4	1	1	5	2	6	10	4	8	4	3	4	2	–	–	–
Pyæmia	1	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	1	3	3	1	3	2	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	–	2	1	–	2	–	–	3	1	–	–	–	–	–	–
Dropsy	9	16	15	19	23	27	46	41	44	28	20	4	1	1	–	–
Abscess	8	5	4	3	2	4	4	1	1	–	1	1	–	–	–	–
Ulcer	–	1	2	1	1	–	2	1	2	–	3	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	–	1	1	–	1	4	5	5	8	9	9	4	1	–	–	–
Cancer	19	42	61	108	111	117	111	96	78	57	35	10	2	–	–	–
Gout	–	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Scrofula	15	14	9	9	6	5	4	5	2	2	–	–	–	–	–	–
Tabes Mesenterica	3	1	2	2	1	2	1	2	2	–	–	1	–	–	–	–
Phthisis	498	396	301	216	164	135	99	50	24	7	4	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	158	4	6	19	21	9	11	5	28	11	5	11	1
Apoplexy	585	11	6	11	12	6	3	3	9	8	2	7	13
Paralysis	851	2	1	1	–	3	–	1	1	6	1	2	2
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	–	1	–	–	–	–	1	–	–
Epilepsy	95	–	–	–	–	–	1	–	1	3	8	10	1
Tetanus	12	4	–	–	–	–	–	1	–	–	–	2	2
Insanity	33	–	–	–	–	–	–	–	–	1	–	1	2
Convulsions	377	136	49	52	66	30	12	12	20	–	–	–	–
Brain Disease	433	7	13	13	14	15	5	12	29	25	13	18	19
V. Pericarditis	29	1	2	–	–	–	–	1	2	1	2	1	5
Aneurism	24	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1525	7	1	7	–	2	2	1	14	23	36	33	53
VI. Laryngitis	59	2	1	6	13	6	4	1	2	1	1	3	3
Bronchitis	3184	189	193	408	472	164	91	54	79	20	26	15	33
Pleurisy	67	4	–	2	1	1	–	1	2	1	2	2	3
Pneumonia	866	48	30	85	123	49	34	18	48	19	19	26	32
Asthma	189	–	–	–	–	–	–	–	–	–	1	1	5
Lung Disease	132	11	4	5	6	1	2	3	7	2	5	6	8
VII. Teething	444	2	18	187	213	22	2	–	–	–	–	–	–
Quinsey	26	3	4	4	2	6	–	1	2	–	–	1	–
Gastritis	85	1	1	6	4	2	5	–	1	2	2	7	1
Enteritis	352	94	39	35	32	10	7	7	9	6	6	8	5
Peritonitis	193	16	6	2	7	7	1	2	8	7	7	16	15
Ascites	44	–	–	–	–	1	–	–	1	3	1	1	–
Ulceration of Intestines	96	3	–	2	3	–	–	1	1	–	1	5	3
Hernia	51	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	140	8	4	–	2	1	–	–	1	3	4	5	2
Intussusception	10	–	–	3	–	–	–	–	–	–	–	–	–
Stricture of Intestines	17	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	396	34	25	24	17	4	7	2	9	4	7	9	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	1	–	1	2	–	–	–	1	1	1	2	3
Jaundice	86	28	2	1	3	3	1	–	–	3	–	2	2
Liver Disease	357	7	2	1	1	2	1	1	6	3	3	8	9
Spleen Disease	10	–	–	–	1	–	–	–	–	–	1	–	–
VIII. Nephritis	28	–	–	1	3	2	2	3	4	3	–	–	1
Nephria	127	–	–	–	5	–	2	2	4	4	5	10	11
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	9	1	1	–	–	–	–	1	2	–	–	–	–
Diabetes	31	–	–	–	–	–	1	–	1	3	2	3	6
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	18	–	–	–	–	–	–	–	–	–	1	4	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	107	1	–	1	2	2	3	–	6	2	3	5	3
IX. Paramenia	33	–	–	–	–	–	–	–	–	1	6	4	6
Ovarian Dropsy	65	–	–	–	–	–	–	–	–	–	–	2	5
Childbirth	354	–	–	–	–	–	–	–	–	–	9	67	74
Organs of Generation	77	–	–	–	–	–	–	–	–	–	6	1	8
X. Arthritis	39	–	–	–	1	–	–	–	4	6	3	4	4
Rheumatism	108	–	–	–	–	–	–	–	3	5	1	–	–
Joint and Bone Disease	72	1	–	2	1	–	–	3	14	15	5	5	5
XI. Carbuncle	5	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	6	–	–	–	–	1	–	–	–	–	–	1	1
Skin Disease	22	7	2	2	5	3	1	–	–	–	–	–	–
XVII. Intemperance	31	–	–	–	–	–	–	–	–	–	–	–	4
Privation	4	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	33	23	8	2	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	9	1	–	–	–	–	–	–	–	–	–	–	–
Poison	19	3	–	1	1	1	–	–	1	–	1	–	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	93	–	1	3	15	14	10	9	6	1	1	2	1
Hanging, etc.	15	–	–	–	–	–	–	–	1	–	–	1	2
Suffocation	53	13	18	4	2	2	–	–	–	–	1	1	2
Drowning	75	–	–	–	9	6	3	1	6	4	3	4	3
Fracture and Contusion	160	–	1	1	4	7	6	7	7	13	3	4	8
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	26	5	1	–	1	–	–	3	3	–	1	1	1
Not Specified	1359	371	102	100	122	42	39	28	52	29	40	25	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	2	–	4	2	2	1	3	–	3	1	1	–	–	–	1
Apoplexy	10	21	19	29	44	57	64	84	58	53	37	16	2	–	–	–
Paralysis	6	14	21	27	53	57	99	143	125	148	89	39	7	–	–	3
Delirium Tremens	1	3	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	5	7	10	4	3	7	5	4	3	2	–	–	–	–	–
Tetanus	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Insanity	–	2	5	2	4	3	8	3	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	20	27	18	21	19	29	34	31	22	13	2	1	–	–	1
Pericarditis	3	3	1	1	–	3	–	1	1	1	–	–	–	–	–	–
Aneurism	2	–	–	1	4	3	4	5	1	1	2	–	–	–	–	–
Heart Disease	59	67	91	86	113	131	181	197	181	143	67	22	6	1	–	1
Laryngitis	1	1	3	2	2	2	1	2	1	–	–	1	–	–	–	–
Bronchitis	42	48	64	91	103	138	168	192	215	183	114	58	17	6	–	1
Pleurisy	4	3	8	2	6	3	5	5	5	7	–	–	–	–	–	–
Pneumonia	26	27	32	19	34	27	43	38	34	31	17	7	–	–	–	–
Asthma	1	8	9	15	23	19	25	28	30	14	9	1	–	–	–	–
Lung Disease	6	13	3	9	4	12	5	11	5	2	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Gastritis	2	6	3	7	7	4	2	10	5	4	3	–	–	–	–	–
Enteritis	8	5	6	9	9	4	13	16	9	9	5	–	1	–	–	–
Peritonitis	16	12	12	6	8	5	12	8	12	6	1	–	–	1	–	–
Ascites	–	1	1	5	5	2	5	7	4	2	4	1	–	–	–	–
Ulceration of Intestines	8	6	10	7	8	5	8	7	8	4	5	1	–	–	–	–
Hernia	–	2	–	2	8	3	7	13	7	6	2	–	–	–	–	–
Ileus	4	2	7	5	15	13	17	18	9	9	7	3	1	–	–	–
Intussusception	–	1	–	1	3	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	2	1	–	3	1	2	3	3	2	–	–	–	–	–	–
Stomach Disease	7	12	16	16	24	30	38	31	30	28	10	2	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	6	6	3	6	8	9	7	8	3	–	–	–	–	–	–
Jaundice	–	–	2	4	4	6	7	7	7	1	1	2	–	–	–	–
Liver Disease	9	23	22	37	36	41	45	36	35	17	8	4	–	–	–	–
Spleen Disease	–	2	2	1	2	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	2	–	3	1	1	1	–	–	–	–	–	–
Nephria	15	7	6	7	5	9	11	9	7	3	4	–	1	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Diabetes	2	1	2	2	2	1	2	1	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Cystitis	1	1	2	1	1	1	2	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	8	3	9	8	8	6	9	9	7	7	5	–	–	–	–	–
Paramenia	8	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	5	4	5	7	7	11	7	6	3	–	–	–	–	–	–
Childbirth	71	78	51	3	–	–	1	–	–	–	–	–	–	–	–	–
Organs of Generation	3	6	7	10	6	9	2	6	7	5	–	1	–	–	–	–
Arthritis	4	1	3	1	4	1	1	1	1	–	–	–	–	–	–	–
Rheumatism	3	1	4	2	4	7	17	13	25	15	5	2	–	–	–	1
Joint Disease	4	5	5	3	1	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	1	7	2	5	6	2	3	1	–	–	–	–	–	–	–	–
Privation	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	1	1	1	2	–	1	–	–	–	–	–	–	–
Poison	–	1	3	1	2	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	1	1	4	–	4	2	4	4	3	4	–	–	–	–
Hanging, etc.	1	1	1	1	–	1	1	1	2	2	–	–	–	–	–	–
Suffocation	1	1	2	1	1	1	2	–	1	–	–	–	–	–	–	–
Drowning	–	–	5	9	4	5	3	1	6	–	1	–	–	–	–	2
Fracture and Contusion	3	4	3	7	3	7	11	8	7	13	18	11	4	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	2	1	2	2	1	1	–	1	–	–	–	–	–	–
Not Specified	86	39	26	38	61	71	77	12	1	–	–	–	–	–	–	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
		AGE UNDER.											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2511	199	41	72	88	54	39	28	74	62	79	93	97
SPECIFIED CAUSES	2110	78	25	56	67	42	29	20	61	52	62	76	80
I. Zymotic Class	308	17	13	33	35	18	21	11	29	17	10	10	4
II. Diseases of Uncertain Seat	93	1	–	–	–	–	–	–	–	1	2	1	2
III. Tubercular Class	324	1	5	6	12	7	4	2	12	21	28	39	42
IV. Brain and Nervous System	128	8	–	–	2	4	–	–	5	–	2	4	5
V. Organs of Circulation	74	–	–	–	1	1	–	–	1	3	3	1	4
VI. Respiratory Organs	183	10	4	8	7	6	1	2	9	3	4	6	4
VII. Organs of Digestion	138	4	3	6	6	1	–	–	–	3	4	5	3
VIII. Urinary Organs	27	–	–	–	–	1	–	–	–	1	–	1	1
IX. Organs of Generation	23	–	–	–	–	–	–	–	–	–	2	1	6
X. Organs of Locomotion	28	–	–	1	–	–	–	2	–	–	1	2	1
XI. Skin, etc.	5	1	–	1	2	–	1	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	30	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	1	1	–	–	–	–	–	1
XV. Age	654	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	–	–	–	–	–	2	–	–	1	–	–
XVII. Violent Deaths	77	1	–	1	1	3	1	1	5	3	5	6	7
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	26	–	–	5	3	5	1	–	3	5	1	–	–
Scarlatina	14	–	–	2	3	–	1	3	2	2	–	1	–
Diphtheria	6	–	–	1	2	–	–	–	3	–	–	–	–
Hooping Cough	80	5	4	13	21	11	8	4	13	1	–	–	–
Croup	36	7	2	8	2	2	9	3	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	34	3	3	2	3	–	1	–	1	–	1	1	1
Dysentery	4	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	16	1	2	–	1	–	–	–	–	1	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	–	–	–	–	–	–	1	–	5	5	6	1
Enteric Fever	19	–	1	–	–	–	1	–	1	1	2	2	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	–	–	–	–	–	–	–	2	1	–	–	1
Erysipelas	4	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	39	–	–	–	–	–	–	–	–	–	2	–	–
Abscess	5	–	–	–	–	–	–	–	–	–	–	1	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	43	–	–	–	–	–	–	–	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	–	–	1	1	–	–	1	1	3	2
Tabes Mesenterica	16	1	1	1	4	1	1	2	1	2	–	1	–
Phthisis	268	–	–	2	–	2	1	–	6	16	27	35	40
Hydrocephalus	26	–	4	3	8	3	1	–	5	2	–	–	–

CAUSES OF DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	77	54	71	70	86	90	146	157	192	223	195	117	59	24	11	13
SPECIFIED CAUSES	68	44	60	62	61	68	113	154	192	223	195	117	59	24	11	11
Zymotic Class	10	2	7	6	9	9	9	17	5	10	4	–	–	1	–	1
Uncertain Seat	1	1	2	8	7	7	14	18	9	9	4	5	–	1	–	–
Tubercular Class	27	24	16	21	11	10	19	9	2	5	–	1	–	–	–	–
Brain, etc.	4	4	4	3	8	9	8	8	22	14	8	3	3	–	–	–
Heart, etc.	1	1	6	1	6	5	7	11	7	8	4	1	–	–	–	2
Respiratory Organs	5	6	4	7	5	6	15	16	23	16	10	5	–	1	–	–
Digestive Organs	6	3	8	7	7	17	20	13	8	8	4	2	–	–	–	–
Urinary Organs	–	–	1	–	1	2	3	5	4	4	2	1	–	–	–	–
Generative Organs	4	–	5	2	2	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	1	3	1	3	3	4	4	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	49	106	143	158	98	55	21	11	1
Sudden Deaths	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Violent Deaths	8	3	6	4	2	1	3	3	1	2	1	1	1	–	–	7
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	4	1	3	2	2	3	–	–	1	–	–
Dysentery	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	2	3	–	4	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	2	5	3	4	3	4	2	3	–	–	–	–	–	–
Enteric Fever	3	–	1	–	2	–	1	2	–	–	1	–	–	–	–	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	2	3	5	7	8	–	5	2	2	–	–	–	–
Abscess	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	–	–	1	5	2	2	6	10	6	3	2	3	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	27	24	14	21	11	10	18	8	2	3	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	8	–	–	–	2	–	–	–	2	–	–	1	1
	Apoplexy	26	–	–	–	–	1	–	–	–	–	–	–	1
	Paralysis	53	–	–	–	–	–	–	–	–	–	–	–	2
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	10	–	–	–	–	–	–	–	–	–	–	1	1
	Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	8	4	–	–	–	2	–	–	2	–	–	–	–
	Brain Disease	18	–	–	–	–	1	–	–	1	–	2	2	–
V.	Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	72	–	–	–	1	1	–	–	1	3	3	1	3
VI.	Laryngitis	2	–	–	–	–	–	–	–	1	–	–	–	–
	Bronchitis	83	2	4	6	3	1	1	2	3	–	–	2	–
	Pleurisy	19	6	–	–	–	–	–	–	4	–	1	–	1
	Pneumonia	42	2	–	2	4	5	–	–	1	3	2	3	3
	Asthma	34	–	–	–	–	–	–	–	–	–	–	1	–
	Lung Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
VII.	Teething	11	–	2	5	4	–	–	–	–	–	–	–	–
	Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	6	–	–	–	–	–	–	–	–	1	–	–	–
	Enteritis	13	2	1	1	1	–	–	–	–	–	1	1	–
	Peritonitis	6	1	–	–	–	–	–	–	–	1	–	–	–
	Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	14	–	–	–	–	–	–	–	1	1	1	–	
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	28	–	–	–	–	–	–	–	–	–	2	2	
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	10	–	–	–	–	–	–	–	–	–	2	1	1
	Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	31	–	–	–	1	1	–	–	–	–	–	–	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Nephria	4	–	–	–	–	1	–	–	–	–	–	1	–
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
	Stone	8	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
IX.	Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	1
	Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	12	–	–	–	–	–	–	–	–	–	–	1	3
	Organs of Generation	7	–	–	–	–	–	–	–	–	–	2	–	2
X.	Arthritis	4	–	–	–	–	–	–	1	–	–	1	–	–
	Rheumatism	20	–	–	–	–	–	–	–	–	–	–	1	1
	Joint and Bone Disease	4	–	–	1	–	–	–	1	–	–	–	1	–
XI.	Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	4	1	–	–	2	–	1	–	–	–	–	–	–
XVII.	Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	7	–	–	1	–	–	–	–	–	–	–	–	1
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	9	–	–	–	1	3	1	–	–	–	–	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	39	–	–	–	–	–	–	1	2	–	2	6	4
	Fracture and Contusion	16	–	–	–	–	–	–	–	2	3	2	–	2
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	2	1	–	–	–	–	–	–	1	–	–	–	–
	Not Specified	401	121	16	16	21	12	10	8	13	10	17	17	17

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	–	4	1	4	–	6	4	1	–	1	–	–	–
Paralysis	–	–	–	1	3	5	4	7	10	9	7	3	2	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	1	–	1	–	1	4	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	6	1	6	5	7	11	7	8	4	1	–	–	–	2
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	4	3	2	–	3	2	9	10	10	9	5	–	1	–	–
Pleurisy	–	–	–	–	1	–	2	1	2	1	–	–	–	–	–	–
Pneumonia	2	–	–	4	2	–	4	2	3	–	–	–	–	–	–	–
Asthma	1	2	1	–	2	3	7	3	8	5	1	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Enteritis	1	–	–	–	2	–	1	–	–	2	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–
Hernia	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–
Ileus	1	–	–	1	–	1	2	3	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	2	–	1	4	6	5	1	5	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	–	–	1	1	–	2	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
Liver Disease	2	1	2	6	1	7	5	2	2	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	2	–	2	1	1	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	3	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	1	1	3	3	4	4	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	1	3	3	2	1	–	1	–	–	–	–	–	–	–	6
Fracture and Contusion	–	1	1	–	–	–	1	1	–	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	9	10	11	8	25	22	33	3	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1156	113	20	35	47	27	20	18	39	27	38	55	54
SPECIFIED CAUSES	957	45	13	24	37	18	16	12	35	21	29	46	42
I. Zymotic Class	143	11	5	16	19	8	11	6	17	6	2	5	3
II. Diseases of Uncertain Seat	43	–	–	–	–	–	–	–	–	–	2	1	1
III. Tubercular Class	151	–	2	2	8	3	2	1	5	8	10	24	22
IV. Brain and Nervous System	56	6	–	–	2	2	–	–	2	–	–	1	3
V. Organs of Circulation	38	–	–	–	1	–	–	–	1	–	2	–	2
VI. Respiratory Organs	87	5	4	1	2	1	–	2	6	2	3	3	3
VII. Organs of Digestion	73	2	2	4	2	1	–	–	–	1	4	4	–
VIII. Urinary Organs	22	–	–	–	–	1	–	–	–	1	–	–	–
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	10	–	–	–	–	–	–	2	–	–	1	2	1
XI. Skin, etc.	3	–	–	–	2	–	1	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	16	16	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	1	–	–	–	–	–	–
XV. Age	238	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	67	1	–	1	1	2	1	1	4	3	5	6	6
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	15	–	–	3	2	3	1	–	2	4	–	–	–
Scarlatina	7	–	–	1	2	–	1	1	2	–	–	–	–
Diphtheria	3	–	–	–	2	–	–	–	1	–	–	–	–
Hooping Cough	38	3	1	6	10	4	4	2	8	–	–	–	–
Croup	17	5	1	3	–	1	4	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	2	1	1	2	–	1	–	–	–	–	1	1
Dysentery	3	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	1	2	–	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	–	–	–	1	–	2	1	3	1
Enteric Fever	6	–	–	–	–	–	–	–	1	–	1	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	–	–	–	–	–	–	2	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	1	–	–	1	–	1	1
Tabes Mesenterica	9	–	–	1	3	–	1	1	1	1	–	1	–
Phthisis	125	–	–	1	–	1	–	–	2	5	10	22	21
Hydrocephalus	12	–	2	–	5	2	–	–	2	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	37	27	35	25	35	47	57	72	76	90	79	43	17	9	3	11
SPECIFIED CAUSES	33	25	29	21	29	39	43	72	76	90	79	43	17	9	3	11
Zymotic Class	–	1	2	2	4	4	3	8	3	4	2	–	–	–	–	1
Uncertain Seat	1	1	1	2	4	3	6	7	5	4	1	3	–	1	–	–
Tubercular Class	14	11	7	7	7	5	6	3	2	1	–	1	–	–	–	–
Brain, etc.	2	2	3	1	–	7	1	3	11	5	3	1	1	–	–	–
Heart, etc.	1	1	4	–	2	1	3	7	4	4	2	1	–	–	–	2
Respiratory Organs	1	4	1	5	3	4	6	8	11	5	3	4	–	–	–	–
Digestive Organs	5	2	5	2	5	11	10	5	3	2	1	2	–	–	–	–
Urinary Organs	–	–	–	–	1	2	3	5	3	4	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	21	32	59	64	31	16	8	3	1
Sudden Deaths	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Violent Deaths	8	3	6	2	2	1	2	3	1	–	1	–	–	–	–	7
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	2	–	–	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	2	2	2	1	4	1	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	2	2	4	4	–	1	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	–	–	–	1	1	1	1	3	4	2	1	2	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	11	7	7	7	5	6	2	2	1	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER. MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	6	–	–	–	2	–	–	–	1	–	–	–	1
	Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–
	Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	2
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	5	2	–	–	–	2	–	–	1	–	–	–	–
	Brain Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	37	–	–	–	1	–	–	–	1	–	2	–	2
VI.	Laryngitis	1	–	–	–	–	–	–	–	1	–	–	–	–
	Bronchitis	36	1	4	–	–	–	–	2	2	–	–	2	–
	Pleurisy	14	4	–	–	–	–	–	–	3	–	1	–	–
	Pneumonia	22	–	–	1	2	1	–	–	–	2	1	1	3
	Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VII.	Teething	6	–	2	3	1	–	–	–	–	–	–	–	–
	Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	5	–	–	1	–	–	–	–	–	–	1	1	–
	Peritonitis	4	1	–	–	–	–	–	–	–	–	–	–	–
	Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	8	–	–	–	–	–	–	–	–	1	1	1	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	10	–	–	–	–	–	–	–	–	–	–	1	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	4	–	–	–	–	–	–	–	–	–	2	1	–
	Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	21	–	–	–	1	1	–	–	–	–	–	–	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Nephria	3	–	–	–	–	1	–	–	–	–	–	–	–
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X.	Arthritis	3	–	–	–	–	–	–	1	–	–	1	–	–
	Rheumatism	5	–	–	–	–	–	–	–	–	–	–	1	1
	Joint and Bone Disease	2	–	–	–	–	–	–	1	–	–	–	1	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	3	–	–	–	2	–	1	–	–	–	–	–	–
XVII.	Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	5	–	–	1	–	–	–	–	–	–	–	–	1
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	7	–	–	–	1	2	1	–	–	–	–	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	38	–	–	–	–	–	–	1	2	–	2	6	4
	Fracture and Contusion	12	–	–	–	–	–	–	–	2	3	2	–	1
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	199	68	7	11	10	9	4	6	4	6	9	9	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	1	1	–	4	2	1	–	–	–	–	–
Paralysis	–	–	–	–	–	4	–	3	6	3	2	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	4	–	2	1	3	7	4	4	2	1	–	–	–	2
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	3	1	1	–	2	1	4	3	4	2	4	–	–	–	–
Pleurisy	–	–	–	–	1	–	2	1	1	1	–	–	–	–	–	–
Pneumonia	–	–	–	4	1	–	1	2	3	–	–	–	–	–	–	–
Asthma	1	1	–	–	1	2	2	–	4	–	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–
Ileus	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	4	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Liver Disease	2	1	1	2	1	4	4	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	2	–	2	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	1	3	2	2	1	–	1	–	–	–	–	–	–	–	6
Fracture and Contusion	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	2	6	4	6	8	14	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1355	86	21	37	41	27	19	10	35	35	41	38	43
SPECIFIED CAUSES	1153	33	12	32	30	24	13	8	26	31	33	30	38
I. Zymotic Class	165	6	8	17	16	10	10	5	12	11	8	5	1
II. Diseases of Uncertain Seat	50	1	–	–	–	–	–	–	–	1	–	–	1
III. Tubercular Class	173	1	3	4	4	4	2	1	7	13	18	15	20
IV. Brain and Nervous System	72	2	–	–	–	2	–	–	3	–	2	3	2
V. Organs of Circulation	36	–	–	–	–	1	–	–	–	3	1	1	2
VI. Respiratory Organs	96	5	–	7	5	5	1	–	3	1	1	3	1
VII. Organs of Digestion	65	2	1	2	4	–	–	–	–	2	–	1	3
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	1	5
X. Organs of Locomotion	18	–	–	1	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	14	14	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	1	–	–	–	–	–	–	1
XV. Age	416	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	2	–	–	1	–	–
XVII. Violent Deaths	10	–	–	–	–	1	–	–	1	–	–	–	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	–	–	2	1	2	–	–	1	1	1	–	–
Scarlatina	7	–	–	1	1	–	–	2	–	2	–	1	–
Diphtheria	3	–	–	1	–	–	–	–	2	–	–	–	–
Hooping Cough	42	2	3	7	11	7	4	2	5	1	–	–	–
Croup	19	2	1	5	2	1	5	1	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	18	1	2	1	1	–	–	–	1	–	1	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	–	–	1	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	–	–	–	–	–	–	3	4	3	–
Enteric Fever	13	–	1	–	–	–	1	–	–	1	1	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	–	–	–	–	–	–	1	1	–	–	1
Erysipelas	4	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	26	–	–	–	–	–	–	–	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	1	–	–	–	–	1	2	1
Tabes Mesenterica	7	1	1	–	1	1	–	1	–	1	–	–	–
Phthisis	143	–	–	1	–	1	1	–	4	11	17	13	19
Hydrocephalus	14	–	2	3	3	1	1	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	40	27	36	45	51	43	89	85	116	133	116	74	42	15	8	2
SPECIFIED CAUSES	35	19	31	41	32	29	70	82	116	133	116	74	42	15	8	–
Zymotic Class	10	1	5	4	5	5	6	9	2	6	2	–	–	1	–	–
Uncertain Seat	–	–	1	6	3	4	8	11	4	5	3	2	–	–	–	–
Tubercular Class	13	13	9	14	4	5	13	6	–	4	–	–	–	–	–	–
Brain, etc.	2	2	1	2	8	2	7	5	11	9	5	2	2	–	–	–
Heart, etc.	–	–	2	1	4	4	4	4	3	4	2	–	–	–	–	–
Respiratory Organs	4	2	3	2	2	2	9	8	12	11	7	1	–	1	–	–
Digestive Organs	1	1	3	5	2	6	10	8	5	6	3	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–
Generative Organs	4	–	5	2	2	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	1	2	1	3	2	4	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	28	74	84	94	67	39	13	8	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	2	–	–	1	–	–	2	–	1	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	1	3	1	1	2	–	–	1	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	1	3	1	2	2	–	1	2	–	–	–	–	–	–
Enteric Fever	3	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	2	1	3	3	4	–	4	2	1	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	4	1	1	5	7	2	1	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	13	13	7	14	4	5	12	6	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	2	–	–	–	–	–	–	–	1	–	–	1	–	
Apoplexy	16	–	–	–	–	1	–	–	–	–	–	–	1	
Paralysis	31	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	8	–	–	–	–	–	–	–	–	–	–	1	1	
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	3	2	–	–	–	–	–	–	1	–	–	–	–	
Brain Disease	11	–	–	–	–	1	–	–	1	–	2	1	–	
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1	
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	35	–	–	–	–	1	–	–	–	3	1	1	1	
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Bronchitis	47	1	–	6	3	1	1	–	1	–	–	–	–	
Pleurisy	5	2	–	–	–	–	–	–	1	–	–	–	1	
Pneumonia	20	2	–	1	2	4	–	–	1	1	1	2	–	
Asthma	22	–	–	–	–	–	–	–	–	–	–	1	–	
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	5	–	–	2	3	–	–	–	–	–	–	–	–	
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastritis	3	–	–	–	–	–	–	–	–	1	–	–	–	
Enteritis	8	2	1	–	1	–	–	–	–	–	–	–	–	
Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–	
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	18	–	–	–	–	–	–	–	–	–	–	1	2	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1	
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	1	–	–	–	–	–	–	–	–	–	–	1	–	
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1	
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	1	
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	12	–	–	–	–	–	–	–	–	–	–	1	3	
Organs of Generation	6	–	–	–	–	–	–	–	–	–	2	–	1	
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Rheumatism	15	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	2	–	–	1	–	–	–	–	–	–	–	–	–	
XI. Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	2	–	–	–	–	1	–	–	–	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	
Fracture and Contusion	4	–	–	–	–	–	–	–	–	–	–	–	–	
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1	
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	1	–	–	–	–	–	–	–	1	–	–	–	–	
Not Specified	202	53	9	5	11	3	6	2	9	4	8	8	5	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	–	–	4	–	3	–	2	2	–	–	1	–	–	–
Paralysis	–	–	–	1	3	1	4	4	4	6	5	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	–	1	3	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	2	1	4	4	4	4	3	4	2	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	1	–	1	1	5	7	6	7	1	–	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–
Asthma	–	1	1	–	1	1	5	3	4	5	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Enteritis	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	5	4	1	4	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	4	–	3	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	3	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	1	1	3	2	4	2	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	8	5	4	19	14	19	3	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	32184	3064	1027	1769	2204	1094	814	589	1489	899	1108	1216	1041
Specified Causes	30200	2496	877	1611	2038	1032	770	554	1418	841	1051	1162	985
I. Zymotic Class	6198	308	261	537	883	567	458	360	781	300	216	161	132
II. Diseases of Uncertain Seat	1226	18	6	19	13	5	6	6	24	9	16	17	13
III. Tubercular Class	4957	73	131	254	339	140	118	65	268	273	527	643	501
IV. Brain and Nervous System	2516	132	59	85	87	44	31	23	85	66	42	56	47
V. Organs of Circulation	1662	12	3	6	2	1	2	4	18	21	25	29	46
VI. Respiratory Organs	3629	270	187	363	363	141	86	54	88	36	46	47	59
VII. Organs of Digestion	2407	245	116	257	234	53	20	12	44	31	43	52	40
VIII. Urinary Organs	488	–	2	3	10	7	5	3	22	7	18	26	17
IX. Organs of Generation	238	–	–	–	–	–	–	–	–	1	13	28	41
X. Organs of Locomotion	197	1	–	1	2	2	3	4	16	20	14	14	8
XI. Skin, etc.	41	10	5	3	2	2	1	1	1	–	–	2	–
XII. Malformation	95	79	6	4	2	1	–	–	–	2	1	–	–
XIII. Premature Debility	1437	1291	79	67	–	–	–	–	–	–	–	–	–
XIV. Atrophy	226	–	–	–	57	25	12	5	14	7	5	5	7
XV. Age	3670	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	80	9	2	2	1	–	–	–	2	–	1	4	–
XVII. Violent Deaths	1133	48	20	10	43	44	28	17	55	68	84	78	74
I. Small Pox	7	3	1	–	–	–	–	–	1	1	–	–	1
Measles	285	3	7	59	102	43	28	17	15	5	2	–	1
Scarlatina	1253	3	8	62	149	467	190	173	362	83	22	14	6
Diphtheria	448	14	5	27	77	68	51	44	91	29	7	4	6
Hooping Cough	757	66	74	161	242	92	50	27	44	1	–	–	–
Croup	440	9	17	36	111	105	64	47	51	–	–	–	–
Thrush	14	11	–	–	2	1	–	–	–	–	–	–	–
Diarrhœa	804	115	97	111	122	27	8	6	14	7	6	2	6
Dysentery	135	5	3	14	6	4	3	1	1	1	2	4	–
Cholera	100	4	10	17	10	4	2	1	5	1	1	–	1
Influenza	90	2	1	3	2	1	1	–	2	–	3	2	1
Purpura	15	1	1	1	–	1	1	1	1	1	3	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	12	–	–	–	1	2	1	2	5	1	–	–	–
Typhus	555	7	3	10	16	15	22	11	44	61	52	37	31
Enteric Fever	814	4	7	15	22	25	30	23	118	78	96	63	47
Relapsing Fever	28	–	–	–	1	2	–	–	1	2	1	4	2
Simple Continued Fever	56	–	–	–	2	–	1	2	9	8	7	8	1
Infantile Remittent	43	7	2	3	7	7	5	–	11	1	–	–	–
Metria	69	–	–	–	–	–	–	–	–	–	3	15	19
Rheumatic Fever	61	–	–	–	–	1	–	2	1	15	8	5	3
Erysipelas	129	35	9	8	3	1	–	1	5	4	2	1	2
Pyæmia	16	–	–	–	2	–	–	–	–	1	1	1	3
Syphilis	61	19	16	9	5	–	1	1	–	–	–	1	1
Noma	6	–	–	1	1	1	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	34	9	2	–	1	–	1	–	–	1	–	1	–
Dropsy	328	1	1	7	7	2	1	2	14	5	4	4	7
Abscess	53	2	3	7	2	–	–	1	4	–	4	3	2
Ulcer	21	2	–	2	1	1	1	–	1	–	2	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	61	3	–	1	1	1	–	1	1	–	1	–	1
Cancer	720	1	–	2	1	1	3	2	4	3	5	8	3
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	306	12	5	15	24	9	11	6	32	43	38	25	16
Tabes Mesenterica	392	23	28	55	102	42	19	9	42	19	13	14	2
Phthisis	3577	14	21	45	52	37	28	14	100	188	465	603	481
Hydrocephalus	682	24	77	139	161	52	60	36	94	23	11	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	948	890	845	935	1016	1163	1513	1759	1891	1884	1658	896	315	102	21	34
SPECIFIED CAUSES	897	842	804	882	946	1077	1393	1739	1889	1884	1658	896	315	102	21	20
Zymotic Class	115	104	97	83	93	119	129	131	111	120	88	34	9	1	–	–
Uncertain Seat	21	34	58	92	110	126	133	142	133	109	86	23	5	1	–	1
Tubercular Class	411	300	225	186	143	136	95	75	31	12	7	3	–	–	–	1
Brain, etc.	60	60	76	87	101	117	194	290	266	258	171	66	7	–	–	6
Heart, etc.	55	62	64	81	103	140	215	230	235	178	95	24	7	1	–	3
Respiratory Organs	62	72	83	136	140	165	211	260	284	231	138	80	24	2	–	1
Digestive Organs	43	66	82	97	139	137	178	176	158	103	59	18	3	1	–	–
Urinary Organs	16	10	10	28	26	28	48	48	58	51	32	10	1	1	–	1
Generative Organs	37	44	25	7	4	9	7	7	10	4	–	1	–	–	–	–
Locomotive Organs	8	5	6	7	8	8	13	13	19	16	7	1	–	–	–	1
Skin	1	2	–	1	3	1	1	–	2	1	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	9	12	16	20	27	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	96	311	550	774	949	620	255	93	21	1
Sudden Deaths	3	5	9	2	5	5	11	9	3	7	–	–	–	–	–	–
Violent Deaths	61	69	57	59	51	59	61	47	29	20	26	14	4	2	–	5
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	5	2	–	4	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	5	3	2	2	–	3	3	6	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	8	4	7	13	19	23	44	42	48	48	17	2	1	–	–
Dysentery	4	1	5	7	7	12	10	5	10	18	9	2	1	–	–	–
Cholera	2	3	2	4	3	8	6	7	5	2	2	–	–	–	–	–
Influenza	2	1	1	1	3	5	6	7	11	15	10	7	3	–	–	–
Purpura	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	29	29	23	29	30	32	23	6	9	6	–	–	–	–	–
Enteric Fever	35	29	35	30	25	25	32	29	24	12	9	1	–	–	–	–
Relapsing Fever	1	1	1	1	2	2	3	1	–	2	–	1	–	–	–	–
Simple Cont. Fever	–	4	3	1	1	1	1	3	–	2	1	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	17	10	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	2	3	–	3	4	3	2	2	–	–	–	–	–	–
Erysipelas	2	1	2	4	4	7	7	3	10	8	3	4	3	–	–	–
Pyæmia	2	3	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Syphilis	–	1	2	–	1	2	1	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	1	2	1	2	1	3	3	2	1	–	–	–	–	–	–
Dropsy	3	6	15	14	17	19	30	40	50	37	31	8	1	1	–	1
Abscess	3	4	3	2	5	3	3	1	1	–	–	–	–	–	–	–
Ulcer	–	1	1	–	1	–	4	1	2	–	1	–	–	–	–	–
Fistula	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Mortification	–	–	3	–	2	3	3	6	8	9	11	4	2	–	–	–
Cancer	11	21	34	74	83	100	88	90	69	61	43	11	2	–	–	–
Gout	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Scrofula	19	7	5	9	9	5	4	7	1	3	1	–	–	–	–	–
Tabes Mesenterica	4	2	3	2	1	5	–	5	1	–	–	1	–	–	–	–
Phthisis	388	289	217	175	133	126	91	63	29	9	6	2	–	–	–	1
Hydrocephalus	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	190	9	7	21	25	9	9	8	29	11	9	15	5
Apoplexy	557	11	6	12	6	3	5	4	8	9	1	5	7
Paralysis	876	1	1	–	1	2	1	1	2	5	5	5	2
Delirium Tremens	24	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	119	–	–	–	–	–	–	–	1	8	9	11	9
Tetanus	20	6	2	–	–	–	1	1	–	1	1	1	1
Insanity	13	–	–	–	–	–	–	–	–	1	–	2	1
Convulsions	269	98	35	41	46	20	12	2	14	1	–	–	–
Brain Disease	448	7	8	11	9	10	3	7	31	30	17	17	20
V. Pericarditis	36	1	2	–	–	–	–	2	4	1	1	1	3
Aneurism	41	–	–	–	–	–	–	–	1	–	–	–	2
Heart Disease	1585	11	1	6	2	1	2	2	13	20	24	28	41
VI. Laryngitis	67	3	2	5	5	5	5	2	6	2	1	2	5
Bronchitis	2238	194	140	280	276	101	56	35	37	12	14	14	17
Pleurisy	100	–	1	2	–	1	2	1	2	5	4	–	8
Pneumonia	882	65	43	72	76	32	22	12	35	13	21	25	23
Asthma	189	–	–	–	–	–	–	–	–	–	3	2	–
Lung Disease	153	8	1	4	6	2	1	4	8	4	3	4	6
VII. Teething	376	2	19	163	171	19	2	–	–	–	–	–	–
Quinsey	31	5	2	7	2	4	2	1	3	–	1	1	–
Gastritis	81	3	2	6	3	3	1	–	1	1	1	3	1
Enteritis	412	119	54	42	31	6	6	5	7	9	6	10	7
Peritonitis	179	17	8	5	4	9	3	3	9	5	13	10	8
Ascites	38	–	–	–	–	1	–	–	2	1	–	3	–
Ulceration of Intestines	118	5	1	1	3	1	–	–	2	1	3	5	4
Hernia	45	3	2	–	–	1	–	–	–	–	1	–	1
Ileus	166	8	4	1	3	–	1	–	3	3	5	6	1
Intussusception	24	–	3	4	1	–	–	–	–	–	–	–	–
Stricture of Intestines	13	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	376	40	16	23	11	4	2	1	11	1	9	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	69	3	–	1	1	–	–	–	–	2	2	2	2
Jaundice	104	33	–	2	1	1	1	–	–	3	1	1	–
Liver Disease	360	7	5	2	3	4	2	2	5	5	–	5	8
Spleen Disease	15	–	–	–	–	–	–	–	1	–	1	–	2
VIII. Nephritis	30	–	–	1	2	2	1	–	4	3	–	2	–
Nephria	115	–	–	–	2	2	–	1	6	–	8	8	5
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	22	–	1	–	–	–	–	1	1	–	–	1	–
Diabetes	49	–	–	1	1	1	2	–	2	2	7	6	8
Stone	25	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	98	–	–	–	1	–	1	–	1	1	1	4	1
Stricture of Urethra	7	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	140	–	1	1	3	2	1	1	8	1	2	4	3
IX. Paramenia	15	–	–	–	–	–	–	–	–	1	4	2	2
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	–	2	2
Childbirth	157	–	–	–	–	–	–	–	–	–	5	23	33
Organs of Generation	35	–	–	–	–	–	–	–	–	–	4	1	4
X. Arthritis	43	–	–	–	1	2	1	–	3	4	6	3	2
Rheumatism	84	–	–	–	–	–	–	1	1	5	1	1	1
Joint and Bone Disease	70	1	–	1	1	–	2	3	12	11	7	10	5
XI. Carbuncle	11	–	2	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	28	10	3	3	2	2	1	1	1	–	–	2	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	–	2
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	18	12	5	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	–	1	–	–	–	–	–	–
Cold	24	3	–	–	1	–	–	–	–	–	–	–	1
Poison	22	2	2	–	1	3	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	115	–	1	4	20	17	14	7	12	4	3	2	2
Hanging, etc.	25	–	–	–	–	–	–	–	1	2	–	1	–
Suffocation	49	16	10	4	–	1	–	–	1	–	–	–	3
Drowning	317	1	–	–	14	17	8	2	18	29	34	35	24
Fracture and Contusion	461	–	1	–	7	6	4	5	21	30	40	37	38
Gunshot Wounds	13	–	–	–	–	–	–	–	–	3	–	1	1
Cuts and Stabs	13	–	–	–	–	–	–	–	–	–	3	1	1
Other Violent Causes	49	14	1	1	–	–	–	3	–	–	4	1	2
Not Specified	1984	568	150	158	166	62	44	35	71	58	57	54	56

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES, (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	2	4	3	7	3	–	–	–	2	2	1	–	–	–	1
Apoplexy	11	17	18	22	33	46	57	89	60	67	42	18	–	–	–	–
Paralysis	11	10	12	24	33	44	86	155	164	156	103	44	5	–	–	3
Delirium Tremens	3	5	3	5	–	1	3	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	8	10	13	6	4	9	7	6	4	3	1	–	–	–	–
Tetanus	1	1	2	–	–	1	–	–	–	–	1	–	–	–	–	–
Insanity	–	–	1	–	–	2	3	2	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	17	26	20	22	16	36	36	34	29	20	2	2	–	–	2
Pericarditis	2	2	3	3	–	4	–	2	2	3	–	–	–	–	–	–
Aneurism	2	6	2	5	5	3	4	4	2	2	3	–	–	–	–	–
Heart Disease	51	54	59	73	98	133	211	224	231	173	92	24	7	1	–	3
Laryngitis	2	2	4	3	4	1	–	5	3	–	–	1	–	–	–	–
Bronchitis	20	23	22	61	58	88	109	160	178	162	98	59	21	2	–	1
Pleurisy	7	5	5	2	8	6	6	9	13	7	3	1	2	–	–	–
Pneumonia	26	29	38	37	39	38	54	46	55	41	26	13	1	–	–	–
Asthma	2	3	8	17	20	19	28	27	27	19	10	4	–	–	–	–
Lung Disease	5	10	6	16	11	13	14	13	9	2	1	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Gastritis	1	4	3	5	9	5	3	10	5	6	4	1	–	–	–	–
Enteritis	5	7	8	8	11	6	12	19	13	11	8	–	2	–	–	–
Peritonitis	12	10	4	3	9	5	13	9	9	6	4	–	–	1	–	–
Ascites	–	1	3	3	5	–	3	6	4	3	2	1	–	–	–	–
Ulceration of Intestines	5	9	11	9	10	4	14	10	12	3	4	1	–	–	–	–
Hernia	1	2	–	–	2	4	4	6	9	5	3	1	–	–	–	–
Ileus	3	3	11	5	19	14	20	17	16	11	9	3	–	–	–	–
Intussusception	2	–	–	1	3	3	1	–	4	1	1	–	–	–	–	–
Stricture of Intestines	–	2	–	–	2	1	2	2	1	3	–	–	–	–	–	–
Stomach Disease	6	6	16	22	16	32	37	33	36	27	11	4	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	4	5	4	7	14	8	6	5	1	–	–	–	–	–
Jaundice	1	–	3	4	7	6	8	9	11	4	6	2	–	–	–	–
Liver Disease	6	18	18	31	37	48	46	46	32	18	6	5	1	–	–	–
Spleen Disease	–	3	1	1	4	1	–	1	–	–	–	–	–	–	–	–
Nephritis	1	1	–	1	2	1	3	2	1	2	–	1	–	–	–	–
Nephria	9	1	2	12	5	8	13	12	11	4	5	–	1	–	–	–
Addison's Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	1	3	2	4	5	1	–	1	–	–
Diabetes	3	1	–	3	4	3	2	1	2	–	–	–	–	–	–	–
Stone	–	–	–	1	2	1	2	5	4	7	2	–	–	–	–	–
Cystitis	1	1	–	4	4	3	9	8	23	17	12	6	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–
Kidney Disease	2	4	8	7	8	12	18	17	13	14	7	2	–	–	–	1
Paramenia	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	–	2	5	5	4	4	2	–	–	–	–	–	–
Childbirth	33	39	21	2	–	–	1	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	–	4	2	4	1	3	6	2	–	1	–	–	–	–
Arthritis	4	2	2	3	4	–	2	1	2	1	–	–	–	–	–	–
Rheumatism	2	2	2	1	3	4	9	10	17	15	7	1	–	–	–	1
Joint Disease	2	1	2	3	1	4	2	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	3	1	1	–	1	1	–	2	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	4	1	5	2	3	1	4	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	4	1	2	2	2	3	–	1	1	–	–	–	–	–	–
Poison	2	3	2	–	1	1	1	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	4	2	3	–	2	4	3	4	5	1	–	–	–	–
Hanging, etc.	3	3	–	2	–	5	5	2	–	1	–	–	–	–	–	–
Suffocation	1	4	1	2	1	2	2	–	1	–	–	–	–	–	–	–
Drowning	19	23	9	20	14	19	9	8	6	1	2	1	–	–	–	4
Fracture and Contusion	26	28	29	23	22	26	29	25	16	12	19	11	4	1	–	1
Gunshot Wounds	1	1	1	3	–	1	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	1	1	–	2	–	–	–	1	–	–	–	–
Other Violent Causes	–	2	4	2	4	1	5	3	1	1	–	–	–	–	–	–
Not Specified	51	48	41	53	70	86	120	20	2	–	–	–	–	–	–	14

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15993	1721	543	953	1139	546	406	281	754	438	571	646	502
SPECIFIED CAUSES	14922	1405	464	861	1060	511	388	265	717	401	542	608	469
I. Zymotic Class	2956	152	124	278	452	268	223	184	371	118	109	76	45
II. Diseases of Uncertain Seat	466	9	3	10	7	3	5	1	8	2	5	8	3
III. Tubercular Class	2438	34	82	144	191	68	64	26	144	118	240	319	250
IV. Brain and Nervous System	1306	75	27	47	48	24	17	13	45	39	29	33	20
V. Organs of Circulation	838	6	–	1	2	–	1	2	14	13	10	15	16
VI. Respiratory Organs	1942	161	106	196	186	72	37	23	42	19	25	29	36
VII. Organs of Digestion	1216	146	66	138	117	24	11	2	22	19	19	25	20
VIII. Urinary Organs	347	–	1	1	5	5	3	1	13	4	13	16	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	98	–	–	1	–	2	3	4	11	7	10	10	3
XI. Skin, etc.	27	7	5	1	1	1	–	1	1	–	–	2	–
XII. Malformation	55	48	1	3	1	1	–	–	–	1	–	–	–
XIII. Premature Debility	796	725	39	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	91	–	–	–	25	14	4	3	6	3	2	1	1
XV. Age	1407	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	49	3	1	1	1	–	–	–	1	–	1	4	–
XVII. Violent Deaths	890	39	9	8	24	29	20	5	39	58	79	70	65
I. Small Pox	2	–	1	–	–	–	–	–	–	–	–	–	1
Measles	155	2	3	34	58	26	13	7	9	1	2	–	–
Scarlatina	631	–	5	34	79	82	99	93	171	46	10	6	2
Diphtheria	209	6	3	10	43	36	22	19	37	10	4	1	3
Hooping Cough	352	27	35	77	113	38	24	14	24	–	–	–	–
Croup	217	5	13	13	59	44	30	26	27	–	–	–	–
Thrush	7	5	–	–	1	1	–	–	–	–	–	–	–
Diarrhœa	396	60	44	64	59	14	4	3	11	2	6	1	2
Dysentery	56	3	1	9	3	2	2	1	1	1	–	2	–
Cholera	49	2	5	9	7	–	–	–	1	1	1	–	–
Influenza	40	2	1	3	2	–	–	–	–	–	2	2	–
Purpura	7	1	–	–	–	–	–	1	1	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	–	1	1	2	2	1	–	–	–
Typhus	282	1	1	6	8	5	9	6	22	28	29	26	13
Enteric Fever	358	3	1	8	12	13	17	9	51	20	41	25	22
Relapsing Fever	12	–	–	–	–	1	–	–	1	–	–	1	–
Simple Continued Fever	22	–	–	–	–	–	–	2	2	1	4	6	–
Infantile Remittent	22	3	–	2	4	4	2	–	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	31	–	–	–	–	1	–	–	1	6	5	4	2
Erysipelas	65	19	5	4	–	–	–	–	3	1	2	–	–
Pyæmia	5	–	–	–	1	–	–	–	–	–	1	1	–
Syphilis	29	13	6	4	3	–	–	1	–	–	–	1	–
Noma	2	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	5	2	–	1	–	1	–	–	–	–	1	–
Dropsy	133	–	1	3	3	1	1	–	6	–	–	1	2
Abscess	21	2	–	3	2	–	–	1	–	–	1	1	–
Ulcer	9	–	–	2	1	1	1	–	–	–	1	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	26	1	–	1	–	1	–	–	1	–	–	–	1
Cancer	249	1	–	1	–	–	2	–	1	2	3	4	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	169	5	4	10	12	1	8	4	19	23	28	15	8
Tabes Mesenterica	195	10	17	25	56	23	5	2	25	10	4	5	1
Phthisis	1686	3	13	26	33	19	14	4	48	72	205	298	239
Hydrocephalus	388	16	48	83	90	25	37	16	52	13	3	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	461	432	413	496	509	608	753	864	874	837	721	353	112	37	7	16
SPECIFIED CAUSES	432	409	389	465	476	571	689	852	873	837	721	353	112	37	7	8
Zymotic Class	45	47	46	42	41	62	65	51	51	55	35	13	3	–	–	–
Uncertain Seat	8	10	14	23	42	45	54	56	49	45	42	11	2	–	–	1
Tubercular Class	176	133	95	102	70	71	42	42	12	9	5	1	–	–	–	–
Brain, etc.	35	38	43	36	47	58	98	147	142	124	87	31	2	–	–	1
Heart, etc.	30	32	34	42	50	71	109	116	116	94	49	10	2	1	–	2
Respiratory Organs	40	44	52	93	82	96	112	141	141	103	58	34	14	–	–	–
Digestive Organs	19	26	38	45	73	78	84	79	73	51	31	8	2	–	–	–
Urinary Organs	11	5	5	21	16	20	33	37	49	41	25	10	–	1	–	1
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	3	–	7	5	5	3	5	5	5	4	–	–	–	–	–
Skin	–	1	–	–	2	1	1	–	1	–	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	4	4	6	6	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	32	135	214	297	377	226	86	33	7	–
Sudden Deaths	3	3	7	2	2	3	5	5	3	4	–	–	–	–	–	–
Violent Deaths	57	63	51	46	40	52	51	38	17	9	8	7	1	2	–	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	3	2	2	–	3	–	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	6	4	2	6	10	10	17	24	19	16	8	1	–	–	–
Dysentery	–	–	1	3	4	4	5	–	3	6	3	1	1	–	–	–
Cholera	2	1	1	3	1	7	4	1	2	1	–	–	–	–	–	–
Influenza	2	–	1	–	1	–	5	2	3	6	6	2	–	–	–	–
Purpura	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	14	16	12	13	15	20	9	3	8	4	–	–	–	–	–
Enteric Fever	19	16	14	17	8	15	12	15	9	7	4	–	–	–	–	–
Relapsing Fever	–	–	–	–	2	1	2	1	–	2	–	1	–	–	–	–
Simple Cont. Fever	–	3	1	–	1	–	–	1	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	1	2	–	1	2	1	1	1	–	–	–	–	–	–
Erysipelas	–	1	2	1	3	5	3	2	5	5	1	1	1	–	–	–
Pyæmia	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	2	–	3	3	2	–	–	–	–	–	–	–
Dropsy	2	3	5	4	7	7	12	12	17	21	18	6	–	–	–	1
Abscess	–	2	1	1	4	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Mortification	–	–	2	–	2	1	2	2	3	2	5	1	1	–	–	–
Cancer	5	4	6	16	27	37	32	38	24	22	19	4	1	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	8	2	1	5	4	3	2	3	–	3	1	–	–	–	–	–
Tabes Mesenterica	2	1	1	1	1	3	–	3	–	–	–	–	–	–	–	–
Phthisis	166	128	93	96	65	65	40	36	12	6	4	1	–	–	–	–
Hydrocephalus	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	105	7	4	11	12	4	4	6	16	6	5	7	4
Apoplexy	289	5	3	6	1	3	4	4	4	3	1	4	1
Paralysis	402	–	–	–	1	–	1	–	2	1	4	3	–
Delirium Tremens	21	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	66	–	–	–	–	–	–	–	–	5	5	8	3
Tetanus	14	4	2	–	–	–	1	1	–	1	1	1	–
Insanity	8	–	–	–	–	–	–	–	–	1	–	1	1
Convulsions	148	57	17	24	28	10	6	–	5	1	–	–	–
Brain Disease	253	2	1	6	6	7	1	2	18	21	13	9	10
V. Pericarditis	17	–	–	–	–	–	–	1	3	1	–	–	–
Aneurism	25	–	–	–	–	–	–	–	1	–	–	–	1
Heart Disease	796	6	–	1	2	–	1	1	10	12	10	15	15
VI. Laryngitis	38	1	2	2	2	2	3	1	5	1	–	1	3
Bronchitis	1098	112	76	147	142	49	22	14	17	6	6	9	8
Pleurisy	63	–	1	–	–	1	2	–	1	4	3	–	6
Pneumonia	530	45	27	45	39	19	9	5	14	5	13	16	15
Asthma	118	–	–	–	–	–	–	–	–	–	2	2	–
Lung Disease	95	3	–	2	3	1	1	3	5	3	1	1	4
VII. Teething	192	–	11	87	87	6	1	–	–	–	–	–	–
Quinsey	18	3	–	4	1	3	2	–	1	–	1	1	–
Gastritis	37	2	1	3	3	2	–	–	1	–	–	–	1
Enteritis	223	70	28	26	12	3	4	–	4	8	2	4	5
Peritonitis	72	7	5	3	1	3	2	1	5	4	6	5	1
Ascites	12	–	–	–	–	–	–	–	1	–	–	2	–
Ulceration of Intestines	61	2	1	1	3	1	–	–	1	1	2	2	3
Hernia	20	3	2	–	–	1	–	–	–	–	1	–	1
Ileus	89	8	3	1	1	–	1	–	2	1	3	4	–
Intussusception	16	–	3	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	180	28	8	8	5	3	–	–	4	–	2	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	3	–	1	–	–	–	–	–	1	1	1	–
Jaundice	50	15	–	2	–	–	–	–	–	–	1	–	–
Liver Disease	197	5	4	1	3	2	1	1	3	3	–	3	5
Spleen Disease	8	–	–	–	–	–	–	–	1	–	–	–	2
VIII. Nephritis	17	–	–	–	–	1	–	–	3	1	–	2	–
Nephria	75	–	–	–	1	2	–	–	5	–	6	6	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	18	–	–	–	–	–	–	–	1	–	–	1	–
Diabetes	32	–	–	1	1	1	1	–	1	1	6	4	4
Stone	25	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	90	–	–	–	1	–	1	–	1	1	–	1	1
Stricture of Urethra	6	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	82	–	1	–	1	1	1	1	2	1	1	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	27	–	–	–	–	2	1	–	1	1	5	2	–
Rheumatism	29	–	–	–	–	–	–	1	–	2	1	1	1
Joint and Bone Disease	42	–	–	1	–	–	2	3	10	4	4	7	2
XI. Carbuncle	9	–	2	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	18	7	3	1	1	1	–	1	1	–	–	2	–
XVII. Intemperance	18	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	12	9	3	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	–	1	–	–	–	–	–	–
Cold	18	2	–	–	1	–	–	–	–	–	–	–	1
Poison	17	1	2	–	–	2	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	62	–	–	3	11	9	8	2	8	3	2	2	2
Hanging, etc.	17	–	–	–	–	–	–	–	–	2	–	–	–
Suffocation	36	15	4	3	–	1	–	–	1	–	–	–	2
Drowning	266	1	–	–	6	12	7	1	12	25	32	34	22
Fracture and Contusion	384	–	–	–	6	5	3	2	16	25	39	33	33
Gunshot Wounds	11	–	–	–	–	–	–	–	–	3	–	–	1
Cuts and Stabs	11	–	–	–	–	–	–	–	–	–	3	–	1
Other Violent Causes	35	11	–	1	–	–	–	–	–	–	3	1	2
Not Specified	1071	316	79	92	79	55	18	16	37	37	29	38	33

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	4	1	5	1	–	–	–	1	1	–	–	–	–	–
Apoplexy	5	10	11	10	14	21	27	53	28	35	26	10	–	–	–	–
Paralysis	8	5	6	6	14	20	41	68	88	66	48	19	1	–	–	–
Delirium Tremens	3	5	2	4	–	1	3	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	6	5	5	3	4	5	4	5	1	2	1	–	–	–	–
Tetanus	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	2	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	10	10	12	10	11	10	22	19	19	21	10	1	1	–	–	1
Pericarditis	1	–	2	3	–	2	–	1	1	2	–	–	–	–	–	–
Aneurism	1	6	2	5	3	1	1	–	2	1	1	–	–	–	–	–
Heart Disease	28	26	30	34	47	68	108	115	113	91	48	10	2	1	–	2
Laryngitis	2	2	2	2	2	1	–	3	1	–	–	–	–	–	–	–
Bronchitis	13	14	13	34	30	45	48	79	77	67	36	23	11	–	–	–
Pleurisy	5	3	–	2	4	4	4	6	10	1	3	1	2	–	–	–
Pneumonia	16	19	26	31	28	22	33	28	33	23	12	6	1	–	–	–
Asthma	1	1	6	12	9	15	17	18	14	12	6	3	–	–	–	–
Lung Disease	3	5	5	12	9	9	10	7	6	–	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	1	1	2	5	4	2	2	1	2	2	1	–	–	–	–
Enteritis	2	3	4	4	6	5	4	9	8	7	4	–	1	–	–	–
Peritonitis	3	2	–	1	4	3	5	4	2	2	3	–	–	–	–	–
Ascites	–	1	2	–	2	–	–	1	2	1	–	–	–	–	–	–
Ulceration of Intestines	1	4	4	6	6	1	10	4	5	2	–	1	–	–	–	–
Hernia	1	–	–	–	–	2	–	–	4	2	2	1	–	–	–	–
Ileus	2	2	7	3	8	5	9	7	10	6	5	1	–	–	–	–
Intussusception	2	–	–	–	–	2	1	–	4	1	1	–	–	–	–	–
Stricture of Intestines	–	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Stomach Disease	3	1	6	11	9	20	16	19	16	9	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	5	2	4	6	2	1	4	1	–	–	–	–	–
Jaundice	1	–	2	–	4	2	5	4	6	3	5	–	–	–	–	–
Liver Disease	3	10	10	13	22	28	24	25	14	11	3	2	1	–	–	–
Spleen Disease	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	1	1	1	–	2	1	1	–	1	–	–	–	–
Nephria	6	1	1	10	4	4	8	7	8	1	2	–	–	–	–	–
Addison's Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	2	2	4	5	1	–	1	–	–
Diabetes	2	–	–	1	2	3	2	1	1	–	–	–	–	–	–	–
Stone	–	–	–	1	2	1	2	5	4	7	2	–	–	–	–	–
Cystitis	1	1	–	3	3	3	8	8	22	17	12	6	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
Kidney Disease	1	1	4	5	3	8	12	12	9	9	3	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	3	2	–	3	3	–	1	–	2	1	–	–	–	–	–	–
Rheumatism	1	1	–	1	2	2	2	3	3	4	4	–	–	–	–	–
Joint Disease	1	–	–	3	–	3	–	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	–	1	–	–	2	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	–	5	1	1	1	4	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	2	1	2	1	1	2	–	1	1	–	–	–	–	–	–
Poison	2	3	–	–	1	1	1	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	1	1	–	–	2	1	1	2	–	–	–	–	–
Hanging, etc.	2	3	–	1	–	4	4	1	–	–	–	–	–	–	–	–
Suffocation	–	3	1	2	1	2	1	–	–	–	–	–	–	–	–	–
Drowning	19	23	8	15	12	16	7	7	2	1	1	1	–	–	–	2
Fracture and Contusion	25	26	28	19	20	25	26	23	11	6	5	5	1	1	–	1
Gunshot Wounds	1	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	–	1	–	2	–	–	–	1	–	–	–	–
Other Violent Causes	–	2	3	1	3	–	5	2	1	–	–	–	–	–	–	–
Not Specified	29	23	24	31	33	37	64	12	1	–	–	–	–	8	–	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16191	1343	484	816	1065	548	408	308	735	461	537	570	539
SPECIFIED CAUSES	15278	1091	413	750	978	521	382	289	701	440	509	554	516
I. Zymotic Class	3242	156	137	259	431	299	235	176	410	182	107	85	87
II. Diseases of Uncertain Seat	760	9	3	9	6	2	1	5	16	7	11	9	10
III. Tubercular Class	2519	39	49	110	148	72	54	39	124	155	287	324	251
IV. Brain and Nervous System	1210	57	32	38	39	20	14	10	40	27	13	23	27
V. Organs of Circulation	824	6	3	5	–	1	1	2	4	8	15	14	30
VI. Respiratory Organs	1687	109	81	167	177	69	49	31	46	17	21	18	23
VII. Organs of Digestion	1191	99	50	119	117	29	9	10	22	12	24	27	20
VIII. Urinary Organs	141	–	1	2	5	2	2	2	9	3	5	10	7
IX. Organs of Generation	238	–	–	–	–	–	–	–	–	1	13	28	41
X. Organs of Locomotion	99	1	–	–	2	–	–	–	5	13	4	4	5
XI. Skin, etc.	14	3	–	2	1	1	1	–	–	–	–	–	–
XII. Malformation	40	31	5	1	1	–	–	–	–	1	1	–	–
XIII. Premature Debility	641	566	40	35	–	–	–	–	–	–	–	–	–
XIV. Atrophy	135	–	–	–	32	11	8	2	8	4	3	4	6
XV. Age	2263	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	6	1	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	243	9	11	2	19	15	8	12	16	10	5	8	9
I. Small Pox	5	3	–	–	–	–	–	–	1	1	–	–	–
Measles	130	1	4	25	44	17	15	10	6	4	–	–	1
Scarlatina	622	3	3	28	70	85	91	80	191	37	12	8	4
Diphtheria	239	8	2	17	34	32	29	25	54	19	3	3	3
Hooping Cough	405	39	39	84	129	54	26	13	20	1	–	–	–
Croup	223	4	4	23	52	61	34	21	24	–	–	–	–
Thrush	7	6	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	408	55	53	47	63	13	4	3	3	5	–	1	4
Dysentery	79	2	2	5	3	2	1	–	–	–	2	2	–
Cholera	51	2	5	8	3	4	2	1	4	–	–	–	1
Influenza	50	–	–	–	–	1	1	–	2	–	1	–	1
Purpura	8	–	1	1	–	1	1	–	–	1	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	1	–	–	3	–	–	–	–
Typhus	273	6	2	4	8	10	13	5	22	33	23	11	18
Enteric Fever	456	1	6	7	10	12	13	14	67	58	55	38	25
Relapsing Fever	16	–	–	–	1	1	–	–	–	2	1	3	2
Simple Continued Fever	34	–	–	–	2	–	1	–	7	7	3	2	1
Infantile Remittent	21	4	2	1	3	3	3	–	4	1	–	–	–
Metria	69	–	–	–	–	–	–	–	–	–	3	15	19
Rheumatic Fever	30	–	–	–	–	1	–	2	–	9	3	1	1
Erysipelas	64	16	4	4	3	–	–	1	2	3	–	1	2
Pyæmia	11	–	–	–	1	–	–	–	–	1	–	–	3
Syphilis	32	6	10	5	2	–	1	–	–	–	–	–	1
Noma	4	–	–	–	1	1	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	4	–	–	–	–	–	–	–	1	–	–	–
Dropsy	195	1	–	4	4	1	–	2	8	5	4	3	5
Abscess	32	–	3	4	–	–	–	–	4	–	3	2	2
Ulcer	12	2	–	–	–	–	–	–	1	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	2	–	–	1	–	–	1	–	–	1	–	–
Cancer	471	–	–	1	1	1	1	2	3	1	2	4	3
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	137	7	1	5	12	8	3	2	13	20	10	10	8
Tabes Mesenterica	197	13	11	30	46	19	14	7	17	9	9	9	1
Phthisis	1891	11	8	19	19	18	14	10	52	116	260	305	242
Hydrocephalus	294	8	29	56	71	27	23	20	42	10	8	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	487	458	432	439	507	555	760	895	1017	1047	937	543	203	65	14	18
SPECIFIED CAUSES	465	433	415	417	470	506	704	887	1016	1047	937	543	203	65	14	12
Zymotic Class	70	57	51	41	52	57	64	80	60	65	53	21	6	1	–	–
Uncertain Seat	13	24	44	69	68	81	79	86	84	64	44	12	3	1	–	–
Tubercular Class	235	167	130	84	73	65	53	33	19	3	2	2	–	–	–	1
Brain, etc.	25	22	33	51	54	59	96	143	124	134	84	35	5	–	–	5
Heart, etc.	25	30	30	39	53	69	106	114	119	84	46	14	5	–	–	1
Respiratory Organs	22	28	31	43	58	69	99	119	143	128	80	46	10	2	–	1
Digestive Organs	24	40	44	52	66	59	94	97	85	52	28	10	1	1	–	–
Urinary Organs	5	5	5	7	10	8	15	11	9	10	7	–	1	–	–	–
Generative Organs	37	44	25	7	4	9	7	7	10	4	–	1	–	–	–	–
Locomotive Organs	3	2	6	–	3	3	10	8	14	11	3	1	–	–	–	1
Skin	1	1	–	1	1	–	–	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	5	8	10	14	18	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	64	176	336	477	572	394	169	60	14	1
Sudden Deaths	–	2	2	–	3	2	6	4	–	3	–	–	–	–	–	–
Violent Deaths	4	6	6	13	11	7	10	9	12	11	18	7	3	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	3	4	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	–	5	7	9	13	27	18	29	32	9	1	1	–	–
Dysentery	4	1	4	4	3	8	5	5	7	12	6	1	–	–	–	–
Cholera	–	2	1	1	2	1	2	6	3	1	2	–	–	–	–	–
Influenza	–	1	–	1	2	5	1	5	8	9	4	5	3	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	15	13	11	16	15	12	14	3	1	2	–	–	–	–	–
Enteric Fever	16	13	21	13	17	10	20	14	15	5	5	1	–	–	–	–
Relapsing Fever	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	2	1	–	1	1	2	–	2	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	17	10	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	1	–	2	2	2	1	1	–	–	–	–	–	–
Erysipelas	2	–	–	3	1	2	4	1	5	3	2	3	2	–	–	–
Pyæmia	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	–	1	2	–	1	2	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Dropsy	1	3	10	10	10	12	18	28	33	16	13	2	1	1	–	–
Abscess	3	2	2	1	1	3	1	1	–	–	–	–	–	–	–	–
Ulcer	–	1	1	–	1	–	2	1	1	–	1	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	2	1	4	5	7	6	3	1	–	–	–
Cancer	6	17	28	58	56	63	56	52	45	39	24	7	1	–	–	–
Gout	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Scrofula	11	5	4	4	5	2	2	4	1	–	–	–	–	–	–	–
Tabes Mesenterica	2	1	2	1	–	2	–	2	1	–	–	1	–	–	–	–
Phthisis	222	161	124	79	68	61	51	27	17	3	2	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	85	2	3	10	13	5	5	2	13	5	4	8	1
Apoplexy	268	6	3	6	5	–	1	–	4	6	–	1	6
Paralysis	474	1	1	–	–	2	–	1	–	4	1	2	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	53	–	–	–	–	–	–	–	1	3	4	3	6
Tetanus	6	2	–	–	–	–	–	–	–	–	–	–	1
Insanity	5	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	121	41	18	17	18	10	6	2	9	–	–	–	–
Brain Disease	195	5	7	5	3	3	2	5	13	9	4	8	10
V. Pericarditis	19	1	2	–	–	–	–	1	1	–	1	1	3
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	789	5	1	5	–	1	1	1	3	8	14	13	26
VI. Laryngitis	29	2	–	3	3	3	2	1	1	1	1	1	2
Bronchitis	1140	82	64	133	134	52	34	21	20	6	8	5	9
Pleurisy	37	–	–	2	–	–	–	1	1	1	1	–	2
Pneumonia	352	20	16	27	37	13	13	7	21	8	8	9	8
Asthma	71	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	58	5	1	2	3	1	–	1	3	1	2	3	2
VII. Teething	184	2	8	76	84	13	1	–	–	–	–	–	–
Quinsey	13	2	2	3	1	1	–	1	2	–	–	–	–
Gastritis	44	1	1	3	–	1	1	–	1	–	1	3	–
Enteritis	189	49	26	16	19	3	2	5	3	1	4	6	2
Peritonitis	107	10	3	2	3	6	1	2	4	1	7	5	7
Ascites	26	–	–	–	–	1	–	–	1	1	–	1	–
Ulceration of Intestines	57	3	–	–	–	–	–	–	1	–	1	3	1
Hernia	25	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	77	–	1	–	2	–	–	–	1	2	2	2	1
Intussusception	8	–	–	3	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	196	12	8	15	6	1	2	1	7	1	7	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	35	–	–	–	1	–	–	–	–	1	1	1	2
Jaundice	54	18	–	–	1	1	1	–	–	3	–	1	–
Liver Disease	163	2	1	1	–	2	1	1	2	2	–	2	3
Spleen Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	13	–	–	1	2	1	1	–	1	2	–	–	–
Nephria	40	–	–	–	1	–	–	1	1	–	2	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	17	–	–	–	–	–	1	–	1	1	1	2	4
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	8	–	–	–	–	–	–	–	–	–	1	3	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	58	–	–	1	2	1	–	–	6	–	1	3	1
IX. Paramenia	15	–	–	–	–	–	–	–	–	1	4	2	2
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	–	2	2
Childbirth	157	–	–	–	–	–	–	–	–	–	5	23	33
Organs of Generation	35	–	–	–	–	–	–	–	–	–	4	1	4
X. Arthritis	16	–	–	–	1	–	–	–	2	3	1	1	2
Rheumatism	55	–	–	–	–	–	–	–	1	3	–	–	–
Joint and Bone Disease	28	1	–	–	1	–	–	–	2	7	3	3	3
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	–	2	1	1	1	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	–	–
Poison	5	1	–	–	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	53	–	1	1	9	8	6	5	4	1	1	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	1	–	–	1	–
Suffocation	13	1	6	1	–	–	–	–	–	–	–	–	1
Drowning	51	–	–	–	8	5	1	1	6	4	2	1	2
Fracture and Contusion	77	–	1	–	1	1	1	3	5	5	1	4	5
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	14	3	1	–	–	–	–	3	–	–	1	–	–
Not Specified	913	252	71	66	87	27	26	19	34	21	28	16	23

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	–	–	2	2	2	–	–	–	1	1	1	–	–	–	1
Apoplexy	6	7	7	12	19	25	30	36	32	32	16	8	–	–	–	–
Paralysis	3	5	6	18	19	24	45	87	76	90	55	25	4	–	–	3
Delirium Tremens	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	2	5	8	3	–	4	3	1	3	1	–	–	–	–	–
Tetanus	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Insanity	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	7	14	10	11	6	14	17	15	8	10	1	1	–	–	1
Pericarditis	1	2	1	–	–	2	–	1	1	1	–	–	–	–	–	–
Aneurism	1	–	–	–	2	2	3	4	–	1	2	–	–	–	–	–
Heart Disease	23	28	29	39	51	65	103	109	118	82	44	14	5	–	–	1
Laryngitis	–	–	2	1	2	–	–	2	1	–	–	1	–	–	–	–
Bronchitis	7	9	9	27	28	43	61	81	101	95	62	36	10	2	–	1
Pleurisy	2	2	5	–	4	2	2	3	3	6	–	–	–	–	–	–
Pneumonia	10	10	12	6	11	16	21	18	22	18	14	7	–	–	–	–
Asthma	1	2	2	5	11	4	11	9	13	7	4	1	–	–	–	–
Lung Disease	2	5	1	4	2	4	4	6	3	2	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	3	2	3	4	1	1	8	4	4	2	–	–	–	–	–
Enteritis	3	4	4	4	5	1	8	10	5	4	4	–	1	–	–	–
Peritonitis	9	8	4	2	5	2	8	5	7	4	1	–	–	1	–	–
Ascites	–	–	1	3	3	–	3	5	2	2	2	1	–	–	–	–
Ulceration of Intestines	4	5	7	3	4	3	4	6	7	1	4	–	–	–	–	–
Hernia	–	2	–	–	2	2	4	6	5	3	1	–	–	–	–	–
Ileus	1	1	4	2	11	9	11	10	6	5	4	2	–	–	–	–
Intussusception	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	1	–	1	–	1	2	–	–	–	–	–	–
Stomach Disease	3	5	10	11	7	12	21	14	20	18	6	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	2	–	2	3	8	6	5	1	–	–	–	–	–	–
Jaundice	–	–	1	4	3	4	3	5	5	1	1	2	–	–	–	–
Liver Disease	3	8	8	18	15	20	22	21	18	7	3	3	–	–	–	–
Spleen Disease	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–	–
Nephria	3	–	1	2	1	4	5	5	3	3	3	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	–	2	2	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	1	3	4	2	5	4	6	5	4	5	4	–	–	–	–	–
Paramenia	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	–	2	5	5	4	4	2	–	–	–	–	–	–
Childbirth	33	39	21	2	–	–	1	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	–	4	2	4	1	3	6	2	–	1	–	–	–	–
Arthritis	1	–	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Rheumatism	1	1	2	–	1	2	7	7	14	11	3	1	–	–	–	1
Joint Disease	1	1	2	–	1	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Poison	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	1	2	–	2	2	2	3	3	1	–	–	–	–
Hanging, etc.	1	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Drowning	–	–	1	5	2	3	2	1	4	–	1	–	–	–	–	2
Fracture and Contusion	1	2	1	4	2	1	3	2	5	6	14	6	3	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	1	1	–	1	–	1	–	–	–	–	–	–
Not Specified	22	25	17	22	37	49	56	8	1	–	–	–	–	–	–	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34721	3260	1388	2780	3837	1873	1231	904	1868	869	1050	1260	1276
SPECIFIED CAUSES	34153	3108	1331	2716	3788	1847	1214	886	1848	858	1038	1253	1261
I. Zymotic Class	8664	440	393	967	1620	993	712	526	964	245	187	195	170
II. Diseases of Uncertain Seat	1025	19	12	10	16	12	11	9	28	22	13	19	33
III. Tubercular Class	6206	109	158	415	594	298	161	133	367	309	564	649	596
IV. Brain and Nervous System	2816	243	100	142	171	82	48	53	100	63	46	46	51
V. Organs of Circulation	1538	9	3	2	2	1	1	4	23	25	49	49	69
VI. Respiratory Organs	5638	336	339	728	879	321	180	102	178	43	63	91	122
VII. Organs of Digestion	2277	242	122	307	356	64	33	19	56	37	30	53	49
VIII. Urinary Organs	509	7	3	–	7	6	9	7	29	20	14	30	22
IX. Organs of Generation	270	–	–	–	–	–	–	–	–	–	6	45	47
X. Organs of Locomotion	225	1	–	1	–	1	4	5	29	34	19	12	15
XI. Skin, etc.	36	7	7	2	5	4	–	1	–	–	–	1	1
XII. Malformation	84	70	2	4	4	1	1	–	2	–	–	–	–
XIII. Premature Debility	1784	1522	145	117	–	–	–	–	–	–	–	–	–
XIV. Atrophy	325	–	–	–	102	28	24	11	17	8	3	5	5
XV. Age	1620	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	99	10	6	2	2	–	2	1	3	2	2	4	6
XVII. Violent Deaths	1037	93	41	19	30	36	28	15	52	50	42	54	75
I. Small Pox	8	1	–	3	3	–	1	–	–	–	–	–	–
Measles	838	6	24	157	327	168	64	45	41	1	1	1	–
Scarlatina	1874	7	22	96	263	266	304	242	547	88	9	12	8
Diphtheria	295	10	1	35	56	41	53	31	48	4	–	3	2
Hooping Cough	1653	75	106	359	532	268	138	96	74	4	–	–	–
Croup	463	7	7	50	148	99	65	48	38	–	1	–	–
Thrush	10	7	1	1	–	–	–	–	1	–	–	–	–
Diarrhœa	1179	208	169	199	205	64	20	4	20	3	7	7	15
Dysentery	124	5	7	5	4	3	2	–	1	2	3	3	5
Cholera	103	9	12	14	8	–	–	1	4	3	3	5	5
Influenza	34	–	1	1	3	3	1	–	–	1	–	–	1
Purpura	13	–	–	1	1	–	–	–	1	–	1	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	6	–	–	–	2	–	–	–	4	–	–	–	–
Typhus	958	1	4	6	20	12	14	17	68	52	77	93	72
Enteric Fever	571	3	3	3	20	42	29	30	84	68	62	41	33
Relapsing Fever	17	–	–	–	1	–	1	–	–	3	4	1	2
Simple Continued Fever	41	–	–	–	2	5	2	2	9	6	2	–	3
Infantile Remittent	89	3	4	16	14	15	15	8	14	–	–	–	–
Metria	70	–	–	–	–	–	–	–	–	–	4	17	17
Rheumatic Fever	52	–	–	–	–	–	1	–	3	4	10	7	3
Erysipelas	125	44	7	6	2	5	–	1	3	3	2	1	1
Pyæmia	12	–	–	1	2	–	–	–	1	2	–	1	1
Syphilis	121	54	25	14	6	1	–	–	1	1	1	2	2
Noma	7	–	–	–	1	1	2	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	32	2	1	–	–	1	–	–	–	3	2	1	2
Dropsy	276	2	2	4	5	7	7	9	23	12	3	6	7
Abscess	74	7	6	2	7	2	2	–	1	5	2	2	6
Ulcer	16	2	1	–	–	–	1	–	–	–	–	–	2
Fistula	9	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	46	2	1	2	3	–	–	–	1	–	1	1	–
Cancer	564	4	1	2	1	2	1	–	3	2	5	8	15
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	368	10	9	27	47	28	13	16	54	32	27	26	21
Tabes Mesenterica	494	38	34	60	133	70	33	25	49	28	9	5	2
Phthisis	4309	15	23	57	134	81	50	45	172	237	524	616	571
Hydrocephalus	1035	46	92	271	280	119	65	47	92	12	4	2	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1169	1211	1159	1203	1204	1226	1346	1289	1142	1008	682	307	119	39	6	15
SPECIFIED CAUSES	1158	1199	1149	1179	1186	1210	1333	1286	1141	1008	682	307	119	39	6	3
Zymotic Class	149	145	134	138	130	131	128	108	79	59	31	19	1	–	–	–
Uncertain Seat	36	54	68	101	95	106	123	76	74	44	33	8	3	–	–	–
Tubercular Class	459	405	287	242	172	141	85	39	19	2	2	–	–	–	–	–
Brain, etc.	71	118	114	121	146	175	212	239	172	182	78	34	8	–	–	1
Heart, etc.	84	92	118	119	133	148	164	168	115	110	33	14	2	1	–	–
Respiratory Organs	117	144	178	205	245	266	294	300	219	160	80	32	12	3	–	1
Digestive Organs	69	72	81	102	119	98	121	94	79	45	22	5	2	–	–	–
Urinary Organs	36	27	36	42	29	29	37	41	38	23	12	4	–	1	–	–
Generative Organs	45	46	36	12	7	7	7	5	3	4	–	–	–	–	–	–
Locomotive Organs	10	9	14	11	8	13	14	8	10	3	3	1	–	–	–	–
Skin	–	–	–	1	1	–	2	2	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	8	14	15	32	43	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	89	166	307	363	381	183	91	34	6	–
Sudden Deaths	6	4	4	8	7	9	9	8	3	1	–	–	–	–	–	–
Violent Deaths	66	75	65	62	62	44	48	32	22	11	7	7	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	6	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	3	1	2	–	–	2	1	1	1	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	15	14	14	20	25	37	36	32	23	24	8	1	–	–	–
Dysentery	5	3	8	4	7	7	9	14	13	10	1	3	–	–	–	–
Cholera	2	3	2	7	6	5	6	1	2	3	1	1	–	–	–	–
Influenza	2	1	1	1	1	2	6	2	4	1	–	2	–	–	–	–
Purpura	1	1	1	1	3	–	–	–	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	73	72	77	73	61	42	33	14	5	1	2	–	–	–	–
Enteric Fever	19	23	20	16	15	15	15	12	7	9	1	1	–	–	–	–
Relapsing Fever	2	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	1	3	–	2	–	1	–	1	1	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	16	10	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	3	3	3	1	2	3	1	–	2	–	–	–	–	–	–
Erysipelas	3	2	3	6	2	9	8	6	5	3	1	2	–	–	–	–
Pyæmia	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	3	2	2	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	1	2	5	2	1	2	1	3	–	–	–	–	–	–	–
Dropsy	12	16	13	14	18	21	35	18	20	11	10	1	–	–	–	–
Abscess	6	5	4	3	2	5	3	1	1	–	1	1	–	–	–	–
Ulcer	–	–	1	2	–	2	1	–	–	1	3	–	–	–	–	–
Fistula	–	–	–	1	–	2	1	2	–	–	1	–	–	–	–	–
Mortification	–	2	1	1	1	2	7	4	4	5	5	3	–	–	–	–
Cancer	15	30	47	75	70	71	73	49	44	27	13	3	3	–	–	–
Gout	–	–	–	–	2	2	1	1	2	–	–	–	–	–	–	–
Scrofula	11	17	5	9	4	5	5	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	2	2	1	–	–	1	–	–	–	–	–	–	–
Phthisis	447	385	282	231	166	135	79	38	17	2	2	–	–	–	–	–
Hydrocephalus	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	185	8	8	19	22	7	12	10	30	15	10	6	3
Apoplexy	607	10	6	14	17	8	6	4	10	5	9	8	8
Paralysis	724	1	–	1	1	1	–	1	2	4	–	4	5
Delirium Tremens	47	–	–	–	–	–	–	–	–	–	–	1	5
Chorea	5	–	–	–	1	1	–	–	1	–	1	–	–
Epilepsy	84	1	–	–	–	–	1	–	–	1	7	7	12
Tetanus	18	7	1	–	1	1	–	1	1	–	1	3	1
Insanity	32	–	–	–	–	–	–	–	–	1	–	–	2
Convulsions	579	210	74	91	109	40	17	15	22	1	–	–	–
Brain Disease	535	6	11	17	20	24	12	22	34	36	18	17	15
V. Pericarditis	29	1	–	–	–	–	–	2	2	3	5	1	2
Aneurism	54	–	–	–	–	–	–	–	–	–	–	–	5
Heart Disease	1455	8	3	2	2	1	1	2	21	22	44	48	62
VI. Laryngitis	73	1	3	8	18	7	4	1	3	–	1	3	2
Bronchitis	3940	255	287	580	681	235	128	73	103	22	27	29	42
Pleurisy	87	2	–	2	2	1	1	–	8	–	2	7	3
Pneumonia	1174	69	41	128	174	75	43	24	57	17	26	42	53
Asthma	192	–	–	1	–	–	–	–	–	–	–	1	9
Lung Disease	172	9	8	9	4	3	4	4	7	4	7	9	13
VII. Teething	550	4	23	222	276	22	2	1	–	–	–	–	–
Quinsey	24	2	3	4	4	6	1	–	–	–	–	2	–
Gastritis	72	6	2	4	6	1	8	1	2	2	2	5	1
Enteritis	358	110	45	45	27	15	9	8	14	8	7	5	6
Peritonitis	140	12	6	3	4	2	2	–	9	12	5	15	9
Ascites	31	1	–	–	–	1	–	–	1	2	2	–	1
Ulceration of Intestines	62	2	–	2	3	–	1	2	2	1	–	4	3
Hernia	49	1	2	1	–	1	–	1	1	–	–	1	2
Ileus	112	15	7	1	2	1	–	–	1	3	5	6	3
Intussusception	6	–	1	–	1	–	–	–	1	–	1	–	–
Stricture of Intestines	16	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	347	48	27	21	21	11	7	5	11	6	1	6	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	67	1	–	2	1	–	1	–	3	1	–	1	3
Jaundice	69	24	4	1	6	3	–	1	1	–	–	1	2
Liver Disease	368	14	2	1	4	1	2	–	10	2	6	7	14
Spleen Disease	6	–	–	–	1	–	–	–	–	–	1	–	–
VIII. Nephritis	48	1	–	–	2	1	3	5	14	4	–	1	1
Nephria	181	–	–	–	5	2	2	2	9	9	9	16	11
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	19	3	1	–	–	–	–	–	4	–	–	1	–
Diabetes	40	–	–	–	–	2	–	–	–	2	2	4	3
Stone	15	–	–	–	–	–	–	–	1	–	–	2	–
Cystitis	72	1	–	–	–	–	–	–	–	–	–	2	–
Stricture of Urethra	14	–	–	–	–	–	–	–	–	–	–	–	2
Kidney Disease	119	2	2	–	–	1	4	–	1	5	3	4	5
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	2	2	3
Ovarian Dropsy	32	–	–	–	–	–	–	–	–	–	–	–	3
Childbirth	185	–	–	–	–	–	–	–	–	–	4	43	38
Organs of Generation	37	–	–	–	–	–	–	–	–	–	–	–	3
X. Arthritis	60	1	–	–	–	1	2	1	6	9	6	4	9
Rheumatism	73	–	–	–	–	–	1	–	2	7	5	1	–
Joint and Bone Disease	92	–	–	1	–	–	1	4	21	18	8	7	6
XI. Carbuncle	5	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	6	1	–	–	–	1	–	–	–	–	–	1	1
Skin Disease	25	6	6	2	5	3	–	1	–	–	–	–	–
XVII. Intemperance	56	–	–	–	–	–	–	–	–	–	3	3	3
Privation	4	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	69	43	19	7	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	1
Poison	31	5	1	1	1	2	1	–	2	–	1	–	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	96	–	–	4	17	20	13	8	5	2	1	6	2
Hanging, etc.	32	–	–	–	–	–	–	–	–	1	1	–	3
Suffocation	79	26	19	6	4	2	1	–	3	–	1	1	3
Drowning	159	1	–	–	4	2	3	1	8	11	8	12	12
Fracture and Contusion	452	3	1	1	3	10	10	6	32	31	23	29	42
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	2	1	–
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	2	1	1
Other Violent Causes	42	14	1	–	1	–	–	–	2	3	1	2	3
Not Specified	568	152	57	64	49	26	17	18	20	11	12	7	15

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	9	2	4	–	4	2	3	–	2	–	–	–	–	–	–
Apoplexy	8	31	25	41	45	58	71	85	52	40	27	13	5	–	–	1
Paralysis	14	31	37	28	60	71	92	106	89	110	44	19	3	–	–	–
Delirium Tremens	8	10	3	9	6	2	1	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	5	8	7	3	7	5	3	3	2	2	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	1	1	6	2	5	3	6	3	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	21	31	33	30	26	30	35	37	26	28	4	2	–	–	–	–
Pericarditis	3	1	1	4	–	4	–	–	–	–	–	–	–	–	–	–
Aneurism	7	11	7	7	6	4	3	3	1	–	–	–	–	–	–	–
Heart Disease	74	80	110	108	127	140	161	165	114	110	33	14	2	1	–	–
Laryngitis	2	3	5	2	–	6	3	–	1	–	–	–	–	–	–	–
Bronchitis	60	74	88	116	143	181	213	207	165	123	62	29	10	3	–	1
Pleurisy	8	3	7	3	9	3	11	6	2	3	3	1	–	–	–	–
Pneumonia	37	43	59	50	52	33	44	48	24	25	7	2	1	–	–	–
Asthma	2	9	12	19	28	25	17	31	23	8	6	–	1	–	–	–
Lung Disease	8	12	7	15	13	15	6	8	4	1	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	4	3	4	6	4	2	3	4	1	–	1	–	–	–	–	–
Enteritis	6	7	3	6	5	5	8	8	6	3	2	–	–	–	–	–
Peritonitis	8	7	12	7	4	4	7	3	7	2	–	–	–	–	–	–
Ascites	2	2	–	5	2	2	2	4	2	–	2	–	–	–	–	–
Ulceration of Intestines	5	2	4	5	7	4	6	3	1	4	–	1	–	–	–	–
Hernia	1	1	1	4	7	3	6	9	3	3	1	–	–	–	–	–
Ileus	6	1	4	3	9	4	13	14	2	7	2	2	1	–	–	–
Intussusception	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	1	2	2	1	2	2	3	–	–	–	–	–	–	–
Stomach Disease	11	9	12	15	24	27	25	19	17	12	6	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	7	8	5	7	9	4	1	2	2	–	–	–	–	–	–
Jaundice	–	–	2	1	2	3	5	4	6	–	3	–	–	–	–	–
Liver Disease	16	31	28	43	44	33	40	22	29	12	5	2	–	–	–	–
Spleen Disease	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	2	3	3	–	2	4	2	–	–	–	–	–	–	–
Nephria	17	16	17	15	12	11	10	7	7	2	2	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	1	–	2	3	2	–	–	–	–	–	–	–
Diabetes	3	1	5	1	2	4	4	2	4	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	6	2	2	1	–	–	–	–	–
Cystitis	2	3	3	5	–	8	10	7	10	12	5	3	–	1	–	–
Stricture of Urethra	1	–	1	3	2	1	2	–	2	–	–	–	–	–	–	–
Kidney Disease	13	7	7	14	8	5	6	12	9	6	4	1	–	–	–	–
Paramenia	5	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	2	4	5	2	6	2	2	1	–	–	–	–	–	–
Childbirth	35	39	26	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	4	6	6	2	5	1	3	1	3	–	–	–	–	–	–
Arthritis	4	3	2	3	3	3	1	1	1	–	–	–	–	–	–	–
Rheumatism	3	1	6	5	3	7	10	6	9	3	3	1	–	–	–	–
Joint Disease	3	5	6	3	2	3	3	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	6	10	5	10	7	4	4	1	–	–	–	–	–	–	–	–
Privation	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	2	3	2	1	3	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	–	4	1	3	1	2	–	–	3	–	–	–	–
Hanging, etc.	2	3	4	4	3	1	3	3	2	2	–	–	–	–	–	–
Suffocation	1	1	2	2	2	1	4	–	–	–	–	–	–	–	–	–
Drowning	17	13	17	13	11	8	5	6	6	–	–	–	–	–	–	1
Fracture and Contusion	34	38	33	25	30	26	25	20	11	8	7	4	–	–	–	–
Gunshot Wounds	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	4	1	4	1	2	3	–	–	–	–	–	–	–	–	–
Not Specified	11	12	10	24	18	16	13	3	1	–	–	–	–	–	–	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17513	1872	772	1498	1972	976	610	480	964	413	521	620	598
SPECIFIED CAUSES	17189	1786	737	1463	1947	962	600	469	953	406	513	614	591
I. Zymotic Class	4340	241	212	504	802	505	335	272	476	99	91	91	82
II. Diseases of Uncertain Seat	375	12	7	3	5	4	3	3	14	11	7	11	11
III. Tubercular Class	2973	65	84	235	331	163	80	72	182	133	243	310	258
IV. Brain and Nervous System	1540	138	57	84	97	40	30	29	55	36	31	21	29
V. Organs of Circulation	820	7	3	–	2	1	–	4	11	12	27	30	42
VI. Respiratory Organs	2924	196	192	396	446	174	99	56	89	18	31	59	62
VII. Organs of Digestion	1152	146	71	162	190	35	18	15	39	19	21	17	23
VIII. Urinary Organs	329	5	3	–	2	4	3	3	21	11	8	19	8
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	123	1	–	–	–	1	4	2	13	21	14	7	11
XI. Skin, etc.	19	4	5	2	1	1	–	1	–	–	–	–	–
XII. Malformation	53	47	–	1	3	–	1	–	1	–	–	–	–
XIII. Premature Debility	1004	864	76	64	–	–	–	–	–	–	–	–	–
XIV. Atrophy	141	–	–	–	50	12	10	4	5	4	2	2	2
XV. Age	575	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	54	4	4	2	1	–	–	1	2	–	1	–	3
XVII. Violent Deaths	766	56	23	10	17	22	17	7	45	42	37	47	60
I. Small Pox	3	–	–	1	1	–	1	–	–	–	–	–	–
Measles	426	3	8	91	163	83	35	24	16	1	–	1	–
Scarlatina	958	3	15	52	131	145	143	139	278	34	4	6	3
Diphtheria	142	8	1	16	24	22	24	18	21	1	–	1	1
Hooping Cough	775	39	52	188	246	117	57	34	41	1	–	–	–
Croup	257	7	6	27	87	55	30	29	16	–	–	–	–
Thrush	7	4	1	1	–	–	–	–	1	–	–	–	–
Diarrhœa	586	108	93	92	104	38	9	2	9	2	6	2	8
Dysentery	56	3	3	3	3	1	1	–	–	2	1	2	2
Cholera	53	4	8	7	2	–	–	1	2	–	2	2	2
Influenza	19	–	1	1	2	2	1	–	–	–	–	–	1
Purpura	6	–	–	1	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	527	–	4	4	12	8	12	6	31	18	44	52	43
Enteric Fever	290	2	2	1	12	23	8	17	43	32	28	19	19
Relapsing Fever	6	–	–	–	–	–	1	–	–	1	–	–	1
Simple Continued Fever	12	–	–	–	1	1	2	–	3	1	1	–	–
Infantile Remittent	45	2	2	8	7	7	9	2	8	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	26	–	–	–	–	–	1	–	3	2	4	5	–
Erysipelas	74	28	5	4	2	3	–	–	1	1	–	1	1
Pyæmia	8	–	–	–	2	–	–	–	1	2	–	–	–
Syphilis	60	30	11	7	2	–	–	–	–	1	–	–	1
Noma	2	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	2	–	–	–	1	–	–	–	2	1	–	1
Dropsy	110	1	2	3	1	2	2	3	11	5	1	4	2
Abscess	31	3	3	–	3	–	1	–	–	2	1	1	3
Ulcer	9	2	1	–	–	–	–	–	–	–	–	–	–
Fistula	8	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	21	1	–	–	1	–	–	–	1	–	–	1	–
Cancer	170	3	1	–	–	1	–	–	2	2	4	4	4
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	212	5	4	19	30	13	6	9	32	19	17	15	14
Tabes Mesenterica	289	24	21	33	76	43	19	12	28	16	7	5	1
Phthisis	1913	9	10	32	71	44	23	25	79	92	217	288	242
Hydrocephalus	559	27	49	151	154	63	32	26	43	6	2	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	548	588	572	664	623	616	684	614	501	426	223	98	45	8	1	11
SPECIFIED CAUSES	546	577	566	652	610	608	673	612	500	426	223	98	45	8	1	3
Zymotic Class	65	65	77	77	82	67	69	51	34	30	6	7	–	–	–	–
Uncertain Seat	8	12	28	44	28	36	41	29	25	17	11	3	2	–	–	–
Tubercular Class	191	174	114	113	78	69	47	21	10	–	–	–	–	–	–	–
Brain, etc.	51	74	67	83	78	93	106	115	87	96	24	13	5	–	–	1
Heart, etc.	45	52	58	71	73	84	89	83	54	53	12	6	1	–	–	–
Respiratory Organs	63	74	93	112	133	136	155	151	84	62	26	11	5	–	–	1
Digestive Organs	34	33	40	56	48	38	60	34	32	12	7	2	–	–	–	–
Urinary Organs	15	19	21	31	20	20	25	29	30	19	8	4	–	1	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	4	9	6	4	8	7	4	2	1	1	–	–	–	–	–
Skin	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	6	5	3	12	20	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	35	66	126	131	125	52	32	7	1	–
Sudden Deaths	4	2	2	5	5	5	6	4	3	–	–	–	–	–	–	–
Violent Deaths	62	62	52	50	49	32	31	24	13	4	3	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	2	5	9	12	14	21	13	15	12	4	3	–	–	–	–
Dysentery	2	1	5	4	2	4	5	5	3	3	–	1	–	–	–	–
Cholera	–	2	–	6	4	2	3	1	2	1	1	1	–	–	–	–
Influenza	–	–	1	–	–	2	3	2	3	–	–	–	–	–	–	–
Purpura	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	38	46	41	49	29	24	16	5	3	–	1	–	–	–	–
Enteric Fever	7	13	12	10	10	6	8	7	4	7	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	3	1	1	1	1	1	–	–	–	–	–	–	–	–
Erysipelas	1	1	2	4	2	6	2	5	2	2	–	1	–	–	–	–
Pyæmia	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	2	4	2	–	2	1	–	–	–	–	–	–	–	–
Dropsy	4	3	8	7	6	9	10	9	9	3	5	–	–	–	–	–
Abscess	1	2	2	1	2	4	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	2	1	–	–	1	1	–	–	–	–	–
Fistula	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	–
Mortification	–	1	1	1	–	–	3	3	1	3	2	2	–	–	–	–
Cancer	2	5	15	29	16	18	23	12	13	10	3	1	2	–	–	–
Gout	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–
Scrofula	7	8	2	4	3	2	3	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	184	163	112	108	74	66	43	21	10	–	–	–	–	–	–	–
Hydrocephalus	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	114	6	5	10	14	3	6	7	16	9	9	4	3
Apoplexy	306	5	3	9	10	3	4	1	5	3	7	2	2
Paralysis	378	–	–	–	1	–	–	1	1	2	–	4	5
Delirium Tremens	39	–	–	–	–	–	–	–	–	–	–	1	5
Chorea	2	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	50	1	–	–	–	–	–	–	–	1	3	1	8
Tetanus	12	5	1	–	1	1	–	–	1	–	1	1	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	326	117	43	56	61	20	11	5	12	1	–	–	–
Brain Disease	308	4	5	9	9	13	9	15	19	20	11	8	6
V. Pericarditis	20	1	–	–	–	–	–	2	1	2	4	1	1
Aneurism	46	–	–	–	–	–	–	–	–	–	–	–	5
Heart Disease	754	6	3	–	2	1	–	2	10	10	23	29	36
VI. Laryngitis	44	1	2	5	8	4	2	1	2	–	1	1	1
Bronchitis	1943	149	158	311	346	124	72	40	45	8	9	19	18
Pleurisy	62	–	–	2	1	–	1	–	8	–	1	5	3
Pneumonia	680	43	27	71	90	43	22	13	31	7	16	27	29
Asthma	96	–	–	1	–	–	–	–	–	–	–	1	4
Lung Disease	99	3	5	6	1	3	2	2	3	3	4	6	7
VII. Teething	295	4	13	113	150	13	1	1	–	–	–	–	–
Quinsey	11	1	1	3	3	1	1	–	–	–	–	1	–
Gastritis	34	6	2	1	2	–	4	1	2	1	1	1	–
Enteritis	203	67	33	26	15	8	4	6	8	3	5	3	3
Peritonitis	56	6	3	3	–	1	2	–	5	7	5	4	1
Ascites	13	1	–	–	–	1	–	–	1	–	1	–	1
Ulceration of Intestines	26	2	–	–	–	–	1	1	2	1	–	2	1
Hernia	24	1	1	1	–	1	–	1	1	–	–	1	2
Ileus	55	7	4	1	2	–	–	–	1	2	3	3	2
Intussusception	4	–	1	–	1	–	–	–	1	–	1	–	–
Stricture of Intestines	7	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	165	26	10	12	10	8	2	4	9	3	1	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	–	–	1	–	–	1	–	2	1	–	–	3
Jaundice	38	14	2	–	4	1	–	1	1	–	–	–	–
Liver Disease	184	9	1	1	3	1	2	–	6	1	3	1	8
Spleen Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	33	1	–	–	1	–	2	2	11	3	–	1	–
Nephria	95	–	–	–	1	2	–	1	6	5	6	9	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	2	1	–	–	–	–	–	2	–	–	1	–
Diabetes	28	–	–	–	–	2	–	–	–	–	1	3	2
Stone	13	–	–	–	–	–	–	–	1	–	–	2	–
Cystitis	62	1	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	13	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	71	1	2	–	–	–	1	–	1	3	1	2	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	38	1	–	–	–	1	2	1	4	6	4	1	7
Rheumatism	35	–	–	–	–	–	1	–	–	5	4	1	–
Joint and Bone Disease	50	–	–	–	–	–	1	1	9	10	6	5	4
XI. Carbuncle	3	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	14	3	4	2	1	1	–	1	–	–	–	–	–
XVII. Intemperance	31	–	–	–	–	–	–	–	–	–	3	3	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	41	23	13	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	17	3	1	–	1	2	1	–	1	–	–	–	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	58	–	–	2	11	15	9	4	3	2	1	4	1
Hanging, etc.	25	–	–	–	–	–	–	–	–	1	1	–	1
Suffocation	39	14	7	3	2	–	1	–	3	–	–	–	2
Drowning	136	1	–	–	3	1	1	1	8	11	7	9	11
Fracture and Contusion	373	3	1	–	–	4	5	2	30	23	21	29	40
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	2	1	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	2	1	–	–
Other Violent Causes	31	12	1	–	–	1	–	–	–	3	1	1	2
Not Specified	324	86	35	35	25	14	10	11	11	7	8	6	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	2	2	–	4	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	17	13	24	24	26	40	37	28	21	6	5	4	–	–	1
Paralysis	11	22	22	20	29	39	42	54	44	58	15	7	1	–	–	–
Delirium Tremens	7	7	2	9	5	1	–	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	3	7	6	3	4	2	1	2	2	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	18	20	22	16	18	20	21	13	15	1	1	–	–	–	–
Pericarditis	1	–	1	3	–	3	–	–	–	–	–	–	–	–	–	–
Aneurism	6	11	7	6	4	3	2	2	–	–	–	–	–	–	–	–
Heart Disease	38	41	50	62	69	78	87	81	54	53	12	6	1	–	–	–
Laryngitis	2	2	4	1	–	4	2	–	1	–	–	–	–	–	–	–
Bronchitis	26	36	35	53	68	90	107	101	58	41	17	8	3	–	–	1
Pleurisy	6	2	4	1	7	2	8	4	1	2	3	1	–	–	–	–
Pneumonia	23	26	39	37	30	22	25	28	12	12	4	2	1	–	–	–
Asthma	2	4	6	9	17	11	8	15	10	6	1	–	1	–	–	–
Lung Disease	4	4	5	11	11	7	5	3	2	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	3	2	1	–	2	2	–	–	1	–	–	–	–	–
Enteritis	2	6	1	1	2	2	3	2	2	–	1	–	–	–	–	–
Peritonitis	1	4	4	3	1	1	3	–	2	–	–	–	–	–	–	–
Ascites	2	1	–	3	–	–	–	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	1	3	2	3	3	–	1	–	–	–	–	–	–
Hernia	1	1	1	2	1	2	3	3	1	–	–	–	–	–	–	–
Ileus	3	–	1	1	5	1	8	7	–	3	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–
Stomach Disease	7	2	7	10	7	9	13	6	8	6	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	2	5	2	3	5	4	–	1	–	–	–	–	–	–	–
Jaundice	–	–	1	1	1	1	2	2	4	–	3	–	–	–	–	–
Liver Disease	10	16	15	28	23	15	18	7	13	2	–	1	–	–	–	–
Spleen Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	3	2	–	2	3	1	–	–	–	–	–	–	–
Nephria	5	9	12	10	8	6	4	3	3	2	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	2	2	2	–	–	–	–	–	–	–
Diabetes	2	1	4	1	2	3	2	1	3	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	6	2	1	–	–	–	–	–	–
Cystitis	1	2	1	5	–	7	9	6	10	11	4	3	–	1	–	–
Stricture of Urethra	1	–	1	3	2	1	2	–	2	–	–	–	–	–	–	–
Kidney Disease	6	7	2	8	5	3	3	8	7	4	3	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	2	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Rheumatism	1	1	5	4	1	3	3	2	2	1	1	–	–	–	–	–
Joint Disease	1	1	3	–	2	3	3	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	6	4	3	6	3	2	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	2	3	4	3	1	3	3	–	1	–	–	–	–	–	–
Suffocation	1	1	–	1	1	–	3	–	–	–	–	–	–	–	–	–
Drowning	17	13	13	10	9	6	4	6	4	–	–	–	–	–	–	1
Fracture and Contusion	32	36	31	22	29	20	17	14	9	2	3	–	–	–	–	–
Gunshot Wounds	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	4	–	4	–	1	2	–	–	–	–	–	–	–	–	–
Not Specified	2	6	6	12	13	8	11	2	1	–	–	–	–	–	–	8

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17208	1388	616	1282	1865	897	621	424	904	456	529	640	678
SPECIFIED CAUSES	16964	1322	594	1253	1841	885	614	417	895	452	525	639	670
I. Zymotic Class	4324	199	181	463	818	488	377	254	488	146	96	101	88
II. Diseases of Uncertain Seat	650	7	5	7	11	8	8	6	14	11	6	8	22
III. Tubercular Class	3233	44	74	180	263	135	81	61	185	176	321	389	338
IV. Brain and Nervous System	1276	105	43	58	74	42	18	24	45	27	15	25	22
V. Organs of Circulation	718	2	–	2	–	–	1	–	12	13	22	19	27
VI. Respiratory Organs	2714	140	147	332	433	147	81	46	89	25	32	32	60
VII. Organs of Digestion	1125	96	51	145	166	29	15	4	17	18	9	36	26
VIII. Urinary Organs	180	2	–	–	5	2	6	4	8	9	6	11	14
IX. Organs of Generation	269	–	–	–	–	–	–	–	–	–	6	45	47
X. Organs of Locomotion	102	–	–	1	–	–	–	3	16	13	5	5	4
XI. Skin, etc.	17	3	2	–	4	3	–	–	–	–	–	1	1
XII. Malformation	31	23	2	3	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	780	658	69	53	–	–	–	–	–	–	–	–	–
XIV. Atrophy	184	–	–	–	52	16	14	7	12	4	1	3	3
XV. Age	1045	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	45	6	2	–	1	–	2	–	1	2	1	4	3
XVII. Violent Deaths	271	37	18	9	13	14	11	8	7	8	5	7	15
I. Small Pox	5	1	–	2	2	–	–	–	–	–	–	–	–
Measles	412	3	16	66	164	85	29	21	25	–	1	–	–
Scarlatina	916	4	7	44	132	121	161	103	269	54	5	6	5
Diphtheria	153	2	–	19	32	19	29	13	27	3	–	2	1
Hooping Cough	878	36	54	171	286	151	81	62	33	3	–	–	–
Croup	206	–	1	23	61	44	35	19	22	–	1	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	593	100	76	107	101	26	11	2	11	1	1	5	7
Dysentery	68	2	4	2	1	2	1	–	1	–	2	1	3
Cholera	50	5	4	7	6	–	–	–	2	3	1	3	3
Influenza	15	–	–	–	1	1	–	–	–	1	–	–	–
Purpura	7	–	–	–	1	–	–	–	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	4	–	–	–	2	–	–	–	2	–	–	–	–
Typhus	431	1	–	2	8	4	2	11	37	34	33	41	29
Enteric Fever	281	1	1	2	8	19	21	13	41	36	34	22	14
Relapsing Fever	11	–	–	–	1	–	–	–	–	2	4	1	1
Simple Continued Fever	29	–	–	–	1	4	–	2	6	5	1	–	3
Infantile Remittent	44	1	2	8	7	8	6	6	6	–	–	–	–
Metria	70	–	–	–	–	–	–	–	–	–	4	17	17
Rheumatic Fever	26	–	–	–	–	–	–	–	–	2	6	2	3
Erysipelas	51	16	2	2	–	2	–	1	2	2	2	–	–
Pyæmia	4	–	–	1	–	–	–	–	–	–	–	1	1
Syphilis	61	24	14	7	4	1	–	–	1	–	1	2	1
Noma	5	–	–	–	–	1	1	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	–	1	–	–	–	–	–	–	1	1	1	1
Dropsy	166	1	–	1	4	5	5	6	12	7	2	2	5
Abscess	43	4	3	3	4	2	1	–	1	3	1	1	3
Ulcer	7	–	–	–	–	–	1	–	–	–	–	–	2
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	25	1	1	2	2	–	–	–	–	–	1	–	–
Cancer	394	1	–	2	1	1	1	–	1	–	1	4	11
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	156	5	5	8	17	15	7	7	22	13	10	11	7
Tabes Mesenterica	205	14	13	27	57	27	14	13	21	12	2	–	1
Phthisis	2396	6	13	25	63	37	27	20	93	145	307	328	329
Hydrocephalus	476	19	43	120	126	56	33	21	49	6	2	–	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	621	628	587	539	581	610	662	675	641	582	459	209	74	31	5	4
SPECIFIED CAUSES	612	622	583	527	576	602	660	674	641	582	459	209	74	31	5	–
Zymotic Class	84	80	57	61	48	64	59	57	45	29	25	12	1	–	–	–
Uncertain Seat	28	42	40	57	67	70	82	47	49	27	22	5	1	–	–	–
Tubercular Class	268	231	173	129	94	72	38	18	9	2	2	–	–	–	–	–
Brain, etc.	20	44	47	38	68	82	106	124	85	86	54	21	3	–	–	–
Heart, etc.	39	40	60	48	60	64	75	85	61	57	21	8	1	1	–	–
Respiratory Organs	54	70	85	93	112	130	139	149	135	98	54	21	7	3	–	–
Digestive Organs	35	39	41	46	71	60	61	60	47	33	15	3	2	–	–	–
Urinary Organs	21	8	15	12	8	9	12	12	8	4	4	–	–	–	–	–
Generative Organs	44	46	36	12	7	7	7	5	3	4	–	–	–	–	–	–
Locomotive Organs	7	5	5	5	4	5	7	4	8	2	2	1	–	–	–	–
Skin	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	2	9	12	20	23	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	54	100	181	232	256	131	59	27	5	–
Sudden Deaths	2	2	2	3	2	4	3	4	–	1	–	–	–	–	–	–
Violent Deaths	4	13	13	12	13	12	17	8	9	7	4	7	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	13	9	5	8	11	16	23	17	11	20	5	1	–	–	–
Dysentery	3	2	3	–	5	3	4	9	10	7	1	2	–	–	–	–
Cholera	2	1	2	1	2	3	3	–	–	2	–	–	–	–	–	–
Influenza	2	1	–	1	1	–	3	–	1	1	–	2	–	–	–	–
Purpura	–	1	–	1	1	–	–	–	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	35	26	36	24	32	18	17	9	2	1	1	–	–	–	–
Enteric Fever	12	10	8	6	5	9	7	5	3	2	1	1	–	–	–	–
Relapsing Fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	16	10	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	1	–	2	–	1	2	–	–	2	–	–	–	–	–	–
Erysipelas	2	1	1	2	–	3	6	1	3	1	1	1	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–
Dropsy	8	13	5	7	12	12	25	9	11	8	5	1	–	–	–	–
Abscess	5	3	2	2	–	1	3	–	–	–	1	1	–	–	–	–
Ulcer	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	–	1	–	–	1	2	4	1	3	2	3	1	–	–	–	–
Cancer	13	25	32	46	54	53	50	37	31	17	10	2	1	–	–	–
Gout	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Scrofula	4	9	3	5	1	3	2	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Phthisis	263	222	170	123	92	69	36	17	7	2	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	71	2	3	9	8	4	6	3	14	6	1	2	–
	Apoplexy	301	5	3	5	7	5	2	3	5	2	2	6	6
	Paralysis	346	1	–	1	–	1	–	–	1	2	–	–	–
	Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	3	–	–	–	–	1	–	–	–	–	1	–	–
	Epilepsy	34	–	–	–	–	–	1	–	–	–	4	6	4
	Tetanus	6	2	–	–	–	–	–	1	–	–	–	2	1
	Insanity	27	–	–	–	–	–	–	–	–	1	–	–	2
	Convulsions	253	93	31	35	48	20	6	10	10	–	–	–	–
	Brain Disease	227	2	6	8	11	11	3	7	15	16	7	9	9
V.	Pericarditis	9	–	–	–	–	–	–	–	1	1	1	–	1
	Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	701	2	–	2	–	–	1	–	11	12	21	19	26
VI.	Laryngitis	29	–	1	3	10	3	2	–	1	–	–	2	1
	Bronchitis	1997	106	129	269	335	111	56	33	58	14	18	10	24
	Pleurisy	25	2	–	–	1	1	–	–	–	–	1	2	–
	Pneumonia	494	26	14	57	84	32	21	11	26	10	10	15	24
	Asthma	96	–	–	–	–	–	–	–	–	–	–	–	5
	Lung Disease	73	6	3	3	3	–	2	2	4	1	3	3	6
VII.	Teething	255	–	10	109	126	9	1	–	–	–	–	–	–
	Quinsey	13	1	2	1	1	5	–	–	–	–	–	1	–
	Gastritis	38	–	–	3	4	1	4	–	–	1	1	4	1
	Enteritis	155	43	12	19	12	7	5	2	6	5	2	2	3
	Peritonitis	84	6	3	–	4	1	–	–	4	5	–	11	8
	Ascites	18	–	–	–	–	–	–	–	–	2	1	–	–
	Ulceration of Intestines	36	–	–	2	3	–	–	1	–	–	–	2	2
	Hernia	25	–	1	–	–	–	–	–	–	–	–	–	–
	Ileus	57	8	3	–	–	1	–	–	–	1	2	3	1
	Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	182	22	17	9	11	3	5	1	2	3	–	5	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	33	1	–	1	1	–	–	–	1	–	–	1	–
	Jaundice	31	10	2	1	2	2	–	–	–	–	–	1	2
	Liver Disease	184	5	1	–	1	–	–	–	4	1	3	6	6
	Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
VIII.	Nephritis	15	–	–	–	1	1	1	3	3	1	–	–	1
	Nephria	86	–	–	–	4	–	2	1	3	4	3	7	9
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	5	1	–	–	–	–	–	–	2	–	–	–	–
	Diabetes	12	–	–	–	–	–	–	–	–	2	1	1	1
	Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	10	–	–	–	–	–	–	–	–	–	–	1	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
	Kidney Disease	48	1	–	–	–	1	3	–	–	2	2	2	2
IX.	Paramenia	16	–	–	–	–	–	–	–	–	–	2	2	3
	Ovarian Dropsy	32	–	–	–	–	–	–	–	–	–	–	–	3
	Childbirth	185	–	–	–	–	–	–	–	–	–	4	43	38
	Organs of Generation	36	–	–	–	–	–	–	–	–	–	–	–	3
X.	Arthritis	22	–	–	–	–	–	–	–	2	3	2	3	2
	Rheumatism	38	–	–	–	–	–	–	–	2	2	1	–	–
	Joint and Bone Disease	42	–	–	1	–	–	–	3	12	8	2	2	2
XI.	Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	4	–	–	–	–	1	–	–	–	–	–	1	1
	Skin Disease	11	3	2	–	4	2	–	–	–	–	–	–	–
XVII.	Intemperance	25	–	–	–	–	–	–	–	–	–	–	–	3
	Privation	3	–	–	–	–	–	–	–	–	–	–	–	1
	Want of Breast Milk	28	20	6	2	–	–	–	–	–	–	–	–	–
	Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
	Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	14	2	–	1	–	–	–	–	1	–	1	–	2
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	38	–	–	2	6	5	4	4	2	–	–	2	1
	Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	2
	Suffocation	40	12	12	3	2	2	–	–	–	–	1	1	1
	Drowning	23	–	–	–	1	1	2	–	–	–	1	3	1
	Fracture and Contusion	79	–	–	1	3	6	5	4	2	8	2	–	2
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	11	2	–	–	1	–	–	–	2	–	–	1	1
	Not Specified	244	66	22	29	24	12	7	7	9	4	4	1	8

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	–	2	–	–	1	3	–	2	–	–	–	–	–	–
Apoplexy	2	14	12	17	21	32	31	48	24	19	21	8	1	–	–	–
Paralysis	3	9	15	8	31	32	50	52	45	52	29	12	2	–	–	–
Delirium Tremens	1	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	2	1	1	–	3	3	2	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	5	2	4	2	5	3	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	13	13	8	10	12	15	16	13	13	3	1	–	–	–	–
Pericarditis	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	2	1	1	1	1	–	–	–	–	–	–	–
Heart Disease	36	39	60	46	58	62	74	84	60	57	21	8	1	1	–	–
Laryngitis	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Bronchitis	34	38	53	63	75	94	106	106	107	82	45	21	7	3	–	–
Pleurisy	2	1	3	2	2	1	3	2	1	1	–	–	–	–	–	–
Pneumonia	14	17	20	13	22	11	19	20	12	13	3	–	–	–	–	–
Asthma	–	5	6	10	11	14	9	16	13	2	5	–	–	–	–	–
Lung Disease	4	8	2	4	2	8	1	5	2	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	1	4	3	2	1	2	1	–	–	–	–	–	–	–
Enteritis	4	1	2	5	3	3	5	6	4	3	1	–	–	–	–	–
Peritonitis	7	3	8	4	3	3	4	3	5	2	–	–	–	–	–	–
Ascites	–	1	–	2	2	2	2	2	2	–	2	–	–	–	–	–
Ulceration of Intestines	4	1	3	4	4	2	3	–	1	3	–	1	–	–	–	–
Hernia	–	–	–	2	6	1	3	6	2	3	1	–	–	–	–	–
Ileus	3	1	3	2	4	3	5	7	2	4	2	1	1	–	–	–
Intussusception	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	1	–	1	1	1	2	2	–	–	–	–	–	–	–
Stomach Disease	4	7	5	5	17	18	12	13	9	6	4	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	5	3	3	4	4	1	1	1	2	–	–	–	–	–	–
Jaundice	–	–	1	–	1	2	3	2	2	–	–	–	–	–	–	–
Liver Disease	6	15	13	15	21	18	22	15	16	10	5	1	–	–	–	–
Spleen Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–
Nephria	12	7	5	5	4	5	6	4	4	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	1	2	1	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cystitis	1	1	2	–	–	1	1	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	5	6	3	2	3	4	2	2	1	–	–	–	–	–
Paramenia	5	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	2	4	5	2	6	2	2	1	–	–	–	–	–	–
Childbirth	35	39	26	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	4	6	6	2	5	1	3	1	3	–	–	–	–	–	–
Arthritis	3	1	1	1	2	1	–	–	1	–	–	–	–	–	–	–
Rheumatism	2	–	1	1	2	4	7	4	7	2	2	1	–	–	–	–
Joint Disease	2	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	6	2	4	4	2	3	1	–	–	–	–	–	–	–	–
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	1	1	1	2	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	–	–	2	–	2	–	2	–	–	3	–	–	–	–
Hanging, etc.	–	1	1	–	–	–	–	–	2	1	–	–	–	–	–	–
Suffocation	–	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	4	3	2	2	1	–	2	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	3	1	6	8	6	2	6	4	4	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Not Specified	9	6	4	12	5	8	2	1	–	–	–	–	–	–	–	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	13832	1242	572	1313	1818	918	585	442	834	369	401	492	512
Specified Causes	13672	1206	555	1292	1807	911	581	438	831	363	395	491	508
I. Zymotic Class	3759	146	154	457	774	464	335	250	443	99	92	67	65
II. Diseases of Uncertain Seat	341	6	3	4	9	6	7	4	11	11	4	8	10
III. Tubercular Class	2578	36	60	182	261	156	72	68	158	146	205	264	245
IV. Brain and Nervous System	951	96	40	59	72	39	26	25	41	26	20	13	16
V. Organs of Circulation	442	1	-	1	1	1	-	-	6	5	12	21	28
VI. Respiratory Organs	2657	120	173	400	469	184	96	65	103	21	20	46	53
VII. Organs of Digestion	923	111	58	139	164	32	17	9	22	19	13	19	21
VIII. Urinary Organs	166	2	2	-	1	4	4	7	13	6	6	6	9
IX. Organs of Generation	103	-	-	-	-	-	-	-	-	-	2	19	17
X. Organs of Locomotion	75	1	-	-	-	-	2	2	11	12	3	4	6
XI. Skin, etc.	8	1	1	-	2	2	-	-	-	-	-	-	1
XII. Malformation	29	26	2	-	1	-	-	-	-	-	-	-	-
XIII. Premature Debility	710	621	49	40	-	-	-	-	-	-	-	-	-
XIV. Atrophy	105	-	-	-	41	11	10	6	2	-	1	3	3
XV. Age	377	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	59	2	1	1	2	-	1	1	3	2	2	3	3
XVII. Violent Deaths	389	37	12	9	10	12	11	1	18	16	15	18	31
I. Small Pox	3	-	-	3	-	-	-	-	-	-	-	-	-
Measles	348	-	6	64	143	70	30	20	13	-	-	1	-
Scarlatina	918	2	14	59	134	127	142	116	270	39	6	2	3
Diphtheria	106	3	-	15	23	12	18	15	14	1	-	-	2
Hooping Cough	926	30	48	194	305	155	88	58	47	1	-	-	-
Croup	149	2	4	15	52	33	17	11	15	-	-	-	-
Thrush	3	2	-	-	-	-	-	-	1	-	-	-	-
Diarrhœa	450	72	67	85	84	28	13	3	10	1	3	3	6
Dysentery	30	1	1	3	-	-	-	-	-	-	2	1	4
Cholera	27	1	7	4	2	-	-	1	-	-	2	1	3
Influenza	16	-	1	-	3	2	1	-	-	1	-	-	-
Purpura	4	-	-	1	-	-	-	-	1	-	1	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	3	-	-	-	1	-	-	-	2	-	-	-	-
Typhus	367	-	-	1	1	3	2	6	22	22	36	34	28
Enteric Fever	229	2	1	2	10	24	13	14	35	26	31	17	10
Relapsing Fever	5	-	-	-	-	-	-	-	-	2	2	-	-
Simple Continued Fever	16	-	-	-	2	-	-	1	4	3	-	-	-
Infantile Remittent	41	1	-	4	9	8	8	5	6	-	-	-	-
Metria	27	-	-	-	-	-	-	-	-	-	3	6	6
Rheumatic Fever	13	-	-	-	-	-	1	-	1	2	4	2	-
Erysipelas	35	14	2	1	1	2	-	-	-	1	1	-	1
Pyæmia	3	-	-	-	1	-	-	-	1	-	-	-	1
Syphilis	36	16	3	6	2	-	-	-	-	-	1	-	1
Noma	4	-	-	-	1	-	2	-	1	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	10	-	-	-	-	1	-	-	-	1	1	-	1
Dropsy	103	1	-	1	2	5	5	4	8	8	-	3	1
Abscess	30	2	2	1	5	-	-	-	1	1	-	2	2
Ulcer	6	-	-	-	-	-	1	-	-	-	-	-	-
Fistula	3	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	12	-	-	1	2	-	-	-	1	-	-	-	-
Cancer	176	3	1	1	-	-	1	-	1	1	3	3	6
Gout	1	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	132	3	2	12	19	10	8	8	23	11	7	9	6
Tabes Mesenterica	211	12	13	25	44	41	18	14	23	12	5	2	-
Phthisis	1804	6	10	22	76	51	23	26	81	119	193	252	239
Hydrocephalus	431	15	35	123	122	54	23	20	31	4	-	1	-

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	488	455	441	486	460	427	428	386	281	231	154	53	27	11	3	3
SPECIFIED CAUSES	485	449	438	475	456	423	422	385	281	231	154	53	27	11	3	1
Zymotic Class	62	55	60	62	48	40	26	22	18	11	4	5	–	–	–	–
Uncertain Seat	17	25	33	35	36	36	34	14	15	10	2	1	–	–	–	–
Tubercular Class	180	145	122	90	72	56	43	13	3	–	1	–	–	–	–	–
Brain, etc.	21	35	24	47	41	54	63	72	40	58	18	2	3	–	–	–
Heart, etc.	33	32	26	46	50	43	41	42	26	18	4	4	–	1	–	–
Respiratory Organs	71	64	73	101	110	116	113	114	63	42	28	6	5	1	–	–
Digestive Organs	32	35	25	34	43	30	39	27	12	11	10	1	–	–	–	–
Urinary Organs	11	9	13	23	12	7	8	11	7	3	2	–	–	–	–	–
Generative Organs	19	17	12	6	4	2	2	1	–	2	–	–	–	–	–	–
Locomotive Organs	1	1	8	3	3	2	6	3	5	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	–	3	2	7	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	26	50	84	70	82	34	19	9	3	–
Sudden Deaths	5	2	3	6	5	6	7	4	–	–	–	–	–	–	–	–
Violent Deaths	28	29	36	20	25	20	14	12	8	3	3	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	7	4	9	11	7	8	9	6	5	3	1	–	–	–	–
Dysentery	2	–	4	2	3	1	1	–	3	1	–	1	–	–	–	–
Cholera	1	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Influenza	1	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	31	39	37	26	24	11	7	6	2	–	1	–	–	–	–
Enteric Fever	6	9	7	6	3	2	1	4	2	2	1	1	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	2	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	7	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	1	1	1	2	–	4	2	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Dropsy	7	7	6	3	9	7	15	4	5	2	–	–	–	–	–	–
Abscess	3	4	2	–	2	1	1	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–
Fistula	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	–	–	–	3	2	–	1	–	–	–	–	–	–
Cancer	7	12	23	30	23	25	11	8	10	6	1	–	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	5	1	2	2	1	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	178	138	121	87	70	55	40	13	3	–	1	–	–	–	–	–
Hydrocephalus	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	69	3	6	9	8	3	6	6	13	4	4	2	–
Apoplexy	171	2	–	5	6	4	4	1	4	2	4	1	4
Paralysis	212	–	–	1	1	1	–	–	1	1	–	1	2
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	22	–	–	–	–	–	–	–	–	1	1	1	3
Tetanus	7	1	–	–	–	–	–	1	–	–	1	2	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	245	89	29	35	47	19	11	7	7	1	–	–	–
Brain Disease	207	1	5	9	9	11	5	10	16	17	10	6	5
V. Pericarditis	7	–	–	–	–	–	–	–	1	1	–	–	–
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	419	1	–	1	1	1	–	–	5	4	12	21	27
VI. Laryngitis	26	–	1	3	8	2	3	–	–	–	–	1	–
Bronchitis	1921	82	149	322	365	130	73	47	58	12	9	15	20
Pleurisy	18	–	–	1	–	–	1	–	2	–	–	1	1
Pneumonia	561	37	22	69	95	50	18	16	41	6	7	23	24
Asthma	62	–	–	1	–	–	–	–	–	–	–	1	3
Lung Disease	69	1	1	4	1	2	1	2	2	3	4	5	5
VII. Teething	237	1	5	98	125	7	1	–	–	–	–	–	–
Quinsey	12	2	3	1	2	3	–	–	–	–	–	1	–
Gastritis	34	2	2	4	2	1	3	1	1	1	1	2	–
Enteritis	177	57	24	23	13	8	4	3	7	5	4	2	3
Peritonitis	30	–	–	–	–	1	1	–	3	5	1	4	1
Ascites	16	–	–	–	–	1	–	–	–	1	1	–	1
Ulceration of Intestines	15	–	–	–	1	–	1	–	–	1	–	1	2
Hernia	14	–	–	–	–	1	–	1	–	–	–	–	–
Ileus	42	10	5	–	1	1	–	–	–	1	2	3	1
Intussusception	2	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	155	25	16	12	15	8	5	3	5	5	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	–	–	–	1	–	1	–	–	–	–	–	2
Jaundice	17	5	2	1	2	1	–	1	1	–	–	1	–
Liver Disease	144	9	1	–	2	–	1	–	4	–	4	4	9
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	27	–	–	–	1	1	1	5	8	3	–	1	1
Nephria	40	–	–	–	–	–	1	2	2	2	2	3	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	2	1	–	–	–	–	–	2	–	–	–	–
Diabetes	12	–	–	–	–	2	–	–	–	1	1	1	1
Stone	1	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	18	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	7	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	52	–	1	–	–	1	2	–	1	–	3	–	4
IX. Paramenia	7	–	–	–	–	–	–	–	–	–	1	–	3
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	73	–	–	–	–	–	–	–	–	1	19	13	
Organs of Generation	14	–	–	–	–	–	–	–	–	–	–	1	
X. Arthritis	21	1	–	–	–	–	1	–	2	3	–	1	4
Rheumatism	25	–	–	–	–	–	–	–	1	1	2	–	–
Joint and Bone Disease	29	–	–	–	–	–	1	2	8	8	1	3	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	1	–	–	–	–	–	–	1
Skin Disease	5	1	1	–	2	1	–	–	–	–	–	–	–
XVII. Intemperance	23	–	–	–	–	–	–	–	–	–	2	2	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	31	19	8	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	3	–	–	–	2	1	–	2	–	–	–	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	25	–	–	2	4	7	4	–	–	–	–	1	1
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	28	9	4	2	1	1	–	–	2	–	–	1	2
Drowning	73	1	–	–	4	1	–	–	3	3	4	5	6
Fracture and Contusion	160	–	–	1	1	1	6	1	10	10	9	8	17
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	16	5	–	–	–	–	–	–	1	2	–	1	1
Not Specified	160	36	17	21	11	7	4	4	3	6	6	1	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	11	8	15	12	19	18	18	8	13	6	1	2	–	–	–
Paralysis	4	8	4	11	20	22	30	32	26	34	11	1	1	–	–	–
Delirium Tremens	2	3	1	3	1	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	1	1	–	4	–	2	2	2	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	10	10	15	7	9	14	17	3	9	1	–	–	–	–	–
Pericarditis	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	2	4	1	1	3	3	1	–	–	–	–	–	–	–	–	–
Heart Disease	29	28	25	43	47	39	40	42	26	18	4	4	–	1	–	–
Laryngitis	2	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–
Bronchitis	39	38	45	59	73	92	91	83	48	34	26	5	5	1	–	–
Pleurisy	3	1	2	–	3	–	2	–	1	–	–	–	–	–	–	–
Pneumonia	21	17	21	23	16	9	14	18	6	7	–	1	–	–	–	–
Asthma	–	3	1	9	14	8	3	10	8	–	1	–	–	–	–	–
Lung Disease	6	5	3	8	4	4	3	3	–	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	2	1	3	2	1	–	1	–	–	1	–	–	–	–	–
Enteritis	2	3	–	1	3	2	5	4	2	2	–	–	–	–	–	–
Peritonitis	4	2	3	1	1	1	1	–	1	–	–	–	–	–	–	–
Ascites	2	1	–	3	1	1	1	2	–	–	1	–	–	–	–	–
Ulceration of Intestines	2	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	4	–	–	3	2	1	1	–	–	–	–	–
Ileus	2	1	1	1	3	–	5	1	–	1	2	1	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	4	4	5	3	6	10	11	7	2	3	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	2	2	1	2	5	–	–	–	2	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	8	17	11	19	17	8	14	8	4	2	2	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	3	1	–	–	2	–	–	–	–	–	–	–	–
Nephria	4	3	6	6	3	1	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	3	–	3	4	2	2	2	–	–	–	–	–	–
Stricture of Urethra	1	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–
Kidney Disease	5	4	3	10	5	1	2	5	2	1	2	–	–	–	–	–
Paramenia	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	1	3	–	2	–	–	1	–	–	–	–	–	–
Childbirth	15	17	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	3	4	1	2	–	1	–	1	–	–	–	–	–	–
Arthritis	–	1	2	2	2	–	1	–	1	–	–	–	–	–	–	–
Rheumatism	1	–	4	1	1	1	4	3	4	2	–	–	–	–	–	–
Joint Disease	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	5	4	3	3	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	2	1	2	1	1	1	1	1	–	–	–	–	–	–
Suffocation	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	9	3	11	5	4	5	1	4	3	–	–	–	–	–	–	1
Fracture and Contusion	14	16	16	8	11	9	8	6	4	1	3	–	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	3	6	3	11	4	4	6	1	–	–	–	–	–	–	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	7039	691	320	729	945	479	294	235	415	177	202	247	239
SPECIFIED CAUSES	6950	671	309	717	942	478	292	231	412	174	198	246	239
I. Zymotic Class	1874	77	85	252	374	235	152	122	208	38	42	31	35
II. *Diseases of Uncertain Seat*	124	4	2	1	4	2	2	1	5	7	2	5	1
III. Tubercular Class	1264	22	33	111	154	85	35	42	75	69	96	130	105
IV. Brain and Nervous System	536	52	22	34	39	20	19	13	26	15	12	5	5
V. Organs of Circulation	247	–	–	–	1	1	–	–	4	2	8	13	20
VI. Respiratory Organs	1382	67	99	219	241	103	56	39	46	11	9	31	26
VII. Organs of Digestion	475	64	31	75	101	18	9	7	15	11	9	8	12
VIII Urinary Organs	102	1	2	–	–	2	2	3	10	2	2	3	2
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	41	1	–	–	–	–	2	–	5	4	2	4	5
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	19	19	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	389	342	26	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	47	–	–	–	21	4	8	3	–	–	1	1	1
XV. Age	125	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	1	1	1	1	–	–	1	2	–	1	–	1
XVII. Violent Deaths	291	21	7	3	6	8	7	–	16	15	14	15	26
I. Small Pox	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	164	–	2	38	60	31	18	9	5	–	–	1	–
Scarlatina	440	–	10	31	65	68	59	67	120	14	2	1	1
Diphtheria	50	3	–	10	9	5	10	6	5	–	–	–	1
Hooping Cough	457	16	25	112	145	69	38	25	27	–	–	–	–
Croup	79	2	3	7	32	17	9	4	5	–	–	–	–
Thrush	3	2	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa	237	35	37	41	47	18	5	1	5	1	3	1	2
Dysentery	15	–	–	2	–	–	–	–	–	–	–	–	2
Cholera	15	–	4	2	–	–	–	1	–	–	1	–	2
Influenza	10	–	1	–	2	2	1	–	–	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	195	–	–	–	–	2	1	1	7	5	20	17	20
Enteric Fever	125	1	–	1	5	16	4	8	22	15	13	9	6
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	6	–	–	–	1	–	–	–	3	1	–	–	–
Infantile Remittent	20	–	–	2	4	5	5	–	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	8	–	–	–	–	–	1	–	1	1	2	2	–
Erysipelas	18	8	1	–	1	2	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	1	–	–	–	1	–	–	–	–
Syphilis	22	10	2	4	1	–	–	–	–	–	–	–	–
Noma	2	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	–	1	–	–	–	1	–	–	–
Dropsy	37	–	–	1	–	1	2	1	3	4	–	2	–
Abscess	12	1	1	–	3	–	–	–	–	1	–	1	1
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	52	3	1	–	1	–	–	–	1	–	–	–	–
Gout	1	–	–	–	–	–	–	–	1	1	2	2	–
III. Scrofula	74	–	1	9	11	4	3	6	15	5	6	4	4
Tabes Mesenterica	126	8	7	16	26	23	10	9	13	7	4	2	–
Phthisis	817	2	4	13	46	28	12	15	36	54	86	123	101
Hydrocephalus	247	12	21	73	71	30	10	12	11	3	–	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	203	212	214	291	240	205	217	189	111	110	44	16	11	1	–	2
SPECIFIED CAUSES	202	210	212	284	237	202	212	188	111	110	44	16	11	1	–	1
Zymotic Class	23	27	36	38	33	25	14	11	7	8	–	1	–	–	–	–
Uncertain Seat	4	5	11	14	13	14	13	8	2	4	–	–	–	–	–	–
Tubercular Class	59	62	43	47	31	25	28	10	2	–	–	–	–	–	–	–
Brain, etc.	14	18	15	36	26	26	38	31	20	39	7	1	3	–	–	–
Heart, etc.	17	19	15	30	29	25	19	23	9	11	1	–	–	–	–	–
Respiratory Organs	36	31	37	63	54	48	54	63	22	17	6	2	2	–	–	–
Digestive Organs	12	15	12	18	14	11	17	10	1	2	2	1	–	–	–	–
Urinary Organs	5	7	8	16	8	6	6	7	6	3	1	–	–	–	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	6	3	2	2	3	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	14	37	23	27	11	6	1	–	–
Sudden Deaths	3	1	1	4	3	3	5	2	–	–	–	–	–	–	–	–
Violent Deaths	27	24	27	15	21	14	9	8	5	2	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	7	7	6	5	5	2	4	–	–	–	–	–	–
Dysentery	1	–	3	2	2	1	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	18	26	21	20	13	7	2	2	1	–	1	–	–	–	–
Enteric Fever	4	4	3	4	2	2	–	3	1	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	2	3	3	7	3	–	–	–	–	–	–	–	–
Abscess	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	1	2	–	1	–	–	–	–	–	–
Cancer	2	2	7	10	6	7	1	3	2	2	–	–	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	59	59	43	45	30	24	25	10	2	–	–	–	–	–	–	–
Hydrocephalus	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES. (*Continued*).

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	42	2	3	4	5	2	3	4	9	2	3	2	–
	Apoplexy	88	1	–	3	3	2	3	–	1	2	2	–	–
	Paralysis	119	–	–	–	1	–	–	–	1	–	–	1	2
	Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	1	–	–	–	1	–	–	–	–	–	–	–	–
	Epilepsy	12	–	–	–	–	–	–	–	–	1	1	–	–
	Tetanus	3	1	–	–	–	–	–	–	–	–	1	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	139	47	17	23	25	10	9	2	5	1	–	–	–
	Brain Disease	123	1	2	4	4	6	4	7	10	9	5	2	2
V.	Pericarditis	5	–	–	–	–	–	–	–	–	1	–	–	–
	Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	1
	Heart Disease	229	–	–	–	1	1	–	–	4	1	8	13	19
VI.	Laryngitis	14	–	–	3	4	1	2	–	–	–	–	–	–
	Bronchitis	948	44	85	170	187	69	39	29	21	7	4	11	9
	Pleurisy	14	–	–	1	–	–	1	–	2	–	–	1	1
	Pneumonia	332	22	14	41	49	31	14	9	22	2	2	16	13
	Asthma	32	–	–	1	–	–	–	–	–	–	–	1	–
	Lung Disease	42	1	–	3	1	2	–	1	1	2	3	2	3
VII.	Teething	135	1	2	48	80	3	1	–	–	–	–	–	–
	Quinsey	5	1	1	1	1	1	–	–	–	–	–	–	–
	Gastritis	18	2	2	1	1	–	1	1	1	1	1	1	–
	Enteritis	97	30	15	15	7	6	1	2	4	3	3	2	1
	Peritonitis	12	–	–	–	–	1	1	–	2	3	1	1	1
	Ascites	7	–	–	–	–	1	–	–	–	–	1	–	1
	Ulceration of Intestines	6	–	–	–	–	–	1	–	–	1	–	1	–
	Hernia	4	–	–	–	–	1	–	1	–	–	–	–	–
	Ileus	22	4	3	–	1	–	–	–	–	1	2	2	–
	Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	77	16	5	10	8	5	2	2	4	2	–	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	9	–	–	–	–	–	1	–	–	–	–	–	2
	Jaundice	9	4	2	–	1	–	–	1	1	–	–	–	–
	Liver Disease	71	6	1	–	2	–	1	–	2	–	1	1	6
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	19	–	–	–	–	–	1	2	7	2	–	1	–
	Nephria	22	–	–	–	–	–	–	1	1	–	1	1	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	6	1	1	–	–	–	–	–	1	–	–	–	–
	Diabetes	6	–	–	–	–	2	–	–	–	–	–	–	–
	Stone	1	–	–	–	–	–	–	–	–	–	–	1	–
	Cystitis	15	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	27	–	1	–	–	–	1	–	1	–	1	–	2
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	14	1	–	–	–	–	1	–	1	1	–	1	3
	Rheumatism	10	–	–	–	–	–	–	–	–	–	1	–	–
	Joint and Bone Disease	17	–	–	–	–	–	1	–	4	3	1	3	2
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	16	–	–	–	–	–	–	–	–	–	2	2	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	16	8	6	2	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	8	2	–	–	–	2	1	–	1	–	–	–	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	16	–	–	1	2	5	3	–	–	–	–	1	–
	Hanging, etc.	10	–	–	–	–	–	–	–	–	–	–	–	1
	Suffocation	13	5	1	–	1	–	–	–	2	–	–	–	1
	Drowning	62	1	–	–	3	1	–	–	3	3	4	3	5
	Fracture and Contusion	131	–	–	–	–	–	3	–	10	9	8	8	17
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	4	–	–	–	–	–	–	–	–	1	–	–	–
	Other Violent Causes	14	5	–	–	–	–	–	–	–	2	–	1	1
	Not Specified	89	20	11	12	3	1	2	4	3	3	4	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	7	5	9	7	8	12	4	3	9	3	–	2	–	–	–
Paralysis	3	3	–	9	13	11	19	15	13	22	4	1	1	–	–	–
Delirium Tremens	1	1	1	3	1	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	1	1	–	1	–	1	2	2	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	5	8	13	5	6	7	9	2	6	–	–	–	–	–	–
Pericarditis	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	1	2	3	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	15	14	27	27	21	19	23	9	11	1	–	–	–	–	–
Laryngitis	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	14	18	19	33	33	37	41	45	12	12	6	1	2	–	–	–
Pleurisy	2	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–
Pneumonia	15	9	14	17	9	4	9	11	4	4	–	1	–	–	–	–
Asthma	–	3	–	6	7	4	–	5	5	–	–	–	–	–	–	–
Lung Disease	3	1	3	6	3	2	2	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–
Enteritis	–	3	–	–	1	–	2	2	–	–	–	–	–	–	–	–
Peritonitis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	–	1	–	2	–	2	1	–	1	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	5	1	–	3	5	3	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	7	5	12	7	5	8	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	3	1	–	–	2	–	–	–	–	–	–	–	–
Nephria	2	2	4	4	2	1	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	3	–	3	4	1	2	2	–	–	–	–	–	–
Stricture of Urethra	1	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–
Kidney Disease	2	4	2	5	3	–	–	2	1	1	1	–	–	–	–	–
Paramœnia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	4	1	1	1	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	3	1	3	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	1	1	2	1	1	1	–	1	–	–	–	–	–	–
Suffocation	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	3	8	3	3	5	1	4	2	–	–	–	–	–	–	1
Fracture and Contusion	13	14	15	7	10	5	6	3	3	–	–	–	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	2	2	7	3	3	5	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6793	551	252	584	873	439	291	207	419	192	199	245	273
SPECIFIED CAUSES	6722	535	246	575	865	433	289	207	419	189	197	245	269
I. Zymotic Class	1885	69	69	205	400	229	183	128	235	61	50	36	30
II. Diseases of Uncertain Seat	217	2	1	3	5	4	5	3	6	4	2	3	9
III. Tubercular Class	1314	14	27	71	107	71	37	26	83	77	109	134	140
IV. Brain and Nervous System	415	44	18	25	33	19	7	12	15	11	8	8	11
V. Organs of Circulation	195	1	–	1	–	–	–	–	2	3	4	8	8
VI. Respiratory Organs	1275	53	74	181	228	81	40	26	57	10	11	15	27
VII. Organs of Digestion	448	47	27	64	63	14	8	2	7	8	4	11	9
VIII. Urinary Organs	64	1	–	–	1	2	2	4	3	4	4	3	7
IX. Organs of Generation	102	–	–	–	–	–	–	–	–	–	2	19	17
X. Organs of Locomotion	34	–	–	–	–	–	–	2	6	8	1	–	1
XI. Skin, etc.	6	1	–	–	2	2	–	–	–	–	–	–	1
XII. Malformation	10	7	2	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	321	279	23	19	–	–	–	–	–	–	–	–	–
XIV. Atrophy	58	–	–	–	20	7	2	3	2	–	–	2	2
XV. Age	252	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	28	1	–	–	1	–	1	–	1	2	1	3	2
XVII. Violent Deaths	98	16	5	6	4	4	4	1	2	1	1	3	5
I. Small Pox	2	–	–	2	–	–	–	–	–	–	–	–	–
Measles	184	–	4	26	83	39	12	11	8	–	–	–	–
Scarlatina	478	2	4	28	69	59	83	49	150	25	4	1	2
Diphtheria	56	–	–	5	14	7	8	9	9	1	–	–	1
Hooping Cough	469	14	23	82	160	86	50	33	20	1	–	–	–
Croup	70	–	1	8	20	16	8	7	10	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	213	37	30	44	37	10	8	2	5	–	–	2	4
Dysentery	15	1	1	1	–	–	–	–	–	–	2	1	2
Cholera	12	1	3	2	2	–	–	–	–	–	1	1	1
Influenza	6	–	–	–	1	–	–	–	–	1	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	172	–	–	1	1	1	1	5	15	17	16	17	8
Enteric Fever	104	1	1	1	5	8	9	6	13	11	18	8	4
Relapsing Fever	4	–	–	–	–	–	–	–	–	1	2	–	–
Simple Continued Fever	10	–	–	–	1	–	–	1	1	2	–	–	–
Infantile Remittent	21	1	–	2	5	3	3	5	2	–	–	–	–
Metria	27	–	–	–	–	–	–	–	–	–	3	6	6
Rheumatic Fever	5	–	–	–	–	–	–	–	–	1	2	–	–
Erysipelas	17	6	1	1	–	–	–	–	–	1	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	14	6	1	2	1	–	–	–	–	–	1	–	1
Noma	2	–	–	–	–	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	1	–	1
Dropsy	66	1	–	–	2	4	3	3	5	4	–	1	1
Abscess	18	1	1	1	2	–	–	–	1	–	–	1	1
Ulcer	2	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	124	–	–	1	–	–	1	–	–	–	1	1	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	58	3	1	3	8	6	5	2	8	6	1	5	2
Tabes Mesenterica	85	4	6	9	18	18	8	5	10	5	1	–	–
Phthisis	987	4	6	9	20	23	11	11	45	65	107	129	138
Hydrocephalus	184	3	14	50	51	24	13	8	20	1	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	286	243	227	195	220	222	211	197	170	121	110	37	16	10	3	1
SPECIFIED CAUSES	283	239	226	191	219	221	210	197	170	121	110	37	16	10	3	–
Zymotic Class	39	28	24	24	15	15	12	11	11	3	4	4	–	–	–	–
Uncertain Seat	13	20	22	21	23	22	21	6	13	6	2	1	–	–	–	–
Tubercular Class	121	83	79	43	41	31	15	3	1	–	1	–	–	–	–	–
Brain, etc.	7	17	9	11	15	28	25	41	20	19	11	1	–	–	–	–
Heart, etc.	16	13	11	16	21	18	22	19	17	7	3	4	–	1	–	–
Respiratory Organs	35	33	36	38	56	68	59	51	41	25	22	4	3	1	–	–
Digestive Organs	20	20	13	16	29	19	22	17	11	9	8	–	–	–	–	–
Urinary Organs	6	2	5	7	4	1	2	4	1	–	1	–	–	–	–	–
Generative Organs	18	17	12	6	4	2	2	1	–	2	–	–	–	–	–	–
Locomotive Organs	1	–	2	–	1	–	3	2	5	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	–	2	2	4	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	20	36	47	47	55	23	13	8	3	–
Sudden Deaths	2	1	2	2	2	3	2	2	–	–	–	–	–	–	–	–
Violent Deaths	1	5	9	5	4	6	5	4	3	1	3	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	6	2	2	4	1	3	4	4	1	3	1	–	–	–	–
Dysentery	1	–	1	–	1	–	1	–	2	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	13	13	16	6	11	4	5	4	1	–	–	–	–	–	–
Enteric Fever	2	5	4	2	1	–	1	1	1	–	1	1	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	7	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	1	–	1	–	–	2	2	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	6	4	1	6	4	8	1	5	2	–	–	–	–	–	–
Abscess	3	3	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cancer	5	10	16	20	17	18	10	5	8	4	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	119	79	78	42	40	31	15	3	1	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	27	1	3	5	3	1	3	2	4	2	1	–	–
Apoplexy	83	1	–	2	3	2	1	1	3	–	2	1	4
Paralysis	93	–	–	1	–	1	–	–	–	1	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	–	–	1	3
Tetanus	4	–	–	–	–	–	–	1	–	–	–	2	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	106	42	12	12	22	9	2	5	2	–	–	–	–
Brain Disease	84	–	3	5	5	5	1	3	6	8	5	4	3
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	190	1	–	1	–	–	–	–	1	3	4	8	8
VI. Laryngitis	12	–	1	–	4	1	1	–	–	–	–	1	–
Bronchitis	973	38	64	152	178	61	34	18	37	5	5	4	11
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	229	15	8	28	46	19	4	7	19	4	5	7	11
Asthma	30	–	–	–	–	–	–	–	–	–	–	–	3
Lung Disease	27	–	1	1	–	–	1	1	1	1	1	3	2
VII. Teething	102	–	3	50	45	4	–	–	–	–	–	–	–
Quinsey	7	1	2	–	1	2	–	–	–	–	–	1	–
Gastritis	16	–	–	3	1	1	2	–	–	–	–	1	–
Enteritis	80	27	9	8	6	2	3	1	3	2	1	–	2
Peritonitis	18	–	–	–	–	–	–	–	1	2	–	3	–
Ascites	9	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	9	–	–	–	1	–	–	–	–	–	–	–	2
Hernia	10	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	20	6	2	–	–	1	–	–	–	–	–	1	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	78	9	11	2	7	3	3	1	1	3	–	1	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	8	1	–	1	1	1	–	–	–	–	–	1	–
Liver Disease	73	3	–	–	–	–	–	–	2	–	3	3	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	1	1	–	3	1	1	–	–	1
Nephria	18	–	–	–	–	–	1	1	1	2	1	2	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	1	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	1	1	1	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	25	–	–	–	–	1	1	–	–	–	2	–	2
IX. Paramenia	7	–	–	–	–	–	–	–	–	–	1	–	3
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	73	–	–	–	–	–	–	–	–	–	1	19	13
Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	7	–	–	–	–	–	–	–	1	2	–	–	1
Rheumatism	15	–	–	–	–	–	–	–	1	1	1	–	–
Joint and Bone Disease	12	–	–	–	–	–	–	2	4	5	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	1
Skin Disease	4	1	–	–	2	1	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	15	11	2	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	1	–	–	–	–	–	–	1	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	1	2	2	1	–	–	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	15	4	3	2	–	1	–	–	–	–	–	1	1
Drowning	11	–	–	–	1	–	–	–	–	–	–	2	1
Fracture and Contusion	29	–	–	1	1	1	3	1	–	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	71	16	6	9	8	6	2	–	–	3	2	–	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	4	3	6	5	11	6	14	5	4	3	1	–	–	–	–
Paralysis	1	5	4	2	7	11	11	17	13	12	7	–	–	–	–	–
Delirium Tremens	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	5	2	2	2	3	7	8	1	3	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	14	13	11	16	20	18	21	19	17	7	3	4	–	1	–	–
Laryngitis	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	25	20	26	26	40	55	50	38	36	22	20	4	3	1	–	–
Pleurisy	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	6	8	7	6	7	5	5	7	2	3	–	–	–	–	–	–
Asthma	–	–	1	3	7	4	3	5	3	–	1	–	–	–	–	–
Lung Disease	3	4	–	2	1	2	1	1	–	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Enteritis	2	–	–	1	2	2	3	2	2	2	–	–	–	–	–	–
Peritonitis	4	–	3	1	1	1	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	2	1	1	1	2	–	–	1	–	–	–	–	–
Ulceration of Intestines	2	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	4	–	–	2	2	1	1	–	–	–	–	–
Ileus	1	1	–	1	1	–	3	–	–	–	2	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	2	3	–	2	6	7	6	4	2	2	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	2	1	–	1	3	–	–	–	2	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	4	10	6	7	10	3	6	6	3	2	2	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	1	5	2	1	2	3	1	–	1	–	–	–	–	–
Paramenia	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	1	3	–	2	–	–	1	–	–	–	–	–	–
Childbirth	15	17	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	3	4	1	2	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	3	2	4	2	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	3	2	1	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	1	2	1	1	1	4	2	3	1	1	3	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	4	1	4	1	1	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1877	154	73	138	243	91	60	50	114	52	65	67	74
SPECIFIED CAUSES	1846	148	71	135	238	89	60	50	114	50	64	65	73
I. Zymotic Class	470	15	25	45	106	59	33	28	64	11	8	4	8
II. Diseases of Uncertain Seat	40	1	–	–	1	1	1	–	–	–	1	2	2
III. Tubercular Class	380	11	6	24	44	12	9	10	20	21	38	39	38
IV. Brain and Nervous System	145	5	8	5	9	3	2	3	6	2	2	4	2
V. Organs of Circulation	73	–	–	–	–	–	–	–	–	3	4	2	2
VI. Respiratory Organs	275	17	15	37	46	9	7	4	11	3	6	3	6
VII. Organs of Digestion	127	15	4	21	19	4	4	–	5	1	1	5	5
VIII. Urinary Organs	19	–	–	–	–	–	–	–	1	–	1	1	2
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	3
X. Organs of Locomotion	18	–	–	–	–	–	1	1	–	1	1	1	1
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	–	–	1	–	–	–	–
XIII. Premature Debility	89	78	9	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	30	–	–	–	10	1	–	3	1	1	–	–	1
XV. Age	100	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	62	4	2	1	3	–	3	1	5	7	2	3	3
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	33	–	1	8	17	6	–	1	–	–	–	–	–
Scarlatina	104	–	1	4	16	18	16	11	33	3	1	–	–
Diphtheria	23	–	–	3	4	2	4	2	7	1	–	–	–
Hooping Cough	95	2	8	16	35	20	6	4	4	–	–	–	–
Croup	29	–	1	2	11	4	5	4	2	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	56	6	7	8	15	5	1	–	2	–	–	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	4	1	–	1	–	–	–	–	–	–	–	–	1
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	61	–	1	–	1	–	–	2	7	4	3	4	3
Enteric Fever	34	–	–	–	5	4	–	4	6	3	2	–	4
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	4	–	1	1	–	–	1	–	1	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	7	3	1	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	3	2	1	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	9	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	4	1	–	–	–	1	1	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	3	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	17	–	–	1	1	–	1	1	4	1	2	1	1
Tabes Mesenterica	40	3	1	6	16	3	3	1	2	5	–	–	–
Phthisis	278	5	–	7	11	4	5	6	10	15	36	38	37
Hydrocephalus	45	3	5	10	16	5	–	2	4	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	82	72	64	57	54	72	57	65	59	60	24	22	4	2	–	2
SPECIFIED CAUSES	81	71	64	55	53	71	57	65	59	60	24	22	4	2	–	1
Zymotic Class	12	11	6	7	2	9	7	3	4	2	–	1	–	–	–	–
Uncertain Seat	1	1	3	3	3	3	3	4	6	2	2	–	–	–	–	–
Tubercular Class	34	24	16	11	9	6	5	–	3	–	–	–	–	–	–	–
Brain, etc.	9	6	11	3	8	16	8	14	7	7	2	3	–	–	–	–
Heart, etc.	5	10	4	5	11	6	8	3	4	5	–	–	1	–	–	–
Respiratory Organs	2	7	10	8	9	19	7	20	9	13	3	3	–	–	–	1
Digestive Organs	5	2	5	6	6	2	6	5	3	3	–	–	–	–	–	–
Urinary Organs	2	–	1	1	1	2	1	2	2	1	1	–	–	–	–	–
Generative Organs	4	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	–	3	–	3	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	4	3	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	12	20	27	16	13	3	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	5	6	2	5	3	–	4	1	–	–	–	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	1	–	–	2	2	1	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	7	2	5	2	6	5	2	1	1	–	–	–	–	–	–
Enteric Fever	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	3	3	1	1	3	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	22	15	10	9	6	5	–	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	1	–	–	3	–	–	–	–	2	–	–	–
Apoplexy	33	–	1	1	4	–	–	1	1	–	–	1	1
Paralysis	38	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	22	4	6	3	2	3	1	2	1	–	–	–	–
Brain Disease	38	–	1	1	–	–	1	–	2	–	1	3	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	69	–	–	–	–	–	–	–	–	3	4	2	2
VI. Laryngitis	2	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	180	13	11	27	34	6	5	3	7	2	2	1	3
Pleurisy	3	–	–	1	–	–	–	–	1	–	–	–	1
Pneumonia	75	4	3	9	11	3	2	1	3	1	4	2	–
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	–	2
VII. Teething	33	–	–	17	15	–	1	–	–	–	–	–	–
Quinsey	3	–	–	1	1	1	–	–	–	–	–	–	–
Gastritis	6	–	–	–	–	–	2	–	–	–	–	1	1
Enteritis	20	5	2	3	2	1	1	–	2	–	–	2	–
Peritonitis	7	1	–	–	1	–	–	–	–	–	–	–	1
Ascites	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	–	–	–	–	–	–	–	1	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	5	1	–	–	1	–	–	–	–	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	5	1	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	1	–	–	–	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	1	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	–	–	–	–	–	1	–	1	1	1	1
Rheumatism	7	–	–	–	–	–	1	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	2	–	2	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	–	–	–	–	–	3	–	1	1
Fracture and Contusion	28	–	–	–	1	–	1	1	4	3	2	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	31	6	2	3	5	2	–	–	–	2	1	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	–	2	2	3	2	2	5	2	2	1	–	–	–	–
Paralysis	1	1	6	1	1	6	4	10	2	4	–	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	4	–	4	6	2	2	–	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	8	4	5	10	5	8	3	4	5	–	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	4	5	6	12	5	11	6	9	2	2	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	3	6	3	2	4	1	5	1	4	1	1	–	–	–	–
Asthma	–	1	–	–	1	2	1	3	2	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	1	–	1	3	2	–	1	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	1	1	2	–	2	1	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	970	100	40	75	134	54	29	22	66	31	29	21	28
SPECIFIED CAUSES	947	95	38	73	131	52	29	22	66	29	28	19	28
I. Zymotic Class	252	6	14	25	68	37	15	11	33	7	5	–	4
II. Diseases of Uncertain Seat	14	–	–	–	–	–	–	–	–	–	–	–	2
III. Tubercular Class	155	7	2	13	16	9	4	5	15	9	14	13	12
IV. Brain and Nervous System	88	4	6	2	6	–	2	1	3	1	–	1	–
V. Organs of Circulation	39	–	–	–	–	–	–	–	–	2	–	1	1
VI. Respiratory Organs	143	11	7	21	23	3	4	2	5	1	5	1	1
VII. Organs of Digestion	76	11	3	11	12	2	2	–	4	1	–	1	2
VIII. Urinary Organs	13	–	–	–	–	–	–	–	1	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	9	–	–	–	–	–	1	1	–	1	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	59	53	5	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	1	–	1	–	1	–	–	1
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	47	2	1	–	1	–	1	1	5	6	2	2	3
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	22	–	1	4	14	3	–	–	–	–	–	–	–
Scarlatina	58	–	1	3	10	12	8	4	17	1	1	–	–
Diphtheria	14	–	–	2	2	1	1	2	5	1	–	–	–
Hooping Cough	58	2	4	9	24	14	3	–	2	–	–	–	–
Croup	14	–	1	1	6	2	1	1	2	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	1	3	5	6	4	1	–	1	–	–	–	–
Dysentery	1	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	1	–	1	–	–	1	4	2	1	–	2
Enteric Fever	18	–	–	–	4	1	–	3	2	3	2	–	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	5	1	1	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	–	–	1	–	2	1	1	1	–
Tabes Mesenterica	19	2	–	2	8	2	1	–	2	2	–	–	–
Phthisis	102	4	–	3	2	4	2	3	8	6	13	12	12
Hydrocephalus	24	1	2	7	6	3	–	2	3	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	35	25	32	29	44	31	37	25	28	8	9	1	–	–	2
SPECIFIED CAUSES	35	34	25	31	29	43	31	37	25	28	8	9	1	–	–	1
Zymotic Class	5	4	1	4	–	4	2	2	2	2	–	1	–	–	–	–
Uncertain Seat	1	1	2	–	2	2	–	1	2	1	–	–	–	–	–	–
Tubercular Class	12	8	4	5	2	2	2	–	1	–	–	–	–	–	–	–
Brain, etc.	6	5	5	3	5	11	8	10	4	4	–	1	–	–	–	–
Heart, etc.	–	7	3	3	5	4	3	2	3	4	–	–	1	–	–	–
Respiratory Organs	1	2	3	5	7	13	4	12	2	6	1	2	–	–	–	1
Digestive Organs	4	–	3	3	4	1	5	4	3	–	–	–	–	–	–	–
Urinary Organs	–	–	1	1	1	2	1	2	1	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	4	6	10	7	5	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	5	6	2	5	3	–	2	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	1	3	–	1	1	1	–	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	2	1	–	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	7	3	4	2	2	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	–	1	–	–	–	–	1	–	–	–
Apoplexy	21	–	1	1	3	–	–	–	1	–	–	–	–
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	4	4	1	2	–	1	1	–	–	–	–	–
Brain Disease	23	–	1	–	–	–	1	–	1	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	37	–	–	–	–	–	–	–	–	2	–	1	1
VI. Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	92	7	4	14	16	2	4	1	4	1	1	–	–
Pleurisy	3	–	–	1	–	–	–	–	1	–	–	–	1
Pneumonia	41	4	2	6	7	1	–	1	–	–	4	1	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	17	–	–	7	10	–	–	–	–	–	–	–	–
Quinsey	2	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	14	4	2	3	1	–	1	–	2	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	3	1	–	–	1	–	–	–	–	–	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	4	–	–	–	–	–	–	1	–	1	1	–	1
Rheumatism	4	–	–	–	–	–	1	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	–	–	–	–	3	–	–	1
Fracture and Contusion	21	–	–	–	–	–	–	1	4	2	2	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	23	5	2	2	3	2	–	–	–	2	1	2	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1			2	2	1	2	1	4	2	–	–	–	–	–	–
Paralysis	1	1	2	1	1	5	4	7	–	1	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	2	–	1	4	2	2	–	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	3	3	5	4	3	2	3	4	–	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	3	4	8	4	8	1	5	1	1	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	2	2	2	3	–	2	–	1	–	1	–	–	–	–
Asthma	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Liver Disease	1	–	1	2	2	–	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	907	54	33	63	109	37	31	28	48	21	36	46	46
SPECIFIED CAUSES	899	53	33	62	107	37	31	28	48	21	36	46	45
I. Zymotic Class	218	9	11	20	38	22	18	17	31	4	3	4	4
II. Diseases of Uncertain Seat	26	1	–	–	1	1	1	–	–	–	1	2	–
III. Tubercular Class	225	4	4	11	28	3	5	5	5	12	24	26	26
IV. Brain and Nervous System	57	1	2	3	3	3	–	2	3	1	2	3	2
V. Organs of Circulation	34	–	–	–	–	–	–	–	–	1	4	1	1
VI. Respiratory Organs	132	6	8	16	23	6	3	2	6	2	1	2	5
VII. Organs of Digestion	51	4	1	10	7	2	2	–	1	–	1	4	3
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	3
X. Organs of Locomotion	9	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	–	–	–	–	–	–	1	–	–	–	–
XIII. Premature Debility	30	25	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	5	–	–	2	1	–	–	–	–
XV. Age	64	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	2	1	1	2	–	2	–	–	1	–	1	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	–	–	4	3	3	–	1	–	–	–	–	–
Scarlatina	46	–	–	1	6	6	8	7	16	2	–	–	–
Diphtheria	9	–	–	1	2	1	3	–	2	–	–	–	–
Hooping Cough	37	–	4	7	11	6	3	4	2	–	–	–	–
Croup	15	–	–	1	5	2	4	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	30	5	4	3	9	1	–	–	1	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	34	–	–	–	–	–	–	1	3	2	2	4	1
Enteric Fever	16	–	–	–	1	3	–	1	4	–	–	–	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	3	–	1	1	–	–	–	–	1	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	2	2	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	6	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	3	1	–	–	–	1	1	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	1	2	–	1	–	1
Tabes Mesenterica	21	1	1	4	8	1	2	1	–	3	–	–	–
Phthisis	176	1	–	4	9	–	3	3	2	9	23	26	25
Hydrocephalus	21	2	3	3	10	2	–	–	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	47	37	39	25	25	28	26	28	34	32	16	13	3	2	–	–
SPECIFIED CAUSES	46	37	37	24	24	28	26	28	34	32	16	13	3	2	–	–
Zymotic Class	7	7	5	3	2	5	5	1	2	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	3	1	1	3	3	4	1	2	–	–	–	–	–
Tubercular Class	22	16	12	6	7	4	3	–	2	–	–	–	–	–	–	–
Brain, etc.	3	1	6	–	3	5	–	4	3	3	2	2	–	–	–	–
Heart, etc.	5	3	1	2	6	2	5	1	1	1	–	–	–	–	–	–
Respiratory Organs	1	5	7	3	2	6	3	8	7	7	2	1	–	–	–	–
Digestive Organs	1	2	2	3	2	1	1	1	–	3	–	–	–	–	–	–
Urinary Organs	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Generative Organs	4	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	2	–	1	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	3	2	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	8	14	17	9	8	3	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	2	1	–	–	–	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	1	2	2	5	4	1	1	–	–	–	–	–	–	–
Enteric Fever	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	1	–	1	2	2	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	15	12	6	7	4	3	–	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	1	–	–	2	–	–	–	–	1	–	–	–
Apoplexy	12	–	–	–	1	–	–	1	–	–	–	1	1
Paralysis	15	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	–	2	2	–	3	–	1	1	–	–	–	–
Brain Disease	15	–	–	1	–	–	–	–	1	–	1	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	32	–	–	–	–	–	–	–	–	1	4	1	1
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	88	6	7	13	18	4	1	2	3	1	1	1	3
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	34	–	1	3	4	2	2	–	3	1	–	1	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	2
VII. Teething	16	–	–	10	5	–	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	1	–	–	–	–	1	1
Enteritis	6	1	–	–	1	1	–	–	–	–	–	2	–
Peritonitis	5	–	–	–	1	–	–	–	–	–	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	1	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	1	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	7	–	–	–	1	–	1	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	1	–	1	2	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	2	–	1	1	–	2	1	–	–	–	–
Paralysis	–	–	4	–	–	1	–	3	2	3	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	–	3	2	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	3	1	2	5	1	5	1	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	3	2	2	4	1	3	5	4	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	4	1	–	1	1	3	1	3	1	–	–	–	–	–
Asthma	–	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4781	409	163	298	394	211	130	130	245	121	130	198	190
SPECIFIED CAUSES	4757	404	162	297	393	209	128	130	244	121	129	197	190
I. Zymotic Class	1096	64	47	88	173	115	91	83	138	44	22	36	24
II. Diseases of Uncertain Seat	189	3	3	1	2	1	–	–	3	3	1	1	8
III. Tubercular Class	808	9	26	66	71	38	12	18	41	31	65	87	75
IV. Brain and Nervous System	500	30	16	20	29	11	4	7	14	7	7	7	10
V. Organs of Circulation	311	4	2	–	1	–	–	1	2	7	7	8	13
VI. Respiratory Organs	655	39	26	72	78	29	16	15	18	3	8	10	14
VII. Organs of Digestion	287	25	11	23	24	6	2	–	7	7	2	8	8
VIII. Urinary Organs	111	3	–	–	3	–	1	–	6	6	3	7	6
IX. Organs of Generation	56	–	–	–	–	–	–	–	–	–	2	12	10
X. Organs of Locomotion	40	–	–	1	–	–	–	–	5	9	4	2	4
XI. Skin, etc.	10	1	2	2	–	1	–	–	–	–	–	1	–
XII. Malformation	12	11	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	241	200	22	19	–	–	–	–	–	–	–	–	–
XIV. Atrophy	31	–	–	–	10	3	–	1	1	3	–	–	–
XV. Age	240	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	168	14	7	4	2	5	2	5	9	1	8	18	18
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	34	–	2	7	15	6	3	–	1	–	–	–	–
Scarlatina	342	2	1	7	52	49	56	55	94	17	–	5	1
Diphtheria	61	2	1	10	8	11	9	5	9	1	–	2	–
Hooping Cough	118	5	10	35	36	15	6	5	2	3	–	–	–
Croup	77	2	1	4	23	19	10	12	6	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	163	34	25	23	29	9	1	–	3	–	–	1	4
Dysentery	28	–	1	–	2	–	–	–	1	1	–	1	–
Cholera	23	3	–	1	3	–	–	–	1	2	1	2	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	116	1	–	–	2	2	2	3	13	5	13	16	8
Enteric Fever	56	–	1	–	1	2	4	2	5	10	6	3	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	1	–	–	1	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	3	4
Rheumatic Fever	9	–	–	–	–	–	–	–	1	2	1	–	1
Erysipelas	21	6	–	1	–	1	–	–	–	1	1	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	23	8	5	–	1	–	–	–	1	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	1	–	–	–	–	–	–	–	–	–	1
Dropsy	21	1	–	1	–	–	–	–	2	1	–	–	1
Abscess	13	1	1	–	1	–	–	–	–	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	16	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	129	–	–	–	1	1	–	–	1	1	1	–	5
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	61	–	2	4	8	5	2	4	7	4	3	8	6
Tabes Mesenterica	58	4	6	8	17	8	–	2	4	3	2	1	1
Phthisis	532	–	5	8	9	3	2	1	18	23	59	78	67
Hydrocephalus	157	5	13	46	37	22	8	11	12	1	1	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	170	176	198	177	176	194	226	244	210	180	115	61	28	7	–	–
Specified Causes	170	176	197	176	173	193	224	244	209	180	115	61	28	7	–	–
Zymotic Class	13	16	22	17	17	12	16	15	20	15	5	3	–	–	–	–
Uncertain Seat	8	10	14	19	14	22	27	18	13	8	7	3	–	–	–	–
Tubercular Class	60	61	54	34	19	24	7	5	3	1	1	–	–	–	–	–
Brain, etc.	17	23	25	22	25	34	38	45	46	35	16	11	1	–	–	–
Heart, etc.	16	12	27	23	28	24	42	39	26	18	8	3	–	–	–	–
Respiratory Organs	13	17	23	27	27	34	39	51	39	30	14	6	5	2	–	–
Digestive Organs	10	8	13	14	23	22	23	21	14	13	–	2	1	–	–	–
Urinary Organs	9	8	7	6	4	6	10	11	7	5	1	2	–	–	–	–
Generative Organs	7	8	6	2	2	3	–	2	1	1	–	–	–	–	–	–
Locomotive Organs	3	2	2	1	1	1	1	1	–	–	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	3	3	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	24	38	51	59	30	21	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	13	11	4	8	10	5	9	10	–	3	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	4	3	1	–	5	6	6	5	3	–	–	–	–	–
Dysentery	–	–	2	1	1	2	2	2	6	4	1	1	–	–	–	–
Cholera	–	1	–	3	2	2	1	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	6	7	4	7	4	5	4	3	1	1	1	–	–	–	–
Enteric Fever	–	2	2	3	3	1	2	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	2	1	2	1	–	1	2	2	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Dropsy	1	–	1	3	2	2	2	2	2	–	–	–	–	–	–	–
Abscess	1	1	2	1	–	2	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	2	3	2	2	2	–	–	–	–
Cancer	5	9	11	15	11	16	24	11	6	6	4	1	–	–	–	–
Gout	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Scrofula	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Phthisis	57	59	53	33	18	24	7	5	1	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	32	–	2	3	5	1	1	1	6	1	1	–	–
Apoplexy	131	–	1	2	3	2	1	1	1	–	2	2	1
Paralysis	127	1	–	–	–	–	–	–	–	2	–	2	1
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	19	–	–	–	–	–	–	–	–	–	2	1	3
Tetanus	7	3	1	–	1	1	–	–	–	–	–	1	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	79	24	12	14	18	3	1	3	4	–	–	–	–
Brain Disease	89	2	–	1	2	4	1	2	3	4	2	1	2
V. Pericarditis	6	1	–	–	–	–	–	–	–	2	1	1	1
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	3
Heart Disease	290	3	2	–	1	–	–	1	2	5	6	7	9
VI. Laryngitis	11	–	–	1	2	3	–	–	1	–	1	–	1
Bronchitis	445	28	19	55	58	21	13	11	8	1	2	2	5
Pleurisy	17	–	–	–	–	–	–	–	2	–	–	3	1
Pneumonia	129	8	3	14	16	5	3	3	5	1	4	3	4
Asthma	17	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	36	3	4	2	2	–	–	1	2	1	1	2	1
VII. Teething	27	–	1	11	14	1	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	6	1	–	–	–	–	–	–	–	1	–	–	–
Enteritis	33	9	5	7	1	2	–	–	1	–	1	–	1
Peritonitis	36	3	3	1	1	1	1	–	2	2	–	3	4
Ascites	4	–	–	–	–	–	–	–	1	1	–	–	–
Ulceration of Intestines	19	–	–	–	1	–	–	–	–	–	–	1	–
Hernia	10	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	13	1	–	–	1	–	–	–	–	1	1	1	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	59	6	1	4	4	1	1	–	1	–	–	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	10	5	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	54	–	–	–	–	–	–	–	1	2	–	–	1
Spleen Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	3	1	–	–	–	–	–	–	–	1	–	–	–
Nephria	60	–	–	–	3	–	1	–	4	4	3	5	5
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	2	–	–	–	–
Diabetes	7	–	–	–	–	–	–	–	–	–	–	1	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	14	2	–	–	–	–	–	–	–	1	–	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	36	–	–	–	–	–	–	–	–	–	2	11	9
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	13	–	–	–	–	–	–	–	1	4	2	1	2
Rheumatism	9	–	–	–	–	–	–	–	–	3	–	–	–
Joint and Bone Disease	18	–	–	1	–	–	–	–	4	2	2	1	2
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	7	1	2	2	–	1	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	1	–	–	–	–	–	–	–	–	–	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	1	1	2	–	3	–	–	–	2	1
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	14	4	4	2	–	–	–	–	–	–	1	–	–
Drowning	7	–	–	–	–	–	1	–	–	–	1	2	–
Fracture and Contusion	93	1	1	–	–	3	1	2	8	1	5	11	13
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	1	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	2	–	–	1	–	–	–	1	–	–	1	1
Not Specified	24	5	1	1	1	2	2	–	1	–	1	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Apoplexy	1	6	8	9	8	9	13	22	17	7	8	6	1	–	–	–
Paralysis	4	6	11	2	9	15	17	14	15	17	6	5	–	–	–	–
Delirium Tremens	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	2	2	2	2	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	2	1	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	6	5	5	4	7	4	7	14	10	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	3	3	2	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	13	9	24	21	28	24	41	39	26	18	8	3	–	–	–	–
Laryngitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	7	8	6	16	13	24	28	41	33	24	11	6	3	2	–	–
Pleurisy	–	–	2	3	2	1	1	2	–	–	–	–	–	–	–	–
Pneumonia	4	5	12	6	6	4	6	5	4	5	2	–	1	–	–	–
Asthma	1	1	1	1	2	2	1	2	1	1	1	–	1	–	–	–
Lung Disease	1	2	2	1	4	3	2	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	3	1	–	–	–	–	–	–	–
Peritonitis	2	2	3	1	–	1	1	2	2	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	1	4	2	2	1	–	4	–	–	–	–	–	–
Hernia	–	–	–	2	1	2	1	2	–	1	–	–	–	–	–	–
Ileus	–	–	–	1	1	–	3	1	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Stomach Disease	2	1	3	1	5	8	5	4	2	5	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Liver Disease	3	2	2	5	10	7	8	4	6	2	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	6	4	4	3	4	4	2	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	3	3	3	3	–	2	–	–	–	–
Stricture of Urethra	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	1	–	–	2	2	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	1	1	–	1	1	–	–	–	–	–	–	–
Childbirth	5	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	1	2	1	2	–	1	–	1	–	–	–	–	–	–
Arthritis	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	1	–	–	3	–	–	–	–	–
Joint Disease	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	1	–	1	3	1	–	1	–	–	–	–	–	–	–	–
Privation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	6	3	6	4	4	5	7	–	3	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	3	1	2	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2423	241	91	148	194	106	58	80	143	54	73	108	101
SPECIFIED CAUSES	2409	237	91	148	194	106	57	80	142	54	72	107	101
I. Zymotic Class	563	36	23	44	80	63	38	57	84	15	15	20	13
II. Diseases of Uncertain Seat	65	2	1	1	–	–	–	–	1	1	1	1	5
III. Tubercular Class	420	4	14	34	43	19	5	7	20	14	28	47	39
IV. Brain and Nervous System	265	17	12	11	16	5	1	6	8	3	6	5	7
V. Organs of Circulation	160	3	2	–	1	–	–	1	–	4	5	5	9
VI. Respiratory Organs	335	24	16	34	40	12	12	6	9	1	5	6	8
VII. Organs of Digestion	122	14	7	10	9	3	1	–	4	1	1	2	2
VIII. Urinary Organs	82	2	–	–	–	–	–	–	4	6	2	6	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	23	–	–	–	–	–	–	–	4	8	3	–	2
XI. Skin, etc.	5	–	1	2	–	1	–	–	–	–	–	–	–
XII. Malformation	9	8	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	132	114	10	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	1	–	–	–	–	–	–	–
XV. Age	90	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	125	13	5	3	1	2	–	3	8	1	6	15	14
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	20	–	–	5	9	4	1	–	1	–	–	–	–
Scarlatina	192	1	–	4	23	27	27	39	62	5	–	3	–
Diphtheria	27	–	1	2	4	7	3	3	4	–	–	1	–
Hooping Cough	49	3	5	19	11	5	2	2	1	1	–	–	–
Croup	43	2	1	1	10	12	4	9	4	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	81	17	13	12	18	4	–	–	1	–	–	–	4
Dysentery	10	–	–	–	1	–	–	–	–	1	–	1	–
Cholera	10	2	–	–	1	–	–	–	1	–	1	1	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	64	–	–	–	2	1	1	2	5	2	11	11	4
Enteric Fever	31	–	1	–	1	1	–	1	3	4	3	3	4
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	–	–	1	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	14	5	–	1	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	11	5	2	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	10	1	–	1	–	–	–	–	1	–	–	–	1
Abscess	7	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	6	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	1	1	–	3
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	35	–	1	2	5	3	–	2	2	3	1	5	5
Tabes Mesenterica	32	2	5	6	9	6	–	–	–	2	1	1	–
Phthisis	269	–	2	4	3	1	1	–	9	9	26	41	33
Hydrocephalus	84	2	6	22	26	9	4	5	9	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
ALL CAUSES	103	94	111	94	89	97	104	112	89	68	35	17	12	1	–	–
SPECIFIED CAUSES	103	94	111	93	86	97	103	112	88	68	35	17	12	1	–	–
Zymotic Class	9	6	14	9	11	5	6	5	5	4	1	–	–	–	–	–
Uncertain Seat	1	3	8	6	3	6	9	6	5	2	1	2	–	–	–	–
Tubercular Class	35	35	30	20	8	13	3	2	–	–	–	–	–	–	–	–
Brain, etc.	13	14	15	13	12	18	16	22	22	14	5	3	1	–	–	–
Heart, etc.	10	7	12	12	12	15	21	17	11	8	3	2	–	–	–	–
Respiratory Organs	11	11	16	12	20	18	21	21	15	8	5	1	3	–	–	–
Digestive Organs	7	4	6	9	9	9	7	5	7	4	–	1	–	–	–	–
Urinary Organs	4	5	5	6	4	4	7	10	7	5	1	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	14	15	21	18	6	8	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	12	8	3	6	5	4	6	8	–	2	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	1	–	3	2	2	1	1	–	–	–	–	–
Dysentery	–	–	1	1	–	1	1	–	2	1	–	–	–	–	–	–
Cholera	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	3	5	2	4	1	2	2	–	–	–	–	–	–	–	–
Enteric Fever	–	–	2	3	2	–	–	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	2	1	2	1	–	–	–	1	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Abscess	–	1	2	–	–	2	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–
Cancer	–	2	5	5	2	3	8	1	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Scrofula	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	33	33	29	19	8	13	3	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	17	–	2	1	3	1	–	1	1	1	1	–	–
Apoplexy	59	–	–	1	2	–	1	1	1	–	2	1	1
Paralysis	69	–	–	–	–	–	–	–	–	1	–	2	1
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	–	1	–	3
Tetanus	7	3	1	–	1	1	–	–	–	–	–	1	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	45	12	9	8	9	2	–	2	3	–	–	–	–
Brain Disease	45	2	–	1	1	1	–	2	3	1	2	1	–
V. Pericarditis	5	1	–	–	–	–	–	–	–	1	1	1	1
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	3
Heart Disease	140	2	2	–	1	–	–	1	–	3	4	4	5
VI. Laryngitis	7	–	–	1	1	2	–	–	1	–	1	–	–
Bronchitis	216	19	10	26	30	9	10	6	3	–	1	1	3
Pleurisy	13	–	–	–	–	–	–	–	2	–	–	2	1
Pneumonia	71	5	3	6	9	1	2	–	2	–	2	1	1
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	20	–	3	1	–	–	–	–	1	1	1	2	1
VII. Teething	12	–	–	7	4	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	17	6	4	2	1	1	–	–	–	–	1	–	1
Peritonitis	11	2	1	1	–	–	1	–	1	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	7	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	1	–	–	–	–	–	–	1	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	3	1	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	5	2	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	29	–	–	–	–	–	–	–	1	1	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	1	–	–	–
Nephria	36	–	–	–	–	–	–	–	3	4	2	4	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	–	–	1	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	12	1	–	–	–	–	–	–	–	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	–	–	–	1	3	2	–	1
Rheumatism	5	–	–	–	–	–	–	–	–	3	–	–	–
Joint and Bone Disease	10	–	–	–	–	–	–	–	3	2	1	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	–	1	2	–	1	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	1	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	1	–	2	–	–	–	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	8	3	2	2	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	81	1	1	–	–	1	–	1	8	1	5	11	12
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	1	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	14	4	–	–	–	–	1	–	1	–	1	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	3	6	3	2	7	11	9	3	1	1	1	–	–	–
Paralysis	4	5	9	2	3	11	3	9	8	7	2	2	–	–	–	–
Delirium Tremens	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	2	2	2	1	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	3	2	3	3	4	2	5	4	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	3	3	2	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	7	4	9	10	12	15	20	17	11	8	3	2	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	7	4	3	5	9	15	13	17	13	6	4	1	1	–	–	–
Pleurisy	–	–	2	1	2	–	1	2	–	–	–	–	–	–	–	–
Pneumonia	2	5	11	4	4	3	4	2	1	1	1	–	1	–	–	–
Asthma	1	–	–	1	1	–	1	–	–	1	–	–	1	–	–	–
Lung Disease	1	1	–	1	4	–	2	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	1	–	1	1	–	1	–	–	–	–	–	–
Hernia	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	2	2	1	1	1	3	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	2	1	4	6	5	1	1	3	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	3	4	4	3	2	2	1	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	3	3	3	3	–	2	–	–	–	–
Stricture of Urethra	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	1	–	–	2	2	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Joint Disease	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	6	3	4	4	4	4	6	–	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	3	–	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	85	30
ALL CAUSES	2358	168	72	150	200	105	72	50	102	67	57	90	89
SPECIFIED CAUSES	2348	167	71	149	199	103	71	50	102	67	57	90	89
I. Zymotic Class	533	28	24	44	93	52	53	26	54	29	7	16	11
II. Diseases of Uncertain Seat	124	1	2	–	2	1	–	–	2	2	–	–	3
III. Tubercular Class	388	5	12	32	28	19	7	11	21	17	37	40	36
IV. Brain and Nervous System	235	13	4	9	13	6	3	1	6	4	1	2	3
V. Organs of Circulation	151	1	–	–	–	–	–	–	2	3	2	3	4
VI. Respiratory Organs	320	15	10	38	38	17	4	9	9	2	3	4	6
VII. Organs of Digestion	165	11	4	13	15	3	1	–	3	6	1	6	6
VIII. Urinary Organs	29	1	–	–	3	–	1	–	2	–	1	1	4
IX. Organs of Generation	56	–	–	–	–	–	–	–	–	–	2	12	10
X. Organs of Locomotion	17	–	–	1	–	–	–	–	1	1	1	2	2
XI. Skin, etc.	5	1	1	–	–	–	–	–	–	–	–	1	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	86	12	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	6	2	–	1	1	3	–	–	–
XV. Age	150	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	1	2	1	1	3	2	2	1	–	2	3	4
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	–	2	2	6	2	2	–	–	–	–	–	–
Scarlatina	150	1	1	3	29	22	29	16	32	12	–	2	1
Diphtheria	34	2	–	8	4	4	6	2	5	1	–	1	–
Hooping Cough	69	2	5	16	25	10	4	3	1	2	–	–	–
Croup	34	–	–	3	13	7	6	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	82	17	12	11	11	5	1	–	2	–	–	1	–
Dysentery	18	–	1	–	1	–	–	–	1	–	–	–	–
Cholera	13	1	–	1	2	–	–	–	–	2	–	1	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	52	1	–	–	–	1	1	1	8	3	2	5	4
Enteric Fever	25	–	–	–	–	1	4	1	2	6	3	–	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Intantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	3	4
Rheumatic Fever	6	–	–	–	–	–	–	–	–	1	1	–	1
Erysipelas	7	1	–	–	–	–	–	–	–	1	1	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	12	3	3	–	1	–	–	–	1	–	–	2	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	11	–	–	–	–	–	–	–	1	1	–	–	–
Abscess	6	1	–	–	1	–	–	–	–	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	93	–	–	–	1	1	–	–	1	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	–	1	2	3	2	2	2	5	1	2	3	1
Tabes Mesenterica	26	2	1	2	8	2	–	2	4	1	1	–	1
Phthisis	263	–	3	4	6	2	1	1	9	14	33	37	34
Hydrocephalus	73	3	7	24	11	13	4	6	3	1	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	67	82	87	83	87	97	122	132	121	112	80	44	16	6	–	–
SPECIFIED CAUSES	67	82	86	83	87	96	121	132	121	112	80	44	16	6	–	–
Zymotic Class	4	10	8	8	6	7	10	10	15	11	4	3	–	–	–	–
Uncertain Seat	7	7	6	13	11	16	18	12	8	6	6	1	–	–	–	–
Tubercular Class	25	26	24	14	11	11	4	3	3	1	1	–	–	–	–	–
Brain, etc.	4	9	10	9	13	16	22	23	24	21	11	8	–	–	–	–
Heart, etc.	6	5	15	11	16	9	21	22	15	10	5	1	–	–	–	–
Respiratory Organs	2	6	7	15	7	16	18	30	24	22	9	5	2	2	–	–
Digestive Organs	3	4	7	5	14	13	16	16	7	9	–	1	1	–	–	–
Urinary Organs	5	3	2	–	–	2	3	1	–	–	–	–	–	–	–	–
Generative Organs	7	8	6	2	2	3	–	2	1	1	–	–	–	–	–	–
Locomotive Organs	3	1	–	1	1	–	1	–	–	–	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	10	23	30	41	24	13	4	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	1	2	5	1	3	2	–	1	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	3	–	–	2	4	4	4	2	–	–	–	–	–
Dysentery	–	–	1	–	1	1	1	2	4	3	1	1	–	–	–	–
Cholera	–	–	–	1	1	2	1	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	2	2	3	3	3	2	3	1	1	1	–	–	–	–
Enteric Fever	–	2	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	–	2	1	2	2	1	1	–	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	–	–	–	–	1	1	–	1	2	2	2	–	–	–	–	–
Cancer	5	7	6	10	9	13	16	10	4	4	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Phthisis	24	26	24	14	10	11	4	3	1	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	15	–	–	2	2	–	1	–	5	–	–	–	–
Apoplexy	72	–	1	1	1	2	–	–	–	–	–	1	–
Paralysis	58	1	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	34	12	3	6	9	1	1	1	1	–	–	–	–
Brain Disease	44	–	–	–	1	3	1	–	–	3	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	150	1	–	–	–	–	–	–	2	2	2	3	4
VI. Laryngitis	4	–	–	–	1	1	–	–	–	–	–	–	1
Bronchitis	229	9	9	29	28	12	3	5	5	1	1	1	2
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	58	3	–	8	7	4	1	3	3	1	2	2	3
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	16	3	1	1	2	–	–	1	1	–	–	–	–
VII. Teething	15	–	1	4	10	–	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	16	3	1	5	–	1	–	–	1	–	–	–	–
Peritonitis	25	1	2	–	1	1	–	–	1	2	–	2	4
Ascites	2	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	13	–	–	–	1	–	–	–	–	–	–	1	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	–	–	–	–	–	–	–	1	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	40	3	–	4	2	–	1	–	1	–	–	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	25	–	–	–	–	–	–	–	–	1	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	24	–	–	–	3	–	1	–	1	–	1	1	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	36	–	–	–	–	–	–	–	–	–	2	11	9
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	5	–	–	–	–	–	–	–	–	1	–	1	1
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	8	–	–	1	–	–	–	–	1	–	1	1	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	–	1	–	1	–	–	–	2	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	6	1	2	–	–	–	–	–	–	–	1	–	–
Drowning	2	–	–	–	–	–	1	–	–	–	1	–	–
Fracture and Contusion	12	–	–	–	–	2	1	1	–	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	1	–	–	–	1	–	–	1	1
Not Specified	10	1	1	1	1	2	1	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Apoplexy	–	5	5	3	5	7	6	11	8	4	7	5	–	–	–	–
Paralysis	–	1	2	–	6	4	14	5	7	10	4	3	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	2	3	1	4	–	5	9	6	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	5	15	11	16	9	21	22	15	10	5	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	4	3	11	4	9	15	24	20	18	7	5	2	2	–	–
Pleurisy	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	1	2	2	1	2	3	3	4	1	–	–	–	–	–
Asthma	–	1	1	–	1	2	–	2	1	–	1	–	–	–	–	–
Lung Disease	–	1	2	–	–	3	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	–
Peritonitis	1	2	1	1	–	1	1	2	1	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	3	2	1	–	–	3	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Stomach Disease	1	1	3	–	3	6	4	3	1	2	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	4	2	7	3	3	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	3	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	1	1	–	1	1	–	–	–	–	–	–	–
Childbirth	5	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	1	2	1	2	–	1	–	1	–	–	–	–	–	–
Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
Joint Disease	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	3	1	–	1	–	–	–	–	–	–	–	–
Privation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	2	–	–	1	1	–	1	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2917	364	146	241	328	127	77	49	102	58	69	95	101
Specified Causes	2874	351	136	237	325	126	77	49	101	58	69	95	100
I. Zymotic Class	706	49	44	84	124	70	36	27	43	14	14	22	16
II. Diseases of Uncertain Seat	87	1	1	–	–	–	1	2	3	–	2	2	–
III. Tubercular Class	517	14	13	34	52	19	16	10	27	23	39	42	53
IV. Brain and Nervous System	229	39	11	9	10	6	2	1	8	2	2	6	4
V. Organs of Circulation	128	2	1	–	–	–	–	1	5	3	1	2	2
VI. Respiratory Organs	474	50	27	58	80	17	13	6	8	5	3	8	7
VII. Organs of Digestion	183	15	9	34	48	7	–	1	2	2	2	3	5
VIII. Urinary Organs	33	–	1	–	–	–	–	–	2	4	–	3	1
IX. Organs of Generation	20	–	–	–	–	–	–	–	–	–	–	2	4
X. Organs of Locomotion	18	–	–	–	–	–	–	–	1	2	2	–	1
XI. Skin, etc.	3	–	1	–	1	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	202	166	18	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	31	–	–	–	10	3	4	–	–	1	–	–	–
XV. Age	148	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	2	–	–	–	–	–	–	–	–	1	2
XVII. Violent Deaths	79	8	8	–	–	4	4	1	2	2	4	4	5
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	177	3	2	34	63	42	9	12	10	1	1	–	–
Scarlatina	40	1	3	2	8	6	5	1	12	1	1	–	–
Diphtheria	24	1	–	1	1	2	7	5	3	–	–	1	–
Hooping Cough	49	1	3	15	22	3	3	1	1	–	–	–	–
Croup	37	–	–	4	14	7	6	5	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	119	26	22	19	12	6	1	1	3	–	1	1	3
Dysentery	19	–	1	–	–	–	–	–	–	1	–	1	1
Cholera	20	3	4	3	–	–	–	–	1	1	–	2	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	132	–	2	–	1	–	2	1	4	8	9	13	8
Enteric Fever	30	–	–	–	–	2	3	1	4	2	1	1	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	1	–	–	2	–	1	–	–
Infantile Remittent	9	1	1	3	2	1	–	–	1	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever	7	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	9	3	–	2	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	17	8	6	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	42	–	–	–	–	–	–	2	3	–	1	1	–
Abscess	4	–	1	–	–	–	1	–	–	–	1	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	–	–	–	7	3	1	1	–	–	2	–	2
Tabes Mesenterica	37	7	4	5	11	–	–	2	4	2	–	1	1
Phthisis	363	1	1	6	10	5	7	4	13	20	36	41	50
Hydrocephalus	95	6	8	23	24	11	8	3	10	1	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	116	117	97	118	116	121	129	110	87	82	41	10	11	3	1	1
Specified Causes	114	117	96	118	113	119	128	110	87	82	41	10	11	3	1	–
Zymotic Class	20	19	17	26	20	16	18	16	3	3	3	2	–	–	–	–
Uncertain Seat	5	7	2	8	4	15	12	4	4	8	4	2	–	–	–	–
Tubercular Class	58	31	23	26	18	6	9	3	1	–	–	–	–	–	–	–
Brain, etc.	3	13	11	11	13	14	15	17	12	14	3	–	3	–	–	–
Heart, etc.	9	9	14	8	11	17	15	11	10	4	3	–	–	–	–	–
Respiratory Organs	5	16	11	18	29	26	35	23	16	8	3	1	1	–	–	–
Digestive Organs	5	9	5	12	3	7	5	3	3	2	1	–	–	–	–	–
Urinary Organs	1	1	4	–	1	4	1	3	2	2	3	–	–	–	–	–
Generative Organs	3	6	4	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	1	3	–	2	1	–	1	–	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	8	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	26	34	41	21	5	7	3	1	–
Sudden Deaths	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	4	5	5	6	7	3	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	3	1	1	2	7	4	1	1	3	1	–	–	–	–
Dysentery	1	–	2	–	2	1	1	5	1	1	–	1	–	–	–	–
Cholera	–	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	12	7	18	17	8	5	5	–	–	–	–	–	–	–	–
Enteric Fever	2	2	2	1	–	4	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	4	7	–	2	2	4	4	1	1	6	3	1	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	–	1	5	2	10	7	3	3	1	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	56	30	23	24	18	6	8	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	1	–	2	1	1	–	–	4	1	–	–	–
Apoplexy	53	2	–	–	–	1	–	–	–	–	–	2	–
Paralysis	56	–	–	–	–	–	–	1	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	–	–	–	1	–	1	–	–
Epilepsy	11	1	–	–	–	–	–	–	–	–	1	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	68	35	11	6	9	4	1	–	2	–	–	–	–
Brain Disease	25	–	–	1	–	–	1	–	1	1	–	2	2
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	123	2	1	–	–	–	–	1	5	3	1	2	2
VI. *Laryngitis*	2	–	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	329	39	24	46	66	15	9	4	5	1	–	4	2
Pleurisy	6	2	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	102	8	2	11	13	2	3	2	2	4	3	3	3
Asthma	24	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	11	1	1	–	–	–	1	–	1	–	–	1	–
VII. Teething	90	1	6	33	44	6	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	–	–	–	–	–	1	–
Gastritis	4	–	–	–	1	–	–	–	–	–	1	–	–
Enteritis	14	5	2	–	1	–	–	–	1	1	–	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	1	–	–	–	–	–	1	–	–	–	1	1
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	8	1	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	5	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	11	2	1	–	2	1	–	–	–	–	–	–	1
Liver Disease	14	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	–
Nephria	12	–	–	–	–	–	–	–	–	2	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	1	–	–	–	–	–	–	2	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	17	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	4	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism	8	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	1	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	3	6	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	–	2	3	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	–	1	–	–	–	2	2	1
Fracture and Contusion	28	–	–	–	–	2	–	–	1	2	1	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	1	–	1
Not Specified	43	13	10	4	3	1	–	–	1	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	6	4	2	5	6	6	10	4	3	–	–	2	–	–	–
Paralysis	–	2	4	6	6	6	6	5	7	10	2	–	1	–	–	–
Delirium Tremens	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	3	1	2	1	2	2	1	1	1	–	–	–	–	–
Pericarditis	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	8	8	14	7	10	16	15	11	10	4	3	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	7	6	12	15	15	26	14	8	6	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Pneumonia	2	7	3	5	11	2	8	4	3	1	–	–	–	–	–	–
Asthma	1	2	2	–	3	5	1	3	3	1	1	–	–	–	–	–
Lung Disease	–	–	–	1	–	3	–	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	–	3	–	2	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Liver Disease	2	4	–	3	–	–	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	1	2	–	1	1	–	1	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	2	–	1	1	–	1	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	2	–	2	–	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	3	1	5	5	2	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	1	–	3	2	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1420	200	84	127	156	69	46	30	51	26	29	36	46
SPECIFIED CAUSES	1397	193	78	126	153	68	46	30	51	26	29	36	45
I. Zymotic Class	361	21	32	43	57	36	23	16	23	9	7	9	7
II. Diseases of Uncertain Seat	24	1	–	–	–	–	1	–	1	–	–	–	–
III. Tubercular Class	227	9	5	24	27	7	10	6	10	8	13	15	22
IV. Brain and Nervous System	117	23	4	6	9	3	1	1	5	1	1	–	3
V. Organs of Circulation	61	2	1	–	–	–	–	1	2	1	1	2	–
VI. Respiratory Organs	227	22	14	26	33	12	6	4	5	1	1	4	3
VII. Organs of Digestion	88	9	5	15	20	6	–	1	1	1	1	1	4
VIII. Urinary Organs	21	–	1	–	–	–	–	–	2	2	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	–	1	2	–	1
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	115	95	8	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	20	–	–	–	7	2	1	–	–	1	–	–	–
XV. Age	53	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	1	2	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	57	5	5	–	–	2	3	1	2	1	3	4	4
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	94	1	1	22	30	20	6	8	5	1	–	–	–
Scarlatina	23	1	2	2	4	2	2	–	9	1	–	–	–
Diphtheria	13	1	–	–	1	1	4	3	2	–	–	–	–
Hooping Cough	22	–	2	5	10	2	2	–	1	–	–	–	–
Croup	24	–	–	1	9	7	4	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	55	11	17	8	1	4	1	1	–	–	1	–	1
Dysentery	10	–	1	–	–	–	–	–	–	1	–	1	–
Cholera	10	1	3	3	–	–	–	–	–	–	–	1	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	–	2	–	–	–	2	–	2	5	4	7	3
Enteric Fever	16	–	–	–	–	–	2	1	2	1	1	–	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	5	1	1	–	2	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	1	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	4	3	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	6	1	1	–	–	–	–	–	1
Tabes Mesenterica	24	4	2	4	8	–	–	1	2	1	–	1	1
Phthisis	144	1	–	5	5	–	4	3	4	7	12	14	20
Hydrocephalus	48	4	3	15	8	6	5	2	4	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	47	50	41	51	56	69	70	47	38	30	10	6	3	–	1	1
SPECIFIED CAUSES	47	50	41	51	54	69	69	47	38	30	10	6	3	–	1	–
Zymotic Class	10	8	10	11	10	10	8	7	1	2	–	1	–	–	–	–
Uncertain Seat	1	1	–	6	1	3	3	1	1	2	1	1	–	–	–	–
Tubercular Class	23	10	9	8	8	4	6	2	1	–	–	–	–	–	–	–
Brain, etc.	1	11	4	4	6	7	7	8	5	6	–	–	1	–	–	–
Heart, etc.	4	3	5	3	6	9	10	4	7	–	–	–	–	–	–	–
Respiratory Organs	1	8	5	9	12	17	20	9	8	5	2	–	–	–	–	–
Digestive Organs	3	4	1	5	2	3	3	1	1	–	1	–	–	–	–	–
Urinary Organs	–	–	3	–	1	4	1	2	2	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	10	12	14	5	4	2	–	1	–
Sudden Deaths	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	3	3	3	5	5	3	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	2	4	1	1	1	–	–	–	–	–	–
Dysentery	–	–	1	–	–	1	1	3	–	–	–	1	–	–	–	–
Cholera	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	5	7	7	10	4	2	3	–	–	–	–	–	–	–	–
Enteric Fever	–	2	2	1	–	2	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	1	–	3	–	–	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	–	4	1	–	3	1	–	–	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	10	9	7	8	4	6	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	1	–	2	1	–	–	–	2	–	–	–	–
Apoplexy	23	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	24	–	–	–	–	–	–	1	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	6	1	–	–	–	–	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	41	21	4	3	8	3	–	–	2	–	–	–	–
Brain Disease	13	–	–	1	–	–	1	–	–	1	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	59	2	1	–	–	–	–	1	2	1	1	2	–
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	146	18	13	19	30	10	4	2	2	–	–	2	1
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	54	4	–	6	3	2	1	2	2	1	1	1	1
Asthma	15	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	8	–	1	–	–	–	1	–	1	–	–	1	–
VII. Teething	41	1	3	15	17	5	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	4	2	–	1	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	1	–	–	–	–	–	1	–	–	–	–	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	4	1	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	1	–	–	2	1	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	1	–	–	–	–	–	–	2	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism	5	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	3	4	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	–	2	2	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	–	1	–	–	–	2	2	1
Fracture and Contusion	21	–	–	–	–	–	–	–	1	1	–	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	1	–	1
Not Specified	23	7	6	1	3	1	–	–	–	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	5	1	–	3	3	3	4	2	1	–	–	1	–	–	–
Paralysis	–	1	2	3	2	3	2	2	3	5	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	5	3	5	8	10	4	7	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	3	1	4	6	8	14	3	3	3	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Pneumonia	–	4	3	5	4	2	5	3	3	1	–	–	–	–	–	–
Asthma	1	1	1	–	2	3	1	2	1	1	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	1	3	–	2	–	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	2	–	2	–	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	3	1	4	3	2	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1497	164	62	114	172	58	31	19	51	32	40	59	55
SPECIFIED CAUSES	1477	158	58	111	172	58	31	19	50	32	40	59	55
I. Zymotic Class	345	28	12	41	67	34	13	11	20	5	7	13	9
II. Diseases of Uncertain Seat	63	–	1	–	–	–	–	2	2	–	2	2	–
III. Tubercular Class	290	5	8	10	25	12	6	4	17	15	26	27	31
IV. Brain and Nervous System	112	16	7	3	1	3	1	–	3	1	1	6	1
V. Organs of Circulation	67	–	–	–	–	–	–	–	3	2	–	–	2
VI. Respiratory Organs	247	28	13	32	47	5	7	2	3	4	2	4	4
VII. Organs of Digestion	95	6	4	19	28	1	–	–	1	1	1	2	1
VIII. Urinary Organs	12	–	–	–	–	–	–	–	–	2	–	2	1
IX. Organs of Generation	20	–	–	–	–	–	–	–	–	–	–	2	4
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	87	71	10	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	1	3	–	–	–	–	–	–
XV. Age	95	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	–	–	–	–	–	–	–	–	–	1	1
XVII. Violent Deaths	22	3	3	–	–	2	1	–	–	1	1	–	1
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	83	2	1	12	33	22	3	4	5	–	1	–	–
Scarlatina	17	–	1	–	4	4	3	1	3	–	1	–	–
Diphtheria	11	–	–	1	–	1	3	2	1	–	–	1	–
Hooping Cough	27	1	1	10	12	1	1	1	–	–	–	–	–
Croup	13	–	–	3	5	–	2	2	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	64	15	5	11	11	2	–	–	3	–	–	1	2
Dysentery	9	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	10	2	1	–	–	–	–	–	1	1	–	1	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	–	–	1	–	–	1	2	3	5	6	5
Enteric Fever	14	–	–	–	–	2	1	–	2	1	–	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	2	–	–	–	–
Infantile Remittent	4	–	–	3	–	1	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever	5	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	5	2	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	4	3	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	33	–	–	–	–	–	–	2	2	–	1	1	–
Abscess	3	–	1	–	–	–	–	–	–	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	1	2	–	1	–	–	2	–	1
Tabes Mesenterica	13	3	2	1	3	–	–	1	2	1	–	–	–
Phthisis	219	–	1	1	5	5	3	1	9	13	24	27	30
Hydrocephalus	47	2	5	8	16	5	3	1	6	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	69	67	56	67	60	52	59	63	49	52	31	4	8	3	–	–
SPECIFIED CAUSES	67	67	55	67	59	50	59	63	49	52	31	4	8	3	–	–
Zymotic Class	10	11	7	15	10	6	10	9	2	1	3	1	–	–	–	–
Uncertain Seat	4	6	2	2	3	12	9	3	3	6	3	1	–	–	–	–
Tubercular Class	35	21	14	18	10	2	3	1	–	–	–	–	–	–	–	–
Brain, etc.	2	2	7	7	7	7	8	9	7	8	3	–	2	–	–	–
Heart, etc.	5	6	9	5	5	8	5	7	3	4	3	–	–	–	–	–
Respiratory Organs	4	8	6	9	17	9	15	14	8	3	1	1	1	–	–	–
Digestive Organs	2	5	4	7	1	4	2	2	2	2	–	–	–	–	–	–
Urinary Organs	1	1	1	–	–	–	–	1	–	1	2	–	–	–	–	–
Generative Organs	3	6	4	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	2	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	16	22	27	16	1	5	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	1	2	2	1	2	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	3	–	1	–	3	3	–	–	3	1	–	–	–	–
Dysentery	1	–	1	–	2	–	–	2	1	1	–	–	–	–	–	–
Cholera	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	7	–	11	7	4	3	2	–	–	–	–	–	–	–	–
Enteric Fever	2	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	3	6	–	1	2	1	4	1	–	5	3	1	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	1	1	10	4	2	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	20	14	17	10	2	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	–	–	1	–	–	2	1	–	–	–
Apoplexy	30	2	–	–	–	1	–	–	–	–	–	2	–
Paralysis	32	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	2	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	14	7	3	1	1	1	–	–	–	–	–	–
Brain Disease	12	–	–	–	–	–	–	–	1	–	–	2	1
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	64	–	–	–	–	–	–	–	3	2	–	–	2
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	183	21	11	27	36	5	5	2	3	1	–	2	1
Pleurisy	3	2	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	48	4	2	5	10	–	2	–	–	3	2	2	2
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	49	–	3	18	27	1	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	–	–	1	–	–
Enteritis	5	1	–	–	–	–	–	–	1	1	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	4	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	1	–	–	–	–	–	–	–	–	–	1
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	2	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	17	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	–	–	–	–	2	–	–	–	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	20	6	4	3	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	3	2	2	3	3	6	2	2	–	–	1	–	–	–
Paralysis	–	1	2	3	4	3	4	3	4	5	2	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	2	1	1	–	1	–	1	1	1	–	–	–	–	–
Pericarditis	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	5	9	4	5	8	5	7	3	4	3	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	4	5	8	9	7	12	11	5	3	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	3	–	–	7	–	3	1	–	–	–	–	–	–	–	–
Asthma	–	1	1	–	1	2	–	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2029	203	78	159	169	96	61	36	78	45	71	66	73
SPECIFIED CAUSES	2006	193	76	157	168	95	61	36	76	45	71	65	73
I. Zymotic Class	436	28	24	59	74	58	32	21	29	9	8	10	6
II. Diseases of Uncertain Seat	83	–	1	–	–	1	–	–	2	2	2	1	2
III. Tubercular Class	370	10	7	24	29	16	14	3	25	18	40	31	38
IV. Brain and Nervous System	200	26	9	16	8	3	4	4	5	5	2	–	4
V. Organs of Circulation	102	–	–	–	–	–	–	–	1	–	4	4	5
VI. Respiratory Organs	280	10	21	36	29	12	6	5	8	2	4	6	6
VII. Organs of Digestion	132	16	4	14	21	2	2	1	2	2	3	3	3
VIII. Urinary Organs	42	1	–	–	–	–	1	–	1	1	2	3	2
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	1	2	5
X. Organs of Locomotion	18	–	–	–	–	–	1	–	1	1	2	4	1
XI. Skin, etc.	4	2	1	–	–	1	–	–	–	–	–	–	–
XII. Malformation	10	7	–	1	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	87	78	4	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	21	–	–	–	5	1	–	1	1	1	–	1	–
XV. Age	145	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	59	14	5	2	–	1	–	1	1	4	3	–	1
I. Small Pox	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	118	1	7	26	39	24	11	3	7	–	–	–	–
Scarlatina	48	–	–	1	5	7	6	11	8	4	1	3	1
Diphtheria	6	–	–	1	1	–	2	1	1	–	–	–	–
Hooping Cough	70	1	6	18	19	11	8	6	1	–	–	–	–
Croup	11	1	–	2	2	4	1	–	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	58	14	9	6	4	1	–	–	–	1	–	–	–
Dysentery	15	–	–	–	–	2	–	–	–	–	–	–	–
Cholera	4	1	–	–	1	–	–	–	1	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	–	1	1	1	–	1	1	2	1	1
Enteric Fever	33	–	–	–	1	2	3	–	7	–	3	3	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	4	–	–	2	–	2	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	9	–	–	–	–	–	–	–	1	–	2	2	–
Erysipelas	12	3	1	–	–	2	–	–	–	1	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	11	5	1	3	–	1	–	–	–	1	–	–	–
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	13	–	–	–	–	–	–	–	2	1	–	1	–
Abscess	4	–	1	–	–	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	2
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	54	–	–	–	–	1	–	–	–	–	1	–	–
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	35	4	2	5	2	5	–	–	7	3	1	–	–
Tabes Mesenterica	23	1	–	1	8	1	4	2	2	2	1	1	–
Phthisis	250	–	–	4	4	3	2	1	9	12	38	30	38
Hydrocephalus	62	5	5	14	15	7	8	–	7	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	56	70	54	63	73	81	95	100	95	85	66	35	15	3	1	2
SPECIFIED CAUSES	56	69	54	63	72	81	95	100	95	85	66	35	15	3	1	–
Zymotic Class	5	8	4	2	8	11	14	13	1	8	2	2	–	–	–	–
Uncertain Seat	2	4	5	8	13	3	11	7	10	3	4	1	1	–	–	–
Tubercular Class	28	28	9	20	6	10	7	5	2	–	–	–	–	–	–	–
Brain, etc.	4	13	8	4	9	10	17	17	14	6	8	3	1	–	–	–
Heart, etc.	4	1	9	8	8	12	11	13	9	8	5	–	–	–	–	–
Respiratory Organs	7	7	10	10	15	14	14	14	17	13	10	3	1	–	–	–
Digestive Organs	2	2	3	4	9	8	6	13	4	4	4	–	–	–	–	–
Urinary Organs	3	3	2	1	1	2	4	4	6	3	2	–	–	–	–	–
Generative Organs	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	4	1	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	8	25	38	29	24	12	3	1	–
Sudden Deaths	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Violent Deaths	1	2	3	5	1	3	–	3	4	1	2	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	2	4	6	4	–	4	2	–	–	–	–	–
Dysentery	2	1	–	–	–	2	3	3	–	2	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	4	1	4	1	1	2	–	–	–	–	–	–	–	–
Enteric Fever	1	2	–	–	2	1	3	–	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	1	–	1	–	3	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
Cancer	1	3	4	6	11	3	7	6	5	3	2	–	1	–	–	–
Gout	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Scrofula	1	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	24	9	20	5	10	7	5	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	–	2	1	–	–	1	2	1	1	–	1
Apoplexy	42	2	–	2	–	–	–	–	–	–	–	–	1
Paralysis	47	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	55	23	8	11	6	3	2	2	–	–	–	–	–
Brain Disease	32	1	1	1	1	–	2	1	3	4	1	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	96	–	–	–	–	–	–	–	1	–	4	4	5
VI. Laryngitis	8	–	1	1	1	1	–	–	1	–	–	2	–
Bronchitis	178	7	16	26	22	8	3	3	3	2	3	3	3
Pleurisy	10	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	62	2	4	8	5	2	3	1	2	–	1	–	2
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	–	1	1	1	–	1	1	–	–	1	1
VII. Teething	32	1	–	10	20	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	2	–	–	–	–	1	–
Enteritis	16	4	–	3	1	–	–	1	–	1	–	1	–
Peritonitis	7	–	–	1	–	–	–	–	1	–	2	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	18	–	1	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	4	3	–	–	1	–	–	1	1	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	11	5	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	18	1	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	11	–	–	–	–	–	–	–	–	–	1	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	1	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	6	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	16	–	–	–	–	–	1	–	–	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	6	–	–	–	–	–	–	–	–	–	1	2	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	3	–	–	–	–	–	1	–	–	–	1	1	–
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	8	–	–	–	–	–	–	–	1	1	1	2	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	1	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	4	3	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	8	4	2	1	–	1	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	–	2	–	–	–
Fracture and Contusion	25	1	–	–	–	–	–	–	–	1	2	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	1	–	–
Other Violent Causes	5	5	–	–	–	–	–	–	–	–	–	–	–
Not Specified	23	10	2	2	1	1	–	–	2	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	4	1	1	3	5	9	5	2	1	4	2	–	–	–	–
Paralysis	–	4	1	–	3	4	8	8	11	3	3	1	1	–	–	–
Delirium Tremens	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	4	2	–	1	–	3	1	2	–	–	–	–	–	–
Pericarditis	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	1	7	6	8	11	11	13	9	8	5	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	4	1	9	7	10	7	14	10	7	3	1	–	–	–
Pleurisy	2	–	2	–	–	–	1	2	–	2	–	–	–	–	–	–
Pneumonia	2	4	4	4	4	3	1	4	3	1	2	–	–	–	–	–
Asthma	–	–	–	2	1	3	2	1	–	–	1	–	–	–	–	–
Lung Disease	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ileus	1	–	1	–	2	2	–	8	–	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	1	1	2	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–
Liver Disease	–	1	1	–	2	3	2	1	2	2	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	1	1	2	3	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	3	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	4	1	3	–	2	1	1	2	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	979	111	40	84	92	49	26	16	42	22	38	28	30
SPECIFIED CAUSES	966	107	39	83	92	48	26	16	40	22	38	28	30
I. Zymotic Class	204	15	9	27	37	29	14	10	10	4	3	4	2
II. Diseases of Uncertain Seat	32	–	–	–	–	1	–	–	1	–	2	1	–
III. Tubercular Class	176	5	4	15	17	9	7	1	18	7	17	12	16
IV. Brain and Nervous System	107	15	5	8	7	1	2	2	3	4	2	–	4
V. Organs of Circulation	46	–	–	–	–	–	–	–	–	–	1	2	4
VI. Respiratory Organs	136	6	11	18	17	7	1	2	6	–	3	4	1
VII. Organs of Digestion	71	8	2	11	11	1	1	1	2	1	3	1	1
VIII. Urinary Organs	27	1	–	–	–	–	–	–	–	–	2	2	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	9	–	–	–	–	–	1	–	–	1	2	2	–
XI. Skin, etc.	3	2	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	3	–	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	50	44	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	–	–	–	1	–	–	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	42	8	3	2	–	–	–	–	–	4	3	–	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	58	1	1	12	23	13	5	1	2	–	–	–	–
Scarlatina	23	–	–	–	2	5	4	4	4	2	1	1	–
Diphtheria	3	–	–	–	–	–	2	1	–	–	–	–	–
Hooping Cough	33	1	3	11	7	5	2	4	–	–	–	–	–
Croup	6	1	–	1	2	2	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	9	3	1	1	–	–	–	–	–	–	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	1	1	1	–	–	–	–	1	–
Enteric Fever	14	–	–	–	–	1	–	–	3	–	1	1	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	1	–	2	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	7	2	1	–	–	–	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	1	–	–	–	–	–	1	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	9	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	1	–	–	–	–	1	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	3	1	4	1	1	–	–	5	2	1	–	–
Tabes Mesenterica	16	–	–	–	7	1	3	–	2	1	1	1	–
Phthisis	106	–	–	3	2	2	–	1	8	3	15	11	16
Hydrocephalus	33	2	3	8	7	5	4	–	3	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	25	38	22	34	34	38	47	44	50	28	22	10	6	1	–	2
SPECIFIED CAUSES	25	37	22	34	33	38	47	44	50	28	22	10	6	1	–	–
Zymotic Class	2	4	1	1	5	5	9	9	–	3	–	1	–	–	–	–
Uncertain Seat	–	1	1	5	1	1	4	2	7	1	3	–	1	–	–	–
Tubercular Class	9	15	4	9	6	3	2	–	–	–	–	–	–	–	–	–
Brain, etc.	4	8	5	3	3	5	10	6	7	2	–	1	–	–	–	–
Heart, etc.	3	1	4	3	5	5	6	4	3	2	3	–	–	–	–	–
Respiratory Organs	3	2	4	6	8	7	6	7	11	3	2	1	–	–	–	–
Digestive Organs	2	1	–	2	4	5	2	6	3	2	1	–	–	–	–	–
Urinary Organs	1	3	1	–	–	–	4	2	5	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	12	12	9	7	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	5	1	3	–	3	2	–	2	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	2	1	3	2	–	2	–	–	–	–	–	–
Dysentery	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	1	2	1	–	2	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	1	–	3	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	–	3	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	3	–	1	2	1	3	1	1	–	1	–	–	–
Gout	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	14	4	9	5	3	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	1	1	–	–	1	1	1	1	–	1
Apoplexy	21	2	–	1	–	–	–	–	–	–	–	–	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	12	4	5	5	1	1	–	–	–	–	–	–
Brain Disease	23	1	1	1	1	–	1	1	2	3	1	–	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	41	–	–	–	–	–	–	–	–	–	1	2	4
VI. Laryngitis	5	–	1	–	–	1	–	–	1	–	–	1	–
Bronchitis	79	3	7	13	13	4	1	1	2	–	2	2	–
Pleurisy	6	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	34	2	3	4	4	1	–	–	2	–	1	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	1	–	1	–	1	–	1	–	–	–	1	1
VII. Teething	18	1	–	7	10	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	11	2	–	3	1	–	–	1	–	–	–	1	–
Peritonitis	4	–	–	1	–	–	–	–	1	–	2	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	2	2	–	–	1	–	–	1	1	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	1	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	–	–	–	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	1	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	6	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	1	–	–	–	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	1	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	2	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	2	2	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	–	–	–	–	2	–	–	–
Gunshot Wounds	22	1	–	–	–	–	–	–	–	1	2	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	1	1	–	–
	4	4	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	4	1	1	–	1	–	–	2	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	1	–	1	3	6	1	1	–	–	1	–	–	–	–
Paralysis	–	3	1	–	–	2	4	4	5	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	2	–	–	–	1	1	2	–	–	–	–	–	–
Pericarditis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	2	1	5	5	6	4	3	2	3	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	1	4	4	3	3	9	2	1	1	–	–	–	–
Pleurisy	1	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–
Pneumonia	1	1	2	3	2	2	1	2	2	–	1	–	–	–	–	–
Asthma	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
Liver Disease	–	–	–	–	1	2	1	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	–	–	2	2	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	4	1	3	–	2	1	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1050	92	38	75	77	47	35	20	36	23	33	38	43
SPECIFIED CAUSES	1040	86	37	74	76	47	35	20	36	23	33	37	43
I. Zymotic Class	232	13	15	32	37	29	18	11	19	5	5	6	4
II. Diseases of Uncertain Seat	51	–	1	–	–	–	–	–	1	2	–	–	2
III. Tubercular Class	194	5	3	9	12	7	7	2	7	11	23	19	22
IV. Brain and Nervous System	93	11	4	8	1	2	2	2	2	1	–	–	–
V. Organs of Circulation	56	–	–	–	–	–	–	–	1	–	3	2	1
VI. Respiratory Organs	144	4	10	18	12	5	5	3	2	2	1	2	5
VII. Organs of Digestion	61	8	2	3	10	1	1	–	–	1	–	2	2
VIII. Urinary Organs	15	–	–	–	–	–	1	–	1	1	–	1	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	1	2	5
X. Organs of Locomotion	9	–	–	–	–	–	–	–	1	–	–	2	1
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	5	4	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	37	34	–	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	4	1	–	1	1	–	–	1	–
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	17	6	2	–	–	1	–	1	1	–	–	–	–
I. Small Pox	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	60	–	6	14	16	11	6	2	5	–	–	–	–
Scarlatina	25	–	–	1	3	2	2	7	4	2	–	2	1
Diphtheria	3	–	–	1	1	–	–	–	1	–	–	–	–
Hooping Cough	37	–	3	7	12	6	6	2	1	–	–	–	–
Croup	5	–	–	1	–	2	1	–	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	33	5	6	5	3	1	–	–	–	1	–	–	–
Dysentery	10	–	–	–	–	2	–	–	–	–	–	–	–
Cholera	3	1	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	–	–	–	1	1	2	–	1
Enteric Fever	19	–	–	–	1	1	3	–	4	–	2	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	1	–	–	1	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	5	1	–	–	–	2	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	7	4	–	2	–	1	–	–	–	–	–	–	–
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	1	1	–	–	–
Abscess	3	–	1	–	–	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	2
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	38	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	1	1	1	1	4	–	–	2	1	–	–	–
Tabes Mesenterica	7	1	–	1	1	–	1	2	–	1	–	–	–
Phthisis	144	–	–	1	2	1	2	–	1	9	23	19	22
Hydrocephalus	29	3	2	6	8	2	4	–	4	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	–
SPECIFIED CAUSES	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	–
Zymotic Class	3	4	3	1	3	6	5	4	1	5	2	1	–	–	–	–
Uncertain Seat	2	3	4	3	12	2	7	5	3	2	1	1	–	–	–	–
Tubercular Class	19	13	5	11	–	7	5	5	2	–	–	–	–	–	–	–
Brain, etc.	–	5	3	1	6	5	7	11	7	4	8	2	1	–	–	–
Heart, etc.	1	–	5	5	3	7	5	9	6	6	2	–	–	–	–	–
Respiratory Organs	4	5	6	4	7	7	8	7	6	10	8	2	1	–	–	–
Digestive Organs	–	1	3	2	5	3	4	7	1	2	3	–	–	–	–	–
Urinary Organs	2	–	1	1	1	2	–	2	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	13	26	20	17	7	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	–	–	2	1	–	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	3	3	2	–	2	2	–	–	–	–	–
Dysentery	1	1	–	–	–	1	1	2	–	2	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Cancer	1	2	4	3	11	2	5	5	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	10	5	11	–	7	5	5	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	1	–	–	–	–	1	–	–	–	–
Apoplexy	21	–	–	1	–	–	–	–	–	–	–	–	–
Paralysis	28	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	11	4	6	1	2	1	2	–	–	–	–	–
Brain Disease	9	–	–	–	–	–	1	–	1	1	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	1	–	3	2	1
VI. Laryngitis	3	–	–	1	1	–	–	–	–	–	–	1	–
Bronchitis	99	4	9	13	9	4	2	2	1	2	1	1	3
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	28	–	1	4	1	1	3	1	–	–	–	–	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	1	–	–	–	1	–	–	–	–
VII. Teething	14	–	–	3	10	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	1	–	–	–	–	1	–
Enteritis	5	2	–	–	–	–	–	–	–	1	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	–	1	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	2	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	4	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	1	–	–	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	6	–	–	–	–	–	–	–	–	–	1	2	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	–	–	–	1	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	10	6	1	1	1	–	–	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	2	3	4	1	1	4	1	–	–	–	–
Paralysis	–	1	–	–	3	2	4	4	6	3	3	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	2	–	–	1	–	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	5	5	3	6	5	9	6	6	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	3	–	5	3	7	4	5	8	6	2	1	–	–	–
Pleurisy	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Pneumonia	1	3	2	1	2	1	–	2	1	1	1	–	–	–	–	–
Asthma	–	–	–	2	–	3	1	–	–	–	1	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	2	2	–	4	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	–	1	1	1	1	1	1	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1221	93	56	73	81	68	52	25	76	32	60	50	43
Specified Causes	1186	77	50	66	79	66	51	25	76	32	60	50	43
I. Zymotic Class	314	17	15	21	39	37	34	17	47	12	6	6	8
II. Diseases of Uncertain Seat	44	1	–	–	–	–	–	1	2	1	–	–	5
III. Tubercular Class	228	3	9	8	16	13	11	3	15	8	39	29	18
IV. Brain and Nervous System	104	2	5	2	3	3	–	1	2	5	2	1	2
V. Organs of Circulation	38	–	–	–	–	–	–	1	–	–	3	1	2
VI. Respiratory Organs	159	5	9	14	12	7	3	–	2	2	4	6	3
VII. Organs of Digestion	81	10	4	14	5	4	1	1	–	2	1	–	1
VIII. Urinary Organs	14	–	–	–	–	–	–	–	3	–	–	2	–
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	4	–
X. Organs of Locomotion	9	–	–	–	–	–	–	1	–	1	2	–	–
XI. Skin, etc.	2	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	51	37	8	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	1	1	2	–	2	–	1	–	1
XV. Age	85	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	28	1	–	–	2	1	–	–	3	1	1	1	3
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	–	–	–	3	2	–	1	–	–	–	–	–
Scarlatina	111	1	2	6	15	21	16	10	35	4	–	–	1
Diphtheria	10	–	–	–	2	2	4	–	2	–	–	–	–
Hooping Cough	23	1	3	4	7	3	2	2	1	–	–	–	–
Croup	22	–	–	2	6	5	5	4	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	7	7	6	5	–	–	–	–	–	–	1	–
Dysentery	6	–	1	1	–	–	1	–	–	–	–	–	–
Cholera	4	–	1	1	–	–	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	–	2	–	–	2	1	1	3	4
Enteric Fever	30	–	–	–	–	1	2	–	3	7	4	2	2
Relapsing Fever	3	–	–	–	–	–	1	–	–	–	–	–	1
Simple Continued Fever	3	–	–	–	–	–	2	–	–	–	1	–	–
Infantile Remittent	5	–	–	–	–	1	1	–	3	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	6	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	–	–	–	–	–	–	1	1	1	–	–	2
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	1	–	–	–	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	2	1	–	1	2	1	3	2	–
Tabes Mesenterica	21	1	2	1	3	6	3	–	4	1	–	–	–
Phthisis	150	–	–	1	1	3	2	–	6	5	35	27	18
Hydrocephalus	41	2	7	6	10	3	6	2	3	1	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	37	35	52	37	42	49	53	44	62	51	28	16	5	1	–	–
Specified Causes	37	35	51	37	42	49	53	44	62	51	28	16	5	1	–	–
Zymotic Class	5	4	7	5	4	7	6	4	5	6	1	1	–	–	–	–
Uncertain Seat	–	2	–	3	5	6	5	5	5	1	2	–	–	–	–	–
Tubercular Class	16	13	9	6	3	7	1	1	–	–	–	–	–	–	–	–
Brain, etc.	–	2	12	4	12	5	9	9	9	9	5	–	–	–	–	–
Heart, etc.	1	5	4	3	4	4	2	5	3	–	–	–	–	–	–	–
Respiratory Organs	3	2	11	7	7	11	11	13	19	5	–	3	–	–	–	–
Digestive Organs	2	3	3	5	3	3	8	2	8	1	–	–	–	–	–	–
Urinary Organs	2	–	1	1	1	2	–	–	1	1	–	–	–	–	–	–
Generative Organs	3	1	3	–	1	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	3	11	26	20	12	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	3	3	1	2	–	2	2	–	–	2	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	1	1	1	1	3	1	1	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	4	3	3	4	1	1	1	–	–	–	–	–	–	–
Enteric Fever	–	–	2	1	–	1	2	–	1	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	1	–	1	1	3	3	2	2	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	1	4	2	2	3	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	13	8	5	3	5	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	–	–	–	–	–	–	2	1	1	1	1
Apoplexy	28	1	2	1	3	1	–	–	–	–	1	–	–
Paralysis	41	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	1	2	1	–	–	–	–	–	–	–	–	–
Brain Disease	13	–	1	–	–	2	–	1	–	4	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	–	–	–	–	–	–	–	–	–	3	1	2
VI. Laryngitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	120	4	8	12	7	6	2	–	2	2	3	3	1
Pleurisy	3	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	29	1	1	2	5	1	1	–	–	–	–	2	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	23	–	3	11	5	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	16	7	1	2	–	–	–	1	–	1	1	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	2	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	2	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	1	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	4	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	1	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	2	1	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	12	–	–	–	–	–	–	–	2	1	1	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	35	16	6	7	2	2	1	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	2	3	1	4	2	4	1	1	–	–	–	–	–
Paralysis	–	1	5	1	7	3	2	7	4	7	4	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	4	–	1	–	2	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	1	5	4	2	4	4	2	5	2	–	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	1	2	6	5	4	7	10	10	18	4	–	3	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	3	–	3	2	1	2	–	1	–	–	–	–	–	–
Asthma	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	–	1	1	2	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	3	2	1	3	–	4	1	–	–	–	–	–	–
Spleen Disease*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Childbirth	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1658	144	67	158	246	100	90	45	89	40	46	64	57
Specified Causes	1534	119	59	143	228	90	84	35	79	38	45	64	55
I. Zymotic Class	493	32	22	59	114	58	52	22	42	9	6	15	9
II. Diseases of Uncertain Seat	37	1	–	1	1	1	–	1	2	2	1	1	–
III. Tubercular Class	211	1	6	21	21	12	5	3	10	13	22	28	24
IV. Brain and Nervous System	122	10	2	7	11	2	4	3	6	3	2	4	4
V. Organs of Circulation	75	–	–	–	–	–	1	–	–	3	4	4	4
VI. Respiratory Organs	213	10	12	26	40	12	14	1	10	1	6	5	8
VII. Organs of Digestion	95	4	3	16	26	1	3	2	–	1	1	2	2
VIII. Urinary Organs	15	–	–	–	1	–	–	–	–	–	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	11	–	–	–	–	–	–	1	2	2	1	–	–
XI. Skin, etc.	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	54	8	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	34	–	–	–	10	4	5	–	6	1	–	1	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	2	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	53	1	5	1	3	–	–	2	1	3	2	4	3
I. Small Pox	2	–	–	–	1	–	1	–	–	–	–	–	–
Measles	33	1	2	4	14	4	3	3	2	–	–	–	–
Scarlatina	84	1	–	5	9	11	22	9	21	5	–	1	–
Diphtheria	14	–	–	4	3	3	2	1	1	–	–	–	–
Hooping Cough	140	13	11	20	41	23	15	6	11	–	–	–	–
Croup	34	1	–	7	13	8	4	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	74	13	8	10	21	8	2	–	–	–	–	1	–
Dysentery	2	1	–	–	–	–	–	–	–	–	1	–	–
Cholera	8	–	–	3	2	–	–	–	–	–	–	–	–
Influenza	2	–	–	1	–	1	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	66	–	1	3	8	–	2	–	5	1	3	5	6
Enteric Fever	18	–	–	–	1	–	1	1	1	3	2	5	–
Relapsing Fever	2	–	–	–	1	–	–	–	–	–	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	2	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	2	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	1	–	1	–	1	2	1	1	–	–
Abscess	5	1	–	–	1	–	–	–	–	1	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	2	1	2	1	–	–	2	2	2	1	–
Tabes Mesenterica	8	–	–	3	4	1	–	–	–	–	–	–	–
Phthisis	176	–	1	2	5	6	3	1	5	10	20	27	24
Hydrocephalus	41	1	3	15	10	4	2	2	3	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	47	64	41	57	54	48	51	37	37	28	32	13	2	–	–	1
SPECIFIED CAUSES	46	61	39	55	52	45	49	36	37	28	32	13	2	–	–	–
Zymotic Class	6	7	3	7	7	7	6	3	2	–	3	2	–	–	–	–
Uncertain Seat	1	2	3	6	3	1	2	4	–	2	2	–	–	–	–	–
Tubercular Class	17	24	11	8	2	8	3	1	1	–	–	–	–	–	–	–
Brain, etc.	5	4	2	6	9	8	6	7	8	7	2	–	–	–	–	–
Heart, etc.	5	5	5	6	7	6	6	8	3	4	1	3	–	–	–	–
Respiratory Organs	3	4	6	10	9	5	13	8	6	3	–	1	–	–	–	–
Digestive Organs	4	1	5	6	6	4	4	–	1	1	2	–	–	–	–	–
Urinary Organs	1	–	1	2	2	–	3	1	3	1	–	–	–	–	–	–
Generative Organs	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	1	2	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	3	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	9	9	22	7	2	–	–	–
Sudden Deaths	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Violent Deaths	3	7	2	2	4	2	5	–	3	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	1	1	–	2	1	–	2	2	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	2	4	6	6	6	–	–	–	–	–	–	–	–	–
Enteric Fever	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	2	–	–	1	2	–	1	1	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cancer	–	2	2	2	3	1	–	2	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis		23	11	8	2	8	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	14	–	–	–	3	–	3	2	1	1	1	1	–
Apoplexy	29	2	–	–	–	–	–	–	–	–	1	2	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	22	6	2	5	3	2	–	1	3	–	–	–	–
Brain Disease	28	1	–	2	5	–	1	–	2	1	–	–	3
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	70	–	–	–	–	–	1	–	–	3	3	4	3
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	144	9	12	23	31	9	7	1	7	1	–	1	2
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	50	1	–	1	9	3	5	–	3	–	5	4	4
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	–	–	1	–	–	2	–	–	–	1	–	2
VII. Teething	34	–	2	13	19	–	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	1	1	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	1	–	1	5	–	2	–	–	–	–	–	1
Peritonitis	10	–	–	–	1	–	–	–	–	1	1	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	1	–	–	–	–	–	–	–	–	1
Ileus	3	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	1	–	–	–	–	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	2	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	1	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	1	1	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	1	–	–	–	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	–	3	1	2	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	1	–	1	1
Fracture and Contusion	27	1	–	–	–	–	–	1	1	2	2	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	124	25	8	15	18	10	6	10	10	2	1	–	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	2	5	4	1	4	3	1	1	–	–	–	–	–
Paralysis	–	1	–	1	2	3	2	2	3	6	1	–	–	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	1	2	1	2	1	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	5	4	4	6	7	6	6	7	3	4	1	3	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	4	5	5	4	8	5	3	2	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	4	2	–	3	1	2	1	–	–	–	–	–	–
Asthma	–	–	1	1	1	1	1	2	1	–	–	–	–	–	–	–
Lung Disease	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Peritonitis	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	4	2	–	2	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	1	–	1	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	5	2	–	2	1	1	–	3	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Not Specified	1	3	2	2	2	3	2	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	973	119	40	71	89	47	42	32	85	29	16	28	35
Specified Causes	969	118	40	70	87	47	42	32	85	29	16	28	35
I. Zymotic Class	250	11	10	21	28	30	30	25	52	14	2	3	6
II. Diseases of Uncertain Seat	27	2	–	–	1	–	–	–	2	2	–	–	1
III. Tubercular Class	143	7	10	13	19	4	3	5	12	3	5	13	17
IV. Brain and Nervous System	85	9	1	8	2	2	1	–	4	1	–	1	2
V. Organs of Circulation	48	–	–	1	–	–	–	–	3	2	2	1	1
VI. Respiratory Organs	149	19	8	16	20	4	5	–	4	2	2	2	2
VII. Organs of Digestion	66	10	1	8	7	1	–	–	1	–	3	3	–
VIII. Urinary Organs	24	–	–	–	2	2	1	–	2	1	–	2	1
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	–	1	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	59	49	8	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	6	–	1	–	3	–	–	–	–
XV. Age	37	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	49	8	2	–	2	3	1	2	2	3	1	2	2
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	131	–	1	4	11	17	26	19	43	8	–	–	2
Diphtheria	6	–	–	–	2	1	1	–	2	–	–	–	–
Hooping Cough	23	2	1	6	6	6	–	2	–	–	–	–	–
Croup	13	–	–	3	3	3	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	7	6	5	5	1	–	–	–	–	–	–	–
Dysentery	4	–	1	1	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	–	–	–	–	–	–	–	2	2	–	–	1
Enteric Fever	16	–	–	–	–	1	–	2	4	3	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	6	–	–	–	–	1	–	1	–	1	–	–	2
Infantile Remittent	1	–	–	–	–	–	1	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	1	1	1	–	–	–	–	–	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	2	–	–	–
Dropsy	7	–	–	–	1	–	–	–	2	–	–	–	1
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	2	–	1	1	–	–	1	4	–	1	–	1
Tabes Mesenterica	18	5	3	2	3	1	1	1	2	–	–	–	–
Phthisis	76	–	1	–	4	–	–	–	3	3	4	13	16
Hydrocephalus	38	–	6	10	11	3	2	3	3	–	–	–	–

CAUSES of DEATH in LEITH; at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	25	29	24	33	32	29	42	28	33	32	18	11	3	1	–	–
Specified Causes	25	29	24	33	32	29	42	28	33	32	18	11	3	1	–	–
Zymotic Class	1	3	1	2	1	3	3	2	1	1	–	–	–	–	–	–
Uncertain Seat	–	–	1	4	4	3	1	2	1	1	2	–	–	–	–	–
Tubercular Class	7	7	6	4	3	3	2	–	–	–	–	–	–	–	–	–
Brain, etc.	3	3	3	5	5	5	7	8	5	5	2	3	–	–	–	–
Heart, etc.	3	2	1	3	2	2	10	4	5	6	–	–	–	–	–	–
Respiratory Organs	2	5	2	3	4	8	13	8	7	10	–	3	–	–	–	–
Digestive Organs	3	2	2	4	7	2	5	1	6	–	–	–	–	–	–	–
Urinary Organs	–	1	1	3	1	2	–	–	2	2	–	1	–	–	–	–
Generative Organs	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	2	6	7	14	3	3	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	5	3	5	–	–	1	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	+	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	–	–	3	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	4	3	2	1	–	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	7	6	4	3	3	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	–	–	–	–	1	1	–	–	1	–	–	1
Apoplexy	10	–	–	3	–	–	–	–	–	–	–	–	1
Paralysis	29	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	19	9	1	5	1	1	–	–	2	–	–	–	–
Brain Disease	13	–	–	–	1	–	–	–	2	–	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	47	–	–	1	–	–	–	–	3	2	1	1	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	97	13	7	8	13	4	2	–	3	–	1	–	1
Pleurisy	2	–	–	–	–	–	–	–	1	–	–	1	–
Pheumonia	39	3	1	7	7	–	3	–	–	2	1	1	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	3	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	16	1	1	6	7	1	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	5	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	10	2	–	–	–	–	–	–	–	–	1	3	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	1	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	14	–	–	–	1	2	–	–	2	1	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	9	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	6	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	2	3	–	1	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	4	2	2	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	1	–	–	1	–
Fracture and Contusion	20	–	–	–	–	–	1	1	1	2	–	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	1	–	1	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	3	1	–	1	–	–	–	–	–	–
Paralysis	2	1	1	2	1	1	3	5	5	4	1	3	–	–	–	–
Delirium Tremens	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	3	3	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	1	3	2	2	10	4	5	6	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	3	–	2	2	5	9	7	7	7	–	3	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	1	2	2	3	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	1	–	2	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Liver Disease	1	–	–	1	3	2	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	2	–	5	–	–	1	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25 c	30
All Causes	626	39	23	35	60	26	10	8	32	7	15	20	31
Specified Causes	621	35	23	34	60	26	10	8	32	7	15	20	31
I. Zymotic Class	130	7	6	10	27	19	4	5	16	1	3	4	3
II. Diseases of Uncertain Seat	30	1	–	1	–	–	–	–	–	–	–	2	2
III. Tubercular Class	100	–	1	4	12	2	1	1	6	4	7	12	18
IV. Brain and Nervous System	55	2	–	2	2	1	–	–	1	2	–	1	–
V. Organs of Circulation	49	–	–	–	–	–	–	–	–	–	2	–	2
VI. Respiratory Organs	80	6	6	8	12	3	1	1	3	–	2	–	2
VII. Organs of Digestion	36	–	1	4	4	–	1	1	1	–	–	–	–
VIII. Urinary Organs	18	1	–	–	–	–	–	–	1	–	1	–	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	17	9	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	–	1	–	–	–	–	–	–
XV. Age	53	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	–	–	–	–	1	2	–	2	–	–	1	4
I. Small Pox	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	8	–	–	1	2	2	–	–	3	–	–	–	–
Scarlatina	19	–	–	2	3	3	2	2	6	–	–	1	–
Diphtheria	2	–	–	–	1	–	1	–	–	–	–	–	–
Hooping Cough	33	2	3	3	14	9	1	–	1	–	–	–	–
Croup	9	–	–	2	1	1	–	2	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	2	1	2	4	1	–	–	–	–	1	–	–
Dysentery	2	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	–	–	–	–	–	–	–	1	–	2	2	3
Enteric Fever	3	–	–	–	–	1	–	–	–	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	2	–	–	2	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	1	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	1	–	–	–	–	–	–	–	1	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	–	–	1	1	1	–
Tabes Mesenterica	9	–	–	–	5	2	–	–	2	–	–	–	–
Phthisis	70	–	–	–	1	–	–	–	2	3	6	11	18
Hydrocephalus	14	–	1	4	5	–	1	1	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1868.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	14	18	25	24	30	24	35	40	42	29	30	6	1	2	–	–
Specified Causes	14	18	25	24	30	24	35	40	42	29	30	6	1	2	–	–
Zymotic Class	1	3	4	–	3	3	4	1	3	–	1	1	1	–	–	–
Uncertain Seat	1	–	2	2	3	1	6	3	4	–	1	1	–	–	–	–
Tubercular Class	8	5	5	5	5	3	–	1	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	2	5	3	6	12	4	3	4	1	–	–	–	–
Heart, etc.	2	1	2	4	3	3	2	8	9	9	1	1	–	–	–	–
Respiratory Organs	–	4	3	2	5	5	4	4	2	3	4	–	–	–	–	–
Digestive Organs	–	1	4	2	2	3	3	3	4	1	1	–	–	–	–	–
Urinary Organs	–	2	2	1	1	–	2	1	3	1	2	–	–	–	–	–
Generative Organs	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mlfaormation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	6	13	11	16	1	–	2	–	–
Sudden Deaths	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	4	1	1	2	1	–	1	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	1	1	–	1	–	1	1	1	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	3	–	1	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	2	–	2	–	5	2	2	–	1	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	5	5	4	5	3	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	1	–	–	–	–	–	–	–	–	1	–	–	–
	Apoplexy	21	–	–	–	–	–	–	–	1	–	–	–	–
	Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
	Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	1	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	6	2	–	2	2	–	–	–	–	–	–	–	–
	Brain Disease	7	–	–	–	–	1	–	–	–	1	–	–	–
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	47	–	–	–	–	–	–	–	–	–	2	–	2
VI.	Laryngitis	3	–	–	–	–	–	–	–	1	–	–	–	–
	Bronchitis	55	6	5	8	10	2	1	–	1	–	2	–	1
	Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia	16	–	1	–	2	1	–	1	–	–	–	–	1
	Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII.	Teething	9	–	–	4	4	–	–	1	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ilens	1	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	8	–	1	–	–	–	–	–	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	12	–	–	–	–	–	1	–	1	–	–	–	–
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Nephria	9	–	–	–	–	–	–	–	–	–	1	–	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	1	–	–	–	–	–	–	–	1	–	–	–	–
	Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	3	–	–	–	–	–	–	–	2	–	–	–	–
XI.	Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	4	–	–	–	–	–	1	–	1	–	–	1	–
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	5	–	–	–	–	–	1	–	–	–	–	–	1
	Fracture and Contusion	6	–	–	–	–	1	–	–	1	–	–	–	1
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	5	4	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1868.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	1	2	1	9	3	2	1	–	–	–	–	–
Paralysis	–	1	2	1	1	1	3	2	1	–	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	2	3	2	3	2	8	9	9	1	1	–	–	–	–
Laryngitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	2	2	4	3	1	1	2	3	–	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	3	2	–	1	1	–	2	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	1	–	1	2	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	3	2	1	1	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	1	2	1	1	–	1	–	1	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1868.

			DEATHS in 1868.											
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1868		37°·5	41°·6	42°·8	46°·0	51°·4	55°·6	60°·4	58°·5	53°·2	44°·8	39°·2	40°·6	47°·6
		Population 1868.													
	SCOTLAND . .	3,188,125	6305	5687	6050	5753	5689	5516	5639	5855	5165	5437	5709	6611	69,416
	INSULAR DISTRICTS .	156,564	247	229	215	219	203	218	198	183	207	176	186	230	2,511
	MAINLAND DISTRICTS	1,799,443	3058	2792	2829	2704	2712	2551	2474	2669	2397	2435	2494	3069	32,184
	TOWN DISTRICTS .	1,232,118	3000	2666	3006	2830	2774	2747	2967	3003	2561	2826	3029	3312	34,721
	DIVISIONS.														
1	Northern . .	132,879	170	146	165	183	166	164	147	130	115	126	125	174	1,811
2	North-Western .	161,239	241	227	213	265	213	196	184	183	216	198	182	246	2,564
3	North-Eastern .	380,130	642	562	593	553	538	564	521	526	450	479	546	660	6,634
4	East-Midland .	529,519	969	944	975	915	959	856	925	993	772	781	848	1086	11,023
5	West-Midland .	243,275	489	443	444	357	399	409	404	402	385	387	463	445	5,027
6	South-Western .	1,100,447	2594	2193	2455	2398	2315	2254	2408	2447	2051	2330	2477	2731	28,653
7	South-Eastern .	427,623	829	824	858	735	746	754	722	873	861	770	757	910	9,639
8	Southern . .	213,013	371	348	347	347	353	319	328	301	315	366	311	359	4,065
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	32,098	43	38	36	42	35	46	36	36	28	27	30	36	433
2	Orkney . . .	33,076	38	31	42	35	39	42	39	28	30	35	30	41	430
3	Caithness . .	43,946	58	51	53	70	66	54	44	40	38	40	44	59	617
4	Sutherland . .	23,759	31	26	34	36	26	22	28	26	19	24	21	38	331
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,442	117	103	101	119	86	94	77	79	75	83	79	110	1,123
6	Inverness . . .	79,797	124	124	112	146	127	102	107	104	141	115	103	136	1,441
	III. NORTH-EASTERN.														
7	Nairn . . .	8,542	17	9	9	8	6	9	6	15	7	14	9	14	123
8	Elgin (or Moray) .	46,886	75	63	66	57	55	50	52	58	52	51	52	74	705
9	Banff . . .	59,399	131	101	94	79	73	79	80	64	56	70	72	109	1,008
10	Aberdeen . . .	230,507	374	351	379	351	368	389	357	347	285	291	375	404	4,271
11	Kincardine . .	34,796	45	38	45	58	36	37	26	42	50	53	38	59	527
	IV. EAST-MIDLAND.														
12	Forfar . . .	216,261	416	407	456	441	467	427	454	474	354	347	394	519	5,156
13	Perth . . .	130,175	228	215	205	183	208	184	208	214	151	180	179	264	2,419
14	Fife	155,912	254	268	262	221	236	197	206	252	229	215	229	242	2,811
15	Kinross . . .	8,086	10	6	4	11	10	6	12	16	9	11	16	16	127
16	Clackmannan . .	19,085	61	48	48	59	38	42	45	37	29	28	30	45	510
	V. WEST-MIDLAND.														
17	Stirling . . .	91,277	182	165	185	150	151	157	141	159	134	166	201	171	1,962
18	Dumbarton . .	59,392	119	94	114	90	100	94	116	111	117	104	113	118	1,290
19	Argyll . . .	76,479	148	156	118	93	113	120	100	95	95	85	120	128	1,371
20	Bute	16,127	40	28	27	24	35	38	47	37	39	32	29	28	404
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	176,577	443	334	355	391	418	382	406	430	341	399	447	452	4,798
22	Ayr	205,647	368	309	330	342	304	304	298	338	274	300	268	361	3,796
23	Lanark . . .	718,223	1783	1550	1770	1665	1593	1568	1074	1679	1436	1631	1762	1918	20,059
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	45,178	69	76	75	57	51	60	61	67	69	62	59	69	775
25	Edinburgh . .	284,678	605	586	641	552	546	565	552	679	652	586	594	701	7,259
26	Haddington . .	38,540	57	60	54	50	55	47	47	60	58	56	46	57	647
27	Berwick . . .	36,719	51	53	43	40	50	41	37	34	48	41	35	49	522
28	Peebles . . .	11,655	21	21	12	15	21	10	10	14	18	13	5	15	175
29	Selkirk . . .	10,853	26	28	33	21	23	31	15	19	16	12	18	19	261
	VIII. SOUTHERN.														
30	Roxburgh . . .	55,527	91	90	90	70	76	92	77	70	76	94	67	72	965
31	Dumfries . . .	74,280	139	135	109	137	127	117	132	107	97	104	104	121	1,423
32	Kirkcudbright .	42,045	80	62	72	69	79	56	74	69	72	73	64	92	862
33	Wigtown . . .	41,161	61	61	82	71	71	54	45	55	70	95	76	74	815

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, . 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Aucrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, . 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Bellhelvie, . 174
Bellie, . . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 865
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 781
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286
East Kilbride, 643

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . . 710
Hume, . . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 569
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 604
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Large, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Leeropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670
Rafford, . 140
Ramsay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells, 249

SIXTEENTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

ON THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN

SCOTLAND

DURING THE

YEAR 1870;

AND

SIXTH ANNUAL REPORT

ON

VACCINATION.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1871.

[C. 305.] *Price* 3½d. *Under* 4 *oz.*

CONTENTS.

PAGE

Report of the Registrar-General to the Secretary of State for the Home Department, . . 5

Report to the Registrar-General, by Dr Stark, ... 7

SCOTLAND.

Increase of Population, ... 7

Births registered in Scotland during the year 1870; the Average Scottish Birth-rate; the Proportion of Births in the Town and Rural Districts; Illegitimate Births; Proportion of Boys to Girls, etc.; with relative Tables, ... 8

Deaths registered in Scotland during the year 1870; the Average Scottish Death-rate; the Proportion of Deaths in the Town and Rural Districts; with relative Tables, . 10

Marriages registered in Scotland during the year 1870; the Average Scottish Marriage-rate; the Proportion of Marriages in the Town and Rural Districts, . . . 12

EIGHT PRINCIPAL TOWNS.

Births in the Eight Principal Towns of Scotland during the year 1870, with the Mean Annual Proportion of Births, and the relative Birth-rate in each Town; the Proportion of Illegitimate Births, and the Sexes at Birth; with relative Tables, . . . 14

Deaths in the Eight Towns during the year 1870, with the Mean Death-rate in these Towns, and the Proportional Death-rate in each Town; the Deaths in each Town under 5 years of age, and the Diseases which proved fatal; with relative Tables, . 15

Marriages in the Eight Towns during the year 1870, ... 23

Weather, and its Influence on the Mortality; with relative Tables, ... 24

VACCINATION IN SCOTLAND—1868.

Sixth Report on Vaccination in Scotland applicable to the Children born and registered during the year 1869; showing the Number and Proportion who were successfully vaccinated; the Number whose Vaccination had been postponed, etc. . . . 32

ABSTRACTS.

PAGE

Births registered in Scotland during each Month of the year 1870, pursuant to the Act 17° and 18 Vict. cap. 80, ... 37

Deaths registered in Scotland during each Month of the year 1870, ... 38

Marriages registered in Scotland during each Month of the year 1870, ... 39

Vaccinations in Scotland for the year 1869, pursuant to the Act 26° and 27° Vict. cap. 108, . 40

Summary of the Deaths from All Causes at Four Periods of Life in the Eight Towns during the year 1870, ... 41

Deaths from All Causes at Four Periods of Life in each of the Eight Principal Towns of Scotland during the year 1870, ... 42

Births in the Eight Principal Towns of Scotland during each Month of the years 1864 to 1870 inclusive, distinguishing the Sexes, ... 46

Illegitimate Births in the Eight Towns during each Month of the years 1864 to 1870 inclusive, . 47

Marriages in the Eight Towns during each Month of the years 1861 to 1870 inclusive, . . . 47

Deaths in the Eight Principal Towns of Scotland during each Month of the years 1864 to 1870 inclusive, distinguishing the Sexes, ... 48

Meteorology of the Eight Principal Towns of Scotland during each Month of the year 1870, . 49

APPENDIX.

Extracts from Registrars' Notes, relative to the working of the Vaccination Act, ... 50

REPORT.

TO THE

RIGHT HON$^{BLE.}$ H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *March* 23, 1871.

SIR,

I HAVE the honour to submit to you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1870, in conformity with the requirements of the Scottish Registration Act (17° and 18° Vict. c. 80), in order that the same may be laid before Parliament.

As in my former Reports, I have directed that this Abstract should be accompanied by a short explanatory statement as to the health of the population during the year, the diseases which were prevalent, and the causes which seemed to affect the proportions of the Births, Deaths, and Marriages.

I have also continued the series of Tables begun two years ago, which prove that density of population has an equally powerful influence in increasing the proportion of Births and of Marriages, as it has long been proved to have on the increase of the Deaths.

The influence of the weather on the health and mortality of the population, and the varied Tables which illustrate the same, are worthy of a careful perusal, as they show how dependent man is on the conditions of the atmosphere which surrounds him.

I have also the honour to submit to you my Sixth Annual

Report on Vaccination, in conformity with the Nineteenth Section of the Scottish Vaccination Act (26° and 27° Vict. c. 108). It gives a general abstract of the number of children born during 1869 who were successfully vaccinated, who from various causes were found to be insusceptible of the vaccine virus, whose vaccination was postponed, who died before vaccination could be performed, and other particulars required by that Statute.

I have again the pleasure of stating that the success of the Scottish Vaccination Act has been as great as any legislative enactment in reference to disease could be. Of the children who survived till they attained the age when they could be vaccinated, 97·3 per cent. were successfully vaccinated, or were otherwise accounted for, conform to the provisions of the Statute. Under its operation Small-pox has greatly diminished; and although that loathsome disease has manifested a strong tendency during 1870 to assume the Epidemic form and spread among the people, the people's and the authorities' harmonious compliance with the provisions of the Act seems to have kept the disease within very confined limits, so that, at the very utmost, not above 150 persons have died in Scotland from the disease during the past year.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THIS Report refers to the Births, Deaths, and Marriages registered during the year 1870 in the 1018 districts into which Scotland was that year divided for the purposes of registration; it has also reference to the vaccination of the children whose births were recorded during the year 1869.

115423 Births, 74067 Deaths, and 23788 Marriages were entered on the registers of Scotland during the year 1870; and when these numbers are compared with the estimated population, it appears that births, deaths, and marriages were all above the mean rate of the ten previous years. As compared with the previous year, there was in 1870 an increase of 2028 births and 1705 marriages, but a decrease of 1722 deaths.

POPULATION.

In a small country like Scotland, which annually sends off such a large proportion of her population as emigrants not only to foreign countries, but also to England and to Ireland, it is at all times difficult to arrive at a close approximation to the population actually in the country during any

TABLE I.—Population estimated to the middle of each year, with the number of Births, Deaths, and Marriages registered in Scotland, during each of the years 1855 to 1870, and their proportion to the Population; also the Illegitimate Births, and the excess of Births over Deaths.

YEAR.	Population estimated to the Middle of each Year.	BIRTHS.		DEATHS.	MARRIAGES.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,788	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751
1867	3,170,769	114,044	11,148	69,068	22,618	44,976	3·593	2·177	0·710
1868	3,188,125	115,514	11,354	69,416	21,855	46,098	3·623	2·177	0·685
1869	3,205,481	113,395	11,023	75,789	22,083	37,606	3·537	2·364	0·689
1870	3,222,837	115,423	10,988	74,067	23,788	41,356	3·581	2·298	0·738

year. This difficulty, however, is still greater for the year 1870, as nine years had elapsed since the Census of the population was taken, and there was nothing certain to guide us as to the probable increase during that period. Hitherto the population of each year has been estimated on the supposition that it was increasing at the same ratio as between 1851 and 1861. From the increased prosperity of the country, however, since 1861, it is highly probable that the Census of 1871 will show that the ratio of increase has been greater than this; but, till that Census be taken, we must hold to our old mode of estimation, and assume that the population of Scotland at the middle of the year 1870 amounted to 3,222,837 persons.

Had the actual number of emigrants, and drafts to the Army and Navy, been ascertained, the population of Scotland might have been approximately estimated from the excess of births over deaths, deducting these emigrants, etc. But as the number of emigrants from Scotland is only ascertained at Glasgow and Greenock, and neither includes the large migrations to England and Ireland, to the continent of Europe, and India, nor the drafts to the Army and Navy, nor even the emigrants from other seaport towns, this mode of calculation gives a great over-estimate of the population—perhaps showing the population as much in excess of the reality as our own estimate will likely show it in deficiency.

To show, however, how the population would have stood had it been calculated from the excess of births over deaths, deducting the registered emigrants, Table II. is added, by which it will be seen that in 1870 the population of Scotland would, by that mode of calculation, have numbered 3,305,655 persons.

BIRTHS.

115423 Births were registered in Scotland during the year 1870, being at the rate of 358 births in every ten thousand persons of the estimated population, or 3·58 per cent. Since the Registration Act came into operation, the above number was only exceeded in the year 1868, when 115514 births were registered; but the births of 1870 exceeded those of 1869 by 2028. The mean of the ten previous years gives an annual birth-rate of 354 births in every ten thousand persons; so that the birth-rate of the year just closed is above the average. There can scarcely be a doubt that the great increase of marriages, during 1870 and the latter portion of 1869, had much to do with this increase of births.

Of the 115423 births, 40467 occurred in the Principal Towns, 11010 in the Large Towns, 18986 in the Small Towns, and 44960 in the Rural Districts, indicating a ratio of one birth for every twenty-four persons in

TABLE II.—Population of Scotland estimated to the middle of each year from the Excess of Births over Deaths, deducting Emigrants, and the Per-centage of Births, Deaths, and Marriages to that Population; also, the Annual Increase or Decrease of Births, Deaths, and Marriages.

YEAR.	Population estimated.	Yearly Increase of Population.	Emigrants.	Per-centage to Population.			Annual Increase or Decrease.		
				Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1861	3,066,633	35,694	8,974	3·484	2·032	0·681	+1380	—5829	— 329
1862	3,102,327	24,769	15,105	3·451	2·166	0·665	+ 60	+4854	— 299
1863	3,127,096	20,880	16,980	3·496	2·286	0·711	+2272	+4286	+1637
1864	3,147,976	22,523	15,394	3·568	2·364	0·721	+2992	+2935	+ 491
1865	3,170,499	28,902	13,277	3·566	2·235	0·744	+ 737	—3525	+ 886
1866	3,199,401	29,504	12,815	3·552	2·230	0·740	+ 597	+ 457	+ 77
1867	3,228,905	31,578	13,398	3·532	2·138	0·700	+ 375	—2280	—1070
1868	3,260,483	30,659	15,439	3·540	2·129	0·670	+1470	+ 348	— 763
1869	3,291,142	14,513	23,093	3·445	2·302	0·668	—2119	+6373	+ 228
1870	3,305,655	17,909	23,447	3·491	2·240	0·719	+2028	—1722	+1705

the Principal Towns, one birth for every twenty-six persons in the Large Towns, one birth for every twenty-eight persons in the Small Towns, but only one birth for every thirty-two persons in the Rural Districts; or 41 births for every thousand persons in the Principal Towns, 39 per thousand in the Large Towns, 35 in the Small Towns, but only 31 births per thousand persons in the Rural Districts. (Tables V. and VI.)

TABLE III.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1860 to 1870 inclusive.

	1860.		1861.		1862.		1863.		1864.		1865.		1866.		1867.		1868.		1869.		Mean per cent. Ten Years.	1870.	
	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.		No.	Per cent.
FIRST QUARTER.																							
Births, ...	27118	3·55	25400	3·30	27089	3·51	26733	3·44	28049	3·61	28594	3·65	28883	3·66	27952	3·52	28697	3·60	28429	3·51	3·539	28674	3·65
Deaths, ...	20223	2·65	17944	2·33	19420	2·51	19229	2·47	22605	2·89	20804	2·65	19095	2·42	19977	2·51	18042	2·26	20431	2·54	2·523	22184	2·75
Marriages, ...	4802	0·63	4636	0·61	4763	0·62	5126	0·66	5346	0·68	5416	0·69	5642	0·71	5356	0·66	6287	0·66	5291	0·66	0·658	5631	0·69
Mean Temperat.		30°·0		38°·9		38°·8		40°·9		35°·7		38°·3		38°·0		56°·5		40°·6		40°·0	38°·07	36°·9	
SECOND QUARTER.																							
Births, ...	28292	3·71	29200	3·80	28728	3·73	29655	3·82	29964	3·84	30318	3·86	29808	3·78	30375	3·83	30983	3·89	29472	3·67	3·793	30645	3·80
Deaths, ...	18182	2·38	15947	2·07	17385	2·25	17963	2·31	18473	2·36	17074	2·17	18575	2·35	17475	2·20	16958	2·12	19449	2·42	2·263	17994	2·20
Marriages, ...	5329	0·69	5327	0·69	5185	0·67	5594	0·71	5723	0·73	5707	0·72	6034	0·76	5627	0·70	5661	0·71	5396	0·69	0·707	5754	0·71
Mean Temperat.		48°·2		50°·6		49°·4		49°·0		49°·9		51°·5		49°·3		49°·0		51°·0		48°·4	50°·03	51°·0	
THIRD QUARTER.																							
Births, ...	24914	3·26	26146	3·41	25783	3·34	26306	3·40	27085	3·47	27306	3·48	27204	3·45	27870	3·51	28554	3·56	27646	3·44	3·432	28272	3·50
Deaths, ...	13875	1·82	13415	1·74	14235	1·84	16273	2·09	16159	2·06	15924	2·02	15470	1·95	15125	1·90	16659	2·09	16532	2·06	1·957	16556	2·05
Marriages, ...	4514	0·59	4480	0·59	4570	0·59	4900	0·62	5005	0·64	5343	0·68	5104	0·64	5071	0·63	4704	0·59	4870	0·60	0·617	5301	0·65
Mean Temperat.		53°·9		56°·0		54°·4		53°·9		54°·5		57°·5		54°·4		55°·2		57°·4		56°·4	55°·86	57°·1	
FOURTH QUARTER.																							
Births, ...	25305	3·31	26263	3·42	25469	3·30	26587	3·42	27185	3·49	26862	3·42	27772	3·52	27847	3·51	27480	3·45	27848	3·47	3·430	27832	3·45
Deaths, ...	15890	2·08	15035	1·95	16155	2·09	18016	2·32	17179	2·19	17089	2·17	18210	2·30	16491	2·07	17757	2·22	19377	2·42	2·181	17344	2·15
Marriages, ...	6580	0·86	6462	0·84	6079	0·78	6614	0·84	6661	0·86	7145	0·91	6908	0·87	6564	0·82	6203	0·77	6326	0·78	0·822	7102	0·88
Mean Temperat.		39°·7		42°·0		42°·0		43°·6		42°·0		43°·4		43°·5		42°.		41°·5		40°·9	42°·09	39°·6	
YEAR.																							
Population, ...	3054738		3066632		3083989		3101845		3118701		3136057		3153413		3170769		3188125		3205481			3222837	
Births, ...	106629	3·46	107009	3·48	107069	3·47	109241	3·52	112339	3·60	113070	3·60	113667	3·60	114044	3·59	115514	3·62	113895	3·54	3·549	114423	3·53
Deaths, ...	68170	2·23	62341	2·03	67195	2·17	71481	2·30	74416	2·38	70891	2·26	71350	2·26	69068	2·17	69416	2·17	76789	2·36	2·233	74067	2·29
Marriages, ...	21225	0·69	20896	0·68	20597	0·66	22234	0·71	22726	0·72	23611	0·75	23688	0·75	22618	0·71	21855	0·68	22083	0·68	0·703	23788	0·73

This year's observations therefore corroborate those of previous years, that the births are under the very same law as the deaths, viz., are numerous just in proportion to the density of the population.

Even the Divisions of Scotland showed, in a general way, this influence of density of population on the births. Thus, in the North-Western Division, with 23 persons to a square mile, there occurred in the proportion of 273 births to every ten thousand persons. In the North-Eastern Division, with 96 persons to a square mile, there were 344 births to a like population. In the South-Eastern Division, with 219 persons to a square mile, there were 376 births to every ten thousand inhabitants; but in the populous South-Western Division, with 441 persons to a square mile, there were 410 births to every ten thousand inhabitants. (Table IV.)

Of the 115423 births, 104435 were legitimate, and 10988 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. As usual, the proportion of illegitimate births was lower in the Town than in the Rural Districts. Thus, all the Town Districts only furnished 9·1 per cent. of the births as illegitimate, while 10·1 per cent. of the births were illegitimate in the Rural Districts. It will be seen from Table VII. that the proportion of illegitimate births in the several Divisions and Counties of Scotland was much the same for each as in former years; but the difference in the several counties is very great, ranging from 3 per cent. in Shetland to 17·9 per cent. in Banff.

Of the 115423 children born during the year, 59012 were boys, and 56411 girls; thus showing that the proportion of the sexes at birth was 104·6 boys for every 100 girls—a lower proportion of boys than usual.

The greatest daily number of births occurred, as usual, during the months of March, April, May, and June, when they respectively numbered 330, 341, 332, and 338 daily. The lowest number of births occurred during the inclement months of November and December, when they respectively numbered 301 and 300 daily. (Table XVI.)

DEATHS.

74067 Deaths were registered in Scotland during the year 1870, being in the high proportion of 229 deaths in every ten thousand persons, or 2·29 per cent. The mean death-rate of the ten previous years was 2·23 deaths

TABLE IV.—Estimated Population, with the Births, Deaths, and Marriages in each of the Eight Divisions of Scotland during the Year 1870, and their Proportion to the Population.

DIVISIONS.	Population estimated to middle of year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per Cent.	Number.	Per Cent.	Number.	Per Cent.
Northern	133,557	3162	2·36	1833	1·37	575	0·43
North-Western	159,559	4362	2·73	2709	1·69	749	0·47
North-Eastern	383,812	13216	3·44	6643	1·73	2417	0·63
East Midland	531,091	17699	3·33	12149	2·28	3669	0·69
West Midland	243,487	8059	3·31	5230	2·14	1507	0·62
South-Western	1,125,879	46172	4·10	31254	2·77	9970	0·88
South-Eastern	432,771	16308	3·76	10221	2·36	3714	0·86
Southern	212,681	6445	3·03	4028	1·89	1187	0·56

per cent., or 223 deaths in every ten thousand persons; so that the death-rate of the past year has been above the average; though 1722 fewer deaths occurred than during the previous year, which was one of very high mortality.

It may be remarked that, high as the death-rate was in Scotland, it was considerably below that of England, which was in the proportion of 233 deaths in every ten thousand persons, or 2·33 per cent.—the mean of the ten previous years in England being 225 deaths per ten thousand persons, or 2·25 per cent.

The several Town and Rural Districts of Scotland showed the usual striking differences in their mortality during the year. Thus, for every thousand persons in each of these districts, there were 29·1 deaths in the Principal Towns, 27·5 deaths in the Large Towns, 22·4 deaths in the Small Towns, but only 18·0 deaths in the Rural Districts; or, to put it in other words, one death for every 34 persons in the Principal Towns, one death for every 36 persons in the Large Towns, one death for every 44 persons in the Small Towns, but only one death for every 55 persons in the Rural Districts.

During the ten years 1858–1867, for every thousand persons in each of

TABLE V.—Births, Illegitimate Births, Deaths, and Marriages in the Groups of Town and Rural Districts of Scotland in 1870, distinguishing the Sexes.

GROUPS OF DISTRICTS.	POPULATION ESTIMATED TO MIDDLE OF YEAR 1870.			BIRTHS.			ILLEGITIMATE BIRTHS.	DEATHS.			MARRIAGES.
	Males.	Females	Both Sexes.	Males.	Fem.	Both Sexes.		Males.	Fem.	Both Sexes.	
Principal Towns . .	449510	527778	977288	20714	19753	40467	3805	14233	14263	28496	9729
Large Towns . . .	131192	149330	280522	5573	5437	11010	870	3855	3854	7709	2363
Small Towns . . .	254577	284602	539179	9745	9241	18986	1762	5932	6159	12091	3760
Total Town Districts .	835279	961710	1,796,989	36032	34431	70463	6437	24020	24276	48296	15852
Rural Districts . .	683361	742857	1,425,848	22980	21980	44960	4551	12850	12921	25771	7936
SCOTLAND . .	1,518,640	1,704,197	3,222,837	59012	56411	115423	10988	36870	37197	74067	23788

TABLE VI.—Per-centage and Proportion of Births, Deaths, and Marriages to the Population in the Groups of Town and Rural Districts of Scotland in 1870; also, the Per-centage of Illegitimate to the Total Births.

GROUPS OF DISTRICTS.	Per-centage to Population.							Per-cent. of Illegit. to Total Births.	Proportion to Population.						
	Births.			Deaths.			Marriages.		Births, One in every.			Deaths, One in every			Marriages, One in every
	Mal.	Fem.	Both Sexs.	Mal.	Fem.	Both Sexs.			Mal.	Fem.	Both Sexs.	Mal.	Fem.	Both Sexs.	
Principal Towns .	4·61	3·74	4·14	3·16	2·72	2·91	0·99	9·4	21	26	24	31	37	34	100
Large Towns . .	4·24	3·64	3·92	2·93	2·58	2·75	0·84	7·9	23	28	26	34	38	36	118
Small Towns .	3·82	3·24	3·52	2·33	2·16	2·24	0·69	9·2	26	31	28	43	46	44	143
Total Town Districts .	4·31	3·58	3·91	2·67	2·52	2·68	0·88	9·1	22	28	25	34	39	37	113
Rural Districts . .	3·36	2·96	3·15	1·88	1·74	1·80	0·55	10·1	30	34	32	53	57	55	179
SCOTLAND .	3·88	3·31	3·58	2·42	2·13	2·29	0·74	9·5	25	30	28	41	45	43	135

NOTE.—The Large Towns have each Populations from 10,000 to 25,000 inhabitants. The Small Towns have each Populations from 3,000 to 10,000 persons.

these districts there occurred annually 28·6 deaths in the Principal Towns, 25·0 deaths in the Large Towns, 21·7 deaths in the Small Towns, and 17·3 deaths in the Rural Districts; or, in other words, one death in every 35 persons in the Principal Towns, one death in every 39 persons in the Large Towns, one death in every 46 persons in the Small Towns, but only one death for every 58 persons in the Rural Districts.

It is thus seen, by comparing the deaths in these several districts during 1870 with those of the ten above-named years, that while the relative proportions remain nearly unaltered, there was a decided increase of deaths in all the districts; and the difference was even greater in the Rural and Small Town Districts than in the Principal Towns themselves. This of itself shows that the increase was not dependent on local insanitary causes, which might have been corrected through human agency; but was probably due to atmospheric causes, which have hitherto escaped human research, and are probably beyond human control.

MARRIAGES.

23788 Marriages were registered in Scotland during the year 1870, being 1705 more marriages than were registered during the year 1869; and showing the high marriage-rate of 73 marriages in every ten thousand persons. The mean rate of the ten previous years was 70 marriages in every ten thousand persons; and it was only during the prosperous years 1865 and 1866 that the marriage-rate in Scotland exceeded that of 1870.

It is a fact worthy of special note, that the marriages seem to be affected by density of population, in the very same manner as the births and deaths—viz., that they are most numerous where the greatest masses of human beings are congregated together, and are fewest in number where the population is most scattered. Thus, for every ten thousand persons in each of the groups of districts in 1870, there were contracted 99 marriages in the Principal Towns, 84 marriages in the Large Towns, 69 marriages in the Small Towns, but only 55 marriages in the Rural Districts.

During the ten years 1858–1867, for every ten thousand persons in each of these groups of districts there occurred annually 91 marriages in the Principal Towns, 79 marriages in the Large Towns, 69 marriages in the Small Towns, and 56 marriages in the Rural Districts. From this it appears that the great increase of marriages during the past year has been almost exclusively confined to the Principal and the Large Towns, the great centres of human industry—that it has not at all extended to the Small Towns—and but to a very trifling extent to the Rural Districts.

TABLE VII.—Proportion of Illegitimate to every 100 Births in Scotland, its Divisions and Counties, during the 1870.

DIVISIONS.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.
SCOTLAND.	9·5	Shetland	3·0	Forfar	11·0	Lanark	8·5
		Orkney	4·7	Perth	11·3	Linlithgow	8·0
NORTHERN DIVISION	6·4	Caithness	9·8	Fife	7·8	Edinburgh	8·5
NORTH-WESTERN Do.	6·5	Sutherland	6·4	Kinross	10·7	Haddington	10·6
NORTH-EASTERN Do.	14·9	Ross & Cromarty	5·2	Clackmannan	9·0	Berwick	9·2
EAST-MIDLAND Do.	10·1	Inverness	7·8	Stirling	8·4	Peebles	8·9
WEST-MIDLAND Do.	8·0	Nairn	7·6	Dumbarton	6·6	Selkirk	10·8
SOUTH-WESTERN Do.	8·2	Elgin	14·8	Argyll	8·7	Roxburgh	10·0
SOUTH-EASTERN Do.	8·7	Banff	17·9	Bute	6·8	Dumfries	13·8
SOUTHERN Do.	13·4	Aberdeen	14·6	Renfrew	6·5	Kirkcudbright	15·6
		Kincardine	13·8	Ayr	8·8	Wigtown	15·3

The number and proportion of marriages during any year indicate very closely the state of prosperity of the country, more especially with reference to its mining, manufacturing, and commercial industries. When trade was slack, and commerce dull, as during the years 1858, 1862, and 1867, marriages declined from 5 to 8 per cent. But when all classes of trade are in full employment, and commerce is prosperous, marriages largely increase. The large increase of 1705 marriages in 1870, or nearly 8 per cent. above those of the previous year, indicates in unmistakeable language the peoples' own opinion of the industrial and commercial prosperity of the year just closed.

Curious facts are occasionally noted by the Registrars, which merit being recorded. During the year a giant Irishman died at Hawick who was 7 feet 8 inches in height, measured 58 inches round the chest, and weighed 22 stone avoirdupois. At Killin, Perthshire, an old man died at the age of 91 years; but five or six years before his death he cut six new teeth, which he said were quite serviceable, and as sharp as lancets. An old man died at Fodderty, in Ross-shire, at the extreme age of 108. His birth was not registered in the parish; but he always stated that he was born the same year as the first slated house in the parish was built, and the date on it is 1760.

EIGHT PRINCIPAL TOWNS OF SCOTLAND.

In order to keep the authorities and the public informed of the birth, death, and marriage-rates which prevail among those great masses of our

TABLE VIII.—Annual Rate of Mortality per cent. in the Town and Rural Districts of Scotland, during each Quarter of the Years 1860 to 1870.

Districts.	Population enumerated.		Quarter ending	Annual Per-centage of Mortality in each Quarter of the Years											
	1851.	1861.		1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Mean of Ten Years.	1870
Town Districts, containing Towns of 3000 Inhabitants and upwards.	1,477,118	1,643,282	March	3·11	2·71	2·98	2·85	3·46	3·19	2·84	2·93	2·65	3·07	2·98	3·18
			June	2·70	2·44	2·61	2·71	2·77	2·61	2·76	2·59	2·52	2·90	2·66	2·56
			Sept.	2·03	2·04	2·14	2·50	2·51	2·48	2·32	2·22	2·59	2·47	2·33	2·44
			Dec.	2·45	2·33	2·57	2·83	2·67	2·66	2·76	2·52	2·75	2·96	2·65	2·55
			Year	2·57	2·41	2·56	2·72	2·85	2·74	2·67	2·58	2·63	2·85	2·65	2·68
Rural Districts, embracing the remainder of Scotland.	1,411,624	1,419,012	March	1·96	1·42	2·05	2·06	2·25	2·03	1·93	1·75	1·79	1·89	1·90	2·20
			June	1·86	1·68	1·87	1·86	1·90	1·68	1·87	1·73	1·64	1·82	1·79	1·74
			Sept.	1·45	1·42	1·52	1·64	1·56	1·50	1·53	1·45	1·49	1·54	1·51	1·57
			Dec.	1·53	1·55	1·56	1·75	1·66	1·63	1·77	1·55	1·59	1·72	1·63	1·64
			Year	1·70	1·62	1·74	1·83	1·84	1·70	1·78	1·62	1·63	1·75	1·71	1·80

population which are collected in our chief towns, Weekly and Monthly Reports are regularly issued from this Office. The former give merely the number of births, deaths, and marriages which occurred in Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth during the previous week; the latter give, in addition, the particulars as to the ages of the persons who have died, and the diseases which proved fatal. Both Returns give, in addition, meteorological observations made in each town for the period to which the Return applies, so that the influence of weather on the health of the people may be traced.

As the population of these towns amounts very nearly to a third of that of Scotland, and as they are well scattered over the country, the diseases which prevailed in them during the past year may serve to give a general idea of those which proved fatal to the inhabitants of Scotland.

BIRTHS IN THE EIGHT TOWNS.

40481 Births were registered in the Eight Principal Towns of Scotland during the year 1870, being at the high rate of 41·4 births in every thousand of the estimated population, or 4·14 per cent. This is the highest number and the highest proportion of births which have ever been registered in the Eight Towns, and is no doubt greatly due to the increased number and proportion of marriages which occurred at the close of the year 1869, and during the whole of the year just ended.

The birth-rate varied in the several towns, having been highest in Greenock, and lowest in Perth. Thus, for every thousand persons in each of the Towns during the year, there occurred 29·7 births in Perth, 36·1 in Paisley, 37·7 in Edinburgh, 42·1 in Aberdeen, 42·3 in Glasgow, 42·5 in Dundee, 45·8 in Leith, and the very high proportion of 49·8 births in Greenock.

Of the 40481 Births in the Eight Towns, 36680 were legitimate and 3801 illegitimate, indicating that 9·4 per cent. of the Births were illegitimate. That proportion, however, varied greatly in the several towns. Thus, in Greenock only 4·9 per cent. of the births were illegitimate; in Leith, 5·8 per cent.; in Paisley, 8·4 per cent.; in Edinburgh, 9 per cent.;

TABLE IX.—Births, Deaths, and Marriages, and their Proportion to the Population, of the Eight Principal Towns of Scotland, during each of the Years 1855 to 1869 inclusive.

YEARS.	Population estimated to the middle of each year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
1855	826,648	28,245	3·41	22,740	2·75	6934	0·84
1856	836,633	31,885	3·81	22,248	2·65	7411	0·88
1857	846,628	32,869	3·88	23,361	2·76	7495	0·88
1858	856,613	32,555	3·80	23,420	2·73	6863	0·80
1859	866,698	33,018	3·80	22,345	2·57	7541	0·87
1860	876,683	32,945	3·75	26,028	2·95	7660	0·87
1861	887,450	34,331	3·79	23,130	2·60	7733	0·87
1862	897,432	34,443	3·83	24,965	2·78	7694	0·85
1863	907,414	35,895	3·95	27,030	2·97	8593	0·94
1864	917,396	37,072	4·05	28,828	3·14	8884	0·96
1865	927,378	38,075	4·10	28,499	3·07	9320	1·00
1866	937,360	38,552	4·11	27,448	2·92	9450	1·00
1867	947,342	39,012	4·11	26,511	2·79	8867	0·93
1868	957,324	39,513	4·12	28,031	2·92	8606	0·90
1869	967,306	39,515	4·08	31,450	3·25	9161	0·94
1870	977,288	40,481	4·14	28,493	2·91	9730	0·99

NOTE.—All these Tables being made up from the Registrars' Returns, we have not the means of correcting the slight discrepancies between them and the Quarterly figures, as the Registration Books are not received at this Office for many months.

in Glasgow, 9·5 per cent.; in Perth, 10·3 per cent.; in Dundee, 11·2 per cent.; and in Aberdeen, 12·3 per cent.

Of the children born during the year, 20728 were boys and 19753 girls, indicating that 105 boys were born for every 100 girls.

DEATHS IN THE EIGHT TOWNS.

28493 Deaths were registered in the Eight Towns during the year 1870, being in the proportion of 29·1 deaths in every thousand persons of the estimated population. The above number shows that 2957 fewer deaths occurred in the Eight Towns during 1870 than during the previous year, which was one of high mortality. All the towns, however, did not participate in this decrease, seeing that in Aberdeen the mortality was 8 per cent. higher than that of the previous year. Aberdeen, however, was also an exception to the general excess of deaths in 1869; for while the other towns during that year exhibited a greatly increased mortality, her death-rate was below the average. If waves of increased mortality spread slowly over the country from south to north, as we have elsewhere shown that waves of epidemic mortality do, that circumstance would account for the above-mentioned curious fact relative to Aberdeen, for the wave of increased mortality would not have reached Aberdeen till perhaps months after it raised the mortality of the other towns.

As usual, the death-rate during the year was very different in the several towns. Thus, for every thousand persons in each town there occurred at the rate of 22·3 deaths in Perth, 25·5 in Aberdeen, 26·3 in Edinburgh, 26·7 in Leith, 28·5 in Paisley, 30·5 in Glasgow, 31·0 in Dundee, and 33·5 deaths in Greenock.

Of the 28493 persons who died in the Eight Towns during the year, 11844 were under 5 years of age, 3139 were between 5 and 20 years of age, 8663 were between 20 and 60 years, and 4847 were above 60 years of age. This indicates that 41·6 per cent. of all who died were under 5 years of age, 11·2 per cent. between 5 and 20 years, 30·2 per cent. between 20 and 60 years, and 17·0 per cent. above 60 years of age.

TABLE X.—Births, Deaths, and Marriages, and their Proportion to the Population, during the Year 1870, in each of the Eight Principal Towns of Scotland; also, the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Population estimated to the middle of 1870.	BIRTHS.		ILLEGIT. BIRTHS		DEATHS.		MARRIAGES.	
		Number.	Per Cent. to Pop.	Number.	Per Cent. to Total Births.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.
Glasgow	456,923	19359	4·23	1853	9·5	13952	3·05	4619	1·01
Edinburgh	178,575	6732	3·77	606	9·0	4706	2·63	1855	1·03
Dundee	102,422	4354	4·25	484	11·2	3183	3·10	968	0·93
Aberdeen	75,676	3209	4·21	396	12·3	1929	2·55	704	0·93
Paisley	47,427	1716	3·61	144	8·4	1352	2·85	458	0·95
Greenock	49,860	2483	4·98	122	4·9	1672	3·35	523	1·05
Leith	39,553	1814	4·58	112	5·8	1058	2·67	423	1·06
Perth	27,407	814	2·97	84	10·3	641	2·33	180	0·65

As the deaths of children under Five years of age in the several towns has been attracting considerable attention, there is given in Table XII. the estimated number of children under 5 years of age in each of the Eight Towns during the year 1870, the deaths of children under 5 years, the per-centage of deaths to the living, and the per-centage of children's deaths to the total deaths at all ages in each town. If the Eight Towns were arranged according to the least mortality of children under 5 years of age as compared with the living children at the same age, Perth would stand at the head of the list as the most healthy of the towns, Greenock at the bottom, as the most unhealthy. Thus, out of every thousand children under 5 years of age, there died in the proportion of 55 in Perth, 75 in Edinburgh and in Paisley, 77 in Aberdeen, 91 in Leith, 96 in Glasgow, 106 in Dundee, and 108 in Greenock. If placed in the order of least proportion of deaths under 5 years of age as compared with the total deaths at all ages, Perth would still stand at the head of the list as the most healthy, while Leith would stand at the bottom of the list as the most unhealthy during the year 1870. Thus, in Perth 29·6 per cent. of the persons who died were under 5 years of age; in Edinburgh, 33·5 per cent.; in Paisley, 37·5 per cent.; in Aberdeen, 37·7 per cent.; in Glasgow, 43·8 per cent.; in Dundee, 45·1 per cent.; in Greenock, 47·1 per cent.; while in Leith, 47·4 per cent. of the persons who died were under 5 years of age.

The Zymotic (epidemic and contagious) class of diseases during 1870 proved fatal to 6048 persons in the Eight Towns, being in the low proportion of 62·7 deaths in every ten thousand persons, or 21·50 per cent. of the total deaths. This is a low proportion, seeing that a ten years' average of the town deaths shows that 26·19 per cent. of the deaths annually were attributable to the zymotic class of diseases. The above fact is worthy of notice as bearing on the sanitary condition of towns, because it demon-

TABLE XI.—Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1860-1870.

Towns.	Per-centage of Deaths to the Population.											
	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	Mean of Ten Years.	1870.
Glasgow	3·19	2·75	2·86	3·24	3·27	3·28	2·98	2·88	3·12	3·47	3·10	3·05
Edinburgh	2·50	2·44	2·77	2·60	2·69	2·78	2·75	2·71	2·70	3·04	2·69	2·64
Dundee	3·20	2·60	2·79	2·87	3·25	3·10	3·20	2·98	2·91	3·51	3·04	3·10
Aberdeen	2·97	2·40	2·59	2·35	2·87	2·65	3·11	2·43	2·69	2·36	2·65	2·54
Paisley	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·81	2·57	3·05	2·80	2·83
Greenock	2·90	2·52	3·06	4·13	4·19	3·59	3·10	2·99	3·41	3·55	3·34	3·35
Leith	2·77	2·12	2·38	2·47	2·49	2·52	2·43	2·77	2·51	2·95	2·54	2·67
Perth	2·64	2·62	2·35	2·46	3·28	2·73	2·28	2·10	2·31	2·54	2·53	2·33

TABLE XII.—Deaths of Children under Five Years of Age in each of the Eight Principal Towns of Scotland, during the Year 1870.

Towns.	Number of Living Children under Five Years of Age, in 1870.	Deaths under Five Years of Age.	Per-centage of Deaths to Population under Five Years.	Per-centage to Total Deaths.
Glasgow	63,429	6115	9·6	43·8
Edinburgh	20,841	1577	7·5	33·5
Dundee	13,499	1436	10·6	45·1
Aberdeen	9,424	729	7·7	37·7
Paisley	6,767	507	7·5	37·5
Greenock	7,232	788	10·8	47·1
Leith	5,491	502	9·1	47·4
Perth	3,424	190	5·5	29·6

strates that a high mortality may prevail among the population, yet not be due to any increase of the zymotic diseases; in other words, it shows that a year of high mortality, as was that of 1870, does not necessarily owe its increased death-rate to the epidemic diseases.

The relative epidemic mortality varied considerably in the several towns, depending greatly on which disease was the leading epidemic, and whether its type was a severe or a mild one. Thus, in Edinburgh only 18·57 per cent. of the deaths were caused by the zymotic class of diseases; in Aberdeen, 19·02 per cent.; in Glasgow, 21·03 per. cent.; in Perth, 21·35 per cent.; in Paisley, 21·99 per cent.; in Leith, 23·41 per cent.; in Dundee, 25·58 per cent.; and in Greenock, 27·35 per cent.

It has often been pointed out in these Reports that although the Eight several Towns may agree in this, that all exhibit an increase, or a decrease, from the mortality of the previous year, or mean of years, it is not the same epidemic which takes the lead in all the towns, but may be Fever in one, Scarlatina in another, and Measles or Hooping-cough in a third. It is this fact which has been the means of baffling all our attempts to trace the causes of the origination of the epidemic diseases. In many instances the local cause which aggravates the disease, or which fosters in the people that state of constitution which renders it prone to the attacks of disease has been traced; but all else beyond is at present unknown. One fact, however, regarding the epidemic diseases to which children are liable may be regarded as established, and has often been pointed out in these Reports, viz. that when one of these zymotic diseases of children rages as a virulent epidemic in a town, it to a great extent takes the place of one or more of the other epidemics of children, and throws them into abeyance. The year 1870 presented another marked example of this fact. The great prevalence of Scarlatina in Leith, Aberdeen, Edinburgh, and Dundee, caused Measles almost to disappear from these towns, more especially from the first two; so that during the year only one death from Measles occurred in Leith and Aberdeen, only 17 in Edinburgh, and 26 in Dundee. In illustration of the above remarks we may shortly mention the epidemic diseases which prevailed and took the lead in each town.

In Glasgow by far the most fatal of the epidemics was Fever, in its three forms of Typhus, Enteric, and Relapsing Fever, which caused 851 deaths, or 6·18 per cent. of the mortality. After this came Hooping-cough, 571 deaths, constituting 4·14 per cent. of the mortality; then Scarlatina, 471 deaths, constituting 3·42 per cent. of the mortality; then Diarrhœa, 357 deaths, constituting 2·59 per cent. of the deaths. It is worthy of note that Bronchitis prevailed to a most unusual extent, and caused 2216 deaths, or the high proportion of 16·1 per cent. of the total mortality.

In Edinburgh, again, Scarlatina was the most fatal of the epidemics, causing 173 deaths, or 3·69 per cent. of the mortality, which is rather below its average fatality. Then came Fever, also in its three chief forms, 157 deaths, constituting 3·35 per cent. of the mortality; after that Diarrhœa 125 deaths, constituting 2·66 per cent. of the mortality, which is above its average; then Croup 107, and Diphtheria 102 deaths. This last disease was prevalent in Edinburgh during 1870 to an extent never before witnessed. Hooping-cough, on the other hand, had a very low mortality, only causing 82 deaths, or 1·75 per cent. of the mortality.

In Dundee by far the most fatal of the epidemics was Scarlatina, which cut off 253 persons, and thus constituted the very high proportion of 8·04 per cent. of the deaths. Leith was the only other town which had a pro-

portionally higher mortality from that disease. Diarrhœa was the next most fatal of the epidemic diseases in Dundee, causing 169 deaths, or 5·37 per cent. of the mortality—just about double the usual proportion. Next came Hooping-cough 164 deaths, thus constituting 5·21 per cent. of the deaths, also considerably above the usual proportion; then Fever 101 deaths, constituting 3·21 per cent. of the mortality, which is below its average rate. The mortality from Bronchitis in Dundee, like that of Glasgow, was considerably above its average, and was also higher than that of Phthisis; it cut off 425 persons, and thus constituted 13·5 per cent. of the deaths in that town.

Aberdeen, like Edinburgh and Dundee, had Scarlatina as the most fatal of its epidemics, causing 81 deaths, or 4·24 per cent. of the mortality. Then followed Fever (almost entirely consisting of Typhus, Enteric, and Infantile) 63 deaths, then Hooping-cough 62 deaths, and Diarrhœa 60 deaths, constituting respectively 3·30, 3·25, and 3·14 per cent. of the mortality. Measles was almost in complete abeyance during the whole year, only one death being attributed to it.

In Paisley by far the most fatal of the epidemics was Fever, in its three leading forms Typhus, Enteric, and Relapsing Fever. 82 deaths were attributed to Fever, constituting the high proportion of 6·22 per cent. of the mortality. Contrary to what happened in the four above named large towns, Measles was the second most fatal of the epidemic diseases in Paisley, cutting off 53 persons, and thus constituting 4·02 per cent. of the deaths.

TABLE XIII.—Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1870, allowing for the causes not specified.

DISEASES CAUSING DEATH.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
TOTAL DEATHS.	2·915	3·053	2·635	3·107	2·549	2·850	3·353	2·674	2·338
I. Zymotic Diseases	0·627	0·642	0·489	0·795	0·484	0·626	0·917	0·626	0·499
III. Tubercular Diseases	0·553	0·614	0·470	0·542	0·413	0·549	0·597	0·522	0·433
IV. Brain Diseases	0·242	0·227	0·257	0·249	0·314	0·233	0·226	0·230	0·205
V. Heart, etc., Diseases	0·135	0·104	0·198	0·147	0·165	0·095	0·122	0·126	0·209
VI. Respiratory Organs	0·556	0·668	0·439	0·543	0·426	0·432	0·496	0·461	0·290
VII. Digestive Organs	0·210	0·235	0·175	0·159	0·223	0·246	0·255	0·157	0·128
XII. Debility, Premat. Birth	0·155	0·173	0·117	0·212	0·082	0·142	0·176	0·147	0·073
XV. Old Age	0·131	0·105	0·146	0·146	0·155	0·194	0·176	0·101	0·198
XVII. Violent Deaths	0·092	0·087	0·091	0·085	0·088	0·095	0·137	0·121	0·077
Small-pox	0·008	0·006	0·001	0·001	0·004	0·010	0·074	0·002	0·000
Measles	0 032	0·027	0·009	0·025	0·001	0·114	0·172	0·002	0 044
SCARLATINA	0·125	0·104	0·097	0·249	0·108	0·103	0·095	0·218	0·172
Diphtheria	0·027	0·024	0·052	0·008	0·016	0·019	0·024	0·022	0·007
HOOPING-COUGH	0·104	0·126	0·046	0·161	0·082	0·030	0·118	0·104	0·069
Croup	0·038	0·035	0·060	0·015	0·026	0·047	0·031	0·043	0·029
DIARRHŒA	0·089	0·079	0·070	0·166	0·080	0·071	0·120	0·114	0·051
Dysentery	0·007	0·004	0·006	0·011	0·020	0·010	0·004	0·002	0·000
Cholera	0·005	0·004	0·003	0·008	0·002	0·009	0·012	0·010	0·000
All FEVERS	0·145	0·189	0·088	0·099	0·084	0·177	0·215	0·073	0·077
Viz. Typhus	0 089	0·121	0·051	0·054	0·013	0·089	0·139	0·035	0·059
Enteric	0 033	0·034	0·031	0·034	0·030	0·039	0·052	0·022	0·014
Relapsing	0·015	0·025	0·003	0·004	0·001	0·028	0 016	0·008	0·000
Continued	0·002	0·003	0·000	0·002	0·001	0·002	0·002	0·005	0·000
Infantile	0·006	0·006	0·003	0·005	0·009	0·019	0·006	0·003	0·004
Dropsy	0·034	0·033	0·021	0·060	0·017	0·051	0·045	0·038	0·018
Cancer	0·041	0·029	0·060	0·045	0·053	0·041	0·033	0·045	0·066
PHTHISIS	0·383	0·444	0·303	0·403	0·279	0·358	0·417	0·266	0·315
Apoplexy	0 052	0·046	0·063	0·059	0·050	0·056	0·054	0·033	0·062
Paralysis	0·064	0·049	0·076	0·079	0·088	0·110	0·050	0·071	0·062
Convulsions	0·053	0·057	0·036	0·067	0·073	0·017	0·048	0·071	0·025
BRONCHITIS	0·390	0·491	0·284	0·419	0·320	0·300	0·332	0·289	0·209
Pneumonia	0·099	0·117	0·086	0·076	0 062	0 084	0·116	0·122	0·048
Teething	0·060	0·073	0·022	0·065	0·057	0·067	0·089	0 025	0·022

Scarlatina was the third most fatal of the epidemic diseases, causing 48 deaths, or 3·64 per cent. of the mortality; after which followed Diarrhœa 33 deaths, constituting 2·50 per cent. of the mortality. On the other hand, Hooping-cough, which had such a high mortality in most of the other towns, only caused 14 deaths, or 1·06 per cent. of the mortality.

In Greenock, as in Glasgow and Paisley, Fever was by far the most fatal of the epidemics, and also appeared in its three leading forms, Typhus, Enteric, and Relapsing Fever. 104 deaths were attributed to Fever, thus constituting 6·43 per cent. of the mortality. It is worthy of note that Fever, in its three marked forms of Typhus, Enteric, and Relapsing Fever, was the leading and most fatal epidemic in what may be called the three adjoining towns of Glasgow, Paisley, and Greenock. The close intercourse between these towns would, *a priori*, have led one to infer that such would be the case; but it is still more remarkable to notice that the proportional deaths from Fever to the other diseases in these three towns was strikingly alike, being 6·18 per cent. of the deaths in Glasgow; 6·22 per cent. in Paisley; and 6·43 per cent. in Greenock.

In Greenock, as in Paisley, Measles was the second most fatal of the epidemic diseases, 83 persons, or 5·13 per cent. of the deaths, having succumbed to that disease. After that came Diarrhœa and Hooping-cough, respectively causing 58 and 57 deaths, or 3·59 and 3·53 per cent. of the total mortality. Scarlatina only caused 46 deaths, or 2·84 per cent. of the mortality. Small-pox, on the other hand, manifested a strong tendency to

---

Table XIV.—Per-centage of Deaths from different Diseases to the Total Deaths in each of the Eight Principal Towns of Scotland during the Year 1870, allowing for the causes of Death not specified.

Diseases causing Death.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Diseases	21·50	21·03	18·57	25·58	19·02	21·99	27·35	23·41	21·35
III. Tubercular Diseases	18 95	20·16	17·84	17·44	16·09	19·25	17·82	19·52	18·52
IV. Brain. etc., Diseases	8·30	7 45	9·75	8·04	12·31	8·19	6·74	8·62	8 79
V. Heart, etc., Diseases.	4·64	3·41	7·50	4·73	6·50	3·33	3·65	4·74	8·95
VI. Respiratory Organs .	19·07	21·89	16·69	17·47	16·72	15·16	14·79	17·25	12·40
VII. Digestive Organs .	7·23	7·70	6·66	5·11	8·75	8·64	7·61	5·87	5·49
XII. Debility, Premat. Birth	5·32	5 68	4·46	6·83	3·25	5·00	5·26	5·50	3·14
XV. Old Age . . .	4·51	3·46	5·55	4·70	6·08	6·58	5·26	3·79	8·47
XVII. Violent Deaths . .	3·15	2·85	3·48	2·76	3·46	3·33	4·08	4·55	3·29
Small-pox . .	0·26	0·18	0·04	0·03	0·15	0·38	2·22	0·09	0·00
Measles . .	1·12	0·89	0·36	0·82	0·05	4·02	5·18	0·09	1·72
SCARLATINA .	4·28	3·42	3·69	8·04	4·24	3·84	2·84	8·15	7·38
Diphtheria . .	0 94	0·81	2·18	0·25	0·63	0·68	0·74	0·85	0·31
HOOPING-COUGH.	3·59	4·14	1·75	5·21	3·25	1·06	3·53	3·88	2·98
Croup . . .	1·30	1·17	2·28	0·51	1·05	1·66	0·92	1·61	1·25
DIARRHŒA . .	3·05	2·59	2·66	5·37	3·14	2·50	3·59	4·17	2·20
Dysentery . .	0·23	0·13	0·25	0·38	0·78	0·38	0·12	0·09	0·00
Cholera . . .	0·17	0·13	0·12	0·25	0·10	0·30	0·37	0·37	0·00
All FEVERS . .	5·00	6·18	3·35	3·21	3·30	6·22	6·43	2·74	3 29
Viz. Typhus .	3·06	3·97	1·93	1·75	1·68	3·11	4·15	1·32	2·51
Enteric .	1·14	1·10	1·17	1·11	1·16	1·36	1·54	0·85	0·63
Relapsing .	0·53	0·82	0·12	0·13	0·05	0·99	0·50	0·29	0·00
Continued .	0·07	0·09	0·02	0·06	0·05	0·08	0·06	0·19	0·00
Infantile .	0 20	0·20	0·11	0·16	0·36	0·68	0·18	0·09	0·15
Dropsy . . .	1·17	1·10	0·81	1·94	0·68	1·82	1·36	1·42	0·78
Cancer . . .	1·41	0·95	2·30	1·46	2·10	1·44	0·99	1·70	2·82
PHTHISIS . .	13·10	14·42	11·59	12·99	10·95	12·59	12·44	9·95	13·50
Apoplexy . . .	1·79	1·53	2·39	1·91	1·99	1·97	1·61	1·23	2·67
Paralysis . . .	2·22	1·61	2·88	2·54	3·46	3·86	1·48	2·65	2·67
Convulsions . .	1·83	1·89	1·38	2·16	2·88	0·60	1·42	2·65	1·10
BRONCHITIS .	13·71	16·10	10·80	13·50	12·58	10·54	9·90	10·80	8·95
Pneumonia . .	3·42	3·83	3·26	2·44	2·46	2·95	3·46	4·55	2·04
Teething . . .	2·03	2·41	0·85	2·09	2·25	2·35	2·66	0·95	4·94

break out as an epidemic, and caused 36 deaths, or 2·22 per cent. of the mortality; and that it did not extend over the country was due in a great measure to the requirements of the Vaccination Act being rigidly enforced.

In Leith, Scarlatina was by far the most fatal of the epidemics, and caused 86 deaths, thus constituting the very high proportion of 8·15 per cent. of the mortality in the town. This is the second consecutive year when Leith has shown this very high mortality from Scarlatina. Diarrhœa was the second most fatal of the epidemics, causing 44 deaths, or 4·17 per cent. of the mortality. We are led to believe that some of the public wells are supplied with water from Lochend—water full of decaying organic matter; and if this be the case, it would satisfactorily account for the very high mortality from Diarrhœa in Leith. During the last epidemic of Cholera it may be remembered that Leith was the only one of the Principal or Large Towns which was severely handled by that disease, 10·7 per cent. of the whole deaths having been caused by that epidemic in 1866. It is more than likely that the unwholesome loch water supplied to the town had much to do with causing that very high mortality; as everywhere else over Scotland where the disease broke out, the water supply was found to be the chief predisposing cause, and the disease rapidly died out whenever water free from decaying organic matter was substituted.

In Leith, Hooping-cough was the third most fatal of the epidemics, causing 41 deaths, or 3·88 per cent. of the mortality. The mortality from Fever, however, even though it appeared in its three leading forms of Typhus, Enteric, and Relapsing Fever, was low, only 29 deaths being registered, or 2·74 per cent. of the total mortality. Measles again was almost in complete abeyance, only one death therefrom having occurred during the year.

In Perth, Scarlatina was by far the most fatal of the epidemics, having caused 47 deaths, or 7·38 per cent. of the mortality. Fever, limited to Typhus and Enteric, was the next most fatal of the epidemics, causing 21 deaths, or 3·29 per cent. of the mortality. Hooping-cough followed next, causing 19 deaths, or 2·98 per cent. of the mortality; after which came Diarrhœa with 14 deaths, constituting 2·20 per cent. of the mortality. Measles and all other epidemics were below their average.

If we take the Eight Towns collectively it is seen that Fever was the most fatal of the epidemics, causing 1408 deaths, or 5 per cent of the total mortality. After this came Scarlatina, 1205 deaths, constituting 4·28 per cent. of the mortality; Hooping-cough, 1010 deaths, constituting 3·59 per cent. of the mortality; then Diarrhœa, 860 deaths, constituting 3·05 per cent. of the mortality, while the whole of the rest of the epidemic class, excepting Diphtheria, were below their average fatality.

Relative to Fever, as it appeared in the Eight Towns, it is worthy of note that it showed itself in four of its recognised distinct forms, viz. Typhus, Enteric (including Infantile), Relapsing, and Simple Continued Fever. Of these, Typhus caused 862 deaths, Enteric and Infantile 373, Relapsing 148, and Simple Continued Fever 20 deaths. In so far as the imperfect records of the pestilences of Fever which attacked Scotland and Ireland during the last century, chiefly during years of famine, permit the fact to be ascertained, it appears that the above-named forms of Fever have during the past year proved fatal very nearly in the same relative proportions as they did in those devastating pestilences of Fever which attacked this country at more or less distant intervals of years during the last, and, likely, during previous centuries. This is a most important fact; for, while

it conclusively demonstrates that no change of type has occurred in these forms of Fever, nor in the relative proportions in which they proved fatal when they assumed the epidemic form; it also conclusively shows how very much the general sanitary condition of the population has improved, seeing that when these conjoined Fevers attack us now, instead of decimating the population, as they did then, their combined mortality only amounts to 5 per cent. of the total deaths, or the small proportion of 145 deaths in every hundred thousand persons in the population.

Till the present, there has been no great epidemic of Relapsing Fever since that of 1847–48, though not a year has passed without sporadic cases being noticed here and there. During the present epidemic the towns on the western side of the island, Glasgow, Paisley, and Greenock, have suffered more severely from it than any of the towns on the eastern side. During the past century, Relapsing Fever always constituted from a sixth to a fourth of the cases of Fever when pestilences of Fever accompanied a famine. Hence some medical men, not attending to the fact that almost invariably Typhus and Enteric Fever constituted the bulk of the deaths during these pestilences, have attempted to give to Relapsing Fever the title of Famine Fever. Such a name is a complete misnomer. Nowhere in Scotland has the appearance of this form of Fever been traceable to famine, so far as we can learn, or to anything approaching thereto; for the working classes have been in full employment, and wages have been high, whilst food of all kinds has been abundant, good in quality, and moderate in price.

Diphtheria, since it appeared in Scotland in 1857, has always been proportionally much more fatal in the Rural than in the Town Districts. During the past year it proved fatal to 266 persons in the Eight Towns, a number considerably higher than usual.

74 Deaths from Small-pox were registered in the Eight Towns, 36 of these having occurred in Greenock, and 26 in Glasgow. Most of the persons who died from that disease had not been vaccinated. In these towns the disease showed a tendency to assume the epidemic form, but was apparently kept in check by the efficient working of the Vaccination Act. The Act, however, does not provide for the vaccination of adults; and the high proportion of 40 out of 74 deaths occurring among adults shows clearly that the disease is kept up to a great extent by the unvaccinated youths and adults in the general population. During the sixteen years the Registration Act has been in operation in Scotland it has been found that, on the mean of these years, the deaths from Small-pox in Scotland were just the double of those which occurred in the Eight Principal Towns. This would indicate that not exceeding 150 deaths from Small-pox occurred over all Scotland during 1870; and the actual number was probably smaller, seeing that the peculiar circumstances of the low population in Glasgow and Greenock rendered the spread of the disease in these towns greater than usual; and the small number of deaths in the other towns showed that the disease had not apparently spread to them.

In the Eight Towns 890 deaths were attributed to Diseases of Uncertain Seat, of which 396 deaths were ascribed to Cancer, and 329 to Dropsy.

The Tubercular Class of Diseases caused 5332 deaths in the Eight Towns, 3701 of which were attributed to Phthisis, 939 to Hydrocephalus, 454 to Tabes Mesenterica, and 238 to Scrofula. The Tubercular class of diseases thus constituted 18·95 per cent. of the deaths; while Consumption, or Phthisis, constituted 13·10 per cent.

In general, Phthisis is the individual disease which annually cuts off the greater number of persons. But such were the atmospheric peculiarities of the year 1870, that the deaths from Bronchitis exceeded those from Consumption.

If the Eight Towns be compared with each other as to their comparative low mortality from Phthisis, Leith will appear as the most healthy, Glasgow as the most unhealthy, and this whether the deaths from Phthisis be compared with the population, or with the total deaths. Thus, if compared with the population, it appears that, in every ten thousand persons in each town during 1870, Leith lost by Phthisis, 26·6; Aberdeen, 27·9; Edinburgh, 30·3; Perth, 31·5; Paisley, 35·8; Dundee, 40·3; Greenock, 41·7, and Glasgow, 44·4. If compared with the total mortality, it appears that Consumption constituted 9·95 per cent. of the deaths in Leith; 10·95 per cent. in Aberdeen; 11·59 per cent. in Edinburgh; 12·44 per cent. in Greenock; 12·59 per cent. in Paisley; 12·99 per cent. in Dundee; 13·50 per cent. in Perth, and 14·42 per cent. in Glasgow.

Diseases of the Brain caused 2335 deaths in the Eight Towns, or 8·30 per cent. of the mortality. It is worthy of note that the mortality from that class of diseases was very much higher in Aberdeen than in the other towns, whether as compared with the population or with the total deaths.

Diseases of the Heart and Bloodvessels caused 1305 deaths, or 4·61 per cent. of the mortality in the Eight Towns. Both, as compared with the population and with the total deaths, these diseases were proportionally most fatal in Perth.

The Inflammatory Affections of the Respiratory Organs caused 5364 deaths, and thus constituted 19·07 per cent. of the mortality in the Eight Towns. This is high above the average, seeing that a ten years' mean showed that these diseases constituted in general only 15·05 per cent. of the mortality in the Town Districts. Whether as compared with the population or the total deaths, Perth showed the smallest mortality from that class of diseases, and Glasgow the highest. Thus, if compared with the population, it appears that of every ten thousand persons in each town, Perth during the year lost 29·0 persons by these Diseases of the Respiratory Organs; Aberdeen lost 42·6 persons; Paisley, 43·2; Edinburgh, 43·9; Leith, 46·1; Greenock, 49·6; Dundee, 54·3, and Glasgow, 66·8. If compared with the total deaths, it appears that these diseases of the Respiratory Organs constituted 12·40 per cent. of the deaths in Perth; 14·79 per cent. in Greenock; 15·16 per cent. in Paisley; 16·69 per cent. in Edinburgh; 16·72 per cent. in Aberdeen; 17·25 per cent. in Leith; 17·47 per cent. in Dundee, and 21·89 per cent. of the deaths in Glasgow.

Of these Diseases of the Respiratory Organs, 3857 deaths were ascribed to Bronchitis, 961 to Pneumonia, 192 to Asthma, 74 to Pleurisy, 51 to Laryngitis, and 229 to non-specified diseases of the lungs. Bronchitis was therefore the individual disease which was the most fatal in the Eight Towns during 1870. All these affections of the Respiratory Organs, and in especial Bronchitis, are under the direct influence of the weather; and the very fact that the deaths from Bronchitis exceeded those from Consumption, and that the mortality from all has been so high, shows how unusually severe has been the weather during the past year, as shall be pointed out its proper place.

It is interesting to note the difference in the several towns with regard to the mortality of Bronchitis during the past year. For every ten thousand persons in each town, Perth lost by Bronchitis 20·9 persons;

Edinburgh, 28·4; Leith, 28·9; Paisley, 30·0; Aberdeen, 32·0; Greenock, 33·2; Dundee, 41·9, and Glasgow, 49·1. Inasmuch as, year after year, the mortality from Bronchitis in Glasgow is both relatively and actually much higher than in the other towns, it shows that the inhabitants of that town are less able to resist the hurtful meteorological conditions which give rise to that disease than the inhabitants of any other part of Scotland, or, in other words, that their state of health is lower.

Diseases of the Stomach and Organs of Digestion caused 2034 deaths, and thus constituted 7·23 per cent. of the total mortality in the Eight Towns. The comparative mortality from this class of diseases in each of the Eight Towns was very different; and it would be a subject well worthy of being thoroughly investigated, whether the causes of the different death-rates from these diseases depended on differences in the food or differences in the nature of the water used in each town. Thus, for every ten thousand persons in each town, Diseases of the Organs of Digestion caused 12·8 deaths in Perth; 15·7 deaths in Leith; 15·9 in Dundee; 17·5 in Edinburgh; 22·3 in Aberdeen; 23·5 in Glasgow; 24·6 in Paisley; and 25·5 in Greenock.

Of the other classes of disease, Diseases of the Kidneys and Urinary Organs caused 399 deaths in the Eight Towns; Diseases of the Uterus and Childbirth, 224 deaths; Diseases of the Joints and Bones, 177 deaths; Diseases of the Skin, 31 deaths; Malformations, 71 deaths; Debility at Birth and Premature Birth, 1497 deaths; Atrophy, 188 deaths; Age without marked disease, 1270 deaths; Sudden Deaths, whose exact cause was not ascertained, 75 deaths; and Violent Causes, 888 deaths.

Of the 888 deaths from violent causes, 2 were murders, and 53 were suicides. Of the suicides 18 were by hanging, 15 by cut-throat, 5 by drowning, 2 by gunshot, 5 by poisoning with laudanum or other preparations of opium, 1 poisoning by oxalic acid, 1 poisoning by sulphuric acid, 1 by poison not named, 2 by strangulation, 1 by opening the veins of the arms and legs, and 2 of which the mode of suicide was not stated. It thus appears that, during the year 1870, there was one death by suicide for every 538 deaths in the Eight Principal Towns of Scotland; or the small proportion of one suicide out of every 18493 persons of the population of these towns. March, April, and May were the months when the greatest number of suicides occurred.

MARRIAGES IN THE EIGHT TOWNS.

9730 Marriages were registered in the Eight Towns during 1870, being an increase of 569 marriages, or 6·2 per cent. over those of the previous year. This gives the high proportion of 99 marriages in every ten thousand persons of the estimated population, or one marriage to every 100 persons.

The proportion of marriages was lowest in Perth, and highest in Leith. Thus, for every ten thousand persons in each town, there were 65 marriages in Perth, 93 in Dundee and in Aberdeen, 95 in Paisley, 101 in Glasgow, 103 in Edinburgh, 105 in Greenock, and 106 in Leith.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

There is perhaps no country where the influence of weather on the mortality is more clearly traceable than in Scotland. This influence is not confined to the ordinary diseases, but is as strongly marked on those which are termed Zymotic, or epidemic and contagious. Heat and cold both exert a powerful influence in increasing the mortality of the diseases which afflict our race; but heat exerts its action in this country almost alone on the bowel-complaints, in consequence of the temperature never rising so high as to generate those malarious exhalations which in other countries give rise to intermittent, remittent, and yellow fevers.

Cold, therefore, is the agent which principally regulates the mortality in Scotland; and its deleterious action, in proportion to its intensity, is seen on almost every disease, with the single exception of the bowel-complaints. If, however, the cold sets in with intensity during the months of November or December, it does not in general cause such an increase in the deaths as the same amount of cold would do in the months of January, February, or March. The population seems to have a greater amount of vitality at the beginning of winter, which enables them the better to resist the depressing effects of the cold; but if the same amount of cold occurs later in the winter, as the constitutions of the people seem to be weakened by the continuance of the cold, they are less able to resist its deleterious action, and the mortality greatly increases. The influence of the cold on the mortality is also intensified by the occurrence of high keen winds from the north or east, north-west or north-east.

The influence of these agencies on the death-rate during the several months of the year 1870 may be traced in Table XV., which also affords the opportunity of comparing the monthly mean temperatures and monthly death-rates of 1870, with those of the ten years 1855–1864. It will there be seen that a lower mean temperature by two degrees, during the months of January and February 1870, produced a much higher mortality than during the corresponding months of the ten years 1855–1864. It will also be observed that although December 1870 had a mean temperature five

TABLE XV.—Monthly Mortality and Mean Temperature in Scotland during the year 1870, compared with the Mean of the Ten Years, 1855-1864.

	Year 1870.				1855-1864.	
Months.	Mean Temperature.	Actual Deaths.	Deaths when Months equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Monthly Proportion.	Mean Temperature.
	°					°
January	35·9	7757	7757	1232	1134	37·2
February	35·2	6971	7718	1226	1193	37·4
March	39·5	7456	7456	1184	1145	39·8
April	46·9	6399	6612	1050	1083	44·1
May	50·5	6029	6029	957	1010	49·5
June	55·6	5556	5741	912	956	55·6
July	59·6	5337	5337	847	895	57·6
August	58·0	6070	6070	964	856	57·3
September	53·6	5148	5319	844	813	52·8
October	46·3	5100	5100	810	858	47·2
November	39·1	5583	5769	916	954	40·2
December	33·5	6661	6661	1058	1073	38·6
Year	46·1	74,067	75,569	12,000	12,000	46·7

degrees below that of the corresponding month of the ten years 1855–1864, yet the proportional mortality, though high above that of November, was somewhat below the December mean of those ten years. This striking fact is quite explicable. Mere dry cold, if not aggravated by wind, is not nearly so deleterious to the human constitution as the same amount of cold combined with wind. December is, in general, one of our windiest months; but the past December stands out in strong contrast to its predecessors of previous years, that during the period when the frost continued, the small force of the wind was one of its most striking peculiarities; consequently, though the temperature was lower, its influence in increasing the mortality was less than it would otherwise have been had the winds blown with their accustomed strength.

The same Table, however, equally shows the effect of the higher temperature than usual during the months of July and August in increasing the mortality. It will be seen, by looking at the monthly proportional deaths during the ten years 1855–1864, that the number of deaths decreases regularly and progressively in Scotland, from February when they are highest, to September, when they are lowest. During 1870, however, it happened that the heat was greater than usual during the months of July and August—in fact, the mean temperature of these months was about two degrees higher than usual. This greater heat was attended with a great increase of the ordinary bowel-complaints; consequently, instead of the mortality steadily declining through June, July, August, and September, a great excess of deaths, and chiefly from these complaints, occurred

TABLE XVI.—Meteorology of Scotland for the Year 1870, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1870; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1870.

1870.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	55°·0	57°·0	59°·0	80°·0	77°·0	84°·2	89°·0	90°·0	72°·9	71°·8	59°·2	58°·0	90°·0
Lowest Temp. in do.	12°·0	3°·0	13°·0	25°·0	24°·0	32°·0	35°·0	32°·3	27°·5	25°·0	19°·0	0·0	0·0
Mean Day Temp. . .	40°·1	39°·7	45°·6	54°·8	57°·4	63°·0	67°·3	66°·9	61°·4	52°·7	44°·4	38°·4	52°·6
Mean Night Temp. .	31°·8	30°·5	33°·4	39°·2	43°·3	48°·1	51°·8	49°·0	45°·9	39°·9	33°·8	28°·7	39°·6
Daily Range	8°·3	9°·2	12°·2	15°·6	14°·1	14°·9	15°·5	17°·9	15°·5	12°·9	10°·7	9°·7	13·0
Mean Temperature .	35°·9	35°·2	39°·5	46°·9	50°·5	55°·6	59°·6	58°·0	53°·6	46°·3	39°·1	33°·5	46°·1
Highest Temperature in sun	85°·0	99°·5	102°·1	119°·0	140°·8	148°·2	145°·3	137°·2	125°·6	119°·1	107°·0	90°·0	148°·2
Lowest on grass at night	5°·0	1°·0	5°·0	18°·0	12°·0	27°·0	31°·0	27°·0	21°·0	19°·0	14°·0	—5°·0	—5°·0
Wet-bulb Temperature	34°·4	33°·5	36°·9	43°·5	47°·4	52°·2	56°·1	54°·5	50°·8	44°·0	37°·1	32°·4	43°·6
Dew-point Temperature	32°·6	31°·5	34°·7	40°·5	44°·6	49°·6	53°·6	51°·8	48°·8	42°·0	35°·3	30°·2	41°·2
Humidity of Air . .	89	88	87	81	82	83	83	82	87	88	89	87	85
Elastic force of Vapour (inches)	·186	·178	·202	·251	·295	·357	·413	·387	·345	·268	·207	·168	·272
Number of Rainy Days	12	15	10	11	13	14	10	9	12	16	12	13	147
Amount of Rain (inch.)	3·08	3·89	1·24	1·58	2·61	1·91	1·88	1·55	3·32	4·63	2·58	3·54	31·81
Amount of Cloud . .	6·7	7·3	6·4	5·8	6·7	6·4	6·3	5·3	5·6	5·9	6·0	6·9	6·3
Hours of Sunshine . .	68	72	132	185	180	205	240	240	182	122	92	59	1777
Mean Barometer (in.)	29·842	29·856	30·052	29·993	29·906	30·031	29·945	30·014	29·937	29·614	29·725	29·937	29·904
Easterly Winds (number of days) . .	8	14	9	3	7	4	7	10	5	9	6	11	93
Westerly Winds (do.)	12	6	12	20	14	19	15	10	15	13	13	10	159
Births	9755	8699	10220	10228	10282	10135	9619	9390	9263	9514	9021	9297	115423
Deaths	7757	6971	7456	6399	6029	5556	5337	6070	5148	5100	5583	6661	74666
Marriages	2951	1363	1317	1272	1151	3331	2385	1537	1379	1644	2308	3150	23788
Daily Births	315	311	330	341	332	338	310	303	309	307	301	300	316
Daily Deaths . . .	250	250	241	213	195	185	173	196	171	164	186	214	203

in August, raising the deaths in that month 733 above those of July; whereas in ordinary seasons they are nearly 200 below the deaths of that month. The effect of the additional heat, therefore, during these months was to add upwards of 900 deaths to the mortality of Scotland in August 1870.

Let us shortly review the character of the weather during each month of the year 1870, and point out its influence on the general mortality.

The month of December 1869 had been much colder than usual, having a mean temperature of 34°·9, being 3°·7 below the average of former years. Dry frost prevailed most of the month, accompanied, however, by cutting northerly, north-easterly, and north-westerly winds, and under the influence of this ungenial weather, sickness prevailed to an extent rarely witnessed in Scotland, affections of the respiratory organs being nearly universal among the population. The deaths over Scotland, consequently, rose to 7432 during the month, being at the high rate of 240 deaths daily.

The year 1870 opened with equally severe weather. During the whole of January and February, frost, with more or less heavy falls of snow occurred, accompanied by keen east, north, north-west, or north-east winds. The cold periods, however, were not continuous, but were occasionally broken in upon by periods of mild weather, when the southerly and south-westerly breezes regained the mastery, and caused the snow to melt with such rapidity that the overflow of the rivers in many places caused much damage. Those sudden changes caused influenza and chest affections to prevail nearly universally; and the high temperature which obtained during the prevalence of the mild weather caused the mean temperature of these two months to give no indication of the low temperature which prevailed for weeks at a time during at least half of the period. The mean temperature of January was 35°·9, that of February 35°·2. Under this low temperature 7757 deaths occurred during January, and 6971 during February, indicating the very high proportion of 250 deaths daily both during January and February.

March was also a stormy month, with alternate periods of frost with

TABLE XVII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1870.

1870.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	36°·5	35°·7	39°·9	48°·0	51°·3	56°·7	60°·2	58°·6	54°·2	46°·9	40°·2	34°·4
Highest Temperature	46°·6	49°·0	56°·5	72°·7	72°·2	80°·5	85°·2	79°·2	71°·0	68°·0	59°·0	56°·0
Lowest Temperature	22°·9	15°·6	22°·0	30°·5	30°·0	40°·7	42°·0	37°·5	33°·5	30°·6	19°·0	3°·0
Rainfall in inches	3·25	4·14	0·92	1·09	2·72	1·63	2·26	1·44	2·62	4·14	1·80	3·22
Easterly Winds (days)	9	6	10	4	8	6	8	12	6	9	5	10
Westerly Winds (days)	15	8	14	20	15	18	17	12	15	14	16	13
Total Deaths	3081	2629	2759	2401	2223	2111	2025	2368	1911	1942	2254	2779
Daily Deaths	99	94	89	80	72	70	65	76	64	63	75	90
Zymotic Diseases	702	480	491	452	376	350	414	647	495	499	526	616
Measles	23	17	4	11	19	13	15	20	3	31	58	101
Scarlatina	200	103	110	91	78	67	56	56	81	127	115	121
Diphtheria	14	16	27	8	9	12	18	34	28	37	36	27
Hooping-Cough	146	115	96	112	91	68	70	77	55	64	50	69
Croup	33	26	35	26	21	12	20	28	38	36	42	49
All Fevers	182	136	150	131	84	89	96	86	72	105	129	148
Diarrhœa	32	20	21	28	32	55	104	288	163	54	36	27
Dysentery	6	4	5	5	6	2	3	12	10	5	4	4
Cholera	1	–	2	1	1	4	6	21	9	2	1	–
Consumption	323	353	345	341	345	343	286	317	214	242	257	335
Diseases Respiratory Organs	785	653	647	455	421	324	232	212	224	281	476	654
Heart, etc., Diseases	129	135	117	109	112	105	88	81	89	96	118	126
Brain, etc., Diseases	218	196	220	209	196	200	173	202	157	173	180	211
Debility and Premat. Birth	153	132	118	146	96	132	126	165	113	85	97	134
Age	157	124	155	89	92	86	93	79	83	83	105	124

snow storms, accompanied by easterly or northerly winds; and mild, rainy weather, accompanied with south-west and westerly winds. The sun's power, however, being greater, the mean temperature was 4 degrees higher, viz. 39°·5, and the monthly deaths fell to 7456, being at the high rate of 241 deaths daily, or nearly the same as in December 1869.

During the months of April, May, and June the weather was exceptionally fine, and under its benign influence the sickness and mortality which had been high above the average during the preceding month rapidly declined. During these three months there was much less than the usual amount of keen northerly and easterly winds, and a much larger proportion of balmy breezes from the west and south-west. During each of these months, therefore, there was less cloud, a larger amount of sunshine, and a higher mean temperature than in former years, as if to make up for the greater severity of the weather, and the lower temperature of the previous months. The mean temperature was 46°·9 in April, 50°·5 in May, and 55°·6 in June; and the daily deaths were 213 in April, 195 in May, and 185 in June — rapidly and continuously decreasing with the improved geniality of the weather.

July and August were excessively fine, genial, or rather warm months, with a temperature above the average. They were also months of extreme drought, the rainfall being much below its mean. The mean temperature of July was 59°·6, that of August 58°·0. Under this high temperature bowel-complaints became very prevalent; but, as they take some time to prove fatal, it was not till August that the deaths from that class of diseases materially augmented the mortality. July, therefore, still showed a lowering of the death-rate as compared with June, seeing that only 173 deaths occurred daily. But the additional deaths from the bowel-complaints raised the daily deaths during August to 196.

The weather during the months of September, October, and November was much as usual, and requires no special comment, and the deaths during

TABLE XVIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1870.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 8	792	39·6	46·7	30·7	1·793	27	July 9	475	58·6	74·0	42·0	0·699
2	15	650	35·6	45·0	26·4	0·977	28	16	427	60·1	74·0	47·0	0·759
3	22	690	35·7	46·7	26·6	0·242	29	23	496	62·4	87·0	49·0	0·234
4	29	760	33·8	47·5	22·0	0·010	30	30	499	61·9	86·0	40·0	0·000
5	February 5	654	40·2	48·0	25·0	0·502	31	August 6	474	61·9	79·0	51·0	0·449
6	12	668	35·9	50·5	24·5	0·909	32	13	528	63·1	84·0	48·0	0·003
7	19	687	34·6	44·0	26·0	0·187	33	20	530	58·2	81·0	40·0	0·198
8	26	608	32·6	49·0	15·6	0·959	34	27	520	54·9	70·5	37·5	0·469
9	March 5	667	38·7	51·0	24·0	1·571	35	September 3	522	54·1	71·0	38·0	1·154
10	12	580	39·2	53·0	22·0	0·024	36	10	496	53·6	64·7	39·0	1·400
11	19	622	40·8	56·0	22·0	0·379	37	17	429	52·5	68·0	33·5	0·695
12	26	603	38·9	53·0	25·0	0·348	38	24	427	55·3	70·2	38·5	0·001
13	April 2	649	43·8	57·0	27·0	0·125	39	October 1	397	54·6	69·8	38·5	0·009
14	9	602	44·7	60·2	30·5	0·219	40	8	433	48·3	67·5	34·0	0·150
15	16	522	48·9	68·0	34·0	0·227	41	15	423	44·2	55·9	30·0	1·176
16	23	570	50·8	72·7	34·0	0·342	42	22	470	48·0	59·7	36·0	1·718
17	30	521	48·3	66·5	33·8	0·205	43	29	442	46·7	62·4	33·9	0·852
18	May 7	525	47·3	67·0	30·0	0·074	44	November 5	455	45·4	56·0	32·0	0·169
19	14	500	50·4	66·0	36·0	0·920	45	12	482	37·9	53·0	19·0	0·194
20	21	459	53·5	66·5	42·2	0·795	46	19	563	38·6	45·2	29·0	0·782
21	28	494	53·8	75·0	39·0	0·156	47	26	566	40·3	51·2	29·7	0·775
22	June 4	488	54·8	71·0	42·9	0·857	48	December 3	591	37·8	46·0	25·0	0·023
23	11	538	57·2	80·0	41·2	0·132	49	10	561	37·3	46·0	25·0	0·743
24	18	484	57·1	71·0	43·0	0·452	50	17	625	36·7	53·0	26·2	1·766
25	25	481	57·3	80·5	44·0	0·268	51	24	608	33·9	56·0	5·0	0·752
26	July 2	478	56·1	79·7	44·0	0·617	52	31	709	27·8	36·5	7·5	0·287

these months were not much out of their usual proportions. It may be remarked, however, that inasmuch as a considerable number of persons, in whom bowel-complaints were induced in August, died therefrom in September, the mortality did not fall as usual to its minimum in September, but in October. The mean temperature of September was 53°·6, of October 46°·3, and of November 39°·1; and the daily deaths were 171 in September, 164 in October, and 186 in November—the falling of the temperature in November again showing its marked influence in increasing the deaths.

December presented the peculiarity of having a mean temperature low beyond that of any previously recorded year, viz. 33°·5, or 5°·7 below the average of former years. Yet its baneful influence in increasing the general mortality was not greater than in ordinary Decembers, and apparently for the reason which we have above explained, that during the period when the frost prevailed there was an unusual absence of the ordinary high keen winds from the north and east; for, though these were the prevalent aërial currents during the period when the frost prevailed, instead of being strong or high winds, they were gentle breezes, wanting in that velocity which causes winds to be felt as disagreeable and keen. The daily deaths, therefore, only averaged 215; the average of the daily December deaths during the ten years 1855–1864, allowing for increase of population, would only have been

TABLE XIX.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1870, and Proportion at each Age in every hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1870.					Proportion at each in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January . .	1327	276	942	536	3081	43·07	8·96	30·57	17·40	100·00
February . .	1097	251	849	432	2629	41·73	9·55	32·29	16·43	100·00
March . .	1050	313	865	531	2759	38·06	11·34	31·35	19·25	100·00
April . . .	931	296	795	379	2401	38·78	12·32	33·11	15·79	100·00
May . . .	872	285	689	387	2233	39·05	12·76	30·86	17·33	100·00
June . . .	829	288	652	342	2111	39·27	13·64	30·89	16·20	100·00
July . . .	856	238	599	332	2025	42·27	11·75	29·58	16·40	100·00
August . .	1187	242	601	338	2368	50·13	10·22	25·38	14·27	100·00
September . .	837	222	518	334	1911	43·80	11·62	27·11	17·47	100·00
October . .	806	218	587	331	1942	41·51	11·22	30·23	17·04	100·00
November . .	912	229	726	387	2254	40·46	10·16	32·21	17·17	100·00
December . .	1140	281	840	518	2779	41·02	10·11	30·23	18·64	100·00
YEAR .	11,844	3,139	8,663	4,847	28,493	41·57	11·02	30·40	17·01	100·00

TABLE XX.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during every Month of the Year 1870.

MONTHS.	Relative Number of Deaths, 1870.					Monthly Deaths, proportioned to 1000 per Month or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January	1327	276	942	536	3081	1272
February	1214	278	939	477	2908	1201
March	1050	313	865	531	2759	1139
April	962	306	821	392	2481	1024
May	872	285	689	387	2233	922
June	856	298	674	353	2181	901
July	856	238	599	332	2025	836
August	1187	242	601	338	2368	978
September	865	229	535	345	1974	815
October	806	218	587	331	1942	802
November	942	237	750	400	2329	962
December	1140	281	840	518	2779	1148
YEAR .	12,077	3,201	8,842	4,940	29,060	12,000

one more daily, or 6696 deaths during the month, whereas, during December 1870, the deaths only reached 6661.

The Monthly Reports on the diseases causing deaths in the Eight Principal Towns of Scotland, enable us to trace the influence of the weather on each of the diseases which cut off our race. Thus by Table XVII. it is seen that in the Eight Towns the influence of cold on the diseases of the Respiratory Organs was to increase the deaths from 224 in September, to 281 in October, to 476 in November, and to 654 in December, while January, February, and March, the coldest months, furnished respectively from these diseases 785, 653, and 647 deaths. Even the zymotic diseases obeyed the universal law in Scotland, of the mortality of diseases generally being increased by cold. Thus, while only 499 deaths occurred from these diseases in September, 616 occurred in December, and 702 in January. Measles, which had 31 deaths in October, had 101 deaths in December. Fever, which had 72 deaths in September, had 148 deaths in December, and 182 in January. Phthisis or Consumption, whose greatest mortality always occurs in spring, on the setting in of the keen, cold, arid, easterly breezes, strikingly showed the influence of cold on its mortality; for, while 214 only died from that disease in the Eight Towns during September, 335 deaths occurred during December. As usual, however, the highest number of deaths from that disease occurred in spring, when the easterly parching winds reign

TABLE XXI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

TABLE XXII.—Months equalized to 31 days, and Deaths at each age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS	116,968	26,075	70,744	40,868	254,655	12,000

supreme. Consequently the monthly deaths during March, April, May, and June, were singularly alike, being respectively 345, 341, 345, and 343. Age felt the effects of the cold; for, while the deaths from age were 83 in September and October, they rose to 124 in December, and to 157 in January.

This Table strikingly shows the effect of the high temperature during the months of July and August. By an unfortunate arrangement, the bowel-complaints are considered as zymotic diseases, and, consequently, looking at their mortality, we find that while the deaths from these were only 350 in the Eight Towns during June, they were raised to 414 during July, and to 647 during August. When we look down the Table, however, we find that this increase was alone owing to the increased mortality of Diarrhœa, Dysentery, and Cholera during these months, all the ordinary epidemics having a lower mortality during these months than during previous or subsequent months. Thus, the warm weather had the effect of increasing the deaths from Diarrhœa, Dysentery, and Cholera from 39 in May to 61 in June, 113 in July, and 321 in August; and the cold weather setting in thereafter allowed the deaths from these diseases to fall to 182 in September, to 61 in October, to 41 in November, and to 31 in December.

But the deleterious influences of both heat and cold were marked on the deaths in infancy from Debility at Birth and Premature Birth. Thus, the deaths from these causes were only 96 in May, but with the increased heat they rose to 132 in June, to 126 in July, and to 165 in August; and under the influence of cold they increased from 85, to which they had fallen in October, to 97 in November, and to 134 in December.

The same general facts may be traced in Table XVIII., which gives a summary of our Weekly Reports, in so far as the deaths, temperature, and rain-fall are concerned. The influence of cold on the mortality, for instance, is strikingly shown in the progressively increasing deaths from the week ending 26th November, when the mean temperature was 40°·3, and the weekly deaths 566, till the week ending 31st December, when the mean temperature had fallen to 27·8, and the weekly deaths had augmented to 709. The effect of the heat in increasing the deaths was also strikingly shown; for while, during the first two weeks of July, the weekly deaths amounted respectively to 475 and 427, they increased to 528, 530, and 520 during the second, third, and fourth weeks of August, under the influence of a mean temperature ranging from 61°·9 to 63°·1.

As almost nothing is known regarding the influence of season on the mortality at different ages, we have continued the series of Tables begun in last year's Report, bearing on this subject. Tables XIX. and XX., therefore, show the influence of the weather and season on the deaths at four periods of life in the Eight Principal Towns of Scotland during the year 1870; and the facts there brought out may be accepted as an indication of what occurs over the whole of Scotland. Table XIX. gives the actual and the proportional deaths at each age per month. Table XX., on the other hand, affords the means of accurately comparing the deaths at different ages during each month with each other, as it equalizes all the months to 31 days, and brings up the deaths at each age to the 31 days.

By Table XX. it appears that to children under five years of age, January was the most fatal month, after which came February, and then August, and after these followed December and March. Excess of cold and excess of heat are therefore two of the conditions which materially

affect the mortality at that early period of life—the cold by inducing bronchitis and other affections of the Respiratory Organs, which are so fatal to young children; the heat by inducing bowel-complaints, under which they rapidly sink.

Persons from 5 to 20 years of age were cut off during 1870 in highest proportion during those months which prove most fatal to the consumptive. Thus the greatest number of persons at these ages died in the month of March, then in April, June, and May. This fact shows that the conditions of life, as influenced by the seasons, had changed for the persons between 5 and 20 years from what they had been for those under 5 years; as the healthiest months for those between 5 and 20 years of age were October, September, November, August, January and February.

Persons between the ages of 20 and 60 years were cut off in the highest proportions during the coldest months, and only showed a very slightly increased mortality under the heats of August. Thus, for these, the most fatal months were, in order, January, February, March, then December, April, and November. While the healthiest months in order were September, October, July, August, then June and May.

For aged people above 60 years of age, the cold months were by far the most fatal. Thus, for these the most fatal month was January, then, in order, March, December, February, and November. The least fatal months were October and July, after which followed August, September, and June.

SIXTH ANNUAL REPORT

ON THE

VACCINATION OF CHILDREN

BORN IN SCOTLAND DURING 1869.

THIS is the Sixth Report relative to the Vaccination of children in Scotland, and it shows what proportion of the children, whose births were entered on the registers of 1869, were vaccinated according to the provisions of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108. By the provisions of that Act, a large proportion of the children born in 1869 must be vaccinated during 1870; so that the Report, having reference to the vaccination, must always be one year behind that having reference to the Births, Deaths, and Marriages, along with which it must be published.

From the vaccination returns just received, it appears that of the 113441 children whose births were entered on the Scottish registers during the year 1869, 96265, being 87·504 per cent., were successfully vaccinated; 966, or 0·852 per cent., had their vaccination postponed from bad health, teething, or other causes; 365, or 0·324 per cent., were found to be insusceptible of the vaccine virus—177 from constitutional insusceptibility, 17 from having previously had Small-pox, and 174 from having been previously vaccinated. 10,069 children, being 8·876 per cent., died before they could be vaccinated, and 2773, or 2·444 per cent., had removed from the district before the period allowed by the Act for their vaccination had expired, and so were lost sight of by the Registrars, or were otherwise unaccounted for. (Table XXIV).

The fact, however, at which we wish to arrive is, what proportion of the children who survived till they could be vaccinated, were protected from Small-pox by the vaccine virus. Table XXV. is drawn up with the view

TABLE XXIII.—Deaths from Small-Pox in Scotland, 1855–1870 inclusive.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1863	1646
1856	1306	1864	1741
1857	845	1865	383
1858	332	1866	200
1859	682	1867	100
1860	1495	1868	15
1861	766	1869	100*
1862	426	1870	150*

* Estimated from the ascertained Small-pox Deaths in the Eight Principal Towns of Scotland, as compared with the total Small-pox Deaths in all Scotland during the fourteen years 1855–68.

of showing that fact, not only for the year 1869, but for every year since the Act came into operation.

By that Table we learn that, of the children who survived till they could be vaccinated, 96·027 per cent. were successfully vaccinated; 0·935 per cent. had their vaccination postponed; 0·355 were found to be insusceptible of vaccination, from constitutional insusceptibility, from having personally had Small-pox, or from having been previously vaccinated; while 2,683 per cent. were lost sight of by the Registrars, from having removed from the district previous to being vaccinated, or being otherwise not accounted for. It would tend greatly to reduce the proportion of this latter class were the time shortened which the Act at present allows to elapse between the birth of the child, and the enforcement of the vaccination under a penalty. At present the Act allows six months, which brings the child to the teething period, when vaccination does not easily succeed, and requires often to be postponed. The migratory habits of the parents of those who escape vaccination altogether, make them most dangerous to the community, because they are the very class who are most liable to carry Small-pox from town to town. But if the period were shortened to three or even to four months, a very large proportion of this class who now escape vaccination would come under the operation of the Act, be laid hold of by the Registrars, and be forced to have their children vaccinated.

Seven years have now passed since the Vaccination Act became law in Scotland. It may, therefore, be expected that by this time it will have shown whether it has accomplished the object intended by the Legislature, or whether it has miserably failed. As Small-pox is a disease which has periods of increase and periods of decline, we have given in the following Table (XXIII.) the deaths from Small-pox in Scotland during every year since the Registration Act came into operation. By that Table it will be seen that Small-pox attained its maximum mortality during 1855 and 1856, after which it fell to a minimum in 1858. It again increased till it attained a maximum mortality in 1860, and then declined to a minimum in 1862. During 1863 and 1864 it again raged as a virulent epidemic, causing respectively 1646 and 1741 deaths in Scotland, and has every year after that declined, so that it was as near as possible extinct in 1868, seeing that only 15 deaths therefrom occurred. Although it manifested the strongest tendency to break out as an epidemic in 1870, the successful working of the Vaccination Act appears to have almost entirely limited its ravages to those unprotected by vaccination; and although we cannot yet ascertain the exact numbers who fell victims to it during that year, we may with confidence assume that the deaths from Small-pox in 1870 did not exceed 150, and will probably be found to have been little above 100.

How melancholy is it to reflect that in England Small-pox is raging as a fearful epidemic, so that, in the single week ending 25th February 1871, no fewer than 227 deaths from Small-pox occurred in London alone, and 129 in Liverpool. Yet England has a Vaccination Act, which, from some cause or other, neither the people seem to obey, nor the authorities to enforce. The people of England are, therefore, suffering a fearful penalty for not taking advantage to the full of one of the greatest modern discoveries of which the science of medicine can boast. No doubt this to a great extent arises from the ignorance of the people as to the protective power of vaccination, and from imaginary fears as to the risk to life which the child incurs by having vaccine virus introduced into its system

Even among many of the Scottish people much misunderstanding exists relative to the protecting power of vaccination, which it is desirable should be removed, inasmuch as a virulent epidemic of Small-pox seems to be spreading northwards from France and England, and it is desirable that both the people and the authorities should understand distinctly what amount of protection from Small-pox is afforded by vaccination.

The vaccine disease, or, as Jenner first called it, cow-pox, has been proved by the patient and repeated experiments of Mr. Ceely, and others, to be neither more nor less than Small-pox modified in its virulence by having passed through the constitution of the cow. In other words, when the cow takes Small-pox, the disease assumes that mild form which we term cow-pox; and matter taken from the vesicles of the cow, and transferred to the human subject, is found to be so perfectly deprived of its fatal qualities, that it loses both its fatality and its power of being propagated by infection.

Now, Small-pox is a disease which in general only attacks a person

TABLE XXIV.—VACCINATION in SCOTLAND, 1864–1869, and proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1864	Per-centage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Per-centage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Per-centage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Per-centage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Per-centage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Per-centage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000

TABLE XXV.—VACCINATIONS in SCOTLAND, 1864–1869, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Number .	95047	662	667	154	440	2701	99671
1865	Number .	99648	719	474	34	207	2622	103704
1866	Number .	100408	579	332	30	227	2658	104234
1867	Number .	101139	670	233	16	151	2480	104689
1868	Number .	102140	914	277	7	230	2506	105074
1869	Number .	99265	966	177	17	174	2773	103372
1864	Per-centage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Per-centage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Per-centage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Per-centage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Per-centage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Per-centage	96·027	0·935	0·171	0·016	0·168	2·683	100·000

once during the course of his life. To this there are numerous exceptions; for we know many instances where a person has twice taken the natural Small-pox, and one remarkable instance where the person had three several attacks of that disease, at the interval of a few years. As it is, therefore, the general character of Small-pox only to attack a person once in the course of his life, so a person once properly vaccinated with that mild form of Small-pox which we call cow-pox, is found to be as perfectly secured against an attack of natural Small-pox as if he had once had the natural disease. Vaccination does not give *more perfect protection* against an attack of Small-pox than what having once had the Small-pox would give; but it has this immense advantage over the natural disease, that the protection is given without risk to life, without producing deformity of the countenance, without inducing loss of sight, or of hearing, and without the risk of propagating a highly infectious, loathsome, and deadly disease among the people.

Of those who take Small-pox naturally, as it is called, and who have not been protected by vaccination, or by previously having had Small-pox, from one in every four, to one in every seven, die from its virulence; and those who recover therefrom, however much their faces may be seamed with the ghastly scars, are no better protected against a second attack of Small-pox than those who have been subjected to vaccination.

To sum up the argument in one short sentence. Cowpox (*i.e.* the vaccine virus), which is only modified Small-pox, which has all its deleterious properties taken away in consequence of having passed through the constitution of the cow, gives as great protection against a subsequent attack of Small-pox, as if the person had once taken the natural Small-pox, and had recovered from the same.

Let us now look at the other aspect of the case, apparently much misunderstood by the people of England, viz. the danger to life incurred by the child undergoing vaccination, as compared with the danger to life through the person taking the natural Small-pox, or being subjected to inoculation with the Small-pox matter itself.

Since 1864 Scotland has had the benefit of a Vaccination Act, and the last year during which the full particulars of the deaths have been abstracted from the Registers is 1868. During that year there were vaccinated in Scotland, 106181 children, and of that number only two were recorded as having died from the consequence thereof—that is, one death in every 53190 children. Now the constitutions of some children are such that the slightest scratch or abrasion of the skin is followed by inflammation and death. Need it be wondered at, then, that two deaths should occur among 106181 children whose arms had been scratched to insert the vaccine virus? The astonishment is not that there were deaths, but that the deaths were so few. Had these children been all inoculated with Small-pox, and only one had died out of every 30 inoculated, 3539 would have died; besides an equal number of the population among whom the disease would have been spread by infection, and necessary attendance on the sick. Even had the vaccinations been no more perfect in 1868 than they were between 1855 and 1864, the probability is, that at least 500 deaths from Small-pox would have occurred in Scotland; yet only 15 deaths from that disease occurred, and two of these were those above noticed as being attributed to the consequences of vaccination.

In former Reports attention was directed to some amendments in the

working of the Vaccination Act, which would make it press less heavily on the inhabitants of the insular and more inaccessible Highland parishes, and on the desirability of shortening the period within which Vaccination must be performed within all populous districts. To former Reports we must refer for what we stated on these subjects. Meanwhile, is appended a selection of the Remarks of the Registrars as to the working of the Act, from which it will be seen how faithfully the people endeavour to comply with the requirements of the Act, and how well it is generally administered.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 1*st March* 1871.

BIRTHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1870.

		Popula-tion.	BIRTHS.														
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.	Total Illegit. Biths.
	SCOTLAND,	3,062,294	9755	8699	10220	10228	10282	10135	9619	9390	9263	9514	9021	9297	115423	59012	56411	10988
	DIVISIONS.																	
1	NORTHERN,	130,422	227	177	240	225	267	302	275	304	285	283	290	287	3162	1569	1593	203
2	NORTH-WESTERN,	167,329	375	330	343	368	298	347	399	382	377	400	364	379	4362	2256	2106	287
3	NORTH-EASTERN,	366,783	1096	967	1105	1208	1182	1087	1121	1101	1096	1111	1017	1125	13216	6730	6486	1974
4	EAST-MIDLAND,	523,822	1566	1328	1550	1534	1501	1627	1538	1394	1377	1462	1366	1456	17699	9118	8581	1791
5	WEST-MIDLAND,	242,507	666	616	734	715	742	674	670	664	600	678	653	647	8059	4084	3975	641
6	SOUTH-WESTERN,	1,008,253	3953	3628	4191	4150	4231	4097	3675	3710	3694	3671	3576	3596	46172	23585	22587	3804
7	SOUTH-EASTERN,	408,962	1312	1164	1476	1463	1502	1421	1369	1307	1324	1421	1266	1283	16308	8442	7866	1424
8	SOUTHERN,	214,216	560	489	581	565	559	580	572	528	510	488	489	524	6445	3228	3217	864
	I. NORTHERN.																	
1	Shetland,	31,670	44	31	57	46	57	66	64	86	74	87	80	62	754	386	368	23
2	Orkney,	32,395	50	50	74	45	62	69	70	63	61	77	68	77	766	361	405	36
3	Caithness,	42,200	87	59	71	92	110	116	96	105	109	83	108	110	1146	574	572	112
4	Sutherland,	24,157	46	37	38	42	38	51	45	50	41	36	34	38	496	248	248	32
	II. NORTH-WESTERN.																	
5	Ross and Cromarty,	82,427	194	159	172	172	120	167	197	183	194	183	193	194	2128	1113	1015	111
6	Inverness,	84,902	181	171	171	196	178	180	202	199	183	217	171	185	2234	1143	1091	176
	III. NORTH-EASTERN.																	
7	Nairn,	8,347	18	15	19	24	23	13	23	20	14	23	22	22	236	110	126	18
8	Elgin (or Moray),	44,218	123	96	112	127	128	123	122	113	113	131	119	124	1431	744	687	212
9	Banff,	56,020	155	145	162	187	149	170	166	145	149	150	149	159	1886	950	936	339
10	Aberdeen,	223,474	714	614	720	772	797	707	692	723	716	698	630	724	8507	4347	4160	1245
11	Kincardine,	34,724	86	97	92	98	85	74	118	100	104	109	97	96	1156	579	577	160
	IV. EAST-MIDLAND.																	
12	Forfar,	206,750	714	569	740	694	704	767	718	671	641	655	671	678	8217	4197	4020	905
13	Perth,	133,198	336	284	319	324	292	345	344	276	281	283	272	274	3597	1865	1732	409
14	Fife,	155,021	440	400	405	455	422	439	434	378	389	440	360	432	4994	2572	2422	393
15	Kinross,	8,731	20	20	19	8	16	21	19	13	21	20	12	16	205	106	99	22
16	Clackmannan,	20,122	56	55	67	53	67	55	61	56	45	64	51	56	686	378	308	62
	V. WEST-MIDLAND.																	
17	Stirling,	88,138	303	238	307	288	316	272	279	281	245	300	283	298	3410	1697	1713	289
18	Dumbarton,	54,179	151	163	232	198	188	199	192	190	157	167	161	164	2162	1121	1041	142
19	Argyll,	83,859	173	180	159	196	194	165	167	168	166	180	178	153	2079	1071	1008	182
20	Bute,	16,331	39	35	36	33	44	38	32	25	32	31	31	32	408	195	213	28
	VI. SOUTH-WESTERN.																	
21	Renfrew,	168,746	663	565	645	633	640	662	565	621	591	576	602	557	7320	3769	3551	476
22	Ayr,	199,063	639	610	741	660	676	655	565	555	569	577	536	558	7341	3761	3580	652
23	Lanark,	640,444	2651	2453	2805	2857	2915	2780	2545	2534	2534	2518	2438	2481	31511	16055	15456	2676
	VII. SOUTH-EASTERN.																	
24	Linlithgow,	39,045	154	146	169	158	170	137	139	118	133	143	137	134	1738	880	858	139
25	Edinburgh,	274,093	925	771	1019	1038	1043	1005	919	930	929	962	911	921	11373	5848	5525	966
26	Haddington,	37,626	76	89	116	118	100	103	116	95	96	124	90	86	1209	655	554	129
27	Berwick,	36,388	85	87	90	75	101	91	120	96	109	110	72	87	1147	601	516	103
28	Peebles,	11,300	28	35	35	25	43	45	32	31	32	45	26	24	401	217	184	36
29	Selkirk,	10,410	44	36	47	49	45	40	43	37	31	37	30	31	470	241	229	51
	VIII. SOUTHERN.																	
30	Roxburgh,	53,722	136	136	146	136	156	173	151	129	142	138	124	157	1718	859	859	172
31	Dumfries,	75,904	199	175	200	215	195	206	208	207	155	190	184	177	2311	1159	1152	320
32	Kirkcudbright,	42,745	122	100	129	102	127	106	116	96	110	88	91	101	1288	636	652	199
33	Wigtown,	41,845	103	84	106	112	81	95	97	96	103	72	90	89	1128	574	554	173

DEATHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1870.

		Popula-tion.	DEATHS.													
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males	Fem.
	SCOTLAND,	3,062,294	7757	6971	7456	6399	6029	5556	5337	6070	5148	5100	5583	6661	74067	36870	37197
	DIVISIONS.																
1	NORTHERN,	130,422	188	160	212	159	178	149	126	128	110	126	126	171	1833	863	970
2	NORTH-WESTERN,	167,329	279	230	286	256	215	218	205	211	187	191	211	220	2709	1325	1384
3	NORTH-EASTERN,	366,783	628	603	668	576	566	520	472	543	453	463	491	660	6643	3243	3400
4	EAST-MIDLAND,	523,822	1306	1185	1246	1108	942	899	901	899	858	837	899	1069	12149	5993	6156
5	WEST-MIDLAND,	242,507	565	456	577	458	426	410	374	439	340	361	392	432	5230	2665	2565
6	SOUTH-WESTERN,	1,008,253	3315	2976	3121	2684	2557	2235	2240	2668	2133	2092	2352	2881	31254	15749	15505
7	SOUTH-EASTERN,	408,962	1070	983	926	785	811	786	738	825	794	751	841	911	10221	5189	5032
8	SOUTHERN,	214,216	406	378	420	373	334	339	281	357	273	279	271	317	4028	1843	2185
	I. NORTHERN.																
1	Shetland,	31,670	47	38	49	36	39	39	22	28	26	30	32	38	424	184	240
2	Orkney,	32,395	42	48	67	53	44	38	35	32	23	24	32	49	487	247	240
3	Caithness,	42,200	61	38	62	49	61	44	47	49	42	48	43	55	599	287	312
4	Sutherland,	24,157	38	36	34	21	34	28	22	19	19	24	19	29	323	145	178
	II. NORTH-WESTERN.																
5	Ross and Cromarty,	82,427	119	103	143	123	114	97	96	96	76	109	99	108	1283	633	650
6	Inverness,	84,902	160	127	143	133	101	121	109	115	111	82	112	112	1426	692	734
	III. NORTH-EASTERN.																
7	Nairn,	8,347	16	12	15	16	13	14	15	12	11	6	8	16	154	71	83
8	Elgin (or Moray),	44,218	67	67	79	66	59	38	43	61	51	44	49	73	697	352	345
9	Banff,	56,020	86	102	100	93	77	66	55	76	59	73	69	94	950	470	480
10	Aberdeen,	223,474	409	367	405	355	379	363	302	350	311	304	321	429	4305	2094	2211
11	Kincardine,	34,724	50	55	69	36	38	39	57	44	21	36	44	48	537	256	281
	IV. EAST-MIDLAND.																
12	Forfar,	206,750	633	583	621	544	414	420	439	447	408	397	389	499	5794	2825	2969
13	Perth,	133,198	299	266	267	241	239	218	205	187	198	189	225	228	2762	1385	1377
14	Fife,	155,021	307	279	303	280	240	221	221	221	209	200	224	285	2990	1506	1484
15	Kinross,	8,731	18	21	9	10	10	5	5	5	11	6	8	15	123	50	73
16	Clackmannan,	20,122	49	36	46	33	39	35	31	39	32	45	53	42	480	227	253
	V. WEST-MIDLAND.																
17	Stirling,	88,138	256	185	217	153	156	171	132	149	141	147	159	176	2042	1038	1004
18	Dumbarton,	54,179	118	117	135	127	126	101	89	121	75	102	115	109	1335	660	675
19	Argyll,	83,859	156	126	183	140	115	107	123	127	98	91	101	116	1483	784	699
20	Bute,	16,331	35	28	42	38	29	31	30	42	26	21	17	31	370	183	187
	VI. SOUTH-WESTERN.																
21	Renfrew,	168,746	536	478	516	436	368	320	351	473	345	340	382	498	5043	2561	2482
22	Ayr,	199,063	483	479	463	401	449	350	355	405	336	316	343	381	4761	2425	2336
23	Lanark,	640,444	2296	2019	2142	1847	1740	1565	1534	1790	1452	1436	1627	2002	21450	10763	10687
	VII. SOUTH-EASTERN.																
24	Linlithgow,	39,045	91	94	100	80	76	68	62	88	77	88	70	92	986	541	445
25	Edinburgh,	274,093	812	688	661	566	602	586	541	622	575	547	638	694	7532	3756	3776
26	Haddington,	37,626	73	89	60	54	49	53	44	56	68	40	61	42	689	355	334
27	Berwick,	36,488	61	73	65	41	51	34	45	35	43	39	45	54	586	298	288
28	Peebles,	11,300	13	19	19	14	12	24	26	10	12	22	11	14	196	105	91
29	Selkirk,	10,410	20	20	21	30	21	21	20	14	19	15	16	15	232	134	98
	VIII. SOUTHERN.																
30	Roxburgh,	53,722	99	97	98	95	91	94	71	83	69	65	69	83	1014	450	564
31	Dumfries,	75,904	174	135	143	126	128	132	112	148	96	107	102	110	1513	700	813
32	Kirkcudbright,	42,745	69	80	93	75	65	63	58	74	64	50	57	59	807	369	438
33	Wigtown,	41,845	64	66	86	77	50	50	40	52	44	57	43	65	694	324	370

MARRIAGES

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1870.

		Population.		Marriages.											
		1851	1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct.	Nov	Dec	Total.
	SCOTLAND,	2,888,742	3,062,294	2051	1363	1317	1272	1151	3331	2385	1537	1379	1644	2308	3150	23788
	DIVISIONS.															
1	NORTHERN,	127,035	130,422	60	58	46	37	37	34	26	29	33	29	64	122	575
2	NORTH-WESTERN,	175,735	167,329	109	74	73	35	28	78	38	31	31	44	62	141	749
3	NORTH-EASTERN,	348,366	366,783	226	113	98	107	150	400	238	130	102	211	209	433	2417
4	EAST-MIDLAND,	515,966	523,822	531	179	196	160	184	550	299	218	202	223	400	527	3669
5	WEST-MIDLAND,	241,447	242,507	175	106	73	80	62	214	152	98	88	88	145	221	1507
6	SOUTH-WESTERN,	881,092	1,008,253	1327	571	564	573	414	1301	1185	694	622	706	993	1020	9970
7	SOUTH-EASTERN,	383,217	408,962	424	188	172	192	214	564	354	275	232	257	327	515	3714
8	SOUTHERN,	215,884	214,216	99	74	85	88	62	190	93	62	69	86	108	171	1187
	I. NORTHERN.															
1	Shetland,	31,078	31,670	21	13	9	6	3	1	7	11	9	5	20	41	146
2	Orkney,	31,455	32,395	16	17	14	13	15	14	8	8	11	8	20	30	177
3	Caithness,	39,782	42,200	15	12	9	10	13	13	8	7	12	11	13	33	156
4	Sutherland,	24,720	24,157	8	16	11	8	6	6	3	3	1	5	11	18	96
	II. NORTH-WESTERN.															
5	Ross and Cromarty,	83,781	82,427	52	34	30	15	9	32	16	10	17	22	36	71	344
6	Inverness,	91,954	84,902	57	40	43	20	19	46	22	21	14	22	26	70	405
	III. NORTH-EASTERN.															
7	Nairn,	8,076	8,347	0	0	0	0	4	3	4	2	2	6	6	11	39
8	Elgin (or Moray),	40,532	44,218	13	7	6	16	12	31	24	8	11	14	10	48	200
9	Banff,	51,353	56,020	30	19	17	21	19	50	38	13	9	45	24	72	357
10	Aberdeen,	213,591	223,474	172	75	68	63	106	278	154	96	70	125	153	256	1616
11	Kincardine,	34,814	34,724	11	12	7	7	9	38	18	10	10	21	16	46	205
	IV. EAST-MIDLAND.															
12	Forfar,	193,627	206,750	277	97	84	64	100	301	157	103	104	108	120	222	1747
13	Perth,	137,369	133,198	89	33	42	31	42	96	52	51	31	34	85	139	725
14	Fife,	153,780	155,021	130	44	64	59	38	124	70	53	55	67	161	123	1007
15	Kinross,	9,626	8,731	4	1	2	1	0	6	6	1	5	4	5	6	41
16	Clackmannan,	21,555	20,122	22	4	4	5	4	23	14	10	7	10	19	27	149
	V. WEST-MIDLAND.															
17	Stirling,	83,802	88,138	78	39	40	40	24	114	72	48	33	41	72	109	710
18	Dumbarton,	46,995	54,179	57	23	12	13	20	42	45	22	23	17	32	48	356
19	Argyll,	94,042	83,859	27	35	23	19	16	49	26	22	23	25	30	55	352
20	Bute,	16,608	16,331	13	9	3	8	2	7	7	6	9	5	14	9	89
	VI. SOUTH-WESTERN.															
21	Renfrew,	157,950	168,746	232	91	79	89	69	195	159	162	100	107	172	150	1605
22	Ayr,	189,973	199,063	201	84	107	89	68	204	123	119	90	93	142	249	1569
23	Lanark,	533,169	640,444	894	396	378	395	277	902	803	413	432	506	679	621	6796
	VII. SOUTH-EASTERN.															
24	Linlithgow,	20,590	39,045	44	10	11	18	9	35	21	24	16	18	21	36	263
25	Edinburgh,	259,493	274,093	326	148	129	137	157	426	281	217	184	196	256	378	2835
26	Haddington,	36,363	37,626	19	9	13	10	25	52	27	14	12	13	31	31	246
27	Berwick,	36,165	36,488	18	13	15	18	15	29	17	13	7	13	6	30	192
28	Peebles,	10,604	11,300	9	3	2	3	7	11	11	4	5	7	3	17	82
29	Selkirk,	9,802	10,410	8	5	4	6	1	11	7	3	3	10	10	23	96
	VIII. SOUTHERN.															
30	Roxburgh,	51,225	53,722	28	27	29	21	16	52	27	15	15	21	20	48	319
31	Dumfries,	78,149	75,904	43	24	33	29	24	68	41	28	27	28	44	70	459
32	Kirkcudbright,	43,371	42,745	13	10	9	15	12	37	17	13	16	18	28	35	223
33	Wigtown,	43,139	41,845	15	13	14	23	10	33	8	6	11	25	16	18	186

VACCINATIONS IN SCOTLAND—1869.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1869.
				On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	SCOTLAND,	99265	966	177	17	174	10069	2773	113441
	DIVISIONS.								
1	NORTHERN,	2680	149	2	0	5	186	124	3146
2	NORTH-WESTERN,	3404	286	31	0	2	384	146	4253
3	NORTH-EASTERN,	11784	62	26	0	1	879	60	12812
4	EAST-MIDLAND,	16218	111	26	0	34	1500	295	18184
5	WEST-MIDLAND,	7073	55	8	0	14	685	249	8084
6	SOUTH-WESTERN,	38480	143	43	17	109	4338	1409	44539
7	SOUTH-EASTERN,	13943	91	23	0	3	1559	399	16018
8	SOUTHERN,	5683	69	18	0	6	538	91	6405
	I. NORTHERN.								
1	Shetland,	599	55	0	0	0	34	67	755
2	Orkney,	719	13	2	0	0	31	11	776
3	Caithness,	939	72	0	0	5	94	25	1135
4	Sutherland,	423	9	0	0	0	27	21	480
	II. NORTH-WESTERN.								
5	Ross and Cromarty,	1687	179	25	0	2	170	65	2128
6	Inverness,	1717	107	6	0	0	214	81	2125
	III. NORTH-EASTERN.								
7	Nairn,	199	1	0	0	0	41	5	246
8	Elgin or Moray,	1135	20	0	0	0	114	14	1283
9	Banff,	1705	12	9	0	0	109	5	1840
10	Aberdeen,	7705	25	16	0	1	556	34	8337
11	Kincardine,	1040	4	1	0	0	59	2	1106
	IV. EAST-MIDLAND.								
12	Forfar,	7273	35	17	0	34	835	151	8345
13	Perth,	3277	26	4	0	0	240	64	3611
14	Fife,	4781	48	5	0	0	345	71	5250
15	Kinross,	209	0	0	0	0	10	0	219
16	Clackmannan,	678	2	0	0	0	70	9	759
	V. WEST-MIDLAND.								
17	Stirling,	3011	8	3	0	5	298	66	3391
18	Dumbarton,	1885	8	2	0	9	187	75	2166
19	Argyll,	1851	28	3	0	0	162	93	2137
20	Bute,	326	11	0	0	0	38	15	390
	VI. SOUTH-WESTERN.								
21	Renfrew,	6119	35	11	14	21	756	220	7176
22	Ayr,	6619	39	12	1	4	566	107	7348
23	Lanark,	25742	69	20	2	84	3016	1082	30015
	VII. SOUTH-EASTERN.								
24	Linlithgow,	1528	11	3	0	0	164	41	1747
25	Edinburgh,	9560	58	17	0	3	1153	316	11107
26	Haddington,	1072	12	1	0	0	94	25	1204
27	Berwick,	1018	2	2	0	0	69	11	1102
28	Peebles,	339	6	0	0	0	31	5	381
29	Selkirk,	426	2	0	0	0	48	1	477
	VIII. SOUTHERN.								
30	Roxburgh,	1524	14	5	0	0	154	7	1704
31	Dumfries,	2005	26	7	0	4	180	34	2256
32	Kirkcudbright,	1130	17	3	0	2	107	35	1294
33	Wigtown,	1024	12	3	0	0	97	15	1151

Total DEATHS from all Causes at Four Periods of Life in the Eight Principal Towns of Scotland.—Year 1870.

CAUSES OF DEATH.	AGES. 0-5	5-20	20-60	Above 60	Total.
ALL CAUSES	11844	3139	8663	4847	28493
SPECIFIED CAUSES	11636	3092	8563	4837	28128
DISEASES:—					
I. Zymotic Class	3586	987	1134	341	6048
II. Dropsy, Cancer, and others of uncertain seat	72	66	451	301	890
III. Tubercular Class	1599	1096	2527	110	5332
IV. Of Brain, etc.	766	213	614	742	2335
V. Of Heart, etc.	20	85	718	482	1305
VI. Of Resp. Organs	2522	263	1522	1057	5364
VII. Of Digest. Organs	1143	96	527	268	2034
VIII. Of Kidneys, etc.	26	34	224	115	399
IX. Of Uterus, etc.	2	4	209	9	224
X. Of Joints, Bones, etc.	13	72	64	28	177
XI. Of Skin, etc.	16	3	10	2	31
XII. Malformations	71	-	-	-	71
XIII. Debility from Premature Birth	1497	-	-	-	1497
XIV. Atrophy	71	24	93	-	188
XV. Age	-	-	1	1269	1270
XVI. Sudden	15	8	38	14	75
XVII. Violence, Privation, etc.	217	141	431	99	888
I. Small-pox	32	16	26	-	74
Measles	281	31	3	-	315
Scarlatina	746	426	32	1	1205
Diphtheria	187	67	11	1	266
Hooping-Cough	963	46	1	-	1010
Croup	334	32	-	-	366
Thrush	11	-	-	-	11
Diarrhœa	643	18	88	111	860
Dysentery	18	1	25	22	66
Cholera	21	4	16	7	48
Influenza	6	3	14	22	45
Purpura; Scurvy	1	2	2	1	6
Ague	-	1	1	1	3
Worms	1	2	-	-	3
Typhus Fever	62	142	582	76	862
Enteric Fever	68	125	97	30	320
Relapsing Fever	27	31	66	24	148
Simple Cont. Fever	7	2	7	4	20
Infant. Rem. Fever	45	13	-	-	58
Metria	-	5	83	-	88
Rheumatic Fever	-	8	17	4	29
Erysipelas	53	5	38	34	130
Pyæmia	3	4	7	2	16
Syphilis	73	2	14	1	90
Noma	4	1	3	-	8
Hydrophobia	-	-	1	-	1
II. Hæmorrhage	8	6	19	5	38
Dropsy	24	42	163	100	329
Abscess	17	11	15	6	49
Ulcer	6	-	11	9	26
Fistula	-	1	3	1	5
Mortification	11	1	6	26	44
Cancer	6	5	234	151	396
Gout	-	-	-	3	3
III. Scrofula	102	87	43	6	238
Tabes Mesenterica	358	77	17	2	454
Phthisis	324	814	2461	102	3701
Hydrocephalus	815	118	6	-	939

CAUSES OF DEATH.	AGES. 0-5	5-20	20-60	Above 60	Total.
IV. Cephalitis	100	45	28	5	178
Apoplexy	77	29	185	212	503
Paralysis	11	6	202	404	623
Delirium Tremens	-	-	14	2	16
Chorea	1	1	-	-	2
Epilepsy	4	10	30	15	59
Tetanus	5	2	2	3	12
Insanity	1	-	9	8	18
Convulsions	492	20	3	-	515
Dis. of Brain, etc.	75	100	141	93	409
V. Pericarditis	-	6	15	4	25
Aneurism	-	-	26	5	31
Dis. of Heart, etc.	20	79	677	473	1249
VI. Laryngitis	27	2	17	5	51
Bronchitis	2010	141	890	816	3857
Pleurisy	11	7	40	16	74
Pneumonia	426	84	352	99	961
Asthma	2	1	104	85	192
Dis. of Lungs, etc.	46	28	119	36	229
VII. Teething	571	-	-	-	571
Quinsey	24	1	5	-	30
Gastritis	22	4	23	1	50
Enteritis	249	26	45	26	346
Peritonitis	7	12	38	13	70
Ascites	1	1	11	4	17
Ulcer. of Intest.	5	3	25	13	46
Hernia	4	-	19	20	43
Ileus	27	9	35	27	98
Intussusception	4	-	2	-	6
Strict. of Intest.	-	-	6	-	6
Dis. of Stomach	166	25	88	53	332
Dis. of Pancreas	-	-	-	-	-
Hepatitis	5	1	30	9	45
Jaundice	32	3	24	16	75
Dis. of Liver	25	10	164	86	285
Dis. of Spleen	1	1	12	-	14
VIII. Nephritis	10	7	16	8	41
Nephria	3	8	81	23	115
Addison's Disease	-	-	1	-	1
Ischuria	1	1	6	9	17
Diabetes	2	3	24	7	36
Stone	1	4	4	7	16
Cystitis	1	2	5	11	19
Strict. of Urethra	-	-	3	2	5
Dis. of Kidneys	8	9	84	48	149
IX. Paramenia	-	-	11	2	13
Ovarian Dropsy	-	1	15	5	21
Childbirth	-	3	159	-	162
Dis. of Uterus	2	-	24	2	28
X. Arthritis	-	6	4	1	11
Rheumatism	2	10	30	18	60
Dis. of Joints, etc.	11	56	30	9	106
XI. Carbuncle	1	-	6	-	7
Phlegmon	-	2	3	1	6
Dis. of Skin	15	1	1	1	18
XVII. Intemperance	-	1	47	3	51
Privation of Food	-	-	2	-	2
Wt. Breast-milk	69	-	-	-	69
Neglect	-	-	-	-	-
Cold	-	-	-	1	1
Poison	3	1	15	3	22
Poisoned Wounds	-	-	-	-	-
Burns and Scalds	43	28	18	9	98
Hanging, etc.	-	-	17	3	20
Suffocation	52	4	10	4	70
Drowning	10	30	74	10	124
Fractures & Contus.	28	67	205	58	358
Gunshot Wounds	-	3	3	1	7
Cuts and Stabs	1	2	17	3	23
Other Vio. Causes	11	5	23	4	43
Not specified	208	47	100	10	365

DEATHS from all Causes at Four Periods of Life Year 1870.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
ALL CAUSES	6115	1623	4375	1839	13952	1577	442	1559	1128	4706	1436	350	920	477	3183	729	207	476	517	1929
SPECIFIED CAUSES	6033	1592	4300	1836	13761	1567	438	1553	1127	4685	1413	344	916	474	3147	716	206	471	515	1908
DISEASES :—																				
I. Zymotic Class	1670	453	641	131	2895	480	107	150	73	870	540	135	97	33	805	216	59	52	36	363
II. Dropsy, Cancer, and others of uncertain seat	27	29	195	101	352	12	7	86	78	183	11	11	73	32	127	7	2	21	38	68
III. Tubercular Class	832	622	1263	57	2774	255	132	436	13	836	135	93	303	18	549	81	73	144	9	307
IV. Of Brain, etc.	387	111	275	253	1026	113	26	132	186	457	87	21	66	79	253	78	26	45	86	235
V. Of Heart, etc.	6	27	296	141	470	4	23	183	142	352	3	12	85	49	149	4	10	46	64	124
VI. Of Resp. Organs	1456	171	899	487	3013	308	17	225	232	782	292	32	142	84	550	148	11	70	90	319
VII. Of Digest. Organs	678	52	234	96	1060	114	12	116	70	312	88	8	53	12	161	76	8	35	48	167
VIII. Of Kidneys, etc.	13	13	99	28	153	4	11	62	45	122	5	1	11	8	25	1	2	19	15	37
IX. Of Uterus, etc.	1	3	105	1	110	-	-	45	2	47	-	1	22	1	24	-	-	13	1	14
X. Of Joints, Bones, etc.	4	36	26	13	79	4	18	19	4	45	-	9	5	3	17	1	4	3	3	11
XI. Of Skin, etc.	2	1	6	-	9	1	-	2	1	4	2	-	-	-	2	6	-	1	1	8
XII. Malformations	35	-	-	-	35	14	-	-	-	14	7	-	-	-	7	5	-	-	-	5
XIII. Debility from Premature Birth	782	-	-	-	782	209	-	-	-	209	215	-	-	-	215	62	-	-	-	62
XIV. Atrophy	33	10	44	-	87	10	4	12	-	26	6	3	12	-	21	3	1	1	-	5
XV. Age	-	-	-	477	477	-	-	-	260	260	-	-	-	148	148	-	-	-	116	116
XVI. Sudden	7	4	25	10	46	-	1	2	-	3	3	1	3	-	7	-	-	1	-	1
XVII. Violence, Privation, etc	100	60	192	41	393	39	20	83	21	163	19	17	44	7	87	28	10	20	8	66
I. Small-pox	12	4	10	-	26	2	-	-	-	2	1	-	-	-	1	1	-	2	-	3
Measles	102	19	2	-	123	16	1	-	-	17	24	2	-	-	26	1	-	-	-	1
Scarlatina	298	162	11	-	471	92	72	9	-	173	159	90	4	-	253	54	25	2	-	81
Diphtheria	81	29	2	-	112	67	27	7	1	102	7	1	-	-	8	11	1	-	-	12
Hooping-Cough	543	28	-	-	571	78	4	-	-	82	159	4	1	-	164	60	2	-	-	62
Croup	150	11	-	-	161	96	11	-	-	107	15	1	-	-	16	15	5	-	-	20
Thrush	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	6	-	-	-	6
Diarrhœa	277	5	40	35	357	79	7	17	22	125	134	2	18	15	169	40	-	3	17	60
Dysentery	7	-	6	6	19	3	-	4	5	12	3	-	7	2	12	4	1	4	6	15
Cholera	6	2	8	2	18	3	-	3	-	6	5	1	-	2	8	-	1	1	-	2
Influenza	-	1	6	9	16	3	-	1	8	12	1	-	4	1	6	-	2	3	3	8
Purpura; Scurvy	1	1	1	-	3	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Ague	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Worms	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	43	90	379	35	547	5	20	49	16	90	3	11	37	4	55	1	6	22	3	32
Enteric Fever	43	61	41	7	152	7	16	22	10	55	3	18	10	4	35	3	9	6	4	22
Relapsing Fever	24	20	52	17	113	1	1	3	1	6	-	3	1	-	4	-	1	-	-	1
Simple Cont. Fever	3	1	5	3	12	-	1	-	-	1	2	-	-	-	2	-	-	-	1	1
Infant. Rem. Fever	20	7	-	-	27	3	2	-	-	5	5	-	-	-	5	6	1	-	-	7
Metria	-	2	45	-	47	-	1	12	-	13	-	-	3	-	3	-	1	3	-	4
Rheumatic Fever	-	1	3	2	6	-	3	6	1	10	-	1	3	1	5	-	1	3	-	4
Erysipelas	24	4	19	14	61	10	-	9	8	27	7	-	5	3	15	5	1	2	2	10
Pyæmia	2	2	4	-	8	-	1	1	1	3	-	-	1	-	1	-	-	-	-	-
Syphilis	28	1	7	-	36	14	-	3	-	17	11	-	2	1	14	9	1	-	-	10
Noma	2	-	-	-	2	1	-	2	-	3	-	-	-	-	-	-	-	1	-	1
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
II. Hæmorrhage	5	3	11	1	20	-	1	3	2	6	1	-	4	-	5	2	1	-	1	4
Dropsy	7	18	82	44	151	3	3	16	16	38	6	7	33	15	61	2	1	3	7	13
Abscess	8	5	6	4	23	3	2	4	2	11	2	2	3	-	7	1	-	2	-	3
Ulcer	2	-	2	3	7	-	-	2	3	5	2	-	1	-	3	-	-	2	-	2
Fistula	-	-	3	-	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Mortification	3	-	3	10	16	5	1	2	5	13	-	-	1	3	4	-	-	-	6	6
Cancer	2	3	88	39	131	1	-	59	48	108	-	1	31	14	46	2	-	14	24	40
Gout	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
III. Scrofula	47	44	19	-	110	22	15	10	1	48	9	4	3	-	16	5	8	8	1	22
Tabes Mesenterica	183	46	8	1	238	61	11	5	1	78	31	6	1	-	38	18	4	-	-	22
Phthisis	215	480	1234	56	1985	23	87	419	11	540	19	73	299	18	409	17	48	136	8	209
Hydrocephalus	387	52	2	-	441	149	19	2	-	170	76	10	-	-	86	41	13	-	-	54

Year 1870.

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	
All Causes	507	143	383	319	1352	788	192	468	224	1672	502	106	280	170	1058	190	76	202	173	641	28493
Specified Causes	476	142	382	319	1319	745	189	459	223	1616	499	106	280	170	1055	187	75	202	173	637	28128
Diseases:—																					
I. Zymotic Class	106	37	60	27	290	279	53	90	20	442	160	55	25	7	247	75	28	19	14	136	6048
II. Dropsy, Cancer, and others of uncertain seat	6	8	22	19	55	4	7	20	12	43	2	1	21	13	37	3	1	13	8	25	890
III. Tubercular Class	78	62	108	6	254	93	60	131	4	288	98	27	81	–	206	27	27	61	3	118	5332
IV. Of Brain, etc.	21	8	25	54	108	36	14	32	27	109	35	5	24	27	91	9	2	15	30	56	2335
V. Of Heart, etc.	–	1	28	15	44	1	5	30	23	59	2	3	26	19	50	–	4	24	29	57	1305
VI. Of Resp. Organs	53	7	65	75	200	140	21	48	30	239	93	2	50	37	182	32	2	23	22	79	5364
VII. Of Digest. Organs	67	5	27	15	114	78	6	32	7	123	30	3	16	13	62	12	2	14	7	35	2084
VIII. Of Kidneys, etc.	1	3	8	5	17	–	2	15	7	24	1	2	6	5	14	1	–	4	2	7	399
IX. Of Uterus, etc.	–	–	8	1	9	–	–	12	1	13	1	–	2	1	4	–	–	2	1	3	224
X. Of Joints, Bones, etc.	2	3	3	–	8	2	2	3	2	9	–	–	1	2	3	–	–	4	1	5	177
XI. Of Skin, etc.	1	–	1	–	2	2	2	–	–	4	2	–	–	–	2	–	–	–	–	–	31
XII. Malformations	3	–	–	–	3	2	–	–	–	2	3	–	–	–	3	2	–	–	–	2	71
XIII. Debility from Premature Birth	66	–	–	–	66	85	–	–	–	85	58	–	–	–	58	20	–	–	–	20	1497
XIV. Atrophy	4	1	4	–	9	10	1	4	–	15	3	1	4	–	8	2	3	12	–	17	188
XV. Age	–	–	–	90	90	–	–	–	85	85	–	–	1	39	40	–	–	–	54	54	1270
XVI. Sudden	2	–	1	3	6	2	2	5	1	10	–	–	–	–	–	1	–	1	–	2	75
XVII. Violence, Privation, etc.	6	7	22	9	44	11	14	37	4	66	11	7	23	7	48	3	6	10	2	21	888
I. Small-pox	1	2	2	–	5	15	9	12	–	36	–	1	–	–	1	–	–	–	–	–	74
Measles	50	2	1	–	53	76	7	–	–	83	1	–	–	–	1	11	–	–	–	11	315
Scarlatina	34	13	1	–	48	33	11	2	–	46	50	34	2	–	86	26	19	1	1	47	1205
Diphtheria	7	1	1	–	9	9	3	–	–	12	4	5	–	–	9	1	–	1	–	2	266
Hooping-Cough	14	–	–	–	14	56	1	–	–	57	37	4	–	–	41	16	3	–	–	19	1010
Croup	20	2	–	–	22	15	–	–	–	15	15	2	–	–	17	8	–	–	–	8	366
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	11
Diarrhœa	21	–	4	8	33	48	1	3	6	58	39	–	2	3	44	5	3	1	5	14	860
Dysentery	1	–	3	1	5	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–	66
Cholera	–	–	3	1	4	4	–	1	1	6	3	–	–	1	4	–	–	–	–	–	48
Influenza	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	1	2	45
Purpura; Scurvy	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	6
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Typhus Fever	–	6	28	7	41	6	6	49	6	67	3	2	7	2	14	1	1	11	3	16	862
Enteric Fever	4	4	7	3	18	6	11	6	2	25	2	5	2	–	9	–	1	3	–	4	320
Relapsing Fever	2	3	4	4	13	–	3	4	1	8	–	–	2	1	3	–	–	–	–	–	148
Simple Cont. Fever	–	–	1	–	1	1	–	–	–	1	1	–	1	–	2	–	–	–	–	–	20
Infant. Rem. Fever	6	3	–	–	9	3	–	–	–	3	1	–	–	–	1	1	–	–	–	1	58
Metria	–	–	2	–	2	–	–	11	–	11	–	1	6	–	7	–	–	1	–	1	88
Rheumatic Fever	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	1	–	2	29
Erysipelas	1	–	1	3	5	3	–	–	1	4	1	–	2	–	3	2	–	–	3	5	130
Pyæmia	–	–	1	–	1	1	–	–	–	1	–	1	–	–	1	–	–	–	1	1	16
Syphilis	4	–	1	–	5	2	–	1	–	3	2	–	–	–	2	3	–	–	–	3	90
Noma	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	8
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	–	–	1	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	38
Dropsy	2	6	11	5	24	2	6	8	6	22	1	1	3	5	15	1	–	2	2	5	329
Abscess	2	2	–	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	49
Ulcer	1	–	–	2	3	–	–	2	–	2	1	–	2	1	4	–	–	–	–	–	26
Fistula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Mortification	1	–	–	2	3	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	44
Cancer	–	–	10	9	19	1	–	10	5	16	–	–	11	7	18	–	1	11	6	18	396
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
III. Scrofula	3	10	1	2	16	13	5	2	1	21	2	1	–	–	3	1	–	–	1	2	238
Tabes Mesenterica	24	4	–	–	28	7	3	2	–	12	24	2	–	–	26	10	1	1	–	12	454
Phthisis	14	42	106	4	166	28	44	126	3	201	5	19	81	–	105	3	21	60	2	86	3701
Hydrocephalus	37	6	1	–	44	45	8	1	–	54	67	5	–	–	72	13	5	–	–	18	939

DEATHS from all Causes at Four Periods of Life Year 1870.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
IV. Cephalitis	56	23	14	–	93	14	5	6	3	28	9	4	3	–	16	10	5	–	1	16
Apoplexy	36	16	89	79	211	19	3	37	53	112	7	8	22	23	60	2	1	14	21	38
Paralysis	3	2	84	133	222	3	–	41	91	135	1	2	26	51	80	4	1	16	45	66
Delirium Tremens	–	–	7	1	8	–	–	4	–	4	–	–	1	–	1	–	–	–	–	–
Chorea	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	7	6	3	16	2	–	10	6	18	1	–	4	2	7	1	1	4	–	6
Tetanus	1	–	2	1	4	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Insanity	–	–	1	–	1	–	–	3	3	6	–	–	1	–	1	–	–	1	3	4
Convulsions	247	11	3	–	261	62	3	–	–	65	65	3	–	–	68	54	1	–	–	55
Dis. of Brain, etc.	43	51	78	36	208	12	15	31	30	88	3	4	9	3	19	7	17	10	16	50
V. Pericarditis	–	1	5	–	6	–	2	7	3	12	–	–	2	1	3	–	3	–	–	3
Aneurism	–	–	8	–	8	–	–	11	4	15	–	–	–	–	–	–	–	3	–	3
Dis. of Heart, etc.	6	26	283	141	456	4	21	165	135	325	3	12	83	48	146	4	7	43	64	118
VI. Laryngitis	12	1	8	2	23	6	1	5	1	13	2	–	–	–	2	4	–	1	1	6
Bronchitis	1157	95	578	386	2216	219	6	108	173	506	265	21	80	59	425	124	7	34	75	240
Pleurisy	2	4	7	5	18	2	–	12	7	21	1	–	4	2	7	1	–	5	1	7
Pneumonia	255	51	190	32	528	70	4	53	26	153	24	10	29	14	77	17	3	21	6	47
Asthma	1	1	46	42	90	–	–	16	15	31	–	–	24	8	32	–	–	4	5	9
Dis. of Lungs, etc.	29	19	70	20	138	11	6	31	10	58	–	1	5	1	7	2	1	5	2	10
VII. Teething	332	–	–	–	332	40	–	–	–	40	66	–	–	–	66	43	–	–	–	43
Quinsey	14	1	4	–	19	3	–	1	–	4	–	–	–	–	–	3	–	–	–	3
Gastritis	15	–	8	–	23	1	1	3	1	6	1	2	4	–	7	1	–	3	–	4
Enteritis	153	16	21	16	206	28	2	7	4	41	9	2	4	1	16	4	2	2	2	10
Peritonitis	–	3	10	4	17	4	4	10	3	21	2	2	6	–	10	–	–	2	1	3
Ascites	1	1	9	1	12	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Ulcer. of Intest.	3	–	5	1	9	1	1	9	3	14	–	–	2	–	2	–	1	2	5	8
Hernia	4	–	8	4	16	–	–	5	3	8	–	–	2	1	3	–	–	–	5	5
Ileus	14	6	12	5	37	3	1	7	3	14	1	–	5	5	11	5	1	4	11	21
Intussusception	1	–	2	–	3	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Strict. of Intest.	–	–	1	–	1	–	–	3	–	3	–	–	1	–	1	–	–	1	–	1
Dis. of Stomach	110	17	39	18	184	19	1	24	19	63	4	2	7	2	15	12	2	8	10	32
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	1	14	1	21	–	–	5	2	7	–	–	4	1	5	–	–	3	2	5
Jaundice	11	2	12	6	31	6	–	4	6	16	3	–	2	1	6	7	–	2	1	10
Dis. of Liver	15	5	84	40	144	5	2	35	25	67	2	–	13	1	16	1	1	7	11	20
Dis. of Spleen	–	–	5	–	5	1	–	2	–	3	–	–	3	–	3	–	1	1	–	2
VIII. Nephritis	5	4	8	3	20	1	1	5	2	9	3	–	2	–	5	–	–	–	2	2
Nephria	–	1	31	6	38	2	4	30	11	47	–	–	3	2	5	–	–	7	–	7
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Ischuria	–	–	4	1	5	–	1	2	4	7	1	–	–	–	1	–	–	–	1	1
Diabetes	2	1	11	3	17	–	–	4	1	5	1	2	2	–	5	–	–	3	–	3
Stone	1	2	1	–	4	–	1	2	3	6	–	–	–	–	–	–	–	1	2	3
Cystitis	1	–	3	3	7	–	1	2	3	6	–	–	–	2	2	–	1	–	–	1
Strict. of Urethra	–	–	–	–	–	–	–	2	2	4	–	–	–	–	–	–	–	–	–	–
Dis. of Kidneys	4	5	41	12	62	1	3	15	19	38	1	–	4	2	7	1	1	7	10	19
IX. Paramenia	–	–	6	–	6	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	–	–	5	1	6	–	–	5	1	6	–	1	–	1	2	–	–	3	1	4
Childbirth	–	3	86	–	89	–	–	27	–	27	–	–	22	–	22	–	–	7	–	7
Dis. of Uterus	1	–	8	–	9	–	–	11	1	12	–	–	–	–	–	–	–	2	–	2
X. Arthritis	–	4	1	1	6	–	1	2	–	3	–	3	–	2	5	1	–	–	–	1
Rheumatism	1	2	15	10	28	–	2	7	2	11	–	3	–	2	5	1	–	2	1	4
Dis. of Joints, etc.	3	30	10	2	45	4	15	10	2	31	–	6	5	1	12	–	3	1	2	6
XI. Carbuncle	–	–	4	–	4	–	–	1	–	1	–	–	–	–	–	1	–	1	–	2
Phlegmon	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Disease of Skin	2	–	–	–	2	1	–	1	1	3	2	–	–	–	2	5	–	–	–	5
XVII. Intemperance	–	–	23	2	25	–	1	16	1	18	–	–	3	–	3	–	–	2	–	2
Privation of Food	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wt. Breast-milk	38	–	–	–	38	13	–	–	–	13	3	–	–	–	3	5	–	–	–	5
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	7	1	10	1	–	6	2	9	1	–	1	–	2	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	17	9	9	4	39	8	4	2	3	17	3	4	2	–	9	4	–	–	1	5
Hanging, etc.	–	–	3	1	4	–	–	4	–	4	–	–	2	–	2	–	–	–	–	–
Suffocation	23	2	4	2	31	8	2	1	–	11	6	–	–	–	6	15	–	2	–	17
Drowning	3	12	48	5	68	–	1	3	1	5	3	5	4	1	13	2	2	2	–	6
Fractures	16	34	89	25	164	4	9	36	12	61	3	8	26	5	42	1	5	13	5	24
Gunshot Wounds	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	1	–	–	1
Cuts and Stabs	–	–	2	–	2	1	1	6	1	9	–	–	2	–	2	–	1	1	1	3
Other Vio. Causes	2	2	6	1	11	4	1	7	1	13	–	–	4	1	5	1	1	–	1	3
Not specified	82	31	75	3	191	10	4	6	1	21	23	6	4	3	36	13	1	5	2	21

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	2 0–60	60,etc.	Total.	
IV. Cephalitis	1	2	–	–	3	7	5	3	–	15	3	–	2	–	5	–	1	–	1	2	178
Apoplexy	10	1	7	8	26	3	–	12	11	26	–	–	6	7	13	–	–	7	10	17	503
Paralysis	–	–	13	38	51	–	–	9	15	24	–	1	10	17	28	–	–	3	14	17	623
Delirium Tremens	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	16
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Epilepsy	–	1	2	1	4	–	–	2	–	2	–	1	2	2	5	–	–	–	1	1	59
Tetanus	–	1	–	1	2	1	–	–	–	1	1	1	–	1	3	–	–	–	1	1	12
Insanity	1	–	–	1	2	–	–	2	–	2	–	–	–	–	–	–	–	1	1	2	18
Convulsions	8	–	–	–	8	22	1	–	–	23	27	1	–	–	28	7	–	–	–	7	515
Dis. of Brain, etc.	1	3	2	4	10	3	8	3	1	15	4	1	4	–	9	2	1	4	3	10	409
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	25
Aneurism	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2	–	–	1	1	2	31
Dis. of Heart, etc.	–	1	28	15	44	1	5	29	23	58	2	3	23	19	47	–	4	23	28	55	1249
VI. Laryngitis	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	3	–	4	51
Bronchitis	43	2	36	58	139	106	9	20	25	160	67	1	23	23	114	29	–	11	17	57	3857
Pleurisy	–	–	5	–	5	2	2	3	–	7	2	1	4	1	8	1	–	–	–	1	74
Pneumonia	8	5	20	6	39	28	9	15	4	56	23	–	18	7	48	1	2	6	4	13	961
Asthma	–	–	2	9	11	1	–	6	1	8	–	–	3	4	7	–	–	3	1	4	192
Dis. of Lungs, etc.	–	–	2	2	4	3	1	4	–	8	1	–	2	1	4	–	–	–	–	–	229
VII. Teething	31	–	–	–	31	43	–	–	–	43	10	–	–	–	10	6	–	–	–	6	571
Quinsey	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–	1	–	–	–	1	30
Gastritis	–	1	2	–	3	3	–	1	–	4	1	–	1	–	2	–	–	1	–	1	50
Enteritis	28	1	4	3	36	14	2	5	–	21	11	1	2	–	14	2	–	–	–	2	346
Peritonitis	–	–	3	1	4	1	3	6	1	11	–	–	1	3	4	–	–	–	–	–	70
Ascites	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
Ulcer. of Intest.	–	–	–	2	2	1	–	–	–	1	–	1	4	2	7	–	–	3	–	3	46
Hernia	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	–	–	2	4	6	43
Ileus	–	–	2	–	2	2	–	2	1	5	2	–	–	2	4	–	1	3	–	4	98
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Strict. of Intest.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Dis. of Stomach	7	2	4	–	13	8	1	1	–	10	4	–	3	3	10	2	–	2	1	5	332
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	4	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
Jaundice	–	–	–	2	2	2	–	4	–	6	2	–	–	–	2	1	1	–	–	2	75
Dis. of Liver	1	1	7	2	11	1	–	11	2	14	–	1	5	3	9	–	–	2	2	4	285
Dis. of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	14
VIII. Nephritis	–	1	1	–	2	–	–	–	–	–	1	1	–	1	3	–	–	–	–	–	41
Nephria	1	2	4	2	9	–	1	3	2	6	–	–	2	–	2	–	–	1	–	1	115
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	17
Diabetes	–	–	–	–	–	–	–	2	–	2	–	1	2	1	4	–	–	–	–	–	36
Stone	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	1	1	16
Cystitis	–	–	–	1	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	19
Strict. of Urethra	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	5
Dis. of Kidneys	–	–	3	–	3	–	–	9	2	11	–	–	2	3	5	1	–	3	–	4	149
IX. Paramenia	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	1	2	13
Ovarian Dropsy	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	21
Childbirth	–	–	7	–	7	–	–	9	–	9	–	–	1	–	1	–	–	–	–	–	162
Dis. of Uterus	–	–	–	–	–	–	–	1	–	1	1	–	1	1	3	–	–	1	–	1	28
X. Arthritis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11
Rheumatism	–	2	1	–	3	–	1	2	1	4	–	–	–	1	2	–	–	2	1	3	60
Dis. of Joints, etc.	2	1	1	–	4	2	1	1	1	5	–	–	–	1	1	–	–	2	–	2	106
XI. Carbuncle	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	7
Phlegmon	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	6
Disease of Skin	1	–	–	–	1	2	1	–	–	3	2	–	–	–	2	–	–	–	–	–	18
XVII. Intemperance	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	51
Privation of Food	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2
Wt. Breast-milk	1	–	–	–	1	5	–	–	–	5	4	–	–	–	4	–	–	–	–	–	69
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	22
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	2	–	5	4	9	1	1	15	5	1	2	–	8	–	–	–	–	–	98
Hanging, etc.	–	–	3	2	5	–	–	2	–	2	–	–	1	–	1	–	–	2	–	2	20
Suffocation	–	–	2	–	2	–	–	–	–	–	–	–	–	2	2	–	–	1	–	1	79
Drowning	1	3	1	3	8	–	–	9	–	9	2	6	–	–	8	1	5	1	–	7	124
Fractures	1	3	8	3	15	–	4	17	3	24	2	4	10	3	19	1	–	6	2	9	358
Gunshot Wounds	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	7
Cuts and Stabs	–	–	3	–	3	–	–	2	–	2	–	–	1	1	2	–	–	–	–	–	23
Other Vio. Causes	1	–	3	–	4	2	1	1	–	4	–	–	2	–	2	1	–	–	–	1	43
Not specified	31	1	1	–	33	43	3	9	1	56	3	–	–	–	3	3	1	–	–	4	365

	MALE BIRTHS.												Total Male Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	816	731	907	907	935	867	775	819	779	805	796	759	9896
Edinburgh,	259	243	308	321	314	338	288	283	283	249	261	279	3426
Dundee,	203	166	197	170	208	214	202	198	171	170	176	160	2235
Aberdeen,	153	109	146	144	151	135	125	149	140	151	114	128	1645
Paisley,	84	56	93	84	94	70	55	78	76	83	51	73	897
Greenock,	118	106	106	112	105	125	102	99	108	92	103	91	1267
Leith,	73	65	87	79	89	76	75	73	87	88	79	75	946
Perth,	47	33	37	28	38	36	37	32	36	40	24	28	416
Total, 1870,	1753	1509	1881	1845	1934	1861	1659	1731	1680	1678	1604	1593	20728
Total, 1869,	1640	1486	1819	1787	1685	1756	1749	1601	1566	1661	1749	1706	20205
Total, 1868,	1702	1553	1794	1814	1796	1902	1728	1616	1588	1665	1513	1595	20266
Total, 1867,	1667	1494	1689	1866	1832	1691	1699	1578	1544	1698	1662	1619	20039
Total, 1866,	1692	1553	1737	1691	1796	1705	1696	1558	1522	1679	1533	1588	19750
Total, 1865,	1711	1544	1727	1682	1830	1790	1548	1550	1533	1614	1505	1524	19558
Total, 1864,	1611	1515	1614	1753	1678	1654	1475	1568	1460	1544	1491	1599	18962

	FEMALE BIRTHS.												Total Female Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	812	721	878	835	847	833	833	751	768	731	744	710	9463
Edinburgh,	288	196	280	304	288	295	269	275	276	287	270	278	3306
Dundee,	187	149	198	187	209	166	186	177	161	153	169	177	2119
Aberdeen,	130	111	145	125	146	143	108	138	137	136	111	134	1564
Paisley,	77	58	66	70	78	74	53	73	68	66	71	65	819
Greenock,	103	99	95	106	100	109	98	111	93	89	104	109	1216
Leith,	74	71	77	76	71	69	64	71	62	78	73	82	868
Perth,	32	31	26	43	35	41	32	28	24	37	38	31	398
Total, 1870,	1703	1436	1765	1746	1774	1730	1643	1624	1589	1577	1580	1586	19753
Total, 1869,	1651	1508	1755	1765	1612	1642	1638	1563	1478	1534	1513	1651	19310
Total, 1868,	1645	1450	1674	1692	1701	1834	1655	1527	1457	1544	1489	1579	19247
Total, 1867,	1636	1499	1554	1714	1707	1583	1704	1468	1466	1667	1488	1487	18973
Total, 1866,	1618	1475	1635	1638	1746	1641	1495	1484	1378	1630	1477	1585	18802
Total, 1865,	1628	1516	1596	1588	1712	1668	1542	1485	1399	1507	1416	1460	18517
Total, 1864,	1496	1478	1540	1644	1659	1610	1407	1499	1386	1415	1436	1540	18110

	BIRTHS—BOTH SEXES.												Total Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1628	1452	1785	1742	1782	1700	1608	1570	1547	1536	1540	1469	19359
Edinburgh,	547	439	588	625	602	633	557	558	559	536	531	557	6732
Dundee,	390	315	395	357	417	380	388	375	332	323	345	337	4354
Aberdeen,	283	220	291	269	297	278	233	287	277	287	225	262	3209
Paisley,	161	114	159	154	172	144	108	151	144	149	122	138	1716
Greenock,	221	205	201	218	205	234	200	210	201	181	207	200	2483
Leith,	147	136	164	155	160	145	139	144	149	166	152	157	1814
Perth,	79	64	63	71	75	77	69	60	60	77	62	59	814
Total, 1870,	3456	2945	3646	3591	3708	3591	3302	3355	3269	3255	3184	3179	40481
Total, 1869,	3291	2994	3574	3552	3297	3398	3387	3164	3044	3195	3262	3357	39515
Total, 1868,	3347	3003	3468	3506	3497	3736	3383	3143	3045	3209	3002	3174	39513
Total, 1867,	3303	2993	3243	3580	3539	3274	3403	3046	3010	3365	3150	3106	39012
Total, 1866,	3310	3028	3372	3329	3542	3346	3191	3042	2900	3309	3010	3173	38552
Total, 1865,	3339	3060	3323	3270	3542	3458	3090	3035	2932	3121	2921	2984	38075
Total, 1864,	3107	2993	3154	3397	3337	3264	2882	3067	2846	2959	2927	3139	37072

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	167	138	171	175	195	147	158	147	151	129	137	138	1853
Edinburgh,	56	49	54	55	48	58	45	54	51	43	46	47	606
Dundee,	49	40	38	34	39	36	55	55	37	28	43	30	484
Aberdeen,	26	17	31	30	39	36	34	47	38	34	37	27	396
Paisley,	13	8	10	12	12	16	13	20	13	10	3	14	144
Greenock,	5	12	15	11	18	11	10	10	5	8	8	9	122
Leith,	11	7	6	10	9	10	10	13	4	9	11	12	112
Perth,	15	7	4	7	4	8	5	10	6	5	7	6	84
Total, 1870,	342	278	329	334	364	322	330	356	305	266	292	283	3801
Total, 1869,	354	304	368	346	298	342	327	287	296	278	324	324	3848
Total, 1868,	355	300	360	288	334	353	326	313	306	310	303	286	3834
Total, 1867,	308	316	337	344	317	293	378	307	303	338	304	299	3844
Total, 1866,	369	319	343	324	318	349	353	346	274	336	296	340	3967
Total, 1865,	332	282	311	314	340	359	311	308	268	278	297	294	3694
Total, 1864,	325	291	264	283	342	322	271	346	289	316	302	283	3634

MARRIAGES IN THE EIGHT TOWNS—1870.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	627	274	259	275	198	587	630	283	311	359	468	348	4619
Edinburgh,	218	102	81	84	101	275	174	150	127	139	171	233	1855
Dundee,	158	50	55	41	69	177	55	57	62	64	82	98	968
Aberdeen,	92	39	34	26	49	105	82	51	50	42	53	81	704
Paisley,	72	22	19	21	21	52	27	62	20	45	53	44	458
Greenock,	73	30	26	38	19	65	55	51	42	23	55	46	523
Leith,	36	22	26	19	24	64	54	36	22	24	43	53	423
Perth,	22	5	13	5	12	22	17	15	9	20	20	20	180
Total, 1870,	1298	544	513	509	493	1347	1094	705	643	716	945	923	9730
Total, 1869,	1134	520	550	567	456	1299	1046	687	587	646	942	727	9161
Total, 1868,	1049	492	527	513	382	1269	943	612	578	575	859	807	8606
Total, 1867,	1049	509	510	573	436	1219	1034	583	638	577	899	840	8867
Total, 1866,	1168	599	501	641	462	1331	992	620	624	654	930	928	9450
Total, 1865,	1197	570	462	473	498	1227	1094	649	603	656	945	946	9320
Total, 1864,	1082	523	468	576	465	1172	983	711	559	615	846	884	8884
Total, 1863,	995	492	506	544	407	1190	979	633	518	621	913	795	8593
Total, 1862,	899	431	484	443	369	1070	902	551	535	513	730	767	7694
Total, 1861,	834	417	441	523	397	1007	873	523	535	522	833	828	7733

	MALE DEATHS.												Total Male Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	753	627	703	601	568	504	499	606	425	427	565	683	6961
Edinburgh,	254	222	200	184	186	188	180	164	176	157	214	224	2349
Dundee,	138	150	151	149	105	119	123	127	119	119	118	149	1567
Aberdeen,	102	85	84	81	85	89	62	60	57	72	69	99	945
Paisley,	66	50	65	56	54	44	56	63	38	47	49	81	669
Greenock,	93	81	100	86	61	56	39	79	70	52	65	91	873
Leith,	56	49	39	35	44	53	39	59	51	33	36	51	545
Perth,	35	22	29	33	30	15	27	18	26	22	32	36	325
Total, 1870,	1497	1286	1371	1225	1133	1068	1025	1176	962	929	1148	1414	14234
Total, 1869,	1350	1240	1644	1380	1334	1355	1266	1118	1057	1091	1366	1547	15748
Total, 1868,	1192	1084	1215	1212	1155	1098	1224	1225	996	1163	1253	1321	14138
Total, 1867,	1351	1058	1209	1187	1226	1021	1072	909	990	993	1036	1182	13234
Total, 1866,	1261	1103	1301	1244	1248	1041	1095	982	905	1157	1170	1217	13724
Total, 1865,	1399	1388	1305	1110	1174	1068	1238	1084	956	1124	1307	1099	14252
Total, 1864,	1543	1373	1479	1222	1134	1135	1058	1147	984	1057	1122	1240	14494

	FEMALE DEATHS.												Total Female Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	761	666	683	589	539	514	480	576	445	491	545	702	6991
Edinburgh,	299	204	215	183	190	182	173	187	158	161	189	216	2357
Dundee,	177	158	176	134	119	106	116	136	121	113	125	135	1616
Aberdeen,	93	90	85	82	80	83	63	81	75	70	82	100	984
Paisley,	61	65	61	55	42	50	49	73	43	51	59	74	683
Greenock,	94	72	95	67	66	37	64	67	50	54	55	78	799
Leith,	55	57	41	39	34	37	38	57	35	52	33	35	513
Perth,	44	31	32	27	30	34	17	15	22	21	18	25	316
Total, 1870,	1584	1343	1388	1176	1100	1043	1000	1192	949	1013	1106	1365	14259
Total, 1869,	1399	1266	1574	1348	1328	1331	1158	1126	1038	1097	1422	1615	15702
Total, 1868,	1231	1086	1194	1036	1093	1134	1134	1179	1069	1135	1221	1381	13893
Total, 1867,	1471	1140	1228	1160	1185	968	1082	946	911	976	1013	1197	13277
Total, 1866,	1267	1075	1323	1222	1270	1064	978	978	882	1140	1257	1268	13724
Total, 1865,	1413	1449	1288	1126	1137	1070	1182	1163	897	1109	1250	1163	14247
Total, 1864,	1608	1457	1436	1233	1099	1100	1049	1072	982	995	1132	1171	14334

	DEATHS—BOTH SEXES.												Total Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1514	1293	1386	1190	1107	1018	979	1182	870	918	1110	1385	13952
Edinburgh,	553	426	415	367	376	370	353	351	334	318	403	440	4706
Dundee,	315	308	327	283	224	225	239	263	240	232	243	284	3183
Aberdeen,	195	175	169	163	165	172	125	141	132	142	151	199	1929
Paisley,	127	115	126	111	96	94	105	136	81	98	108	155	1352
Greenock,	187	153	195	153	127	93	103	146	120	106	120	169	1672
Leith,	111	106	80	74	78	90	77	116	86	85	69	86	1058
Perth,	79	53	61	60	60	49	44	33	48	43	50	61	641
Total, 1870,	3081	2629	2759	2401	2233	2111	2025	2368	1911	1942	2254	2779	28493
Total, 1869,	2749	2506	3218	2728	2662	2686	2424	2244	2095	2188	2788	3162	31450
Total, 1868,	2423	2170	2409	2248	2248	2232	2358	2404	2065	2298	2474	2702	28031
Total, 1867,	2822	2198	2437	2347	2411	1989	2154	1855	1901	1969	2049	2379	26511
Total, 1866,	2528	2178	2624	2466	2518	2105	2073	1960	1787	2297	2427	2485	27448
Total, 1865,	2812	2837	2593	2236	2311	2138	2420	2247	1853	2233	2557	2262	28499
Total, 1864,	3151	2830	2915	2455	2233	2235	2107	2219	1966	2052	2254	2411	28828

ABSTRACT of the METEOROLOGY of the Eight Principal Towns of Scotland during the several Months of the Year 1870.

Mean Height above the Sea-level, 122 feet. Mean North Latitude, 56°·12′. Mean West Longitude, 3°·30′.

1870.	BAROMETER.		SELF-REGISTERING THERMOMETER. Mean of the Eight Towns.						HYGROMETER.		DEDUCTIONS from Glaisher's Tables, 2nd Edit.				RAIN.		WINDS.									
																	Number of Days it blew in certain Directions.									
	Mean at 32° and Sea-level.	Monthly Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Mean Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cubic Foot of Air.	Humidity. Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Pressure on square foot.
	inch.	inch.	°	°	°	°	°	°		°	°	inch.	grs.		days.	inch.									
JANUARY, . . .	29·894	2·104	46·6	25·2	36·5	21·4	7·3	15·5	36·2	35·1	33·4	·192	2·23	90	17	3·25	2	2	4	3	3	5	6	4	2	1·01
FEBRUARY, . . .	29·925	1·548	47·6	20·4	35·7	27·3	8·7	16·0	35·4	34·1	32·1	·182	2·11	88	16	4·14	2	4	6	3	3	2	2	4	2	1·93
MARCH, . . .	30·089	1·406	54·8	23·9	39·9	30·9	12·1	20·8	38·9	37·2	34·9	·204	2·37	86	10	0·92	3	3	5	2	2	4	5	5	2	1·53
APRIL, . . .	30·027	1·244	68·8	32·8	48·0	36·0	14·9	23·8	46·6	43·7	40·4	·246	2·90	80	11	1·09	0	1	1	2	4	7	8	5	2	2·23
MAY, ...	29·923	1·433	68·0	34·2	51·3	33·7	12·9	21·0	50·4	47·8	45·0	·300	3·41	82	14	2·72	2	2	4	2	4	5	6	4	2	2·10
JUNE, ...	30·039	1·109	77·1	44·3	56·7	32·8	14·3	25·2	55·9	52·8	49·9	·360	4·04	81	12	1·63	2	2	3	1	2	4	9	5	2	1·22
JULY, ...	29·954	0·809	82·3	45·3	60·2	37·0	14·2	25·9	59·2	56·6	54·3	·422	4·72	84	12	2·26	1	2	4	2	2	6	8	3	3	1·27
AUGUST, . . .	30·014	0·866	76·3	42·0	58·6	34·3	15·9	26·2	57·4	54·7	52·2	·391	4·37	82	11	1·44	3	4	6	2	2	2	5	4	3	1·22
SEPTEMBER, . .	29·954	1·672	67·9	36·8	54·2	31·1	14·2	22·2	52·3	50·3	48·9	·347	3·90	87	12	2·62	1	2	3	1	2	6	6	3	6	1·04
OCTOBER, . . .	29·630	2·176	61·2	33·5	46·9	27·7	11·1	21·5	45·9	44·1	42·1	·268	3·07	87	15	4·14	3	2	4	3	2	4	6	4	3	1·67
NOVEMBER, . .	29·740	1·649	54·0	27·1	40·2	26·9	8·4	19·5	38·6	37·2	35·3	·206	2·39	88	11	1·80	3	1	2	2	2	4	7	5	4	1·25
DECEMBER, . .	29·976	1·812	51·1	12·4	34·4	38·7	8·9	18·9	34·2	33·0	31·0	·176	2·06	88	14	3·22	4	3	5	2	1	3	7	3	2	3·13
YEAR, .	29·930	1·486	63·0	31·5	46·9	31·5	11·9	21·5	46·0	43·9	41·6	·274	3·13	85	155	29·23	26	28	47	25	29	52	75	49	34	1·55

The absolute highest temperature, viz. 85°·2, was noted at Glasgow in July; and the absolute lowest, viz. 3°·0, at Paisley in December.

NOTE.—The figures under each month are the mean results from the eight Stations, as published in the Monthly Returns.

APPENDIX

EXTRACTS FROM THE REGISTRARS' NOTES RELATIVE TO THE WORKING OF THE VACCINATION ACT.

I. NORTHERN DIVISION.

1. Shetland.

3. (1.) Dunrossness.—The three cases in col. 7 are those of children whose parents have got them vaccinated, but who did not go to the vaccinator on his second visit to get Schedule A, because they could not pay the fee.

3. (2.) Sandwick and Cunningsburgh.—Of the 67 births for 1869, there are still four of which no certificates have yet been got. In all the former books, however, there are no certificates awanting, but a great deal of trouble has been caused.

4. (1.) Fetlar.—In some cases the Registrar has had to give notice to the parents before certificates were sent in; but all the children registered in 1869 have been successfully vaccinated.

4. (2.) North Yell.—This return shows that, for 1869, four children are still unvaccinated. Had there been a medical officer appointed as vaccinator for the parish, there would probably have been no defaulters, as it is, there are many, extending over some years. There is no *legally* qualified medical practitioner residing in the Island of Yell, but there is a gentleman who has been practising medicine for many years, and who has studied for that profession, but has not yet obtained a diploma. It would be a considerable boon to the islanders if the Board of Supervision would sanction his appointment as vaccinator. The poor people would thus get rid of their vaccination difficulties, and there would be no cause for prosecutions.

7. (3.) Whalsay and Skerries.—Certificates are sent in very satisfactorily; defaulters list blank.

2. Orkney.

14. Deerness.—The want of a parochial medical officer to visit this parish at stated times, occasions a good deal of trouble in the working of the Act. The vaccinator supplies postponement schedules from time to time, until there is a number to vaccinate, sufficient to afford him a handsome fee for coming to the parish. Now, apart from the illegality of giving Schedule B in such cases, the practice occasions a great amount of unnecessary trouble to the Registrar, whose whole emoluments for registration amounts to the munificent sum of £4.

15. Eday and Pharay.—The chief difficulty is owing to the want of a *resident* medical practitioner.

20. Hoy and Græmsay.—The Act is well attended to. A medical practitioner calls quarterly.

27. Sandwick.—The Act has wrought very well here, and all the children have been successfully vaccinated, except where it was necessary to postpone the operation; but the minister, who is a surgeon and still the vaccinator, had vaccinated the children of this and the neighbouring parishes for 40 years, previous to the passing of the Act, gratis, and as no native has taken smallpox during all that time, though it has more than once been introduced by strangers, the people are aware of the value of the operation. Three or four days, in as many succeeding weeks in summer, generally suffice for the vaccination, when they assemble by public intimation, for the purpose, at the manse.

29. South Ronaldshay and Burray.—The people are attentive to the vaccination of their children, and Dr. Gordon is most successful, giving the Registrar very little trouble.

30. Stromness.—The Registrar finds no difficulty in working the Act, unless when the medical man vaccinates and withholds the schedule till he is paid.

33. (1.) Westray.—For the last 3 months, there have been no vaccinations in the district, owing to the death of the medical officer, and the vacancy not being yet filled up, but which is expected to be so very soon, when the Act will be again punctually attended to, as the parents are very anxious to have their children vaccinated.

4. Sutherland.

53. Lairg.—There is a general desire on the part of parents to comply with the provisions of the Act. This is a matter of difficulty to those residing in remote parts of the parish, who have to come perhaps 15 or 20 miles to meet the vaccinator. All had their children vaccinated before the age of 6 months, except a very few, who did so within 10 days after receiving the Registrar's notice.

II.—NORTH-WESTERN DIVISION.

5. Ross and Cromarty.

Mainland.

66. (2.) Southern District of Gairloch.—

Parents complain of the high charges made, particularly those who come a distance of 10 or 15 miles to meet the vaccinator. Very often they have to cross rough and rugged mountains in stormy weather, rendering it, at times, very disagreeable, and not free from risk to weak children, whose mothers, hardy as they are, have more than enough to do to breast the storms that, continually during winter, prevail on the west coast.

75. (1.) LOCHBROOM.—Vaccination can scarcely be said ever to have been conducted in a systematic manner in this parish. It is done by fits and starts, no regular and punctual times having ever been adopted for the purpose, probably very much owing to the short tenure of medical men in the parish. Considering the difficulty of attendance under these circumstances, the wonder is that so many are vaccinated, especially when the poor people have sometimes to go a great distance, cross hills and ferries, and pay the vaccinator besides. To many it is a great hardship. The vaccination should be free or not compulsory, at least in rural parishes, such as this.

83. TARBAT.—The Act works well, so far as the vaccination of the children is concerned, but the regular return of the schedules is by no means attended to; this arises entirely from the inability of many of the parents to pay the vaccination fee. Farm servants, who are paid but twice a year, and who require the perquisites of poultry and pig for groceries, complain very much. This return would not have been so favourable, were it not that in several cases the medical officer granted schedules gratis.

6. INVERNESS.

Mainland.

97. (1.) GLENELG.—As will be seen from the Return, the Act is now working satisfactorily.

97. (3.) NORTH MORAR.—The people are all well informed as to the requirements of the Act, but many fail, from year to year, to comply with them.

104. LAGGAN.—Vaccination is well attended to.

Insular.

112. (1.) KILMUIR.—The Act has been much neglected in this district for the last two years. The defaulters have got notices within the time specified, and lists of them have been periodically transmitted to the Inspector of Poor.

III.—NORTH-EASTERN DIVISION.

7. NAIRN.

122. CAWDOR.—Postponements are becoming more numerous annually, and when a case has been once postponed, there is an increasing difficulty in gettings subsequent postponements, or vaccination done within the prescribed time.

8. ELGIN (OR MORAY).

131. DUFFUS.—Vaccination well attended to, but much inconvenience felt on account of there being no resident medical practitioner.

9. BANFF.

148. BOTRIPHNIE.—The Act works well, and the Registrar has very little trouble.

155*a*. GAMRIE.—The Act continues to work very successfully, and with comparatively little trouble to the Registrar.

157. (2.) GLENLIVAT.—Act works well.

10. ABERDEEN.

183. CRATHIE AND BRAEMAR.—The Act is still working well.

186. CULSAMOND.—Parents are very lax in sending in the vaccination schedules, but take pretty good care of the fine.

193. FINTRAY.—With regard to col. 7, every year more or less leave the district before the date of vaccination expires, some even to England; but in no case since the commencement of the Act, has the Registrar failed in securing schedules from such parties, not, however, without difficulty.

199. GLASS.—When a birth is registered, the Registrar makes a point of advising the parent not to defer vaccination too long, and in almost every case his advice is complied with. Dr. Wilson kindly attends now and then, at the Registrar's house, for the purpose of vaccinating, when those interested in the neighbourhood gladly meet him with their children.

202. HUNTLY.—In the two cases unaccounted for, the parents have left the country.

213. KINTORE.—The parents are very anxious to do all required by the Act.

217. LOGIE COLDSTONE.—Scarcely ever do the parents return the schedules till they have received the statutory notice pursuant to section 17.

233. PITSLIGO.—The working of the Act has very much improved during the past year. There have been only two cases of postponement. The Registrar believes the cases where postponement is absolutely necessary to be exceedingly rare, and more especially if the time allowed for vaccination were more limited.

237*b*. SAVOCH.—There seems to be the greatest difficulty in getting schedules from one of the vaccinators, and a great many 'Notices to Parents' require to be sent.

242. TARLAND MIGVIE.—Cases requiring notice are increasing annually.

IV. EAST-MIDLAND DIVISION.

12. FORFAR.

282. (3.) ST. CLEMENT (DUNDEE).—The Act continues to work very smoothly. The unreasonable objections to vaccination are dying away, and there appears a growing disposition amongst even the most uneducated people to recognise the benefits of the law. The uncertain state of trade sufficiently accounts for the number of cases of which no return can be made. Without exception they belong to the nomadic classes.

282. (4.) ST. ANDREW (DUNDEE).—The Act works pretty well on the whole. It entails very great labour upon the Registrar, with quite inadequate remuneration, which, to be in any way proportionate to the amount of work and annoyance to which he is subjected, should be at the very least double what it now is. A great proportion of the parents delay sending in the certificates till after the statutory notice is sent to them, and when asked the cause of the delay, exclaim, 'Oh, we are within the 10 days.' The Registrar is convinced that if a shilling were charged for every notice required to be sent, very few would be needed in the course of the whole year. When the Act was in its infancy, the 10 days' grace was perhaps a necessary as well as a merciful provision; but the requirements of the Act, being now so well understood, that provision has been converted into a cause of great carelessness on the part of parents, and endless trouble to Registrars. The time from birth within which a child ought to be vaccin-

ated, should, in the Registrar's opinion, be limited to three months or four at the farthest. The causes for postponements should also be made more definite.

283. DUNNICHEN.—The Act continues to work well; but the fee to the Registrar, being only threepence for each entry, is very inadequate.

296. KINNELL.—Vaccination still continues to be remarkably well attended to.

13. PERTH.

342. CRIEFF.—As a general rule vaccination is well attended to.

351. ERROL.—So far as the Registrar knows, the people are very anxious to comply with the Act; but he has in many cases to remind them of their duty, and the excuse invariably given by those who are behind the required period is, that they had difficulty in procuring the certificate from the vaccinator.

355*a*. FORTINGALL.—There are two cases outstanding, for which no satisfactory reason can be given. The medical men are very careless, and will not call in to vaccinate the children, although they pass the door where the children are, and the parents cannot go the length of the vaccinator's house—9 miles—without a conveyance, which they, being poor, cannot afford to hire. The Parochial Board pay no attention to the reports furnished them, and never prosecute defaulters, and the Registrar never gets a penny for the notices sent them.

364. KINCARDINE.—Vaccination carefully attended to both by parents and medical men.

394*b*. STRATHFILLAN.—The parents are willing to get their children vaccinated in due time.

14. FIFE.

426. DYSART.—There are four defaulters, who left the district and have not yet been traced. The children of three of these are illegitimate.

429. FERRY-PORT-ON-CRAIG.—The only one unaccounted for, was the child of a hawker, whose whereabouts cannot be ascertained.

433. KEMBACK.—Since the commencement, 45 postponed schedules have been received, and 43 of them are from one doctor.

442. KIRKCALDY.—As was stated last year, the Act works very well, though there is still great difficulty in getting in the required certificates at the proper time. This arises more from forgetfulness on the part of the parents than from any desire not to comply with the provisions of the Act.

15. KINROSS.

462. KINROSS.—In one case previously unaccounted for, the parents, travelling dealers in crystal and china, returned to this parish lately, and their child was vaccinated as per certificate, dated 11th November 1870. No fine was exacted.

V.—WEST MIDLAND DIVISION.

17. STIRLING.

480. FINTRY.—Every child registered during 1869, has been successfully vaccinated. This has not occurred before.

483. KILSYTH.—Vaccination has been pretty well attended to by parents and guardians. Of the five cases unaccounted for, two are of the children of tinkers, having no fixed residence, and the other three are of children belonging to the mining class, who, owing to the nature of their employment, are often shifting about. There is a good deal of trouble with some of this class. Threatening notices are of little avail, and the Parochial Board does not care about prosecuting. The Registrar finds that the best way, after sending notice, is to make personal calls, which costs much trouble and time.

490. STIRLING.—The Vaccination Act is still working well.

19. ARGYLL.

Mainland.

505. (2.) ARISAIG.—The Vaccination Act, upon the whole, is well attended to; but notices have still to be sent, in some cases more than once. There is still one defaulter to whom the Registrar has sent no less than three notices to no effect, and now he intends to report him to the Inspector of Poor; but, likely, no steps will be taken for prosecuting him, as several cases have been reported before. The Registrar blames no person, but merely states facts.

521. KILMARTIN.—Vaccination continues to be very well attended to.

523. KILMORE AND KILBRIDE.—Owing to the prevalence of measles during the past year, vaccination was not so regularly carried on.

525. (2.) APPIN.—The medical practitioner is very attentive, and the people are generally willing and ready to comply.

528. MORVEN.—This rugged and extensive parish, almost surrounded by sea, is in difficulties at present with regard to vaccination. Parents generally are very desirous to have their children vaccinated, but the parish is without a vaccinator, since the death of the last, on the 27th August, and it is impossible to cross seas and rugged hills at this season of the year. A medical gentleman was expected to settle down in the parish some months ago.

531. (2.) SKIPNESS.—The Vaccination Act works admirably.

535. TARBERT.—Parents generally get their children vaccinated within the time; but there are some who require to be threatened before they will get them vaccinated, and who think that, as it is a compulsory measure, Government should pay the expense.

Insular.

551. (1.) TYREE.—At the beginning of the year, the Parochial Board gave indications of increased attention to the requirements of the Vaccination Act, which has produced great punctuality in returning the certificates to the Registrar.

20. BUTE.

554. KILMORY.—A fee of from 3*s*. to 5*s*. is charged for vaccinating the non-pauper children. This is unfavourable to the operation of the Act among the poorer classes.

VI. SOUTH-WESTERN DIVISION.

21. RENFREW.

565. HOUSTON AND KILLELLAN.—The whole of those returned as having left the parish are labourers, and there is great difficulty in finding them out, although many of them return to the parish after two or three years' absence.

574. PORT-GLASGOW.—During the previous year the postponements amounted to 113, but during the past year there has been a decided improvement, the number being 85. Since the beginning of the past year, the Registrar has sent quarterly returns to the Parochial Board, which seems to have wrought well.

22. Ayr.

578. Ayr.—Were the time allowed for vaccination restricted to, say, four months instead of six, as at present, the number who appear in col. 7, as removed or otherwise unaccounted for, would be greatly diminished, and the number of postponements would also be fewer.

582. Dreghorn.—The Vaccination Act is working very well in this parish, though a great many of the parents have to be written to, which is attributable to the 1s. 6d. they have to pay, and to the carelessness of the vaccinators in delivering the certificates after vaccination.

597. Kilmarnock.—As in previous years the Vaccination Act continues to work well, only 1·2 per cent being unaccounted for. Many parties, however, still require to be written to at the end of six months, otherwise the certificates would be neglected to be sent.

609. Ochiltree.—The year 1869, like all its predecessors, has yielded a most satisfactory result.

613. Sorn.—The Vaccination Act is working much more satisfactorily, in consequence of the appointment of a new vaccinator for the parish, who is most attentive to his duties.

616. Stewarton.—The Vaccination Act, which must be regarded as of great value to the community, is working very well; but this, in some degree at least, is due to unrecognised, unrequited labour on the part of the Registrar. Delinquents are numerous, and as the exaction of one shilling by the Registrar, 'in respect of notice,' can only take place after additional 10 days, the indulgence seems to favour carelessness. In many instances, judging from the date, the vaccination certificate is ready, but is either not called for, or withheld till the vaccinator's fee is paid; and the Registrar has frequently to call upon delinquents and vaccinators before he can get the document. In many cases females perform the part of accoucheur, and then the vaccinator is only applied to under pressure. For such trouble, especially in parishes where remuneration is not supplemented by the Parochial Board, threepence per entry, and that dependent on the success of the vaccinating operation, is certainly very inadequate payment.

23. Lanark.

624. Blantyre.—With regard to one of the cases under col. 7, some instructions are required. The mother was unable to pay the doctor for vaccinating her child, and he retains the certificate till he is paid.

634. Covington and Thankerton.—The people are strictly attentive to comply with the requirements of the Act, therefore no irregularities occur.

637. Culter.—There is often considerable difficulty in getting the vaccination certificates within the proper time.

638. (2.) Dalserf.—The mining portion of the population are very migratory. This circumstance forms the only difficulty I have experienced in the working of the Act.

644. (3.) Bridgeton (Glasgow).—The fact that out of 2259 entries, only 44 are in col. 7, as having removed from the district or otherwise unaccounted for, speaks for itself, and shows how well the people attend to the duty of vaccination. Of the 2215 accounted for, only 200 had to be lettered; and no case of prosecution has been necessary.

651. (1.) New Monkland (Airdrie).—Notices to parents of failure to vaccinate their children are greatly on the increase. This appears to arise from their being aware that they do not incur any penalty until 10 days after notice of failure, consequently they do nothing whatever in the matter until they are lettered, as they term it, when they may vaccinate within the 10 days of grace allowed them for doing so, after such notice. There have been 6 cases of smallpox within the last 14 days, but in none fatal, in consequence of previous vaccination.

654. Rutherglen.—Vaccination is carried on much in the usual way. A great many letters have to be written before the schedules are returned, and in the majority of cases the fee of one shilling is never paid. One individual refused to have his child vaccinated, for which he was taken before the sheriff by the Inspector, and had to pay the statutory fee of one pound for not returning the schedule, one pound for his refusing the medical practitioner, and three pounds of expenses, in all five pounds, besides being compelled to have his child vaccinated, which has been done and the schedule returned.

660. Wiston and Roberton.—A considerable amount of difficulty is experienced in getting guardians to comply with the provisions of the statute within the proper time.

VII.—SOUTH-EASTERN DIVISION.

24. Linlithgow.

673. Whitburn.—There is always great difficulty in getting the necessary certificates returned within the prescribed time, causing a considerable number of notices to be issued periodically, for which the Registrar has as yet been unable to obtain one farthing.

25. Edinburgh.

679. Cramond.—The vaccination schedules continue to be sent in with great regularity.

681. Crichton.—The Act upon the whole works well.

692. (2.). South Leith.—Upon the whole the Act continues to work satisfactorily. The percentage of removals from the district before vaccination might, however, be greatly lessened, were three months instead of six the period fixed for the return of the certificates.

26. Haddington.

721. Stenton.—The provisions of the Vaccination Act have been most satisfactorily carried out during the year 1869.

27. Berwick.

730. Chirnside.—The Vaccination Act continues to work well.

28. Peebles.

766. Manor.—All the requirements of the Vaccination Act have been strictly fulfilled.

VIII.—SOUTHERN DIVISION.

30. Roxburgh.

783. Bowden.—The Act continues to operate satisfactorily.

784. Castleton.—The Vaccination Act works well, the parents generally being very attentive to their duty, and postponements very few.

792. Jedburgh.—The entry in col. 7, was of a child, who was removed to England, previous to vaccination. The Registrar is aware that the child was successfully vaccinated in England, but the medical gentleman refused to grant a certificate.

793. Kelso.—Parents are most anxious to have their children vaccinated, and the medical

officers are very punctual in sending in the certificates.

31. DUMFRIES.

818*a*. APPLEGARTH.—In too many cases the Registrar requires to admonish parents by sending compulsory notices, and in almost every instance they are immediately complied with; were the fine of a shilling to be imposed by the Registrar for having to issue such notices, the necessity for doing so would be in a great measure removed.

822. DUNSCORE.—Great attention is paid to vaccination, both by parents and medical practitioners.

840. LOCHMABEN.—There are no defaulters, but there is a great deal of extra labour, and the remuneration is very inadequate.

32. KIRKCUDBRIGHT.

871. KIRKCUDBRIGHT.—This year vaccination has been better attended to than usual.

33. WIGTOWN.

893. NEW LUCE.—The Vaccination Act is working well.

901. WIGTOWN.—Vaccination is generally well attended to. No defaulters for 1869.

Digitized with financial assistance from the
Government of Maharashtra
on 19 September, 2016